


MEDICAL LIBRARY

(MINISTRY OF HEALTH.)



MEDICAL LIBRARY

and Ann: Report
of Births, Deaths
(tracts of 1876).

Lent Reminder Ret-d



22500766908

No.....

MINISTRY OF HEALTH.

MEDICAL LIBRARY.

This book may be retained for 14 days. It should be returned to the Medical Library (Room 30/IV) on or before the latest date given below.

The volume may be re-borrowed for a further period upon written request provided it is not required by another officer.

20
6

TWENTY-SECOND
DETAILED ANNUAL REPORT

OF THE

REGISTRAR-GENERAL

OF

BIRTHS, DEATHS, AND MARRIAGES
IN SCOTLAND.

[A B S T R A C T S O F 1 8 7 6:]

Presented to both Houses of Parliament by Command of Her Majesty.



EDINBURGH:
PRINTED BY NEILL AND COMPANY,
FOR HER MAJESTY'S STATIONERY OFFICE.

1880.

[C.—2618.] *Price 1s. 10d.*



WELLCOME INSTITUTE LIBRARY	
Coll.	welMOmec
Call	Sw
No.	WA

REPORT.

TO THE RIGHT HON.

SIR WILLIAM VERNON HARCOURT, Q.C., M.P.,

Her Majesty's Principal Secretary of State for the Home Department.

GENERAL REGISTRY OFFICE OF BIRTHS, ETC.,
EDINBURGH, *July 5, 1880.*

SIR,

On the 29th March 1877, the Registrar-General for Scotland had the honour, in conformity with the requirements of the ninth section of the Scottish Registration Act, 17 & 18 Vict. cap. 80, to transmit to the Secretary of State for the Home Department the usual General Abstracts of the Births, Deaths, and Marriages registered in Scotland during the year 1876, along with some explanation and commentary.

On the same date, his Twelfth Annual Report on Vaccination was transmitted, in accordance with the nineteenth section of the Scottish Vaccination Act, 26 & 27 Vict. cap. 108.

I have now the honour to transmit the Detailed Annual Report, together with the relative Tables, regarding the Births, Deaths, and Marriages registered in Scotland during the same year (1876).

It is shown by the Report that the Birth-rate of 1876 was higher than that of any year for which statistics had at that time

been collected by this Department; that the Death-rate had not been so low since 1861, and that the Marriage-rate was slightly above the average of former years.

Appended to my Report will be found some calculations relative to the average mortality of children, of either sex, during each of the first five years of life. These calculations are based upon the experience of a considerable series of years; and, as it is believed that no appreciable proportion either of births or of deaths escapes registration in Scotland, the law of mortality at these early ages is probably represented, in the tables now furnished by our Statistical Department, with a sufficient degree of accuracy.

I have the honour to be,

SIR,

Your obedient Servant,

ROGER MONTGOMERIE,

Registrar-General.

CONTENTS.

	Page
Report of Registrar-General to the Secretary of State,	iii
Report by Dr Robertson to the Registrar-General,	ix
Table of Estimated Population, with the Number of Births, Deaths, and Marriages registered in Scotland during each of the years 1855-1876 inclusive, and their Proportions to the Population; showing also the excess of Births over Deaths,	ix
Population, with Tables of Density and Proximity,	x
Tables showing the Number and Proportion of Births, Deaths, and Marriages in the Principal Town, Large Town, Small Town, Mainland-Rural, and Insular-Rural Districts, during each of the years 1855-1876,	xiii
Table showing the Number and Proportion of Births, Deaths, and Marriages in each of the Eight Principal Towns of Scotland during 1876,	xiv
Occasional Table, showing the State of Illegitimacy in all Scotland, in the Five Groups of Districts, Principal Towns, and Two Counties in 1876,	xiv
Table showing the Number and Proportion of the Births, Deaths, and Marriages registered in the Divisions and Counties of Scotland during the year 1876,	xv

BIRTHS.

Births in 1876, and their Proportion to the Population, with relative Tables,	xii
Tables showing particulars relative to the Births during each of the years 1855 to 1876 inclusive,	xvi
Number and Proportion of Twins and Triplets,	xvii

MARRIAGES.

Number of Marriages in 1876, and their Proportion to the Population,	xvii
Proportion of Legitimate Children to the Marriages in Scotland and England,	xix
Influence of Density of Population on the Marriages,	xxi
Number and Proportion of Marriages contracted according to the Rites of the several Religious Denominations in 1876, and 1855-1876, with relative Tables,	xxii
Number and Proportion of Persons marrying at different Ages, with relative Tables,	xxii
Number and Proportion of Marriages between Persons in different Conjugal Conditions, with relative Tables,	xxiv
Number and Proportion of Men and Women in Scotland, its Divisions and Counties, also in Edinburgh and Glasgow, who signed the Marriage Schedules by Mark,	xxiv

	Page
DEATHS.	
Number of Deaths in Scotland in 1876, and their Proportion to the Population,	xxiv
Death-rates in Scotland, and in its Principal Town, Large Town, Small Town, Mainland-Rural, and Insular-Rural Districts, during each of the years 1855-1876, with relative Tables,	xxiv
Death-rates in each of the Eight Principal Towns of Scotland during each of the years 1866-1876,	xxvi
Series of Tables of the Deaths at different Ages in Scotland, and its Five Great Groups of Districts, during the year 1876,	xxvii
Mortality of Female lower than that of the Male,	xxviii
High Mortality in Towns at every period of life, as compared with mortality of Rural Districts,	xxx
Causes of Death in 1876, with relative Tables,	xxx
Proportion of Deaths from the Zymotic Diseases at different Ages, with relative Tables,	xxxii
Small-pox Deaths in Scotland for twenty-two years,	xl
Vaccinations in Scotland, 1866-1876,	xli & xlii
Different forms of Fever prevalent in Scotland, and Monthly Fever Deaths,	xxxviii & xliii
The Nineteen most fatal Diseases in England and Scotland in 1876,	xliv

INFLUENCE OF EXTERNAL AGENCIES ON THE MORTALITY IN 1876.

Weather, Weekly and Monthly, and its Influence on the Mortality,	xlvi
Table showing the Meteorology of Scotland during each month of the year 1876, together with the Monthly and Daily Number of Births, Deaths, and Marriages,	xlviii
Table showing the connection between certain Atmospheric Phenomena, especially Mean Temperature, and the Deaths from certain Diseases and classes of Disease, in the Eight Principal Towns of Scotland during each Month of the year 1876,	xliv
Deaths, Temperatures, and Fall of Rain in the Eight Principal Towns of Scotland, during each week of the year 1876,	l
Influence of Season, etc., on the Mortality at different Ages,	li

APPENDIX.

Calculations of Infant Mortality in Scotland, with Diagram,	lv
Vaccinations in the several Counties of Scotland during the year 1876,	lx

ABSTRACTS.

Summary Table of the Births, Deaths, and Marriages in the Groups of Districts, Divisions, and Counties of Scotland in 1876, distinguishing the Sexes, the Number of Illegitimate Births, the Population in 1861 and 1871, the Excess of Births over Deaths, and the Area in Square Miles of each County,	1
Tables of the Population in 1861 and 1871, and of the Births, Deaths, and Marriages during the year 1876, also of the Illegitimate Births in every Registration District,	2-23

MARRIAGES.

Table of the Marriages in Scotland and its Counties in 1876; distinguishing the Number of Marriages solemnized according to the Rites of the several Religious Denominations, the Number of Irregular Marriages, and the Number of the respective Sexes who signed the Register by Marks,	24
---	----

	PAGE
Table of the Civil Condition of the parties who married in 1876 ; distinguishing the Marriages of Bachelors with Spinsters ; Bachelors with Widows ; Widowers with Spinsters ; and Widowers with Widows ; giving the particulars as to the Age of each Sex	25
Table of the Ages of all Males who married in Scotland and its Counties in 1876, . . .	26
Table of the Ages of all Females who married in Scotland and its Counties in 1876, . . .	28

DEATHS.

Table of the Ages of all persons of both Sexes who died in each of the Groups of Districts, Counties, and Principal Towns of Scotland in 1876, together with the Populations in 1861 and 1871,	30
Table of the Ages of all Males who died in each of the Groups of Districts, Counties, and Principal Towns of Scotland in 1876, together with the Male Populations in 1861 and 1871,	32
Table of the Ages of all Females who died in each of the Groups of Districts, Counties, and Principal Towns of Scotland in 1876, together with the Female Populations in 1861 and 1871,	34
Deaths at different Ages in both Sexes in each of the Large Towns, and in the Small Town Districts of the Counties of Scotland in 1876,	36
Do. Males,	38
Do. Females,	40
Deaths at different Ages in both Sexes in the Mainland-Rural and in the Insular-Rural Districts of Scotland in 1876,	42
Do. Males,	44
Do. Females,	46
Summary Table of the Causes of Death in both Sexes in each of the Counties of Scotland in 1876,	48-51
Do. Males,	52-55
Do. Females,	56-59
Summary Table of the Causes of Death in both Sexes in each of the Principal Towns of Scotland in 1876,	60
Do. Males,	62
Do. Females,	64
Summary Table of the Causes of Death in both Sexes in each of the Large Towns of Scotland in 1876,	66
Do. Males,	68
Do. Females,	70
Summary Table of the Causes of Death in both Sexes in each of the Small Town Districts of the Counties of Scotland in 1876,	72-75
Do. Males,	76-79
Do. Females,	80-83
Summary Table of the Causes of Death in both Sexes in the Mainland-Rural Districts of Scotland in 1876,	84-87
Do. Males,	88-91
Do. Females,	92-95
Summary Table of the Causes of Death in both Sexes, and in Males and Females in the Insular-Rural Districts of Scotland in 1876,	96
Table of the Causes of Death in both Sexes in all Scotland at different Periods of Life,	98-101
Do. Males,	102-105
Do. Females,	106-109
Table of the Causes of Death in both Sexes in the Principal Town Districts of Scotland at different Periods of Life,	110-113
Do. Males,	114-117
Do. Females,	118-121

	Page
Table of the Causes of Death in both Sexes in the Large Town Districts of Scotland at different Periods of Life,	122-125
Do. Males,	126-129
Do. Females,	130-133
Table of the Causes of Death in both Sexes in the Small Town Districts of Scotland at different Periods of Life,	134-137
Do. Males,	138-141
Do. Females,	142-145
Table of the Causes of Death in both Sexes in the Mainland-Rural Districts of Scotland at different Periods of Life,	146-149
Do. Males,	150-153
Do. Females,	154-157
Table of the Causes of Death in both Sexes in the Insular-Rural Districts of Scotland at different Periods of Life,	158-161
Do. Males,	162-165
Do. Females,	166-169
Table of the Causes of Death in both Sexes in Glasgow at different Periods of Life,	170-173
Do. Males,	174-177
Do. Females,	178-181
Table of the Causes of Death in both Sexes in Edinburgh at different Periods of Life,	182-185
Do. Males,	186-189
Do. Females,	190-193
Table of the Causes of Death in both Sexes in Dundee at different Periods of Life,	194-197
Do. Males,	198-201
Do. Females,	202-205
Table of the Causes of Death in both Sexes in Aberdeen at different Periods of Life,	206-209
Do. Males,	210-213
Do. Females,	214-217
Table of the Causes of Death in both Sexes in Greenock at different Periods of Life,	218-221
Table of the Causes of Death in both Sexes in Paisley at different Periods of Life,	222-225
Table of the Causes of Death in both Sexes in Leith at different Periods of Life,	226-229
Table of the Causes of Death in both Sexes in Perth at different Periods of Life,	230-233
Table showing the Influence of Season on the Mortality, or the Number of Deaths during the several Months of the Year 1876, in each of the Groups of Districts, Divisions, and Counties of Scotland,	234
<hr/>	
Constitution of the Compound Districts,	235
List of Registration Districts which include Burghs or Towns of 2000 Inhabitants and upwards, or parts thereof, bearing a different name from the Districts in which they are situated,	236
Index to Districts,	237

REPORT TO THE REGISTRAR-GENERAL,

BY WILLIAM ROBERTSON, M.D., F.R.S.E.

SIR,

THE year 1876 was by no means one of national prosperity. On the contrary, it was characterised by dull and limited trade, by restricted confidence, by a general fall in wages, and by the failure of many commercial and manufacturing concerns. The harvest was far from satisfactory. The hot weather of June and July came too late, and the result, according to the *Economist* of 10th March 1877, "was a crop of a very imperfect character." Notwithstanding these unfavourable influences, the birth-rate in Scotland was unusually high, and the death-rate exceedingly moderate. As might have been expected, the marriage-

TABLE I.—Population estimated to the middle of each year; with the Number of Births, Deaths, and Marriages registered in Scotland during each of the Years 1855 to 1876, and their Proportion to the Population; also the Excess of Births over Deaths, the Illegitimate Births, and their Proportion to the Total Births.

YEARS	Estimated Population.	BIRTHS.		Deaths.	Marriages.	Excess of Births over Deaths.	Percentage to Population.			Percent. of Illegit. to Total Births.
		Total.	Illegit.				Births.	Deaths.	Marriages.	
1855	2,978,065	93,349	7,357	62,004	19,680	31,345	3·1491	2·0820	0·6608	7·8
1856	2,995,771	101,821	8,695	58,529	20,740	43,292	3·3988	1·9537	0·6923	8·5
1857	3,012,310	103,415	8,869	61,906	21,369	41,509	3·4331	2·0551	0·7094	8·5
1858	3,027,665	104,018	9,354	63,539	19,655	40,479	3·4356	2·0986	0·6492	8·9
1859	3,041,812	106,543	9,715	61,714	21,201	44,829	3·5026	2·0288	0·6969	9·1
1860	3,054,738	105,629	9,736	68,170	21,225	37,359	3·5578	2·2316	0·6948	9·2
1861	3,069,404	107,009	9,929	62,341	20,896	44,668	3·4863	2·0310	0·6808	9·2
1862	3,097,009	107,069	10,376	67,195	20,597	39,874	3·4572	2·1697	0·6651	9·7
1863	3,126,879	109,341	10,948	71,481	22,234	37,860	3·4968	2·2860	0·7160	10·0
1864	3,156,021	112,333	11,197	74,416	22,725	37,917	3·5594	2·3579	0·7200	9·9
1865	3,185,437	113,070	11,262	70,891	23,611	42,179	3·5496	2·2255	0·7412	9·9
1866	3,215,129	113,667	11,673	71,348	23,688	42,319	3·5354	2·2191	0·7367	10·2
1867	3,245,098	114,044	11,148	69,067	22,618	44,976	3·5063	2·1284	0·6970	9·7
1868	3,275,350	115,514	11,354	69,416	21,855	46,098	3·5267	2·1193	0·6673	9·8
1869	3,305,885	113,354	11,066	75,875	22,144	37,479	3·4238	2·2951	0·6698	9·7
1870	3,336,707	115,390	11,108	74,165	23,854	41,225	3·4582	2·2227	0·7149	9·6
1871	3,367,922	116,128	11,077	74,712	24,019	41,416	3·4481	2·2183	0·7132	9·5
1872	3,399,225	118,765	10,927	75,794	25,641	42,971	3·4939	2·2298	0·7543	9·2
1873	3,430,923	119,700	10,925	76,946	26,748	42,754	3·4889	2·2427	0·7796	9·1
1874	3,462,916	123,711	10,991	80,720	26,390	42,991	3·5725	2·3310	0·7621	8·9
1875	3,495,214	123,578	10,786	81,767	25,974	41,811	3·5356	2·3394	0·7431	8·73
1876	3,527,811	126,534	11,029	74,129	26,579	52,405	3·5868	2·1013	0·7534	8·72

rate was scarcely up to that of 1873 and 1874, though it exceeded the average rate of the ten years 1866–1875.

POPULATION.

The estimates of population presented in these Reports, are founded upon the enumeration of males and females made at the two census periods, 1861 and 1871, the rate of increase for each sex being assumed to have continued constant since 1871. The estimate is carried to the middle of 1876, that is to say, for five years and a quarter after the date of last census.

TABLE II.—Population of Scotland, in its Five New Groups of Districts, by the Censuses of 1861 and 1871, and estimated to the middle of 1876.

FIVE NEW GROUPS OF DISTRICTS.	CENSUS 1861.			CENSUS 1871.			Estimated to 30th June 1876.		
	Males.	Females.	Both Sexes.	Males.	Females.	Both Sexes.	Males.	Females.	Both Sexes.
Principal Towns . }	407,839	477,116	884,955	502,021	566,535	1,068,556	566,138	628,219	1,194,357
Large Towns . }	129,933	144,448	274,381	160,176	174,081	334,257	168,880	181,422	350,302
Small Towns . }	335,356	369,024	704,380	371,118	404,969	776,087	383,396	417,429	800,825
Mainland-Rural . }	513,554	548,239	1,061,793	508,787	540,327	1,049,114	511,625	541,129	1,052,754
Insular-Rural . }	63,166	73,619	136,785	61,041	70,963	132,004	59,966	69,607	129,573
SCOTLAND .	1,449,848	1,612,446	3,062,294	1,603,143	1,756,875	3,360,018	1,690,005	1,837,806	3,527,811

TABLE A.—Proximity and Density. In constructing this Table, *p* is successively assumed=1, 2, 3, &c.

The log. *c* is=3·2767474, being the log. of $\left(\frac{\sqrt{2}}{4} \times 1760\right)$, and of course constant. The formula for constructing the Table is:—log. *d* = 2 (log. *c* – log. *p*).

<i>p</i>	<i>d</i>	<i>p</i>	<i>d</i>	<i>p</i>	<i>d</i>	<i>p</i>	<i>d</i>
Proximity in Yards.	Density of Population per Sq. Mile.	Proximity in Yards.	Density of Population per Sq. Mile.	Proximity in Yards.	Density of Population per Sq. Mile.	Proximity in Yards.	Density of Population per Sq. Mile.
1	3576800	26	5291	51	1375	76	619
2	894200	27	4906	52	1323	77	603
3	397422	28	4562	53	1273	78	588
4	223550	29	4253	54	1227	79	573
5	143072	30	3974	55	1182	80	559
6	99356	31	3722	56	1141	85	495
7	72996	32	3493	57	1101	90	442
8	55888	33	3284	58	1063	95	396
9	44156	34	3094	59	1028	100	358
10	35768	35	2920	60	994	150	159
11	29560	36	2760	61	961	200	89
12	24839	37	2613	62	931	300	40
13	21165	38	2477	63	901	400	22
14	18249	39	2352	64	873	500	14
15	15897	40	2236	65	847	600	10
16	13972	41	2128	66	821	700	7
17	12376	42	2028	67	797	800	6
18	11039	43	1934	68	774	900	4
19	9908	44	1848	69	751	1000	3·6
20	8942	45	1766	70	730	1100	3·0
21	8111	46	1690	71	710	1250	2·3
22	7390	47	1619	72	690	1500	1·6
23	6761	48	1553	73	671	1760	1·2
24	6210	49	1490	74	653	1891	1·0
25	5723	50	1431	75	636	2000	0·9

In Table II. will be found the requisite details regarding the population of all Scotland, and of each of the five new groups of districts into which we find it convenient to divide it. At the middle of 1876 the whole country contained 3,527,811 persons, of whom 1,690,005 were males, and 1,837,806 females.

In three Tables, headed A, B, and C, which have already appeared

TABLE B.—Areas of Registration Districts of Principal Towns, and Density of their Population, at Census 1871.

TOWNS.	Acres.	Square Miles.	Census 1871. Population.	Persons per Square Mile.	Acres to each Person.	Proximity in Yards.
GLASGOW—						
Bridgeton	621	·970	31,154	32,118	0·020	10·4
Camlachie	553	·864	32,676	37,819	0·017	9·7
Dennistoun	1081	1·689	31,024	18,368	0·035	14·0
Calton	268	·419	43,654	104,186	0·006	5·8
Blackfriars	212	·331	54,602	164,961	0·004	4·6
St Rollox	722	1·128	38,333	34,027	0·019	10·2
Blythswood	388	·606	44,310	73,119	0·009	6·9
Milton	250	·391	38,223	97,757	0·007	6·0
Kelvin	566	·884	32,516	36,783	0·017	9·8
Anderston	500	·781	40,178	51,444	0·012	8·3
Hutchesontown	298	·466	29,717	63,770	0·010	7·4
Gorbals	209	·327	43,212	132,147	0·005	5·2
Tradeston	257	·402	22,340	55,572	0·011	8·0
Kinning Park	108	·169	9,857	58,325	0·011	7·8
Whole Area	6033	9·427	491,846	52,174	0·012	8·3
EDINBURGH—						
St George	1116	1·744	55,049	31,565	0·020	10·6
St Andrew	931	1·455	39,781	27,341	0·024	11·4
Canongate	625	·977	33,183	33,964	0·019	10·3
(Do. without Landward)	(218)	(·340)	...	(97,597)	(0·007)	(6·1)
St Giles	325	·508	31,960	62,913	0·010	7·5
(Do. without Meadows, &c.)	(231)	(·361)	...	(88,532)	(0·007)	(6·4)
Newington	1183	1·849	41,079	22,217	0·029	12·7
Whole Area	4180	6·533	201,052	30,775	0·021	10·8
DUNDEE—						
St Peter	629	·983	22,894	23,290	0·027	12·4
St Mary	490	·766	23,532	30,786	0·021	10·8
St Clement	301	·470	25,090	53,383	0·002	8·2
St Andrew	892	1·393	38,082	27,338	0·023	11·4
Lochee	1096	1·713	11,076	6,466	0·098	23·5
Whole Area	3408	5·325	120,724	22,671	0·028	12·6
ABERDEEN—						
St Nicholas	879	1·374	47,077	34,263	0·019	10·2
Old Machar (burghal)	4932	7·706	41,104	5,334	0·120	25·9
Whole Area	5811	9·080	88,181	9,712	0·066	19·2
GREENOCK	1509	2·358	59,794	25,358	0·025	11·9
PAISLEY—						
City Parishes	882	1·378	31,910	23,157	0·028	12·4
Part of Abbey	2611	4·080	16,348	4,007	0·163	29·9
Whole Area	3493	5·458	48,258	8,842	0·073	20·1
LEITH	1440	2·250	46,434	20,637	0·031	13·2
PERTH	4336	6·775	26,382	3,894	0·164	30·3
EIGHT PRINCIPAL TOWNS	30210	47·206	1,082,671	22,935	0·0279	12·5

in two Detailed Annual Reports, and which are now repeated for the convenience of our readers, full details are given with regard to the curious and important subjects of Density and Proximity of Population, in the Eight Principal Towns, in each of their component registration districts, and in each of the counties of Scotland. These Tables (or at least B and C) exhibit the state of matters existing at the period of census 1871, and it has not been thought expedient to introduce into them the very uncertain corrections which might make them *apparently* apply to the middle of 1876. It is with some diffidence that such corrections are attempted in the preliminary Table prefixed to the Registrar-General's Weekly Reports since 1st January 1879.

BIRTHS.

The number of Births registered in Scotland during the year 1876 was 126,534; being 359 Births for every ten thousand of estimated population. The birth-rate was consequently 3·5868 per cent.; decidedly the highest proportion of births ever recorded in these Detailed Annual Reports. No record of still births is kept either in Scotland or in

TABLE C.—Showing, for each County in Scotland, the Population at Census 1871; the Births and Deaths during the Ten Years, 1866–1875; the Annual Birth-rate and Death-rate per 1000 of Census Population; the Area in Square Miles; the Density of the Population per Square Mile; and the Proximity of Person to Person expressed in yards, on the hypothesis of uniform distribution of Population over Area.

No.	COUNTIES.	Popula- tion at Census 1871.	Births in Ten Years 1866–1875.	Deaths in Ten Years 1866–1875.	Annual Births to 1000 Living.	Annual Deaths to 1000 Living.	Area in Square Miles.	Density or Persons per Square Mile.	Proximity in Yards.
	SCOTLAND	3,360,018	1,173,683	749,829	34·93	22·32	30,532·0	110	180
1	Shetland	31,608	7,640	4,726	24·17	14·95	} 935·5	67	231
2	Orkney	31,274	7,854	4,759	25·11	15·22			
3	Caithness	41,011	11,299	6,423	27·55	15·66			
4	Sutherland	23,298	5,104	3,622	21·91	15·55	2093·2	11	570
5	Ross and Cromarty	82,093	21,122	13,348	25·73	16·26	3150·6	26	371
6	Inverness	84,258	22,586	14,857	26·81	17·63	4255·5	20	423
7	Nairn	8,372	2,366	1,576	28·26	18·83	199·9	42	292
8	Elgin (or Moray)	44,549	13,310	7,658	29·88	17·19	488·0	91	198
9	Banff	58,883	18,639	9,657	31·65	16·40	646·5	91	198
10	Aberdeen	246,298	83,271	43,995	33·81	17·86	1972·0	125	169
11	Kincardine	35,097	11,113	5,626	31·66	16·03	387·9	90	199
12	Forfar	240,049	85,265	56,262	35·52	23·43	890·4	270	115
13	Perth	128,550	35,718	25,266	27·79	19·66	2569·8	50	267
14	Fife	160,924	53,456	30,943	33·22	19·23	513·2	314	107
15	Kinross	7,918	2,103	1,346	26·56	17·00	77·8	102	187
16	Clackmannan	22,235	7,699	4,579	34·63	20·59	49·8	446	90
17	Stirling	93,345	35,257	20,863	37·77	22·35	466·5	200	134
18	Dumbarton	61,116	22,081	13,907	36·13	22·76	269·8	227	126
19	Argyll	79,661	20,755	14,599	26·05	18·33	3254·9	25	378
20	Bute	16,966	4,059	3,945	23·92	23·25	225·0	75	218
21	Renfrew	195,305	74,989	51,242	38·39	26·40	253·8	770	68
22	Ayr	200,908	77,104	45,184	38·38	22·49	1148·8	175	142
23	Lanark	787,005	324,514	220,413	41·23	28·01	888·9	885	64
24	Linlithgow	41,379	17,450	8,815	42·17	21·30	126·7	327	105
25	Edinburgh	328,138	112,532	78,162	34·29	23·82	367·1	894	63
26	Haddington	37,755	11,794	7,170	31·24	18·99	279·9	135	163
27	Berwick	36,382	11,013	5,937	30·27	16·32	464·3	78	217
28	Peebles	12,218	3,889	1,982	31·83	16·22	356·0	34	324
29	Selkirk	19,651	6,277	3,342	31·94	17·01	260·2	76	217
30	Roxburgh	48,241	16,381	9,235	33·96	19·25	669·5	72	223
31	Dumfries	74,842	22,780	15,169	30·44	20·27	1103·0	68	229
32	Kirkcudbright	42,087	12,764	7,892	30·33	18·75	953·7	44	285
33	Wigtown	38,602	11,499	7,279	29·79	18·86	512·4	75	218

England, a circumstance which most statisticians must lament, as it interferes with the investigation of various points important in physiology and in the theory of population.

In the Large Towns there were registered 15,439 births, and the birth-rate in this group of districts was consequently 4·407 per cent. In the Eight Principal Towns the births were 44,265, and the birth-rate

TABLE III.—Births, Deaths, and Marriages in the Five New Groups of Districts in Scotland, 1855–1876.

YEARS.	PRINCIPAL TOWNS.			LARGE TOWNS.			SMALL TOWNS.			MAINLAND-RURAL.			INSULAR-RURAL.		
	Births.	Deaths	Marriages.	Births.	Deaths	Marriages.	Births.	Deaths	Marriages.	Births.	Deaths	Marriages.	Births.	Deaths	Marriages.
1855	28113	22706	6937	8374	8954	1980	16042	10015	3371	37994	21656	6829	2826	1673	563
1856	31719	22254	7507	9221	5374	1975	17289	19542	3428	39649	19462	7106	3943	1897	724
1857	32674	23363	7476	9387	5860	2113	17848	10009	3442	39466	20706	7483	4040	1968	855
1858	32563	23445	6865	9282	6163	1824	17678	10076	3133	40307	21789	7044	4188	2066	789
1859	33027	22352	7554	9545	5775	1918	18533	10045	3643	41210	21090	7222	4228	2452	864
1860	32958	26066	7688	9223	6042	1983	18239	11070	3443	41043	22593	7408	4166	2399	703
1861	34351	23149	7753	9695	5831	1940	18453	10366	3365	40432	20820	7032	4078	2175	806
1862	34436	24960	7724	9618	6566	1837	18376	10933	3289	40621	22108	6998	4018	2628	749
1863	35888	27045	8544	9895	6780	2086	18707	11542	3521	40975	23509	7416	3876	2605	667
1864	37058	28845	8897	10263	7132	2234	19389	12294	3750	41704	23805	7178	3919	2341	666
1865	38109	28515	9347	10594	6896	2304	19233	11256	3775	40449	22080	7512	4635	2144	669
1866	38541	27466	9458	10453	6906	2279	19326	11809	3839	41485	22905	7430	3862	2262	682
1867	39012	26519	8870	10651	6776	2156	19178	11557	3607	41339	21986	7271	3864	2230	714
1868	39492	28037	8589	10733	6684	2101	19563	11392	3469	41840	21164	7090	3886	2139	606
1869	39517	31467	9156	10618	7486	2201	18895	11901	3398	40640	22616	6806	3684	2405	583
1870	40452	28508	9733	10999	7712	2369	18958	12097	3762	41378	23654	7383	3603	2194	607
1871	40442	31426	9819	12599	8071	2656	26507	16200	5081	32325	17180	5863	3755	1835	600
1872	41673	30199	10427	13318	8940	2967	28059	16478	5545	32157	18093	6063	3558	2084	639
1873	41500	30008	10594	14033	9306	3140	28841	17357	6130	31963	18098	6291	3363	2177	593
1874	42631	32124	10574	15189	10026	3051	29557	17560	5695	32877	18816	6443	3457	2194	627
1875	43621	30983	10670	14638	9802	2995	28926	18285	5594	33104	20303	6160	3289	2394	555
1876	44265	27977	10722	15439	9024	3116	29601	16826	5773	33802	18192	6351	3427	2110	617

Principal Towns above 25,000 inhabitants. Large Towns above 10,000 and under 25,000 inhabitants. The Small Towns from 3000 to 10,000 inhabitants from 1855 to 1871—but from 1871 and upwards the Small Towns have from 2000 to 10,000 of population.

TABLE IV.—Percentage of Births, Deaths, and Marriages in the Five New Groups of Districts of Scotland, to the Population during each of the Years 1855–1876.

YEARS.	Principal Towns.			Large Towns.			Small Towns.			Mainland-Rural.			Insular-Rural.		
	Births.	Deaths	Marriages.	Births.	Deaths	Marriages.	Births.	Deaths	Marriages.	Births.	Deaths	Marriages.	Births.	Deaths	Marriages.
1855	3·397	2·747	0·838	3·525	2·506	0·833	3·324	2·075	0·698	2·955	1·684	0·531	2·192	1·293	0·437
1856	3·787	2·657	0·896	3·835	2·235	0·821	3·554	1·962	0·705	3·080	1·512	0·552	3·078	1·481	0·565
1857	3·855	2·757	0·882	3·858	2·409	0·868	3·641	2·042	0·702	3·062	1·606	0·580	3·173	1·546	0·672
1858	3·797	2·734	0·801	3·771	2·504	0·741	3·579	2·040	0·634	3·052	1·689	0·546	3·310	1·633	0·623
1859	3·807	2·577	0·871	3·833	2·319	0·770	3·724	2·018	0·732	3·190	1·632	0·559	3·362	1·950	0·688
1860	3·756	2·971	0·876	3·662	2·398	0·787	3·637	2·207	0·686	3·173	1·747	0·573	3·334	1·920	0·563
1861	3·863	2·603	0·872	3·797	2·284	0·760	3·663	2·058	0·668	3·121	1·607	0·543	3·282	2·115	0·603
1862	3·809	2·761	0·854	3·701	2·521	0·705	3·621	2·155	0·648	3·122	1·703	0·539	3·177	2·126	0·606
1863	3·887	2·929	0·925	3·724	2·552	0·767	3·631	2·240	0·633	3·150	1·807	0·569	3·153	2·119	0·543
1864	3·939	3·073	0·946	3·699	2·631	0·824	3·751	2·378	0·725	3·199	1·826	0·550	3·205	1·914	0·545
1865	3·975	2·906	0·975	3·831	2·493	0·833	3·718	2·170	0·728	3·096	1·690	0·562	3·810	1·762	0·550
1866	3·945	2·811	0·968	3·705	2·448	0·808	3·699	2·260	0·735	3·169	1·750	0·567	3·191	1·869	0·563
1867	3·958	2·691	0·900	3·701	2·354	0·749	3·645	2·196	0·685	3·151	1·675	0·554	3·210	1·852	0·593
1868	3·893	2·763	0·866	3·656	2·276	0·716	3·690	2·149	0·654	3·182	1·610	0·539	3·245	1·786	0·487
1869	3·822	3·044	0·886	3·545	2·499	0·735	3·539	2·229	0·636	3·085	1·717	0·517	3·092	2·019	0·478
1870	3·836	2·703	0·923	3·559	2·524	0·775	3·525	2·249	0·699	3·134	1·791	0·559	3·040	1·851	0·512
1871	3·767	2·927	0·915	3·751	2·403	0·791	3·408	2·083	0·653	3·130	1·638	0·559	2·847	1·391	0·455
1872	3·809	2·760	0·953	3·887	2·609	0·866	3·581	2·103	0·708	3·070	1·727	0·579	2·707	1·586	0·486
1873	3·722	2·692	0·950	4·039	2·679	0·904	3·657	2·193	0·775	3·056	1·730	0·601	2·568	1·662	0·453
1874	3·752	2·827	0·931	4·287	2·830	0·861	3·709	2·204	0·715	3·146	1·801	0·617	2·649	1·681	0·480
1875	3·724	2·645	0·911	4·260	2·852	0·872	3·631	2·295	0·702	3·142	1·927	0·585	2·529	1·841	0·427
1876	3·706	2·342	0·898	4·407	2·576	0·890	3·696	2·101	0·721	3·211	1·728	0·603	2·645	1·628	0·476

3·706 per cent. In the Small Towns there were 29,601 births, which indicate a birth-rate of 3·696 per cent. In the Mainland-Rural Districts the births were 33,802, and the birth-rate 3·211 per cent. In the Insular-Rural Group, there were 3,427 births showing a birth-rate of 2·645 per cent.

The number of illegitimate births in all Scotland was 11,029, and constituted 8·72 per cent. of the total registered births. The frequency of illegitimate births has of late years shown a tendency to decrease in Scotland, and during 1876 it has been lower than during any year since 1857. As to the amount of illegitimacy in each of the Eight Principal Towns, and in each of the other registration groups, full details will be found in Tables Va and VI. The Occasional Table Vb gives the proportion of illegitimate births to the estimated numbers of unmarried and widowed females living in each locality, at ages between 15 and 45. The reader is

TABLE Va.—Number of Births, Deaths, and Marriages in each of the Eight Principal Towns of Scotland during 1876, and their Proportion to the Estimated Population; also the Illegitimate Births, and their Proportion to the Total Births.

TOWNS.	Esti- mated Popula- tion, 1876.	BIRTHS.		ILLEGITIMATE BIRTHS.		DEATHS.		MARRIAGES.	
		Births.	Per cent. to Pop.	Illegit. Births.	Per cent. to Total Births.	Deaths.	Per cent. to Pop.	Mar- riages.	Per cent. to Pop.
Glasgow . .	545,144	20,981	3·849	1691	8·1	13,763	2·525	4952	0·908
Edinburgh . .	215,146	7,047	3·275	613	8·7	4,392	2·041	2038	0·947
Dundee . . .	139,125	5,230	3·759	549	10·5	3,075	2·210	1223	0·879
Aberdeen . .	96,499	3,261	3·379	368	11·3	2,033	2·107	799	0·828
Greenock . .	70,192	2,855	4·067	178	6·2	1,613	2·298	533	0·759
Paisley . . .	48,679	1,894	3·891	127	6·7	1,287	2·644	464	0·953
Leith	52,919	2,124	4·014	110	5·2	1,174	2·218	481	0·909
Perth	26,535	873	3·290	72	8·2	640	2·412	232	0·874

OCCASIONAL TABLE Vb.—Showing the state of Illegitimacy in all Scotland, in the Five New Groups of Registration Districts, in each of the Principal Towns, and in two Counties during 1876.

LOCALITIES.	Estimated Number of Unmarried Women and of Widows living between the ages of 15 and 45 at middle of 1876.	Number of Illegitimate Children born during 1876.	Percentage of Illegitimate Children to the Unmarried and Widowed Women aged 15-45.	Percentage of Illegitimates in Total Births.
All Scotland	473,841	11,029	2·33	8·72
Principal Towns	172,724	3,708	2·15	8·4
Large Towns	46,025	1,104	2·40	7·2
Small Towns	100,775	2,401	2·38	8·1
Mainland-Rural	135,102	3,648	2·70	10·8
Insular-Rural	19,215	168	0·87	4·9
Glasgow	73,508	1,691	2·30	8·1
Edinburgh	36,527	613	1·68	8·7
Dundee	24,105	549	2·28	10·5
Aberdeen	14,200	368	2·59	11·3
Greenock	7,509	178	2·37	6·2
Paisley	7,222	127	1·76	6·7
Leith	5,825	110	1·89	5·2
Perth	3,828	72	1·88	8·2
County Banff	7,851	322	4·10	17·3
County Wigtown	5,449	192	3·52	15·4

cautioned that, by means of this Table he has the means of correcting certain rash conclusions regarding female immorality, which a mere examination of the relative numbers of legitimate and illegitimate births in particular localities might seem to suggest.

Of 126,534 live-births recorded in Scotland in 1876, 64,819 were

TABLE VI.—Number of Births, Deaths, and Marriages in 1876, and their Proportion to the Population, estimated to the middle of the year, in Scotland, its Groups of Districts, its Divisions and Counties; also the Number of Illegitimate Births, and their Proportion to the Total Births.

DIVISIONS AND COUNTIES.		Population Estimated to middle of year 1876.	TOTAL BIRTHS.		ILLEGIT. BIRTHS.		DEATHS.		MARRIAGES.	
			No.	Per cent to Pop.	No.	Per cent to Births	No.	Per cent to Pop.	No.	Per cent to Pop.
SCOTLAND		3,527,811	126534	3·5868	11029	8·72	74129	2·1013	26579	0·7534
1. PRINCIPAL TOWN DISTRS. .		1,194,357	44265	3·706	3708	8·4	27977	2·342	10722	0·898
2. LARGE TOWN DISTRICTS .		350,302	15439	4·407	1104	7·2	9024	2·576	3116	0·890
3. SMALL TOWN DISTRICTS .		800,825	29601	3·696	2401	8·1	16826	2·101	5773	0·721
4. MAINLAND-RURAL DISTRS.		1,052,754	33802	3·211	3648	10·8	18192	1·728	6351	0·603
5. INSULAR-RURAL DISTRS. .		129,573	3427	2·645	168	4·9	2110	1·628	617	0·476
DIVISIONS.										
I.	NORTHERN	125,535	3187	2·539	223	7·0	2090	1·665	621	0·495
II.	NORTH-WESTERN.	165,885	4316	2·602	285	6·6	2918	1·759	833	0·502
III.	NORTH-EASTERN	406,637	13209	3·248	1990	15·1	6506	1·600	2709	0·666
IV.	EAST-MIDLAND	578,642	19314	3·338	1818	9·4	11416	1·973	4154	0·718
V.	WEST-MIDLAND	255,296	8774	3·437	590	6·7	5403	2·116	1691	0·662
VI.	SOUTH-WESTERN	1,284,233	54011	4·206	3812	7·1	31757	2·473	11183	0·871
VII.	SOUTH-EASTERN	510,985	17452	3·415	1392	8·0	10245	2·005	4068	0·796
VIII.	SOUTHERN	200,598	6271	3·126	919	14·7	3794	1·891	1320	0·658
COUNTIES.										
1	Shetland	31,575	748	2·369	28	3·7	451	1·428	139	0·440
2	Orkney	30,701	820	2·671	36	4·4	474	1·544	195	0·635
3	Caithness	40,400	1080	2·673	119	11·0	787	1·948	188	0·465
4	Sutherland	22,859	539	2·358	40	7·4	378	1·654	99	0·433
5	Ross and Cromarty	81,918	2102	2·566	98	4·7	1422	1·736	368	0·449
6	Inverness	83,967	2214	2·637	187	8·4	1496	1·782	465	0·554
7	Nairn	8,385	231	2·755	28	12·1	148	1·765	43	0·513
8	Elgin	44,678	1285	2·876	229	17·8	777	1·739	266	0·595
9	Banff	60,230	1856	3·082	322	17·3	885	1·469	365	0·606
10	Aberdeen	258,082	8735	3·385	1277	14·6	4186	1·622	1838	0·712
11	Kincardine	35,262	1102	3·125	134	12·2	510	1·446	197	0·559
12	Forfar	258,498	9192	3·556	973	10·6	5304	2·052	2065	0·799
13	Perth	125,744	3473	2·763	357	10·3	2479	1·971	805	0·640
14	Fife	163,552	5576	3·409	412	7·4	3016	1·844	1091	0·667
15	Kinross	7,496	204	2·721	24	11·7	153	2·041	46	0·614
16	Clackmannan	23,352	869	3·721	52	6·0	464	1·987	147	0·629
17	Stirling	95,873	3914	4·083	263	6·7	2298	2·397	785	0·819
18	Dumbarton	64,885	2440	3·760	152	6·2	1302	2·007	457	0·704
19	Argyll	77,277	1999	2·587	144	7·2	1460	1·889	349	0·452
20	Bute	17,261	421	2·439	31	7·4	343	1·987	100	0·579
21	Renfrew	210,104	8160	3·884	485	7·4	4748	2·260	1680	0·800
22	Ayr	201,184	8150	4·051	653	8·0	4775	2·373	1625	0·808
23	Lanark	872,945	37701	4·319	2674	7·1	22234	2·547	7878	0·902
24	Linlithgow	42,514	1558	3·658	114	7·3	805	1·893	302	0·710
25	Edinburgh	358,975	12342	3·438	965	7·8	7573	2·110	3112	0·867
26	Haddington	37,812	1206	3·189	94	7·8	610	1·613	241	0·637
27	Berwick	36,329	1042	2·868	111	8·7	564	1·552	181	0·498
28	Peebles	12,707	404	3·179	28	6·9	243	1·912	67	0·527
29	Selkirk	22,648	900	3·974	80	8·9	450	1·987	165	0·729
30	Roxburgh	47,557	1571	3·303	182	11·6	888	1·867	301	0·633
31	Dumfries	74,291	2232	3·004	353	15·8	1452	1·954	534	0·719
32	Kirkcudbright	41,779	1225	2·932	192	15·7	785	1·879	260	0·622
33	Wigtown	36,971	1243	3·362	192	15·4	669	1·810	225	0·609

males, and 61,715 females. For every hundred females there were consequently among such births, 105·03 males. Among the legitimate

TABLE VII.—Births in Scotland, 1855–1876; with the Proportion of Males to Females in the Legitimate, Illegitimate, and Total Births; also the Number of Twin and Triplet Births during each year; and the Proportion of Mothers who had Multiple Births.

YEARS.	TOTAL BIRTHS.		LEGITIMATE BIRTHS.		ILLEGIT. BIRTHS.		TWIN BIRTHS.	TRIPLT BIRTHS.	Proportion of Males to every 100 Females in the			Proportion of Mothers who had Multiple Births. One in every
	Males.	Fem.	Males.	Fem.	Males.	Fem.			Total Births.	Legit. Births.	Illeg. Births.	
1855	47804	45545	44044	41948	3760	3597	104·9	104·9	104·5	...
1856	52239	49582	47761	45365	4478	4217	1267	12	105·3	105·2	106·1	77
1857	53158	50257	48632	45924	4526	4333	1300	16	105·7	105·8	104·4	76
1858	53694	50324	48743	45921	4951	4403	1262	17	106·6	106·1	110·2	79
1859	54628	51915	49539	47289	5089	4626	1335	11	105·2	104·7	110·0	77
1860	54409	51220	49370	46523	5039	4697	1247	23	106·2	106·1	107·3	80
1861	54606	52403	49438	47642	5168	4761	1249	18	104·2	103·7	108·5	82
1862	55257	51812	49886	46807	5371	5005	1279	18	106·6	106·5	107·3	80
1863	56226	53115	50559	47834	5667	5281	1267	6	105·8	105·7	107·3	84
1864	57374	54959	51644	49492	5730	5467	1332	12	104·4	104·3	104·8	82
1865	58220	54850	52441	49367	5779	5483	1364	9	106·1	106·2	105·4	81
1866	58360	55307	52386	49608	5974	5699	1366	12	105·5	105·6	104·8	81
1867	58517	55527	52751	50145	5766	5382	1365	13	105·4	105·1	107·1	82
1868	59222	56292	53375	50785	5847	5507	1443	15	105·2	105·1	106·1	78
1869	58321	55033	52711	49577	5610	5456	1407	15	105·9	106·3	102·8	78
1870	58959	56431	53254	51028	5705	5403	1384	9	104·4	104·3	105·6	81
1871	60029	56099	54220	50831	5809	5268	1299	17	107·0	106·7	110·3	87
1872	61293	57472	55641	52197	5652	5275	1383	11	106·6	106·6	107·1	85
1873	61467	58233	55925	52850	5542	5383	1410	15	105·5	105·6	103·0	84
1874	63602	60109	57960	54760	5642	5349	1512	13	105·8	105·8	105·5	81
1875	63432	60146	57886	54906	5546	5240	1477	9	105·5	105·4	105·8	83
1876	64819	61715	59113	56392	5706	5323	1463	20	105·0	104·8	107·2	85

TABLE VIII.—Births, 1876. Number of Legitimate, Illegitimate, and Total Births in Scotland and its Five Groups of Districts, distinguishing the Sexes. Also the number of Twin and Triplet Births.

FIVE GROUPS OF DISTRICTS.	TOTAL BIRTHS.			Legitimate Births.			Illegitimate Births.			Twin Births.	Triplet Births.
	Males.	Fem.	Both Sexes.	Males.	Fem.	Both Sexes.	Males.	Fem.	Both Sexes.		
Principal Towns	22605	21660	44265	20679	19878	40557	1926	1782	3708	528	7
Large Towns	7883	7556	15439	7316	7019	14335	567	537	1104	177	2
Small Towns	15236	14365	29601	14005	13195	27200	1231	1170	2401	316	4
Mainland-Rural	17299	16503	33802	15410	14744	30154	1889	1759	3648	405	6
Insular-Rural	1796	1631	3427	1703	1556	3259	93	75	168	37	1
SCOTLAND . .	64819	61715	126534	59113	56392	115505	5706	5323	11029	1463	20

TABLE IX.—Proportion of Births in 1876. Percentage of Births to Population, and of Illegitimate to the Total Births; also the Proportion of Males to Females in the Legitimate, Illegitimate, and Total Births; with the Proportion of Mothers who bare Twins and Triplets in Scotland, and its Five Groups of Districts in 1876.

FIVE GROUPS OF DISTRICTS.	Per-centage of Births to Population.	Per-centage of Illegit. to Total Births.	Proportion of Males to every 100 Females in the			Proportion of MOTHERS who bare TWINS. — One in every	Proportion of MOTHERS who bare TRIPLETS. — One in every
			Total Births.	Legitimate Births.	Illegit. Births.		
Principal Towns	3·706	8·4	104·4	104·0	108·0	82·8	6246
Large Towns	4·407	7·2	104·3	104·2	105·5	86·2	7628
Small Towns	3·696	8·1	106·1	106·1	105·2	89·5	7069
Mainland-Rural	3·211	10·8	104·8	104·5	107·4	81·8	5564
Insular-Rural	2·665	4·9	110·1	109·4	124·0	91·5	3388
SCOTLAND . . .	3·5868	8·72	105·0	104·8	107·2	85·5	6252

births alone there were 104·8 males to every hundred females; among the illegitimate alone, 107·19 males to every hundred females.

In England there were registered for every hundred female births in 1876, only 103·8 males. Among the illegitimate alone there were 103·2 male for every hundred female births.

In Holland, for every hundred legitimate female live-births, there were 105·4 males; but for every hundred illegitimate female births, there were only 101·4 male births.

In Austria, for every hundred legitimate female live-births, there were 106·2 males; but among the illegitimate live-births the proportion of females to males was as 100 to 106·7.

In Sweden, for every hundred live and legitimate female births, there were 105·6 males; but for every hundred female live illegitimate births there were only 104·3 males.

During 1876 there were registered in Scotland 1463 twin births, and 20 instances of triplet births. Hence, one mother in every 85·5 had twins, and one in 6252 mothers bore triplets.

MARRIAGES.

In the Detailed Annual Report for 1875, occasion was taken to point out a mistaken impression that prevails regarding the reliance that should be placed upon the records of marriages in Scotland. It seems to have been at one time assumed by the Registrar-General for England, that many marriages legally valid according to the law of Scotland escape registration. If this were so, and *if the children of such unregistered unions were registered as legitimate*, an obvious explanation would be afforded of the greater apparent fertility of Scottish marriages as compared with the fertility of marriages in England. We have in former Reports pointed out, however, that instances of unregistered irregular marriages have for many years past been very rare in Scotland, and that as a general rule (or perhaps we might even say in all but a few quite exceptional cases) the offspring of such unregistered unions necessarily figures in our statistics as illegitimate. The statement of the English Registrar-General has been satisfactorily corrected at pages vi. and xli. of his 41st Annual Report. It has, however, been in the mean-

TABLE X.—Marriages, 1876. Number of Marriages contracted in Scotland and its Five Groups of Districts according to the Rites of the several Religious Denominations, and their Proportion to the Total Marriages in each Group.

RELIGIOUS DENOMINATIONS.	Number of Marriages.						Proportion in every 100 Marriages.					
	SCOTLAND.	Principal Towns.	Large Towns.	Small Towns.	Mainland-Rural.	Insular-Rural.	SCOTLAND.	Principal Towns.	Large Towns.	Small Towns.	Mainland-Rural.	Insular-Rural.
Regular Marriages.												
Established Church .	11996	3938	1322	2723	3717	296	45·13	36·73	42·42	47·17	58·53	47·97
Free Church .	5944	2226	634	1185	1676	223	22·36	20·76	20·35	20·53	26·39	36·14
United Presb. Church	3603	1567	433	941	616	46	13·56	14·61	13·90	16·30	9·70	7·46
Roman Catholic Ch. .	2279	1313	385	423	123	35	8·57	12·25	12·35	7·33	1·94	5·68
Episcopal Church .	719	440	113	105	60	1	2·71	4·10	3·63	1·82	0·94	0·16
Other Denominations	1703	961	213	380	135	14	6·41	8·96	6·84	6·58	2·13	2·27
Denomin. not stated	37	5	—	7	23	2	0·14	0·05	0·00	0·12	0·36	0·32
Irregular Marriages .	298	272	16	9	1	—	1·12	2·54	0·51	0·15	0·01	0·00
Total Marriages .	26579	10722	3116	5773	6351	617	100·00	100·00	100·00	100·00	100·00	100·00

time accepted, in its original form, by some other statistical authorities, among whom may be cited the compilers of a recent elaborate Italian treatise which professes to give a comparative view of the chief facts relative to the population of almost every country in Europe.* “Anche per la Scozia,” says the treatise, “dobbiamo fare qualche riserva; ma il dubbio costì non si eleva sulla veridicità del censimento, bensì sulla imperfezione della statistica dei matrimoni. È noto infatti come nella Scozia siano ammessi, con effetti legali, anche matrimoni celebrati in forma privata, senza alcuna cerimonia pubblica.” It is not our province to express any opinion upon the expediency of the essential principles of the Marriage Laws of Scotland. In the words of the Lord Justice-General of Scotland (see the Report of the Royal Commission on the Laws of Marriage, 1868, at p. liii.) one of these principles is defined as follows:—“That present consent to be husband and wife deliberately interchanged between a man and a woman, labouring under no incapacity to contract, makes marriage between them, without the necessity either of a religious ceremony, or of a compliance with any statutory forms or solemnities.”

Even in 1868 irregular marriages were in Scotland “effectually condemned by public opinion, and of very rare occurrence.”† At the time at which we write (1880) there is every reason to believe that they are still far from frequent. Thus in 1879 there were registered in Scotland 23,518 marriages, whereof 23,182, or 98·57 per cent. were regular, and only 336, or hardly 1·43 per cent. were irregular. It seems most improbable that any considerable number of irregular marriages were during 1879 contracted and yet not registered.

TABLE XI.—Marriages, 1855–1876. Number of Marriages in Scotland according to the Rites of the several Religious Denominations during each of the Years 1855–1876.

YEARS.	Total MARRIAGES.		REGULAR MARRIAGES according to Rites of the							IRREGULAR MARRIAGES.
	Number.	Percentage to Population.	Established Church.	Free Church.	United Presbyterian Church.	Romish Church.	Episcopal Church.	Other Denominations.	Denomination not stated.	
1855	19680	0·660	8879	4665	2952	1826	350	923	76	9
1856	20740	0·692	9863	4645	2875	1953	360	984	24	36
1857	21369	0·709	10194	4789	2926	1919	416	1017	101	7
1858	19655	0·649	9104	4650	2707	1697	379	1034	57	27
1859	21201	0·697	9769	4861	2936	1822	378	1175	243	17
1860	21225	0·695	9705	4870	2837	1857	414	1217	309	16
1861	20896	0·681	9332	4969	2925	1806	386	1290	163	25
1862	20597	0·666	9307	4930	2846	1778	371	990	348	27
1863	22234	0·711	9929	5242	3249	2119	487	1113	76	19
1864	22725	0·720	9907	5507	3198	2276	469	1231	115	22
1865	23611	0·743	10177	5636	3345	2399	476	1516	30	32
1866	23688	0·737	10392	5570	3385	2259	516	1483	41	42
1867	22618	0·697	10066	5347	3247	2039	488	1323	65	43
1868	23855	0·667	9736	5015	3244	1872	467	1403	58	60
1869	22144	0·669	9761	5095	3277	2043	450	1393	56	69
1870	23854	0·7149	10678	5465	3422	2121	538	1496	60	74
1871	24019	0·7102	10985	5404	3325	2087	551	1498	64	105
1872	25641	0·7543	11794	5661	3312	2461	579	1681	5	148
1873	26748	0·7796	12187	5806	3596	2451	648	1853	10	197
1874	26390	0·7621	11820	5922	3586	2267	643	1923	13	216
1875	25974	0·7431	11587	5889	3443	2254	658	1899	9	235
1876	26579	0·7534	11996	5944	3603	2279	719	1703	37	298

* Popolazione. Movimento dello stato civile. Anni 1862–77. Introduzione con raffronti di statistica Internazionale. Roma. Tipografia Cenniniana, 1878.

† Report of the Royal Commissioners, p. liv.

Our sole business here is with the sufficiency of our statistics; and it is necessary to point out that the children of *unregistered* couples appear in our annual Tables as *illegitimate*; for it is not to be expected that parties whose union is clandestine will apply to have their offspring proclaimed as legitimate in the registrars' offices. There is a well-known process of legitimation *per subsequens matrimonium* in Scotland, but such subsequent legitimation cannot alter the statements which have already appeared in our Tables, or in any way interfere with the comparison of the numbers of registered marriages and registered legitimately born children. There can be no doubt that, neither in the law of legitimation *per subsequens matrimonium*, nor in the peculiarities of the Scottish law as to marriage, is there anything that can have a tendency to make the number of registered legitimate children appear too large, or the *number of registered marriages, from which alone our registered legitimate births can be derived*, too small. The data for calculating the average fertility of married females are consequently in Scotland as good as those that exist in England or in any other country in Europe.

In order to estimate the fertility of marriages, Dr Farr recommends that the registered legitimate births of any particular year should be divided by the registered marriages of another year, say six years antecedent (see 27th Annual Report, p. xx., and 40th Annual Report, p. xxxvii.). He is of opinion that (unless the marriage-rate is stationary) the number of births to a marriage may be thus best ascertained. Applying this method to the case of Scotland, we find that, in 1876, the registered legitimate births were 115,505; that the registered marriages of 1870 were 23,854; and that the average fertility of marriages has been $\frac{115505}{23854} = 4.84$. In England, during 1876, the registered legitimate

TABLE XII.—Proportion of Marriages, 1855–1876. Percentage of Marriages contracted in Scotland according to the Rites of the several Religious Denominations during each of the Years 1855–1876.

YEARS.	PERCENTAGE OF REGULAR MARRIAGES according to the Rites of the							IRREGULAR MARRIAGES.
	Established Church.	Free Church.	United Presbyterian Church.	Romish Church.	Episcopal Church.	Other Denominations.	Denomination not stated.	
1855	45.12	23.70	15.00	9.28	1.78	4.70	0.38	0.07
1856	47.55	22.40	13.87	9.42	1.73	4.74	0.12	0.14
1857	47.71	22.41	13.69	8.98	1.95	4.76	0.47	0.03
1858	46.32	23.66	13.77	8.63	1.93	5.26	0.30	0.13
1859	46.08	22.93	13.85	8.59	1.78	5.54	1.15	0.08
1860	45.73	22.95	13.36	8.75	1.95	5.73	1.45	0.08
1861	44.66	23.78	14.00	8.65	1.85	6.18	0.76	0.12
1862	45.19	23.94	13.81	8.64	1.80	4.80	1.69	0.13
1863	44.66	23.58	14.61	9.53	2.19	5.01	0.34	0.08
1864	43.60	24.24	14.06	10.02	2.07	5.41	0.51	0.09
1865	43.10	23.87	14.17	10.16	2.02	6.42	0.13	0.13
1866	43.87	23.52	14.29	9.54	2.18	6.26	0.17	0.17
1867	44.51	23.65	14.36	9.02	2.15	5.84	0.28	0.19
1868	44.55	22.95	14.85	8.57	2.13	6.42	0.26	0.27
1869	44.08	23.01	14.80	9.23	2.03	6.29	0.25	0.31
1870	44.76	22.91	14.35	8.89	2.26	6.26	0.26	0.31
1871	45.73	22.50	13.85	8.69	2.29	6.24	0.26	0.44
1872	46.00	22.08	12.92	9.60	2.26	6.55	0.02	0.57
1873	45.56	21.71	13.44	9.16	2.42	6.93	0.04	0.74
1874	44.79	22.44	13.59	8.59	2.44	7.29	0.05	0.81
1875	44.61	22.67	13.26	8.68	2.53	7.31	0.03	0.91
1876	45.13	22.36	13.56	8.57	2.71	6.41	0.14	1.12

births were 846,374; the registered marriages of 1870 were 181,655; and the average number of children for each marriage $\frac{846,374}{181,655} = 4.66$. In former Reports it has been pointed out that the number of children to each marriage is generally higher in Scotland than in England; but the calculation for these reports consisted in dividing the registered legitimate births of a particular year by the registered marriages of *the same* year. In the case of the year 1876, Dr Farr's method has been adopted, and it has been found that the fertility of marriage in Scotland has, as usual, considerably exceeded that computed for England.

TABLE XIII.—Marriages, 1876. Ages of Men and Women at Marriage.

AGES.	SCOTLAND.		PRINCIPAL TOWNS.		LARGE TOWNS.		SMALL TOWNS.		MAINLAND-RURAL.		INSULAR-RURAL.	
	Men.	Women.	Men.	Women.	Men.	Women.	Men.	Women.	Men.	Women.	Men.	Women.
Under 15	-	1	-	-	-	-	-	-	-	1	-	-
15-16	-	10	-	3	-	4	-	1	-	2	-	-
16-17	-	76	-	21	-	9	-	30	-	14	-	2
17-18	15	418	7	170	1	53	3	100	4	93	-	2
18-19	170	1091	74	496	22	146	33	235	36	202	5	12
19-20	674	2064	305	882	94	248	153	463	118	448	4	23
20-21	1314	2354	560	991	171	260	306	556	265	501	12	46
21-25	9299	9736	3776	3851	1114	1165	2219	2168	2081	2357	109	195
25-30	7592	6103	2986	2338	897	690	1584	1228	1949	1650	176	197
30-35	3236	2223	1283	901	348	244	612	457	842	554	151	67
35-40	1755	1221	706	509	184	137	352	264	447	276	66	35
40-45	986	711	397	326	115	88	201	144	240	133	33	20
45-50	602	339	270	147	71	38	107	70	133	73	21	11
50-55	428	134	160	52	46	18	101	34	108	26	13	4
55-60	251	63	98	24	27	11	52	17	66	11	8	-
60-65	155	21	61	7	14	3	29	4	40	6	11	1
65-70	60	4	27	1	6	-	13	2	9	-	5	1
70-75	20	3	6	3	2	-	5	-	6	-	1	-
75-80	10	-	4	-	-	-	2	-	3	-	1	-
80-85	2	-	1	-	1	-	-	-	-	-	-	-
85-90	1	-	1	-	-	-	-	-	-	-	-	-
Not stated	9	7	-	-	3	2	1	-	4	4	1	1
TOTAL	26579	26579	10722	10722	3116	3116	5773	5773	6351	6351	617	617

TABLE XIV.—Marriages, 1876. Percentage of Men and Women at different Ages who contracted Marriage in Scotland in 1876.

[illegible]

The total of marriages registered in Scotland in 1876 was 26,579, being 605 above the number registered in 1875. The marriage-rate for 1876 was 0·7534 for every hundred of estimated population, and exceeded the average rate of the ten preceding years, which was 0·7244 per cent.

In the Principal Towns, the rate was highest, amounting to 0·898 per cent.; in the Large Towns it was 0·890; in the Small Towns, 0·721; in the Mainland-Rural Districts, 0·603; and in the Insular-Rural Group, 0·476. In the Principal Towns alone the marriage-rate of 1876 did not come up to that recorded in 1875.

The last column of Table Va shows that, as in 1875, the highest marriage-rate prevailed in Paisley, and that the rate was again lower in

TABLE XV.—Marriages, 1855–1876. Number and Proportion of Men and Women in Scotland at each Quinquennial Period of Age who contracted Marriage during the Years 1855–1876.

AGES.	MEN.		WOMEN.	
	Number who married at each Age.	Percentage at each age to Total Marriages.	Number who married at each Age.	Percentage at each age to Total Marriages.
15–20 years	15161	3·02	64808	12·89
20–25	193564	38·51	228942	45·55
25–30	148956	29·63	120167	23·91
30–35	62932	12·52	43877	8·73
35–40	32858	6·54	22610	4·50
40–45	19647	3·90	11780	2·34
45–50	12404	2·47	5788	1·15
50 and above	16506	3·28	3592	0·71
Not stated	634	0·13	1098	0·22
TOTAL	502662	100·00	502662	100·00

TABLE XVI.—Marriages in Scotland, 1855–1876. Numbers.

YEARS.	Number who Married						Number who Signed				Number of Marriages between			
	Under 21 years.		Under 25 years.		Above 25 years.		By Writing.		By Mark.		Bachelors and Spinsters.	Bachelors and Widows.	Widowers and Spinsters.	Widowers and Widows.
	Men.	Women.	Men.	Women.	Men.	Women.	Men.	Women.	Men.	Women.				
1855	?	?	7724	11118	11858	8390	17436	15174	2244	4506	15251	557	1863	619
1856	?	?	8433	12033	12307	8707	18485	15772	2455	4968	17035	536	1721	605
1857	1593	4568	8995	12513	12374	8856	18781	16064	2588	5305	17030	521	1648	601
1858	1448	4172	8096	11492	11511	8084	17328	14929	2327	4726	16196	492	1624	533
1859	1571	4565	8726	12425	12443	8704	18992	16494	2209	4707	17536	567	1864	603
1860	1561	4607	8666	12459	12525	8695	19036	16616	2189	4609	18157	508	1738	558
1861	1480	4403	8550	12235	12323	8601	18679	16439	2217	4457	17431	441	1768	517
1862	1569	4496	8663	12205	11912	8358	18535	16405	2062	4192	17392	464	1747	501
1863	1756	4897	8731	13304	12488	8896	19819	17319	2415	4915	19142	348	1856	584
1864	1695	4989	9662	13547	13033	9132	20120	17298	2605	5427	19383	497	1922	631
1865	1690	5010	9859	13864	13724	9696	20914	18364	2697	5247	20158	593	2055	642
1866	1706	4896	9923	13843	13752	9812	21032	18483	2656	5205	20080	601	2094	715
1867	1532	4611	9180	12991	13414	9595	20224	17931	2394	4687	19067	578	2075	689
1868	1459	4463	8668	12439	13169	9384	19712	17701	2143	4154	18609	484	1966	671
1869	1576	4622	8792	12699	13352	9445	19911	17723	2233	4421	18818	625	1949	651
1870	1744	5175	9657	13723	14176	10102	21403	19194	2451	4660	20262	653	2132	759
1871	1821	5321	9895	13945	14124	10074	21630	19315	2389	4704	20440	610	2099	778
1872	1978	5666	10714	14953	14927	10688	22965	20380	2676	5261	21637	798	2269	889
1873	2229	6129	11573	15938	15175	10810	24175	21754	2573	4994	22648	813	2368	851
1874	2176	6000	11425	15675	14965	10715	23989	21643	2401	4747	22291	840	2330	855
1875	2103	5829	11061	15252	14913	10722	23740	21581	2234	4393	21877	860	2353	837
1876	2173	6014	11472	15750	15107	10829	24586	22291	1993	4288	22438	794	2432	896

Glasgow than in Edinburgh. By far the lowest marriage-rate, however, was that of Greenock, which in 1876 was only 0·759 per cent. In Tables X. XI. and XII. are presented all the usual details regarding the number of marriages celebrated in Scotland, and in each of its five groups of registration districts.

It appears from Table XII., that only 1·12 per cent. of the marriages registered in Scotland in 1876 were irregular, *i.e.*, were celebrated without proclamation of banns, and without record of the intervention of religious ceremony. In England, during the same year, 10·8 per cent. of all registered marriages were performed in the superintendent registrars' offices, and without record of religious ceremony.

No less than 98·88 per cent. of the marriages in Scotland were regular. Ministers of the Established Church performed 45·13 per cent. of the marriages; ministers of the Free Church, 22·36 per cent.; ministers of the United Presbyterian Church, 13·56 per cent.; priests of the Romish Church, 8·57 per cent.; clergymen of the Church of England, 2·71 per cent. According to the rites of various other denominations, 6·41 per cent. of marriages were solemnized; and by ministers of denominations not specified to the registrars, 0·14 per cent.

On summing the second column of Table XII. and dividing by 22, it appears that of every hundred marriages that take place in Scotland, 45·196 are celebrated by ministers of the Established Church; and that during the twenty-two years included in the Table, the deviations from this annual proportion have been quite inconsiderable.

Of the 26,579 men whose marriages were registered in Scotland in 1876, 2173, or nearly 8·18 per cent., were under 21 years of age; and the ages of 9 men were unrecorded. Of the females married during the

TABLE XVII.—Marriages in Scotland, 1855-1876. Proportions.

YEARS.	Percentage who Married						Percentage who signed				Proportion in every 100 Marriages between					
	Under 21 years		Under 25 years		Above 25 years		By Writing.		By Mark.		Bachelors and Spinners.	Bachelors and Widows.	Widowers and Spinners.	Widowers and Widows.		
	Men.	Women.	Men.	Women.	Men.	Women.	Men.	Women.	Men.	Women.						
1855	?	?	39·44	57·99	60·56	42·01	88·60	77·10	11·40	22·90	83·48	3·04	10·20	3·38		
1856	?	?	40·79	58·44	59·21	41·56	89·13	76·05	10·87	23·95	85·62	2·69	8·65	3·04		
1857	7·47	21·43	42·19	58·84	57·81	41·16	87·89	75·34	12·11	24·66	86·01	2·63	8·32	3·04		
1858	7·38	21·23	41·25	58·70	58·75	41·30	88·16	75·95	11·84	24·05	85·95	2·61	8·62	2·82		
1859	7·42	21·60	41·22	58·80	58·78	41·20	89·58	77·80	10·42	22·10	85·25	2·76	9·06	2·93		
1860	7·36	21·77	40·89	58·89	59·11	41·11	89·68	78·28	10·32	21·72	86·62	2·42	8·29	2·67		
1861	7·09	21·13	40·96	58·72	59·04	41·28	89·39	78·67	10·61	21·33	86·48	2·19	8·77	2·56		
1862	7·62	21·86	42·11	59·35	57·89	40·65	89·99	79·65	10·01	20·35	86·51	2·31	8·69	2·49		
1863	7·91	22·05	43·79	59·93	56·21	40·07	89·14	77·89	10·86	22·11	87·29	1·59	8·46	2·66		
1864	7·46	21·99	42·57	59·73	57·42	40·26	88·54	76·12	11·46	23·88	86·41	2·21	8·57	2·81		
1865	7·16	21·26	41·38	58·84	58·62	41·16	88·58	77·78	11·42	22·22	85·97	2·53	8·77	2·73		
1866	7·20	20·69	41·91	58·52	58·09	41·48	88·78	78·50	11·22	22·00	85·49	2·55	8·92	3·04		
1867	6·77	20·41	40·63	57·47	59·37	42·53	89·41	79·27	10·59	20·73	85·09	2·58	9·26	3·07		
1868	6·68	20·45	39·69	57·00	60·31	43·00	90·19	80·99	9·81	19·01	85·64	2·22	9·05	3·09		
1869	7·08	20·87	39·70	57·34	60·30	42·66	89·92	80·04	10·08	19·96	85·38	2·83	8·84	2·95		
1870	7·32	21·72	40·52	57·60	59·48	42·40	89·73	80·46	10·27	19·54	85·11	2·74	8·96	3·19		
1871	7·58	22·15	41·20	58·06	58·80	41·94	90·05	80·42	9·95	19·58	85·10	2·54	8·74	3·24		
1872	7·71	22·10	41·78	58·32	58·22	41·68	89·56	79·48	10·44	20·52	84·38	3·11	8·35	3·47		
1873	8·33	22·91	43·26	59·58	56·74	40·42	90·38	81·33	9·62	18·67	84·89	3·05	8·88	3·18		
1874	8·25	22·73	43·29	59·40	56·71	40·60	90·90	82·01	9·10	17·99	84·47	3·18	8·83	3·24		
1875	8·10	22·44	42·58	58·72	57·42	41·28	91·40	83·09	8·60	16·91	84·23	3·31	9·06	3·22		
1876	8·18	22·63	43·16	59·26	56·84	40·74	92·50	83·87	7·50	16·13	84·42	2·99	9·15	3·37		

year, the ages were in 7 instances unknown; 6014, or about 22·63 per cent., were under 21 years of age; 28 were aged 60 years or more;

TABLE XVIII.—Marriages, 1876. Percentage of Men and Women who signed by Writing or by Mark, of persons under 21 years of age, and of Marriages between persons in different conjugal conditions, in Scotland, its Groups of Districts, Divisions, and Counties; also the percentage of the same in Edinburgh and Glasgow.

1876.		Signed by Writing.		Signed by Mark.		Persons under 21 Years.		Percentage of Marriages between			
		Per cent. of Men.	Per cent. of Women.	Per cent. of Men.	Per cent. of Women.	Per cent. of Men.	Per cent. of Women.	Bachelors and Spinsters.	Bachelors and Widows.	Widowers and Spinsters.	Widowers and Widows.
SCOTLAND.		92·50	83·87	7·50	16·13	8·18	22·63	84·42	2·99	9·15	3·37
GROUPS.											
PRINCIPAL TOWNS . . .		91·66	80·82	8·34	19·18	8·82	23·90	82·16	4·14	9·35	4·34
LARGE TOWNS . . .		91·21	82·09	8·79	17·91	9·24	23·11	83·15	3·43	9·47	3·88
SMALL TOWNS . . .		92·24	84·43	7·76	15·57	8·57	23·99	85·26	2·55	8·85	3·29
MAINLAND-RURAL . . .		95·94	91·20	4·06	8·80	6·66	19·86	88·10	1·35	8·61	1·75
INSULAR-RURAL . . .		80·71	64·99	19·29	35·01	3·40	13·78	84·44	1·62	12·32	1·46
DIVISIONS											
I.	NORTHERN . . .	93·88	85·19	6·12	14·81	6·28	14·81	87·92	1·45	8·54	2·09
II.	NORTH-WESTERN . . .	77·55	61·70	22·45	38·30	2·04	12·61	85·23	1·44	12·73	0·60
III.	NORTH-EASTERN . . .	98·19	94·09	1·81	5·91	7·16	21·15	87·23	1·92	8·67	2·18
IV.	EAST-MIDLAND . . .	95·79	88·13	4·21	11·87	8·04	19·38	85·00	2·48	9·73	2·65
V.	WEST-MIDLAND . . .	91·84	83·62	8·16	16·38	5·38	22·59	85·22	2·07	8·93	3·67
VI.	SOUTH-WESTERN . . .	89·38	77·23	10·62	22·77	9·96	26·86	83·03	3·72	8·77	4·44
VII.	SOUTH-EASTERN . . .	95·92	92·23	4·08	7·77	6·76	20·11	84·12	3·52	9·09	3·10
VIII.	SOUTHERN . . .	96·06	93·57	3·94	6·43	7·50	17·80	86·36	1·82	10·00	1·82
COUNTIES.											
1	Shetland . . .	91·37	73·38	8·63	26·62	4·32	12·95	89·93	0·72	5·75	3·60
2	Orkney . . .	96·92	96·92	3·08	3·08	9·23	19·48	85·13	1·54	10·77	2·56
3	Caithness . . .	98·94	91·49	1·06	8·51	8·51	12·23	88·30	1·60	10·10	0·00
4	Sutherland . . .	81·82	66·66	18·18	33·34	3·03	13·13	89·90	2·02	5·05	3·03
5	Ross & Cromarty . . .	75·27	58·97	24·73	41·03	2·17	11·68	85·05	1·09	13·59	0·27
6	Inverness . . .	79·35	63·87	20·65	36·13	1·94	13·33	85·38	1·72	12·04	0·86
7	Nairn . . .	100·00	97·67	00·00	2·33	0·00	18·60	86·05	0·00	13·95	0·00
8	Elgin . . .	98·50	93·61	1·50	6·39	4·51	21·43	85·71	1·88	10·15	2·26
9	Banff . . .	96·71	89·32	3·29	10·68	8·49	20·27	89·86	2·74	5·48	1·92
10	Aberdeen . . .	98·42	94·83	1·58	5·17	7·73	21·16	86·89	1·96	8·87	2·28
11	Kincardine . . .	97·97	95·94	2·03	4·06	4·57	22·84	87·82	0·51	9·64	2·03
12	Forfar . . .	94·43	83·20	5·57	16·80	9·10	21·11	83·49	2·66	10·65	3·20
13	Perth . . .	97·64	92·92	2·36	7·08	4·47	14·91	86·96	2·36	8·94	1·24
14	Fife . . .	97·34	93·58	2·66	6·42	8·71	18·33	86·25	2·20	8·71	2·66
15	Kinross . . .	97·83	97·83	2·17	2·17	4·35	13·04	84·78	0·00	15·22	0·00
16	Clackmannan . . .	92·52	87·76	7·48	12·24	8·84	29·25	86·39	3·40	6·81	3·40
17	Stirling . . .	93·12	86·88	6·88	13·12	7·39	28·15	84·20	2·17	9·17	4·34
18	Dumbarton . . .	88·62	77·02	11·38	22·98	6·13	24·07	86·87	1·97	8·53	2·63
19	Argyll . . .	92·55	83·09	7·45	16·91	3·44	10·32	85·39	2·29	8·88	3·44
20	Bute . . .	94·00	90·00	6·00	10·00	3·00	15·00	85·00	1·00	9·00	4·00
21	Renfrew . . .	88·10	75·65	11·90	24·35	8·69	24·58	82·74	3·69	9·17	4·40
22	Ayr . . .	92·49	82·03	7·51	17·97	11·88	26·77	83·45	2·46	10·52	3·51
23	Lanark . . .	89·01	76·58	10·99	23·42	9·84	27·37	83·00	3·98	8·33	4·65
24	Linlithgow . . .	89·74	82·78	10·26	17·22	12·58	36·09	88·74	2·32	4·81	3·31
25	Edinburgh . . .	96·47	92·87	3·53	7·13	6·04	19·06	82·87	3·99	9·74	3·34
26	Haddington . . .	93·36	88·80	6·64	11·20	4·98	18·26	85·89	2·49	9·13	2·07
27	Berwick . . .	97·24	96·69	2·76	3·31	7·73	15·47	90·61	1·66	7·73	0·00
28	Peebles . . .	98·51	97·01	1·49	2·99	8·96	11·94	91·04	1·49	7·47	0·00
29	Selkirk . . .	98·18	95·76	1·82	4·24	10·30	21·82	86·67	1·21	7·88	4·24
30	Roxburgh . . .	97·34	93·69	2·66	6·31	6·98	17·28	88·37	1·66	8·64	1·33
31	Dumfries . . .	97·38	95·69	2·62	4·31	5·81	17·60	87·27	1·12	9·74	1·87
32	Kirkcudbright . . .	96·92	95·77	3·08	4·23	9·62	19·23	84·23	2·69	11·93	1·15
33	Wigtown . . .	90·22	85·78	9·78	14·22	9·78	17·33	84·00	2·67	10·22	3·11
EDINBURGH . . .		97·45	94·36	2·55	5·64	6·04	18·01	81·84	3·88	10·65	3·58
GLASGOW . . .		88·53	74·07	11·47	25·93	9·83	26·70	82·01	4·34	8·40	5·25

1 girl in the Mainland-Rural Division of the country was under 15 years of age.

In 22,438 instances, or 84·42 per cent. of all marriages, bachelors espoused spinsters; in 2432 instances, or in 9·15 per cent. of all marriages, widowers married spinsters; in 794 cases, or 2·99 per cent. of all marriages, bachelors married widows; and in 896 cases, being 3·37 of all registered marriages, widowers and widows became united. Table XVIII. contains some materials for estimating the progress of elementary education in various parts of Scotland, exhibiting as it does the percentage of males and of females who, in each locality, on the occasion of their marriages, sign the register in writing, or adhibit a *mark*. This test of scholarship is, of course, by no means free from fallacy, for it is notorious that many persons, especially females, in the humbler grades of society, are not fond of parading their powers of penmanship in presence of witnesses, unless they are conscious of being tolerably expert writers. There can be little doubt that our list of females that sign by means of a mark includes no small number capable of higher achievements. On comparing Table XVIII. with similar records published during late years, it is satisfactory to observe that ignorance is steadily disappearing in most parts of Scotland; although there are still localities into which the accomplishment of writing penetrates but slowly. In the three counties, Sutherland, Ross and Cromarty, and Inverness, at least 12 per cent. of bridegrooms signed the register by mark in 1876; while in fourteen counties a like proportion of brides resorted to the same expedient. In the North-Western Division of the country, which consists of the sparsely peopled counties of Ross and Cromarty and Inverness, the use of the *mark*, both among males and females at marriage, was especially common during the year now under review. It is to be hoped that ere long the benefits of the compulsory system of education, which the young now receive in Scotland, will be manifested in a more general diffusion of the accomplishment of penmanship among the candidates for matrimony, even in the most remote districts of the country.

In the last two lines of Table XVIII. will be found the usual figures relative to the populations of Edinburgh and of Glasgow. It does not appear that the experience of 1876 indicates any particular change in the relative frequency with which marks are resorted to by persons marrying in these two cities.

DEATHS.

The Deaths registered in Scotland during the year 1876 were 74129, being at the rate of 210 for every ten thousand of estimated population. The average annual death-rate of the ten immediately preceding years was 223·5; that of 1875 was 233·9. The mortality during 1876 has been the lowest recorded since 1861.

In England the death-rate of 1876 was likewise 210 per ten thousand of population, being by fully 12 per ten thousand below the average death-rate of the ten preceding years. A lower death-rate has not been recorded in England since 1856.

The mortality of the five registration groups into which for statistical purposes Scotland is conveniently regarded as divided, was as follows:—In the Eight Principal Towns there were 27977 deaths, indicating a death-rate of 234·2 per ten thousand inhabitants; in the

Large Towns, 9024 deaths were equivalent to a death-rate of 257·6; in the Small Towns there were 16826 deaths, showing a death-rate of 210·1; in the Mainland-Rural Districts, 18192 deaths gave a death-rate of 172·8; and 2110 deaths in the Insular-Rural group gave a rate of only 162·8 per ten thousand of estimated population.

Reference to Table IV. shows that the mortality was highest in the Large Towns; unusually low in the Eight Principal Towns. In

TABLE XIX.—Deaths of Males and Females in Scotland, and its Five Groups of Districts, during each of the Years 1855–1876.

YEARS.	SCOTLAND.		PRINCIPAL TOWNS.		LARGE TOWNS.		SMALL TOWNS.		MAINLAND-RURAL.		INSULAR-RURAL.	
	Males.	Fem.	Males.	Fem.	Males.	Fem.	Males.	Fem.	Males.	Fem.	Males.	Fem.
1855	30626	31378	11189	11517	2972	2982	4963	5052	10681	10975	821	852
1856	29418	29111	11155	11099	2703	2671	4785	4757	9855	9607	920	977
1857	30937	30969	11692	11671	2917	2943	4911	5098	10421	10285	996	972
1858	31652	31887	11770	11675	3034	3129	5046	5030	10792	10997	1010	1056
1859	30588	31126	11075	11277	2946	2829	4975	5070	10418	10672	1174	1278
1860	33610	34560	12814	13252	2972	3070	5480	5590	11169	11424	1175	1224
1861	30890	31451	11464	11685	2869	2962	5150	5216	10346	10474	1061	1114
1862	33179	34016	12270	12690	3286	3280	5368	5565	10967	11141	1288	1340
1863	35631	35850	13624	13421	3358	3422	5862	5680	11510	11999	1277	1328
1864	37010	37406	14504	14341	3544	3588	6132	6162	11722	12082	1108	1233
1865	35190	35701	14263	14252	3352	3544	5598	5658	10906	11174	1071	1073
1866	35355	35993	13742	13724	3378	3528	5777	6032	11334	11571	1124	1138
1867	34363	34705	13219	13300	3322	3454	5786	5771	10964	11022	1072	1158
1868	34662	34754	14154	13883	3359	3325	5640	5752	10522	10642	987	1152
1869	37868	38007	15744	15723	3647	3839	6022	5879	11274	11342	1181	1224
1870	36866	37299	14234	14274	3858	3854	5929	6168	11760	11894	1085	1109
1871	36827	37885	15478	15948	4003	4068	7913	8287	8527	8653	906	929
1872	37939	37355	15192	15007	4363	4240	8500	8315	8876	9217	1008	1076
1873	39037	37909	15227	14781	4766	4540	8869	8488	9155	8943	1020	1157
1874	40678	40042	16245	15879	5079	4947	8852	8708	9419	9397	1083	1111
1875	40323	41444	15272	15711	4984	4818	9026	9259	9925	10378	1116	1278
1876	37404	36725	14256	13721	4500	4524	8420	8406	9177	9015	1051	1059

TABLE XX.—Percentage of Male and Female Deaths to the Population in Scotland, and its Five Groups of Districts, during each of the Years 1855–1876.

YEARS.	SCOTLAND.		PRINCIPAL TOWNS.		LARGE TOWNS.		SMALL TOWNS.		MAINLAND-RURAL.		INSULAR-RURAL.	
	Males.	Fem.	Males.	Fem.	Males.	Fem.	Males.	Fem.	Males.	Fem.	Males.	Fem.
1855	2·162	2·003	2·929	2·584	2·644	2·382	2·163	1·995				
1856	2·065	1·850	2·887	2·460	2·378	2·107	2·070	1·863				
1857	2·161	1·958	2·991	2·556	2·539	2·292	2·109	1·981				
1858	2·202	2·005	2·976	2·527	2·612	2·407	2·152	1·939				
1859	2·120	1·940	2·769	2·412	2·509	2·179	2·107	1·938				
1860	2·321	2·150	3·168	2·801	2·336	2·304	2·304	2·125				
1861	2·125	1·946	2·796	2·438	2·386	2·193	2·157	1·924				
1862	2·260	2·087	2·931	2·603	2·675	2·384	2·231	2·085				
1863	2·402	2·181	3·188	2·706	2·676	2·441	2·363	2·114				
1864	2·470	2·256	3·324	2·842	2·764	2·512	2·510	2·277				
1865	2·325	2·135	3·202	2·777	2·559	2·435	2·274	2·076				
1866	2·313	2·134	3·021	2·628	2·524	2·379	2·329	2·198				
1867	2·226	2·040	2·853	2·504	2·430	2·286	2·315	2·088				
1868	2·222	2·025	2·985	2·569	2·405	2·159	2·240	2·067				
1869	2·404	2·196	3·252	2·860	2·556	2·448	2·374	2·098				
1870	2·317	2·137	2·880	2·552	2·647	2·412	2·319	2·185				
1871	2·291	2·152	3·069	2·802	2·486	2·326	2·127	2·042	1·676	1·602	1·486	1·310
1872	2·337	2·132	2·949	2·593	2·654	2·379	2·268	2·034	1·746	1·709	1·658	1·523
1873	2·381	2·117	2·895	2·510	2·855	2·511	2·343	2·056	1·803	1·661	1·684	1·654
1874	2·456	2·216	3·025	2·651	2·979	2·691	2·322	2·096	1·857	1·747	1·794	1·584
1875	2·410	2·275	2·753	2·548	3·011	2·705	2·369	2·228	1·940	1·915	1·855	1·829
1876	2·213	1·998	2·518	2·184	2·665	2·494	2·196	2·014	1·794	1·666	1·753	1·521

Paisley the deaths were at the rate of 2·644 per cent. of estimated population. Although this rate is considerably lower than that deduced from the experience of former years in Paisley, there is, nevertheless, reason to believe that it is overstated, for, as has been repeatedly pointed out in the Quarterly Reports, the population

TABLE XXI.—Town Deaths, 1866–1876. Annual Number of Deaths in the Eight Principal Towns of Scotland.

TOWNS.	1866.	1867.	1868.	1869.	1870.	1871.	1872.	1873.	1874.	1875.	1876.
Glasgow	12829	12578	13832	15648	13955	15790	14053	14499	15845	15384	13763
Edinburgh . . .	4813	4765	4781	5406	4715	5447	5484	4578	5011	5044	4392
Dundee	3130	2952	2917	3564	3185	3336	3491	3281	4170	3305	3075
Aberdeen	2324	1824	2029	1787	1927	1997	2119	2120	2066	2011	2033
Greenock	1488	1433	1658	1750	1674	1772	1697	2220	1690	2180	1613
Paisley	1345	1335	1221	1449	1352	1453	1430	1589	1388	1364	1287
Leith	924	1064	973	1169	1059	1081	1338	1084	1254	1060	1174
Perth	613	569	626	694	641	550	587	637	700	635	640

TABLE XXII.—Proportion of Town Deaths, 1866–1876. Annual Percentage of Deaths to the Population in each of the Principal Towns in Scotland.

TOWNS.	1866.	1867.	1868.	1869.	1870.	1871.	1872.	1873.	1874.	1875.	Mean Annual Mortality.	1876.
Glasgow .	2·93	2·82	3·04	3·37	2·96	3·29	2·87	2·91	3·12	2·88	3·019	2·52
Edinburgh	2·58	2·52	2·48	2·77	2·38	2·70	2·67	2·20	2·37	2·38	2·505	2·04
Dundee .	2·95	2·71	2·60	3·09	2·69	2·75	2·80	2·56	3·16	2·44	2·775	2·21
Aberdeen	2·86	2·20	2·41	2·09	2·21	2·26	2·35	2·31	2·22	2·12	2·303	2·11
Greenock	2·88	2·69	3·01	3·09	2·87	2·94	2·73	3·47	2·56	3·20	2·944	2·30
Paisley .	2·81	2·78	2·54	3·01	2·80	3·01	2·96	3·28	2·86	2·81	2·886	2·64
Leith . .	2·24	2·51	2·24	2·63	2·32	2·31	2·79	2·21	2·49	2·05	2·379	2·22
Perth . .	2·33	2·16	2·38	2·62	2·43	2·08	2·22	2·41	2·64	2·40	2·367	2·41

TABLE XXIII.—Ages of Males and Females who died in Scotland, and in each of its Groups of Districts, during the Year 1876.

AGE.	SCOTLAND.		PRINCIPAL TOWNS.		LARGE TOWNS.		SMALL TOWNS.		MAINLAND-RURAL.		INSULAR-RURAL.	
	Males.	Fem.	Males.	Fem.	Males.	Fem.	Males.	Fem.	Males.	Fem.	Males.	Fem.
Under 1 Year	8572	6768	3541	2811	1085	905	2039	1620	1730	1331	177	101
— 2	3217	2952	1541	1385	430	393	713	687	491	454	42	33
— 3	1422	1363	659	607	162	195	330	308	245	225	26	28
— 4	909	899	409	377	104	114	205	213	169	175	22	20
— 5	707	656	301	236	93	83	149	158	150	117	14	12
0– 5	14827	12638	6451	5466	1874	1690	3436	2986	2785	2302	281	194
5–10	1709	1673	652	642	209	192	412	411	418	404	18	24
10–15	984	961	362	328	117	128	228	244	259	240	18	21
15–20	1368	1211	492	437	177	153	328	316	330	270	41	35
20–30	2561	2648	986	1066	296	337	575	564	620	614	84	67
30–40	2326	2419	1055	1037	257	324	455	495	515	505	44	58
40–50	2369	2246	1061	937	293	298	457	469	498	485	60	57
50–60	2786	2676	1103	1124	350	339	589	529	666	609	78	75
60–70	3313	3449	1104	1162	415	416	740	808	954	940	100	123
70–80	3350	4040	736	1030	365	421	807	947	1291	1447	151	195
80–90	1557	2304	233	423	133	190	348	551	710	967	133	173
90–100	222	435	18	68	11	33	41	82	112	220	40	32
100 and above	9	16	1	—	—	2	2	3	5	6	1	5
Not stated	23	9	2	1	3	1	2	1	14	6	2	—
ALL AGES	37404	36725	14256	13721	4500	4524	8420	8406	9177	9015	1051	1059

attributed to Paisley in our estimate is probably much below the truth. In Glasgow the death-rate was 2·525 per cent., being greatly below the average of recent years. Here, however, it is necessary to remind the reader, that the recent commercial depression is believed to have seriously interfered for a time with the expansion of the population of Glasgow, and that its actual number of inhabitants is in all probability far below our estimate. In Perth, the death-rate was 2·412 per cent.; in Greenock, 2·298; in Leith, 2·218; in Dundee, 2·210; in Aberdeen

TABLE XXIV.—Percentage of Deaths to the Population at each Age in 1876.

AGE.	SCOTLAND.		PRINCIPAL TOWNS.		LARGE TOWNS.		SMALL TOWNS.		MAINLAND-RURAL.		INSULAR-RURAL.	
	Males.	Fem.	Males.	Fem.	Males.	Fem.	Males.	Fem.	Males.	Fem.	Males.	Fem.
Under 1 Year	15'886	12'941	18'331	15'128	19'241	16'455	16'102	13'223	11'629	9'191	11'816	6'702
— 2	6'880	6'551	9'615	9'006	8'844	8'406	6'604	6'481	3'588	3'459	3'008	2'566
— 3	2'926	2'909	4'125	3'863	3'268	4'000	2'817	2'772	1'698	1'644	1'718	1'909
— 4	1'905	1'942	2'617	2'485	2'147	2'450	1'802	1'896	1'188	1'278	1'364	1'299
— 5	1'523	1'469	2'021	1'998	2'003	1'826	1'348	1'479	1'063	0'861	0'828	0'786
0- 5	6'091	5'374	7'882	6'905	7'512	6'970	5'964	5'344	3'904	3'357	3'645	2'648
5-10	0'794	0'800	0'974	0'977	0'963	0'915	0'799	0'821	0'622	0'623	0'231	0'331
10-15	0'493	0'505	0'430	0'552	0'588	0'675	0'477	0'534	0'410	0'408	0'233	0'290
15-20	0'776	0'687	0'843	0'693	1'008	0'856	0'811	0'803	0'613	0'545	0'669	0'544
20-30	0'949	0'861	0'911	0'885	1'057	1'086	1'029	0'858	0'875	0'764	1'155	0'662
30-40	1'189	1'026	1'420	1'183	1'292	1'368	1'079	0'957	0'972	0'790	0'688	0'657
40-50	1'525	1'221	2'000	1'452	1'858	1'668	1'307	1'144	1'075	0'909	1'136	0'785
50-60	2'445	1'952	3'180	2'532	3'175	2'665	2'298	1'712	1'762	1'422	1'653	1'215
60-70	4'383	3'533	5'621	4'055	6'230	4'794	4'328	3'625	3'367	2'836	2'687	2'602
70-80	9'816	8'000	10'544	8'310	12'975	9'953	9'634	8'104	8'467	7'586	6'232	6'491
80-90	18'496	16'997	19'949	16'588	24'007	18'627	19'818	19'046	17'108	16'304	17'710	15'558
90-100	36'755	34'856	21'176	31'776	34'375	34'737	32'283	36'000	39'024	36'667	56'338	29'358
100 and above	36'000	31'373	16'667	0'000	0'000	40'000	28'571	37'500	50'000	27'273	50'000	100'000
Not stated	—	—	—	—	—	—	—	—	—	—	—	—
TOTAL	2'213	1'998	2'518	2'184	2'665	2'494	2'196	2'014	1'794	1'666	1'753	1'521

TABLE XXV.—Percentage of Deaths at each Age to the Total Deaths in 1876.

[illegible]

most conspicuous among the inhabitants of the Principal Towns, and least marked in the group of Mainland-Rural Districts.

By means of Table XXIV. the percentage of deaths to estimated population at each of seventeen periods of life, in all Scotland, and in each of its five registration groups, is separately shown for males and for females. During the first year of life the death-rate of males in all Scotland was 15·886 per cent.; that of females, 12·941. The highest mortality was experienced in the Large Towns, where males perished at the rate of 19·241 per cent., and females at the rate of 16·455. In the other groups the amount of mortality seems to be closely connected with the density of the population. In regard to the mortality in the Insular-Rural Districts, it must be remarked that the preponderance of deaths among males in the first year of life has been unusually marked in 1876,—the male rate of mortality having been 11·816, the female only 6·702 per cent.

Passing to the second year of life, we find still a preponderance of male mortality in every group of districts; but the deaths are now seen to be most numerous in the Principal Towns, and to become rarer and rarer in the several districts, as their populations are less and less aggregated.

In the third year of life, there still obviously follows a law connecting mortality with density of population; but it is worthy of note that, as in 1875, the female mortality at this age exceeds the male mortality in the Large Towns and in the Insular-Rural Districts.

In the fourth year of life, the mortality of females decidedly exceeded that of males in the country at large, but more especially in the Mainland-Rural Districts, and in the Large and Small Towns. In the Principal Towns and in the Insular-Rural Districts, males died in higher ratio than females. The deaths, irrespective of sex, followed the usual law that connects the mortality with the density of our populations.

In the fifth year of life, the influence of the density of population may be likewise traced. At this age the male mortality everywhere exceeded the female, except in the Small Towns, where the latter preponderated. In the year immediately preceding (1875), the mortality of females in the fifth year of life everywhere exceeded that of males in Scotland.

At ages between 5 and 10, there was no particular difference between male and female death-rates; and in the various divisions of the country sometimes one, sometimes the other predominated; between the ages of 10 and 15 the proportion of female deaths was slightly in excess in all the districts, except the Mainland-Rural, in which last it did not preponderate.

Between the ages of 15 and 20, male mortality everywhere decidedly exceeded that of females. This state of matters differs from that usually observed in Scotland, and from that which, on the authority of Farr's English Life Table No. 3 (page 34), we may regard as the normal state of matters in England.

At all ages between 20 and the end of life, females, during 1876, died in lower proportion than males, not only in Scotland in general, but in almost all its divisions. In the Large Towns only, at ages between 20 and 40 years, females died at a rate slightly exceeding that which prevailed among males.

It is of course only natural to expect that where a high birth-rate

prevails, a high death-rate of newly born children should likewise prevail, and in support of the reasonableness of this supposition, attention may here be directed to the following figures. In the Large Towns of Scotland the birth-rate of 1876 was 4·407 per cent. of population, and the mortality of *female* children in the first year of life was 16·455 per cent. of those living at that age; in the Eight Principal Towns the corresponding birth-rate was 3·706, and the death-rate 15·128; in the Small Towns the birth-rate was 3·696, the death-rate 13·228; in the Mainland-Rural Districts the birth-rate was 3·211, the death-rate 9·191; while in the Insular-Rural Districts the birth-rate was 2·665, and the death-rate 6·702.

There is much suggestive matter in Table XXIV. and in similar Tables which have been drawn up for former Detailed Annual Reports, which might be used in illustration of the important subject of infant mortality. But, as it is proposed to append to the present Report a number of Tables in which the average rate of infant mortality is calculated, both for males and females, from the data furnished by Scotland during a considerable series of years, it appears superfluous to enter into further details regarding the deaths at early ages recorded in 1876.

In Table XXV., the percentage of deaths at each age to the total deaths in Scotland and in each of its registration groups is given. The teachings of the Table will be sufficiently understood by reference to the following illustrations:—Of the whole mortality experienced by females in all Scotland in 1876, 34·41 per cent. took place among children during the first five years of life. Passing from the most dense to the most sparse populations of the country, we find that the share of the total mortality in each borne by females of these tender years was, in the Principal Towns, 39·84 per cent.; in the Large Towns, 37·36; in the Small Towns, 35·52; in the Mainland-Rural Districts, 25·54; and in the Insular-Rural Districts, 18·32 per cent. In order to contrast the relative frequency of deaths at very advanced ages in the various registration groups, it is sufficient to remark that, of every hundred females who died in 1876 in all Scotland, 18·49 were aged 70 or more years; in the Insular-Rural Districts, 38·24; in the Mainland-Rural Group, 29·28; in the Small Towns, 28·84; in the Large Towns, 14·28; and in the Principal Towns, only 11·09. These examples will suffice to show how intimately connected are the conditions of longevity with those of “proximity” or density of population.

CAUSES OF DEATH.

The number of deaths registered in all Scotland during the year 1876 was 74,129; but in 1213 instances, or 1·64 per cent. of all registered deaths, the cause was either unknown to the informants, or specified to the registrar in such terms as to be useless for statistical classification. It must not, however, be inferred that 98·36 per cent. of all deaths that took place in Scotland in 1876 were clearly referred by medical certificate to their several causes. In many cases, especially in the remote and most thinly peopled parts of the country, no medical certificate can be procured, and the statement of a relative of the deceased or of some non-professional informant is all that the registrar can obtain, to enable him to fill up the desirable particulars as to the cause of death. There are no coroners' inquests in Scotland; hence in cases of death by *drowning*,

poison, &c., there is always a possibility that the fatal event may have been *suicidal*. But without medical testimony or the authority of a procurator-fiscal's investigation, a registrar would naturally, and very properly, hesitate to register a death as suicidal, and it seems impossible to resist the impression that the number of cases of suicide is in Scotland generally understated in the Registrar-General's Reports.

During 1876 the registered deaths in all Scotland due to Zymotic Diseases numbered 13,323; being 384 for every hundred thousand of the population of the country, and 18·27 per cent. of all deaths registered during the year. On examining Tables XXVIII. and XXIX. it will be found that there was no marked difference between the proportions in which the male and female of the population suffered from Zymotic Diseases; but that the proportion of deaths from such diseases was to the deaths from All Causes much higher among females than among males. On the whole, it is obvious that during the year under review the incidence of Zymotic Diseases was exceptionally light.

In Table XXXII. the deaths from the chief Zymotic Diseases and from ordinary diseases are so arranged as to show the mortality due to each during five successive periods of life. Out of every hundred deaths from Zymotic Diseases, 63·7 occurred during the first five years of life; 75·0 during the first ten years; while between the ages of 15 and 60, the percentage of such deaths was only 15·5. Hooping-cough was of all epidemic disorders the most destructive to children under five years of age. It carried off no less than 2133 victims at this early period of life—being 94·8 per cent. of the total mortality which it caused at all ages. Scarlatina proved fatal to 1492 children under five years old, being 63·1 per cent. of the total deaths from this disease. Between the ages of five and ten years 26·5 per cent. of deaths from Scarlatina occurred. From Diarrhœa there were 2050 deaths, of which 1481, or 72·2 per cent., took place in children under five years old. From Measles there were 1241 deaths, of which 1125 occurred at ages under five years. There were 861 deaths attributed to Diphtheria, of which 61·7 per cent. occurred at ages under five, and 25·3 per cent. among children from five to ten years old. Continued Fevers of all kinds caused 2090 deaths, being at the unusually moderate rate of 62 per hundred thousand of estimated population. In every one of the registration groups of districts the form of fever known as Enteric or Typhoid has been the most prevalent, and it may be remarked in passing that deaths from this cause were more numerous in the Small Towns than elsewhere. In the whole of Scotland there died of Enteric Fever 1448, of Typhus 471, and of Relapsing Fever only 18 persons. Simple Continued Fever was returned as the cause of 65 deaths, and Infantile Remittent of 88. There can be little doubt that these last named groups of cases might in most instances have been referred with equal propriety to Enteric Fever. Of all deaths from fevers, 19·4 per cent. took place at ages under five years; 13·6 per cent. between the ages of five and ten years; 10·2 per cent. between the ages of ten and fifteen; 50·2 per cent. between the fifteenth and sixtieth year, and 6·6 per cent. among persons turned of sixty.

For every hundred thousand persons inhabiting the Eight Principal Towns, there died of Zymotic Diseases 438; while in the Large Towns the corresponding rate was 459, in the Small Towns 421, in the Mainland-Rural Group of Districts 200, and in the Insular-Rural 207. In the

whole country the rate was 384. All these rates contrast very favourably with those which were experienced in 1875, and in previous years.

TABLE XXVIII.—Proportion of Deaths from different Diseases to every

DISEASES AND CLASSES OF DISEASE.	Proportion of DEATHS in every 100,000 Persons Living.								
	SCOTLAND.			PRINCIPAL TOWNS.			LARGE TOWNS.		
	Both Sexes.	Males.	Females.	Both Sexes.	Males.	Females.	Both Sexes.	Males.	Females.
TOTAL DEATHS . .	2101	2213	1998	2342	2518	2184	2576	2665	2494
1. Zymotic Class . .	384	387	381	438	456	422	459	449	467
2. Uncertain Seat . .	78	64	92	75	60	89	86	71	101
3. Tubercular Class . .	352	361	338	425	445	407	474	490	459
4. Nervous System . .	205	228	184	228	240	200	271	295	249
5. Organs of Circulation	133	140	126	135	149	122	149	156	143
6. Respiratory Organs .	362	396	331	493	540	450	457	504	413
7. Organs of Digestion .	148	158	140	152	160	145	163	162	165
8. Urinary Organs . .	37	52	23	35	46	25	45	59	32
9. Generative Organs .	16	—	31	16	—	30	27	—	51
10. Locomotive Organs .	14	16	14	16	17	14	15	17	12
11. Skin, etc.	3	4	2	4	6	3	2	3	1
12. Malformations . .	9	10	7	9	10	8	10	11	9
13. Premature Debility	106	126	89	128	155	103	138	159	117
14. Atrophy	15	13	16	16	15	18	26	21	30
15. Age	149	116	180	76	58	94	154	128	179
16. Sudden Deaths . .	2	3	2	3	4	3	4	3	6
17. Violent Deaths . .	86	133	43	94	140	53	97	136	60
Small-pox	1	2	1	1	1	—	1	1	—
Measles	36	38	34	53	56	51	41	41	41
Scarlatina	68	72	65	62	67	57	84	84	85
Diphtheria	25	25	25	25	23	26	22	24	21
Hooping-cough . . .	65	60	69	86	83	89	81	70	91
Croup	23	26	21	27	29	25	22	25	18
DIARRHŒA	59	62	56	76	83	70	84	84	83
Dysentery	5	5	5	4	5	4	8	8	7
Cholera	4	4	3	4	5	3	6	5	6
Influenza	3	3	2	2	2	2	2	3	1
All FEVERS, viz.	62	63	59	59	64	52	64	64	67
Typhus	14	16	12	19	21	14	17	15	19
Enteric	42	41	43	34	36	33	44	46	43
Relapsing	1	1	—	—	1	—	—	1	—
Continued	2	2	2	2	2	2	2	1	3
Infantile	3	3	2	4	4	3	1	1	2
Metria	7	—	13	7	—	13	7	—	14
Erysipelas	10	12	9	11	17	8	13	14	12
Dropsy	14	12	15	13	15	14	20	20	20
Cancer	49	34	62	48	33	61	46	29	62
Scrofula	20	23	17	25	29	20	21	27	15
Tabes Mesenterica . .	32	37	27	41	49	34	47	54	40
PHTHISIS	245	242	247	297	292	301	311	305	316
Hydrocephalus . . .	55	65	46	63	74	52	95	104	88
Apoplexy	50	54	46	53	62	46	65	67	62
Paralysis	59	62	56	52	51	52	79	87	77
Epilepsy	8	9	7	9	9	9	7	7	7
Convulsions	30	36	25	41	50	33	49	53	46
BRONCHITIS	236	242	231	336	349	324	293	305	281
Pneumonia	95	117	75	123	150	98	130	158	104
Teething	22	25	18	29	35	23	22	24	21
Enteritis	28	32	24	29	34	25	27	32	23
All Liver Diseases . .	35	30	34	33	33	33	38	32	44
CHILDBIRTH	11	—	21	10	—	20	18	—	34
Burns and Scalds . .	8	8	9	8	7	9	18	12	24
Drowning	21	38	5	18	33	4	18	31	5
Fracture & Contusion	27	46	9	33	53	13	26	45	9

Tables XXX. and XXXI. illustrate the mortality experienced in each of the Eight Principal Towns of Scotland from various diseases ;

Hundred Thousand Persons of the Population in 1876, allowing for Causes not specified.

DISEASES AND CLASSES OF DISEASE.	Proportion of DEATHS in every 100,000 Persons Living.								
	SMALL TOWNS.			MAINLAND-RURAL.			INSULAR-RURAL.		
	Both Sexes.	Males.	Females.	Both Sexes.	Males.	Females.	Both Sexes.	Males.	Females.
TOTAL DEATHS . .	2101	2196	2014	1728	1794	1666	1628	1753	1521
1. Zymotic Class . .	421	424	418	290	283	297	207	211	203
2. Uncertain Seat . .	76	59	93	80	68	91	91	77	102
3. Tubercular Class . .	360	367	353	241	258	224	195	228	166
4. Nervous System . .	206	230	184	169	182	157	99	129	73
5. Organs of Circulation . .	137	140	134	130	132	123	61	81	44
6. Respiratory Organs . .	318	344	295	231	254	209	220	265	183
7. Organs of Digestion . .	156	165	146	141	155	129	91	108	76
8. Urinary Organs . .	38	53	25	37	55	20	33	56	13
9. Generative Organs . .	16	—	30	13	—	25	15	2	26
10. Locomotive Organs . .	14	16	12	12	11	12	25	17	31
11. Skin, etc. . . .	2	2	2	3	3	3	2	2	2
12. Malformations . .	10	11	9	7	9	6	3	2	3
13. Premature Debility . .	112	135	91	76	85	67	32	39	26
14. Atrophy	15	15	16	10	8	12	11	10	11
15. Age	135	100	167	208	161	253	474	402	533
16. Sudden Deaths . .	2	3	1	2	2	2	—	—	—
17. Violent Deaths . .	82	132	37	78	126	33	73	144	31
Small-pox	3	5	1	1	1	—	—	—	—
Measles	35	40	30	18	18	17	8	7	8
Scarlatina	81	82	81	64	68	59	40	44	36
Diphtheria	27	26	28	27	28	26	2	2	2
Hooping-cough . . .	66	58	74	37	34	40	36	41	32
Croup	24	27	22	19	21	18	24	27	21
DIARRHŒA	60	64	57	35	34	36	16	17	15
Dysentery	7	6	8	4	3	6	4	4	3
Cholera	4	4	4	3	4	2	1	—	1
Influenza	3	4	2	3	3	3	8	12	5
All FEVERS, viz.	76	78	73	50	48	56	38	23	51
Typhus	11	12	9	8	10	7	15	6	23
Enteric	58	59	57	39	34	45	21	15	26
Relapsing . . .	1	1	1	—	—	1	—	—	—
Continued . . .	3	3	3	2	2	2	—	—	—
Infantile . . .	3	3	3	1	2	1	2	2	2
Metria	6	—	11	7	—	13	6	—	11
Erysipelas	12	14	9	7	7	8	11	15	6
Dropsy	11	11	12	12	11	13	32	19	45
Cancer	49	32	65	52	38	65	44	43	45
Scrofula	21	21	21	16	19	12	13	10	13
Tabes Mesenterica . .	35	37	33	17	21	13	4	8	—
PHTHISIS	239	233	244	177	179	175	166	189	147
Hydrocephalus . . .	65	76	55	31	39	24	11	17	6
Apoplexy	59	66	53	38	36	40	17	23	11
Paralysis	57	60	55	64	69	60	39	50	29
Epilepsy	7	8	6	8	10	7	5	4	6
Convulsions	26	28	23	16	18	14	10	17	3
BRONCHITIS	205	211	198	141	137	145	113	137	92
Pneumonia	86	102	73	63	85	42	48	58	39
Teething	24	26	21	13	15	11	10	13	6
Enteritis	30	35	25	27	30	24	8	15	2
All Liver Diseases . .	41	42	40	33	37	28	18	23	13
CHILDBIRTH	11	—	21	9	—	18	8	—	15
Burns and Scalds . .	6	8	5	7	8	6	5	6	5
Drowning	23	44	5	21	37	7	40	73	11
Fracture & Contusion	26	45	8	25	43	7	11	17	3

and we here proceed briefly to point out the share of this mortality due to each of the principal Zymotic Diseases in each town.

(1.) In Paisley, out of every hundred thousand inhabitants there

TABLE XXIX.—Proportion of Deaths from different

DISEASES AND CLASSES OF DISEASE.	Proportion of DEATHS in every 10,000 Specified Causes of Death.								
	SCOTLAND.			PRINCIPAL TOWNS.			LARGE TOWNS.		
	Both Sexes.	Males.	Females.	Both Sexes.	Males.	Females.	Both Sexes.	Males.	Females.
1. Zymotic Class . . .	1827	1750	1906	1869	1809	1931	1780	1685	1874
2. Uncertain Seat . . .	373	288	459	321	239	405	335	265	404
3. Tubercular Class . .	1676	1662	1689	1814	1766	1863	1840	1840	1840
4. Nervous System . . .	976	1032	920	973	1028	915	1053	1108	999
5. Organs of Circulation	631	633	629	576	592	559	580	587	573
6. Respiratory Organs	1724	1791	1655	2103	2145	2059	1773	1892	1655
7. Organs of Digestion	707	714	699	650	636	664	634	607	660
8. Urinary Organs . . .	177	235	117	149	183	113	174	220	127
9. Generative Organs . .	77	1	153	68	—	138	103	—	205
10. Locomotive Organs .	68	69	68	67	68	66	57	65	49
11. Skin, etc.	14	16	12	17	23	13	8	11	4
12. Malformations . . .	41	45	37	38	41	34	39	40	38
13. Premature Debility .	507	589	443	545	614	473	534	598	471
14. Atrophy	71	61	82	70	60	80	100	79	120
15. Age	710	522	901	326	224	432	599	481	716
16. Sudden Deaths . . .	12	12	11	14	15	12	17	11	22
17. Violent Deaths . . .	410	601	216	403	557	243	375	510	241
Small-pox	5	8	3	4	5	2	1	2	—
Measles	170	172	169	228	224	233	160	155	165
Scarlatina	324	323	325	263	265	260	328	317	339
Diphtheria	118	111	125	105	93	118	86	90	83
Hooping-cough	309	270	348	367	328	407	315	263	366
Croup	111	115	107	116	116	116	84	94	74
DIARRHŒA	281	280	282	325	331	319	327	319	335
Dysentery	24	21	27	18	18	18	30	31	29
Cholera	18	19	17	17	18	15	22	20	25
Influenza	13	14	11	8	7	8	8	11	4
All FEVERS, viz.	286	278	296	251	262	239	251	235	268
Typhus	65	70	59	81	96	66	66	56	76
Enteric	199	185	213	146	142	150	172	171	174
Relapsing	2	3	2	2	3	1	1	2	—
Continued	8	8	10	7	6	7	8	4	11
Infantile	12	12	12	15	15	15	4	2	7
Metria	32	—	64	30	—	61	29	—	58
Erysipelas	48	53	43	45	54	36	50	52	49
Dropsy	65	55	75	56	46	66	77	74	80
Cancer	232	154	313	203	130	279	179	108	250
Scrofula	97	106	87	105	116	94	81	101	60
Tabes Mesenterica . . .	151	168	134	175	196	154	182	204	161
PHTHISIS	1164	1095	1235	1266	1160	1376	1207	1146	1267
Hydrocephalus	263	294	233	268	295	240	371	389	352
Apoplexy	238	245	231	228	245	210	252	252	252
Paralysis	280	280	281	220	203	238	307	328	286
Epilepsy	38	39	37	38	36	40	27	27	27
Convulsions	142	156	127	175	197	151	190	198	183
BRONCHITIS	1124	1094	1154	1434	1384	1485	1137	1146	1129
Pneumonia	452	530	373	524	596	449	505	593	417
Teething	103	114	91	122	140	105	86	90	83
Enteritis	132	145	118	124	135	113	105	119	91
All Liver Diseases . . .	166	162	169	142	133	152	149	121	176
CHILDBIRTH	51	—	103	44	—	90	69	—	138
Burns and Scalds . . .	39	35	43	35	27	42	71	45	96
Drowning	99	170	27	76	132	18	68	117	20
Fracture & Contusion	129	209	46	135	209	59	102	169	86

perished by Zymotic Diseases 501. Of these, 146 died of Hooping-cough, 103 of Fevers, 89 of Diarrhœa, and 66 of Scarlatina. There seems to have been in Paisley a rather unusual immunity from Measles during 1876.

Diseases to the Total Deaths from Specified Causes in 1876.

DISEASES AND CLASSES OF DISEASE.	Proportion of DEATHS in every 10,000 Specified Causes of Death.								
	SMALL TOWNS.			MAINLAND-RURAL.			INSULAR-RURAL.		
	Both Sexes.	Males.	Females.	Both Sexes.	Males.	Females.	Both Sexes.	Males.	Females.
1. Zymotic Class . . .	2006	1931	2077	1677	1576	1780	1271	1202	1338
2. Uncertain Seat . . .	364	267	461	462	379	547	557	441	669
3. Tubercular Class . .	1706	1672	1752	1392	1438	1346	1195	1301	1093
4. Nervous System . . .	979	1045	912	979	1016	942	606	739	478
5. Organs of Circulation .	653	638	667	752	734	769	373	463	287
6. Respiratory Organs .	1515	1565	1466	1337	1419	1254	1352	1510	1200
7. Organs of Digestion .	740	753	727	817	864	769	557	617	499
8. Urinary Organs . . .	182	243	122	214	307	119	200	320	85
9. Generative Organs . .	75	1	150	76	2	152	92	11	170
10. Locomotive Organs .	68	74	62	69	64	74	151	99	202
11. Skin, etc.	10	8	12	17	16	18	11	11	11
12. Malformations . . .	48	51	46	43	51	34	16	11	21
13. Premature Debility .	534	616	451	441	476	405	195	221	170
14. Atrophy	72	68	77	58	47	70	65	55	74
15. Age	641	453	829	1204	899	1516	2910	2293	3503
16. Sudden Deaths . . .	10	12	7	9	9	9	—	—	—
17. Violent Deaths . . .	392	602	182	452	703	196	449	706	202
Small-pox	13	21	5	4	4	3	—	—	—
Measles	165	180	151	102	103	100	49	44	53
Scarlatina	389	373	402	368	379	357	243	254	234
Diphtheria	129	118	139	156	154	157	11	11	11
Hooping-cough	316	265	367	217	191	243	222	232	212
Croup	115	122	109	111	115	106	146	154	138
DIARRHŒA	287	290	284	203	190	217	97	99	96
Dysentery	32	27	37	25	17	33	22	22	21
Cholera	19	18	19	19	22	15	5	—	11
Influenza	16	19	12	17	18	17	49	66	32
All FEVERS, viz.	357	353	365	298	268	327	233	132	330
Typhus	50	54	46	49	56	41	92	33	149
Enteric	277	270	284	229	190	268	130	88	170
Relapsing	4	4	5	3	2	3	—	—	—
Continued	13	12	13	10	10	10	—	—	—
Infantile	13	13	17	7	10	5	11	11	11
Metria	28	—	55	39	—	79	38	—	74
Erysipelas	55	64	46	43	38	48	65	88	42
Dropsy	54	50	59	68	60	76	206	121	297
Cancer	235	146	323	300	212	389	270	243	297
Scrofula	100	94	105	91	107	74	81	77	85
Tabes Mesenterica . . .	165	168	163	98	117	78	22	44	—
PHTHISIS	1136	1062	1210	1025	997	1053	1022	1080	966
Hydrocephalus	310	347	274	179	216	141	70	99	42
Apoplexy	281	299	264	221	202	239	103	132	74
Paralysis	274	272	275	372	383	361	238	287	191
Epilepsy	33	35	30	49	54	43	32	22	42
Convulsions	122	129	115	93	102	83	59	99	21
BRONCHITIS	974	962	986	815	763	867	692	783	605
Pneumonia	412	464	361	366	475	255	292	331	255
Teething	112	118	106	76	86	65	59	77	42
Enteritis	141	158	124	157	168	146	49	88	11
All Liver Diseases . . .	196	191	200	188	207	170	108	132	85
CHILDBIRTH	53	—	105	52	—	106	49	—	96
Burns and Scalds . . .	31	35	27	38	44	33	32	33	32
Drowning	111	198	24	124	205	42	243	419	74
Fracture & Contusion .	124	209	39	142	240	42	65	99	32

(2.) In Perth, the deaths from Zymotic Diseases were at the rate of 474 per hundred thousand inhabitants. Hooping-cough was by far the most active agent in producing this mortality; but Fevers, especially Typhus, were likewise rather rife. Scarlatina, Diphtheria, Croup, and Diarrhoea were not more prevalent than usual. Measles, as in the case of Paisley, appears to have been in abeyance.

(3.) In Greenock, the deaths from Zymotic Causes were 486 per hundred thousand inhabitants. Scarlatina alone caused 154 of these deaths; but Fevers, Diarrhoea, and Diphtheria caused likewise a considerable mortality.

(4.) In Glasgow, out of a hundred thousand of estimated population, there were 473 deaths due to Zymotics. Hooping-cough was the most frequent cause of such deaths; but Diarrhoea, Enteric Fever, Measles, and Scarlatina all materially contributed to the Zymotic mortality.

(5.) In Leith the deaths from Zymotic Causes were 465 per hundred thousand inhabitants. Measles was the ruling epidemic; but deaths from Diarrhoea, from Scarlatina, Diphtheria, and Hooping-cough were likewise rather frequent.

(6.) In Dundee the rate of Zymotic mortality was 393 per hundred

TABLE XXX.—Proportion of Deaths from different Diseases to the Population in each of the Eight Principal Towns of Scotland during the Year 1876, allowing for Causes not Specified.

DISEASES AND CLASSES OF DISEASE.	Proportion of Deaths to every 100,000 Persons living.							
	Glasgow.	Edinburgh.	Dundee.	Aberdeen.	Greenock.	Paisley.	Leith.	Perth.
TOTAL DEATHS, . . .	2525	2041	2210	2107	2298	2644	2218	2412
Zymotic Class . . .	473	360	393	388	486	501	465	474
Tubercular Class . . .	504	324	385	333	398	474	317	356
Brain, etc., . . .	224	214	227	240	249	286	237	190
Heart, etc., . . .	119	167	139	154	115	109	120	235
Respiratory Organs . . .	584	397	506	359	361	416	446	375
Organs of Digestion . . .	174	130	111	129	138	185	156	159
Premature Debility . . .	136	87	146	100	157	173	133	125
Old Age . . .	55	71	88	93	73	190	78	243
Violent Deaths . . .	101	84	71	103	115	101	89	102
Small-pox . . .	1	—	—	—	—	—	—	8
Measles . . .	57	50	60	63	12	6	95	4
Scarlatina . . .	58	70	35	24	154	66	85	49
Diphtheria . . .	23	27	12	21	46	31	36	42
Hooping-cough . . .	119	24	85	56	36	146	46	129
Croup . . .	28	27	15	24	40	16	34	49
Diarrhoea . . .	75	54	109	81	72	89	89	49
Dysentery . . .	4	3	3	10	4	6	2	4
Cholera . . .	3	6	6	3	4	2	2	—
Fevers, viz. . . .	63	46	34	59	79	103	48	77
Typhus . . .	17	14	12	30	30	31	21	46
Enteric . . .	39	29	22	25	49	56	23	23
Relapsing . . .	—	—	—	1	—	—	—	—
Continued . . .	3	—	—	—	—	4	—	8
Infantile . . .	4	3	—	3	—	12	4	—
Dropsy . . .	13	8	12	12	19	33	15	4
Cancer . . .	39	76	42	47	39	45	51	34
Phthisis . . .	356	220	275	232	283	332	184	250
Apoplexy . . .	54	49	57	52	55	74	42	42
Paralysis . . .	44	50	60	52	49	87	82	57
Bronchitis . . .	409	230	343	270	221	321	317	262
Pneumonia . . .	142	122	142	55	98	70	101	80
Teething . . .	36	8	19	22	35	49	17	46

thousand inhabitants. Diarrhoea was the most destructive epidemic; but both Hooping-cough and Measles proved fatal to considerable numbers of children.

(7.) In Aberdeen the Zymotic mortality was 388 per hundred thousand; Measles, Hooping-cough, and Diarrhoea being the most prevalent epidemic disorders.

(8.) In Edinburgh the Zymotic mortality was only 360 per hundred thousand inhabitants. Scarlatina was the most fatal epidemic; and after it in order of fatality ranked Diarrhoea and Measles.

These brief remarks will suffice to show that in 1876 the incidence of epidemic disease was comparatively little felt in our Principal Towns.

Small-pox accounted during 1876 for only 39 deaths in the whole of Scotland. Of these deaths, 8 occurred in Glasgow and 2 in Perth,—none in any other of the Principal Towns. One occurred in the Large Town of Govan, 16 in the Small Towns of Stirlingshire, 3 in those of Dumbartonshire, and 2 in those of Ayrshire. In the Mainland-Rural Districts of Perthshire there were 2 deaths from Small-pox, 2 in Dumbartonshire, 2 in Renfrewshire, and 1 in Dumfriesshire. Of children under five years of age 7 died of Small-pox. Of these, 4 were under

TABLE XXXI.—Proportion of Deaths from different Diseases to the Total Deaths from Specified Causes in each of the Eight Principal Towns of Scotland, during the Year 1876.

DISEASES AND CLASSES OF DISEASE.	Proportion of Deaths in every 10,000 Specified Causes of Death.							
	Glasgow.	Edinburgh.	Dundee.	Aberdeen.	Greenock.	Paisley.	Leith.	Perth.
Zymotic Class	1872	1764	1780	1840	2115	1894	2098	1965
Tubercular Class	1998	1586	1741	1579	1733	1793	1430	1478
Brain, etc.	889	1050	1025	1140	1083	1083	1070	786
Heart, etc.	471	819	628	730	501	413	539	975
Respiratory Organs	2315	1946	2288	1702	1571	1574	2012	1557
Organs of Digestion	688	639	501	612	601	701	702	660
Premature Debility	537	427	661	474	682	655	599	519
Old Age	218	347	397	439	319	717	351	1006
Violent Deaths	400	411	322	488	501	382	402	425
Small-pox	6	—	—	—	—	—	—	31
Measles	227	272	270	301	50	23	428	16
Scarlatina	229	342	159	113	670	249	385	204
Diphtheria	89	132	52	99	200	117	163	173
Hooping-cough	470	119	384	266	156	554	205	535
Croup	113	130	68	113	175	62	154	204
Diarrhoea	297	265	491	385	313	335	403	204
Dysentery	16	13	13	49	19	23	9	16
Cholera	13	30	26	15	19	8	9	—
Fevers, viz.	249	232	153	281	350	390	214	314
Typhus	67	68	52	143	131	117	94	189
Enteric	153	144	101	118	213	210	103	94
Relapsing	1	2	—	5	6	—	—	—
Continued	—	2	—	—	—	16	—	31
Infantile	18	16	—	15	—	47	17	—
Dropsy	52	39	55	59	81	125	68	16
Cancer	156	372	192	222	169	171	231	142
Phthisis	1408	1079	1243	1100	1233	1255	830	1038
Apoplexy	214	240	257	247	238	281	188	173
Paralysis	175	246	270	247	213	327	368	236
Bronchitis	1620	1125	1552	1283	964	1216	1430	1085
Pneumonia	563	598	644	261	426	265	454	330
Teething	144	62	88	104	150	187	77	189

three months old; other 2 between three and six months; and the seventh had not completed its first year of life.

In Tables XXXII. XXXIV. XXXV. and XXXVI. will be found all the details which it is in our power to present regarding the deaths by Small-pox and the progress of Vaccination in Scotland in 1876. It is obvious that during that year Scotland enjoyed almost perfect immunity from Small-pox.

The deaths in all Scotland ascribed to Fevers were 2090, being 62 deaths to every hundred thousand of estimated population, and 2·86 per cent. of the total deaths from Specified Causes. On examining the successive columns of Table XXVIII. it may be seen that there has been a notable diminution in the frequency of deaths by Fevers in 1876; that this diminution has been most marked as regards Typhus; that Enteric Fever has everywhere been the most prevalent form of these diseases; that it has been especially frequent in the Small Town districts; and that in the whole of Scotland there have been only 18 fatal cases of the once familiar Relapsing Fever.

Scarlatina caused the deaths of 68 out of every hundred thousand inhabitants of Scotland. Its fatality was most marked in the Large and Small Towns. The disease was, during 1876, certainly not so rife as usual in Scotland.

Hooping-cough caused 65 deaths for every hundred thousand inhabitants of the country. Its ravages were most felt in the Principal and Large Towns, and chiefly among female children. As has been already remarked, no town suffered from this disease so seriously as Paisley, where at least 5½ per cent. of the whole mortality was due to this single cause.

Diarrhoea caused 2050 deaths, being 59 out of every hundred

TABLE XXXII. —Number and Proportion of Deaths at different Ages from the Zymotic and Ordinary Diseases in Scotland in 1876.

DISEASES.	NUMBER OF DEATHS AT EACH AGE.						PERCENTAGE AT EACH AGE.					
	0-5 years.	5-10.	10-15.	15-60.	Above 60.	Total.	0-5.	5-10.	10-15.	15-60.	Above 60.	Total.
Small-pox	7	2	3	26	1	39	17·9	5·2	7·7	66·6	2·6	100
Measles	1125	85	8	22	1	1241	90·7	6·8	0·6	1·8	0·1	100
Scarlatina	1492	625	152	92	3	2364	63·1	26·5	6·4	3·9	0·1	100
Diphtheria	531	218	42	66	4	861	61·7	25·3	4·9	7·7	0·4	100
Hooping-cough . .	2133	107	5	4	1	2250	94·8	4·8	0·2	0·2	0·0	100
Croup	719	89	3	—	—	811	88·7	11·0	0·3	0·0	0·0	100
Diarrhoea	1481	37	12	153	367	2050	72·2	1·8	0·6	7·5	17·9	100
Dysentery	45	7	—	46	80	178	25·3	3·9	0·0	25·9	44·9	100
Cholera	89	6	3	24	10	132	67·4	4·5	2·3	18·2	7·6	100
All Fevers, viz. . .	405	284	213	1049	139	2090	19·4	13·6	10·2	50·2	6·6	100
Typhus	71	52	33	276	39	471	15·1	11·0	7·0	58·6	8·3	100
Enteric	249	200	167	743	89	1448	17·2	13·8	11·5	51·3	6·2	100
Relapsing	—	1	4	8	5	18	0·0	5·6	22·2	44·4	27·8	100
Simple Continued	14	14	9	22	6	65	21·6	21·6	13·8	33·8	9·2	100
Infantile	71	17	—	—	—	88	80·7	19·3	0·0	0·0	0·0	100
Syphilis	176	—	1	25	8	210	83·8	0·0	0·5	11·9	3·8	100
Erysipelas	145	7	7	111	79	349	41·6	2·0	2·0	31·8	22·6	100
All Zymotics . . .	8488	1502	485	2066	782	13323	63·7	11·3	3·6	15·5	5·9	100
All other Diseases, } exclud'g Zymotics }	18977	1880	1460	20544	17945	60806	31·2	3·1	2·4	33·8	29·5	100
Total Deaths . . .	27465	3382	1945	22610	18727	74129	37·0	4·6	2·6	30·5	25·3	100

thousand of the inhabitants of Scotland. As usual, the urban populations suffered in greater ratio than the rural from this disease. In the Insular-Rural Districts the deaths from Diarrhoea were comparatively insignificant in number.

Measles caused 1241 deaths, being at the rate of 36 per hundred thousand inhabitants. Its frequency appears to have varied directly in proportion to the degree of aggregation of population in the several groups of districts.

To Diphtheria, 861 deaths were ascribed ; to Croup, 811. It appears that the former disease is of very rare occurrence in the Insular-Rural Districts, but that it visits the other districts of the country with remarkable impartiality. It must, however, be noted, that in certificates of death the distinction between Croup and Diphtheria is not always drawn with the precision that might be desired,—such entries as “Diphtheretic Croup,” and “Croupal Diphtheria,” being occasionally met with, and causing some hesitation in referring the diseases indicated to their appropriate headings.

Diseases of Uncertain Seat caused the deaths of 1057 males and 1660 females ; being in all 2717 persons, and constituting 78 per hundred thousand of the population of Scotland. Cancer alone accounted for 1695 of these deaths. For a hundred thousand of each sex there died of Cancer 34 males and 62 females, and there was no particular difference in this mortality in any part of the country except in the Insular-Rural Districts. In these last named districts the deaths of males attributed to Cancer were very nearly as numerous as those of females ; and on referring to Table XXVIII. in the Detailed Annuals for the last three years, a similar circumstance may be remarked. From Table XXX. it may be learned that deaths from Cancer were most frequent in Edinburgh and in Leith ; far less frequent in Glasgow, Greenock, and Perth.

There were 473 deaths attributed to “Dropsy,” without hint as to the pathological cause of this symptom. It is satisfactory to find the frequency of this unscientific term annually diminishing in our Reports. That it will ever totally disappear from our list of causes of death is not to be expected. Where there is no medical certificate of death, but where the fact of its occurrence is attested by a non-professional in-

TABLE XXXIII.—Number and Percentage of Deaths from the Zymotic and Ordinary Diseases at each Age.

AGE.	NUMBER OF DEATHS.			PERCENTAGE OF DEATHS AT EACH AGE FROM	
	Total Deaths.	Zymotic Deaths.	All other Diseases.	Zymotic Deaths.	All other Diseases.
0—5	27,465	8,488	18,977	30·9	69·1
5—10	3,382	1,502	1,880	44·4	55·6
10—15	1,945	485	1,460	24·9	75·1
15—60	22,610	2,066	20,544	9·1	90·9
Above 60	18,727	782	17,945	4·2	95·8
0—15	32,792	10,475	22,317	31·9	68·1
15 and upwards	41,337	2,848	38,489	6·9	93·1

formant, it is only natural that a symptom so obvious as Dropsy should be confidently named as the disease causing death. Besides there certainly occur cases in which dropsical effusions are connected with simultaneous Disease of several organs, such as the Kidneys, Heart, Liver, and Lungs; and in which it would puzzle the most highly instructed physician clearly to demonstrate the structural lesion on which the Dropsy depends. For such cases the term "Dropsy" is as good as any other.

Abscess was the cause of 207 deaths; Ulcer, of 56; and Fistula, of 19. To Mortification 167 deaths were attributed, of which 10 occurred in infants under six months of age; and 120 were in all probability cases of Senile Gangrene connected with degeneration of the arterial symptom in persons above sixty years old, or resulting from surgical injuries.

From Hæmorrhage of unspecified seat there were 82 deaths; 23 of which occurred during the first year of life, 28 between the ages of 10 and 45, and 30 in persons whose age exceeded 55 years.

Only 18 deaths were attributed to Gout, and of these 10 occurred in males. Of those who died of Gout, 2 were between 45 and 55 years old, the remaining 16 had all passed their 60th year.

Tubercular Diseases caused 12,219 deaths, whereof 6111 occurred among males, and 6108 among females. The mortality from these diseases was consequently 352 per hundred thousand of the population, and constituted 16·76 per cent. of the deaths from all Specified Causes. It was most considerable in the Large Towns, and not much less in the Eight Principal Towns. In the Small Towns it did not particularly differ from that observed in Scotland in general; but in the Rural, and especially in the Insular-Rural, Districts it was far less conspicuous. Of all deaths from Specified Causes, 18·40 per cent. were in the Large Towns due to Tubercular Diseases; in the Principal Towns the rate was 18·14; in the Small Towns, 17·06; in the Mainland-Rural Districts, 13·92; and in the Rural-Insular Group, 11·95. These rates are higher than those recorded for 1875; but it must be observed that they are fractional parts of a *smaller* gross mortality. From Table XXX. it appears that the deaths from Tubercular Diseases per hundred thousand of population in each of the Eight Principal Towns were as follows:—

TABLE XXXIV.— Small-pox Deaths in Scotland.

YEAR.	Small-pox Deaths.	YEAR.	Small-pox Deaths.
1855	1,309	1866	200
1856	1,306	1867	100
1857	845	1868	15
1858	332	1869	64
1859	682	1870	114
1860	1,495	1871	1,442
1861	766	1872	2,448
1862	426	1873	1,126
1863	1,648	1874	1,246
1864	1,741	1875	76
1865	383	1876	39

504 in Glasgow, 474 in Paisley, 398 in Greenock, 385 in Dundee, 356 in Perth, 323 in Aberdeen, 324 in Edinburgh, and 317 in Leith.

From Consumption alone the deaths in Scotland in 1876 numbered 8491. Of these, 1369, or about 16·12 per cent., occurred at ages under 15 years; 5771, or 67·97 per cent., among those aged from 15 to 45; and 1349, or 15·88 per cent., at more advanced ages. In Scotland, as a whole, and in each of its three urban groups of districts, Consumption was as usual very slightly more frequent among females than among males; in the Mainland-Rural Districts there was a difference barely appreciable in favour of female life; but in the Insular-Rural Group there was manifestly a greater liability to Consumption among the males. On examining the Detailed Tables at pp. 162–167, it may be found that this greater susceptibility of males in our Insular-Rural Districts is most marked between the ages of 20 and 35. Perhaps it may be accounted for in some degree by the influence of bodily hardship and early devotion to such laborious occupations as that of a seaman or fisherman, upon the frames of growing youths in very humble circumstances. The deaths by Consumption per hundred thousand of population were in Glasgow, 356; in Paisley, 332; in Greenock, 283; in Dundee, 275; in Perth, 250; in Aberdeen, 232; in Edinburgh, 220; and in Leith, 184. Why the population of Leith should year after year be found to suffer in less proportion from Consumption than the inhabitants of any other of our Principal Towns we cannot at present explain. That such comparative immunity exists cannot be reasonably doubted, unless it can be assumed that many deaths from Consumption are in Leith referred to Bronchitis. And we have no reason to believe that this erroneous registration is more common in Leith than elsewhere.

TABLE XXXV.—Vaccinations in Scotland, 1866–76, and Proportion to the Births each Year.

Years.		Success-fully Vaccinated.	Vaccination Post-poned.	Insusceptible of Vaccination—			Died before Vaccination.	Removed from District before Vaccination, or otherwise unaccounted for.	TOTAL BIRTHS.
				From Constitutional Insusceptibility.	From having had Small-pox	From previous Vaccination.			
1866	Numbers .	100408	579	332	30	227	9433	2658	113667
1867	Numbers .	101139	670	233	16	151	9355	2480	114044
1868	Numbers .	102140	914	277	7	230	9440	2506	115514
1869	Numbers .	99265	966	177	17	174	10069	2773	113441
1870	Numbers .	101875	843	215	28	229	9724	2532	115446
1871	Numbers .	101923	841	241	142	175	10280	2582	116184
1872	Numbers .	104902	811	184	64	322	10325	2351	118959
1873	Numbers .	105177	1113	162	39	163	10527	2629	119810
1874	Numbers .	108022	1229	206	33	205	11288	2878	123861
1875	Numbers .	108096	1211	190	1	252	11326	2575	123651
10 Years.	Average .	103294	918	222	38	213	10177	2596	117458
1876.	Numbers .	111815	1034	177	5	348	10760	2567	126706
1866	Percentage	88·335	0·510	0·292	0·026	0·200	8·299	2·338	100·000
1867	Percentage	88·684	0·587	0·204	0·014	0·132	8·203	2·176	100·000
1868	Percentage	88·423	0·791	0·240	0·005	0·199	8·172	2·170	100·000
1869	Percentage	87·504	0·852	0·156	0·015	0·153	8·876	2·444	100·000
1870	Percentage	88·246	0·730	0·186	0·024	0·198	8·423	2·193	100·000
1871	Percentage	87·726	0·724	0·208	0·122	0·150	8·848	2·222	100·000
1872	Percentage	88·183	0·682	0·155	0·054	0·271	8·679	1·976	100·000
1873	Percentage	87·786	0·930	0·135	0·033	0·136	8·786	2·194	100·000
1874	Percentage	87·213	0·992	0·166	0·027	0·165	9·114	2·323	100·000
1875	Percentage	87·420	0·979	0·154	0·001	0·204	9·160	2·082	100·000
10 Years.	Percentage	87·941	0·782	0·189	0·032	0·181	8·664	2·210	100·000
1876	Percentage	88·248	0·816	0·140	0·003	0·275	8·492	2·025	100·000

Hydrocephalus proved fatal to 1921 persons ; Tabes Mesenterica to 1102 ; and Scrofula to 705. The inhabitants of town districts suffered as usual far more from these diseases than the rural population, and the proportion of deaths among males considerably exceeded that recorded among females.

From Diseases of the Brain and Nervous System, there were 7118 deaths ; of which 3792 occurred among males and 3326 among females. The mortality from these causes was consequently 205 for every hundred thousand of the population for Scotland, and constituted 9·76 per cent. of the total deaths from Specified Causes. These numbers and rates are by a mere trifle lower than those recorded in 1875. Diseases of the Brain were as usual far more common among males than among females, and were more fatal to the urban than to the rural population. The town of Paisley would appear to have suffered from those diseases more than any other of the Eight Principal Towns ; but we are not inclined to attach much importance to this observation, since, as has been elsewhere stated, there is reason to doubt the accuracy of our estimate as to the present population of Paisley.

From Diseases of the Heart and Circulatory System the deaths were 4603 ; being at the ordinary rate of 133 for every hundred thousand inhabitants of Scotland, and constituting 6·31 per cent. of all deaths from Specified Causes. Deaths from Heart Disease are far less frequently registered in the Mainland and Insular-Rural Districts than elsewhere ; but it is permissible to doubt whether they are actually of less frequent occurrence in these districts. The fact probably is, that some medical

TABLE XXXVI.—Vaccinations in Scotland, 1866–1876, deducting from the Births those who died before they could be Vaccinated, and giving the Proportion of the Vaccinated to the surviving Births of each Year.

Years.		Successfully Vaccinated.	Vaccination Postponed.	Insusceptible of Vaccination.			Removed from District before Vaccination, or otherwise unaccounted for.	TOTAL LIVING.
				From Constitutional Insusceptibility.	From having had Small-pox.	From previous Vaccination.		
1866	Numbers .	100408	579	332	30	227	2658	104234
1867	Numbers .	101139	670	233	16	151	2480	104689
1868	Numbers .	102140	914	277	7	230	2506	106074
1869	Numbers .	99265	966	177	17	174	2773	103372
1870	Numbers .	101875	843	215	28	229	2532	105722
1871	Numbers .	101923	841	241	142	175	2582	105904
1872	Numbers .	104902	811	184	64	322	2351	108634
1873	Numbers .	105177	1113	162	39	163	2629	109283
1874	Numbers .	108022	1229	206	33	205	2878	112573
1875	Numbers .	108096	1211	190	1	252	2575	112325
10 Years.	Average .	103294	918	222	38	213	2596	107281
1876	Numbers .	111815	1034	177	5	348	2567	115946
1866	Percentage	96·329	0·556	0·318	0·029	0·217	2·551	100·000
1867	Percentage	96·609	0·640	0·222	0·015	0·144	2·370	100·000
1868	Percentage	96·292	0·861	0·261	0·007	0·216	2·363	100·000
1869	Percentage	96·027	0·935	0·171	0·016	0·168	2·683	100·000
1870	Percentage	96·362	0·797	0·203	0·026	0·217	2·395	100·000
1871	Percentage	96·241	0·794	0·228	0·134	0·165	2·438	100·000
1872	Percentage	96·565	0·747	0·169	0·059	0·296	2·164	100·000
1873	Percentage	96·243	1·018	0·148	0·036	0·149	2·406	100·000
1874	Percentage	95·958	1·092	0·183	0·029	0·182	2·556	100·000
1875	Percentage	96·235	1·078	0·169	0·001	0·224	2·293	100·000
10 Years.	Percentage	96·284	0·856	0·207	0·035	0·199	2·420	100·000
1876	Percentage	96·437	0·892	0·153	0·004	0·300	2·214	100·000

skill is in most instances required for the recognition of such diseases, and that in the sparsely peopled parts of the country many deaths are by ordinary non-professional informants erroneously attributed to Age, Debility, Asthma, and the like, which a well informed medical man would unhesitatingly refer to Disease of the Heart or great vessels.

Diseases of the Respiratory System are the most frequent causes of death that are mentioned in our Reports. The reader will please to bear in mind that they do not include Consumption, Diphtheria, Croup, or various diseases of frequent occurrence in which Bronchitis, Pneumonia, or Pleurisy exist, as complications of other organic diseases. We may instance Bright's Disease of the Kidneys as a familiar example of a complaint often complicated with Disease of the Respiratory System. The deaths from Respiratory Diseases in 1876 were 12,569, being 362 for every hundred thousand of population, and 17·24 per cent. of the deaths from All Causes. The mortality from these diseases was consequently moderate, and far less than that recorded in 1875. Lung Diseases were everywhere, as usual, more fatal to males than to females. Their fatality was most marked in the Large Towns; but in general appears to have decreased with the density of population, being at a minimum in the Insular-Rural Districts. Of the Eight Principal Towns, Glasgow and Dundee suffered most from these diseases; while Aberdeen and Greenock experienced a much lower rate of mortality from such causes. In all Scotland there were 8194 deaths ascribed to Bronchitis alone, being 236 deaths to every hundred thousand of the population, or 11·24 per cent. of all deaths that occurred during the year. In the Eight Principal

TABLE XXXVII.—Deaths from Fever in 1876.

FEVERS.	RURAL DISTRICTS.		TOWN DISTRICTS.	
	Deaths from each Fever.	Percentage to Total Fever Deaths.	Deaths from each Fever.	Percentage to Total Fever Deaths.
Typhus	103	18·1	368	24·2
Enteric	429	75·3	1019	67·0
Relapsing	5	0·8	13	0·9
Simple Continued . .	18	3·2	47	3·1
Infantile	15	2·6	73	4·8
ALL FEVERS . . .	570	100·0	1520	100·0

TABLE XXXVIII.—Monthly Deaths from Fever in the Eight Principal Towns of Scotland during the Twelve Years 1865–1876; specifying those from Typhus and Enteric Fever.

MONTHS.	Total Fever Deaths.	Typhus.	Enteric.	MONTHS.	Total Fever Deaths.	Typhus.	Enteric.
January . .	1605	1031	417	July . .	1158	709	350
February . .	1446	896	393	August . .	1019	575	358
March . .	1544	981	417	September . .	1023	556	384
April . .	1408	912	381	October . .	1221	625	473
May . .	1345	829	396	November . .	1406	789	462
June . .	1237	770	370	December . .	1445	779	498

Towns, Bronchitis proved fatal to 336 out of every hundred thousand inhabitants ; in the Large Towns the rate was 293 ; in the Small Towns, 205 ; in the Mainland-Rural Districts, 141 ; and 113 in the Insular-Rural Groups. Pneumonia caused 3296 deaths, and, like Bronchitis, was more fatal in the towns than in the country districts. From Pleurisy there were 276 deaths ; from Lung Diseases of unspecified nature, 255 ; from Laryngitis, 154 ; and from Asthma, 394.

Diseases of the Digestive System caused 5153 deaths, being 148 for every hundred thousand of population, and 7·07 per cent. of all deaths referred to Specified Causes. It appears that males suffered in rather larger proportion than females from diseases of this class. From Teething the deaths were 749 (420 being among males) ; from Gastritis and Enteritis, 1173 ; from Peritonitis, 479 ; from Ulceration of the Bowels, 217 ; from Ileus, Intussusception, and Stricture, 399 ; from Diseases of the Biliary System, 1207 ; from Diseases of the Spleen, 44 ; from Unspecified Diseases of the Digestive System, 625. From Hernia there were 125 deaths ; 61 among males, and 64 among females. Of the deaths from Hernia, 9 took place during the first year of life ; 12, or about 9½ per cent., at ages under twenty years ; and 69, or about 55·2 per cent., at ages exceeding sixty years.

There were 1287 deaths referred to Diseases of the Urinary System, being 37 per hundred thousand of estimated population. Deaths from these causes were twice as frequent among males as among females. From Nephritis, Nephria, and Unspecified Diseases of the Urinary Organs, there died 880 ; from Cystitis, 142 ; from Diabetes, 109 ; from Ischuria (?), 78 ; and 15 from Addison's Disease of the suprarenal bodies. From Stone, there died 45 ; from Stricture of the Urethra, 18.

To Diseases of the Generative System 558 deaths were attributed. Of these, 554 occurred among females ; 374 of them being attributed to

TABLE XXXIX.—The Nineteen most fatal Diseases in Scotland and England in 1876, arranged in the order of their fatality.

SCOTLAND.		ENGLAND.	
DISEASES.	Proportion of Deaths to 100,000 living.	DISEASES.	Proportion of Deaths to 100,000 living.
Phthisis	245	Bronchitis	224
Bronchitis	236	Phthisis	215
Age	149	Atrophy, Debility, and Pre- } mature Birth }	161
Heart, etc., Diseases of	133	Heart, etc., Diseases of	132
Atrophy, Debility, and Pre- } mature Birth }	121	Age	106
Pneumonia	95	Convulsions	105
Scarlatina	68	Pneumonia	102
Hooping-cough	65	Diarrhoea	90
All Fevers	62	Scarlatina	70
Diarrhoea	59	Apoplexy	55
Paralysis	59	Paralysis	50
Hydrocephalus	55	Cancer	48
Apoplexy	50	All Fevers	45
Cancer	49	Hooping-cough	44
Measles	36	All Liver Diseases	43
All Liver Diseases	35	Measles	41
Tabes Mesenterica	32	Tabes Mesenterica	32
Convulsions	30	Hydrocephalus	31
Enteritis	28	Fractures and Contusions	30

Childbirth. If to these last there be added 231 deaths, included among the Zymotic Diseases, and ascribed to Metria, there will be obtained 605 as the total deaths in 1876 that occurred in Scotland from puerperal causes. The number of children *born alive* in Scotland was 126,534. Correcting for twin and triplet births, we estimate the number of mothers who gave birth to live children as 125,031; and of these, 0·484 per cent., or about 1 in every 207, died of causes directly connected with the act of parturition. In making this calculation it is not in our power to take into account the very considerable number of females that give birth to still-born children, and among whom it is reasonable to suppose that the mortality due to parturition must have been far greater than among those that bore living children. If, in accordance with foreign statistics, it may be assumed that for every hundred live births in 1876 there were five still births, the number of mothers becomes about 131,283, and the mortality due to childbearing falls to 0·46, or 1 in 217. But, as has been repeatedly pointed out in the course of similar Reports, the deaths of many females which have followed the act of giving birth to dead (and especially illegitimate) children, are probably not communicated to the registrar along with any information as to the circumstances of recent delivery having taken place, and are necessarily referred to causes quite distinct from parturition. The consequence is that our national statistics do not suffice for the solution of such a simple and yet important question as—“What is the average annual mortality of females from puerperal diseases?”

The deaths from Uterine Diseases were 95; from Ovarian Tumours, 55; and from the rather indefinite conditions grouped conveniently enough under Paramenia, 30.

Diseases of the Organs of Locomotion caused 499 deaths. Of these, 186 were due to various rheumatic affections, but not to Rheumatic Fever, which is elsewhere classified. There were 140 deaths from Bone Diseases, and 173 from affections of the Joints.

To Diseases of the Skin there were ascribed 104 deaths; 22 of which were due to Carbuncle and 17 to Phlegmon.

There were 299 fatal instances of Malformation, 165 of which occurred in males.

No less than 3695 deaths were attributed to Infantile or Premature Debility, 2093 being among males. These deaths were, as usual, most frequent in the urban districts, and especially in the towns of Paisley and Greenock.

The deaths attributed to Atrophy were 519 in number. Of Old Age 5178 persons died, all at ages exceeding 65 years, and 3771 after attaining the age of 80 years. In the districts of the Insular-Rural group, 29·10 per cent. of all deaths from Specified Causes were referred to Old Age; and fully 35 per cent. of all the female deaths in these districts were attributed to this cause. In the Principal Towns only 3·26 per cent. of deaths from Specified Causes seem to have been ascribed to Old Age. We are inclined to attach very little importance to such figures as a comparative measure of longevity in the groups of districts mentioned. It seems far more satisfactory to study the statements of the Tables at pages 111 and 159. From these it may be learned, that while in the Principal Towns the proportion of all deaths at ages exceeding 97 years, was 5·57 per cent., in the Insular-Rural Districts it amounted to 27·01 per cent.

There were registered 85 deaths under the head of "Sudden," without mention of any Specified Cause.

There were 2990 Violent Deaths, of which 2208 occurred in males. Of Violent Deaths, 973 were due to Fractures and Contusions, 721 to Drowning, 272 to Suffocation, 285 to Burns or Scalds, 197 to Intemperance, 252 to Violent Causes of unspecified nature, 61 to want of Breast-Milk, 58 to Cold, 62 to Hanging, 55 to Poison, 52 to Cuts or Stabs, 23 to Gunshot Wounds, 12 to Privation or Neglect, and 3 to Poisoned Wounds.

Coroners' inquests do not take place in Scotland; and consequently it is not in our power to furnish a list of suicides with the same accuracy that is practicable in England. In 1876 there were registered 144 deaths in Scotland by suicide, of which 108 occurred in males, and 36 in females. The mode of self-destruction resorted to was in 56 instances Hanging, in 33 Cutting the Throat, in 25 Drowning, in 9 Poison, in 7 Gunshot, in 4 Precipitation, in 1 Dynamite, and in another Railway Train. In 8 cases the mode of death was not communicated to the registrars. Of the cases of Poisoning, 3 were due to Laudanum, 1 to Hydrocyanic Acid, 1 to Cyanide of Potassium, and 1 to Strychnine, while in 3 cases the nature of the poison was not stated.

This Detailed Report will, as usual, be concluded with a list of such deaths at ages exceeding 99 years, as have been communicated to the registrars. Of course the accuracy of such reports must be very doubtful in many cases; the registrars having no means of testing the credibility of the informants who furnish the particulars as to age. But where there is no special reason to suspect gross ignorance or bad faith on the part of an informant, it is presumed that a registrar is bound to accept what he communicates as true to the best of his belief. During 1876 there died in Scotland at ages exceeding 99 years, 25 persons, of whom 9 were males and 16 females. Of the males, two described as a "barber" and a "labourer," were stated to have been aged 100 years; one a "farmer," aged 101; a "farmer" and a "fisherman," 102; a "pauper, formally a mason," 105; a "pauper," 106; a "pensioner widower," 108; and a "crofter," 110 years. Of the females, seven respectively described as a "fisherman's widow," a "printfield-worker's widow," a "housekeeper," a "manufacturer's widow," a "pauper single," a "farmer's daughter," and a "pauper widow," were stated to have reached their 100th year; the "widow of a soldier" and the "widow of a blacksmith," were each aged 101 years; a "boat-builder's widow," a "farmer's widow," and a "pauper single," 102; a "carpenter's widow" and a "pauper," 104; a "labourer's widow," 106; and a "pauper single," 110 years.

WEATHER AND ITS INFLUENCE ON THE MORTALITY.

The effect upon the public health which any considerable, sudden, or long continued diminution of atmospheric temperature induces is generally recognised, and has in the course of this series of Reports been so frequently pointed out, that it appears unnecessary to sacrifice much space at present in its further illustration. We shall therefore be very brief in our notices of the meteorological observations made in Scotland during 1876, and in pointing out the influence upon the mortality at various seasons which temperature seems to have exercised. The causes of death, which in this country are most apt to be intensified

by any very considerable lowering of atmospheric temperature, are first—the Zymotic Diseases, and of these more especially Measles, Scarlatina, Diphtheria, Hooping-Cough, and Croup; the more familiar forms of Continued Fever, viz., Typhus and Typhoid, Pulmonary Consumption; the whole class of Respiratory Diseases, especially Bronchitis, Pneumonia and Pleurisy; Heart Diseases; Diseases of the Brain; and most of the causes of death which prove so fatal to children newly born, and are traceable under the headings of Infantile Debility, Premature Birth, &c. There can be little doubt that inclement weather lends energy to most of these causes; and it is not too much to assert that they include more than a half of all the causes of death that constitute our nosological catalogue. Perhaps it would be more strictly accurate to say that they account for at least half of the deaths that occur in all Scotland.

In Table XL. there are presented in a very condensed form the more salient facts respecting the monthly mortality and mean monthly temperature in Scotland during 1876; and in the last two columns of the Table, there are given, for sake of comparison, similar details founded upon the observations of the ten years 1855–64, which may be regarded as a sort of standard, any considerable deviation from which invites examination of the circumstances under which it occurs. From the Table it may be learned that February was the coldest month of 1876, but that its mean temperature was only half a degree below that of the decennial mean for February. Next in order of severity was March, during which the temperature was 2°·2 below the ten years standard. The warmest month of the year was July. January, October, November, and December were all warmer than usual, and in October, in particular, the mean temperature was no less than 2°·6 above that of October in the ten year standard.

In order to estimate the connection between temperature and mortality during the successive months, it is necessary to follow the statements made in Table XLI., and to bear in mind that December of

TABLE XL. —Monthly Mortality and Mean Temperature in Scotland during 1876, compared with the Mean of the Ten Years 1855–1864.

YEAR 1876.					1855–1864.	
MONTHS.	Mean Temperature.	Actual Deaths.	Deaths when Months are equalized to 31 Days.	Proportion to 12,000 per Annum, or 1000 per Month.	Proportion.	Mean Temperature.
January . . .	39°·2	6866	6866	1092	1134	37°·2
February . . .	36°·9	7011	7495	1193	1193	37°·4
March	37°·6	7417	7417	1181	1145	39°·8
April	43°·7	6523	6740	1073	1083	44°·1
May	48°·9	6821	6821	1086	1010	49°·5
June	55°·0	5926	6123	975	956	55°·6
July	58°·4	5571	5571	887	895	57°·6
August	57°·8	5765	5765	918	856	57°·3
September . .	51°·8	5129	5300	844	843	52°·8
October	49°·8	5152	5152	820	858	47°·2
November . . .	40°·7	5808	6001	955	954	40°·2
December . . .	40°·0	6133	6133	976	1073	38°·6
YEAR	46°·6	74,122	75,384	12,000	12,000	46°·7

1875 had been an average month as regards temperature, and that the recorded deaths had been at the rate of 226, which is not excessive.

Regarding the meteorological peculiarities of 1876, we shall now quote freely from the Astronomer-Royal's Notes appended to our Quarterly Reports.

In *January* the mean temperature was rather higher than usual; there was considerable humidity, and only moderate rainfall. The barometric column was high beyond all former record, and remained remarkably steady at that unusual height. The deaths were 221 per diem.

In *February* the weather was cold, the mean temperature being the lowest of the whole year; there was much humidity; a very large rainfall (never before equalled except in 1871 and 1866); an unusually low but steady barometric pressure. The mortality—the heaviest experienced during any month of the year—was at the rate of 242 deaths per diem.

In *March* the whole country experienced an almost unexampled succession of storms; the mean temperature was the lowest since 1867; the depth of rain and snow was only equalled in 1861; the force of the wind was greater than since 1859, and its usual direction from the north-west. There is no record of so low an average barometric pressure during March in Scotland, and the variations of that pressure were greater than in any year since 1867. The mortality was not quite so heavy as in February, the deaths being at the rate of 239 per diem. It is remark-

TABLE XLI.—Meteorology of Scotland for 1876, deduced from Observations made at 55 Stations of the Meteorological Society of Scotland, the particulars for each of the Stations having been published in the Quarterly Reports of the Registrar-General; also, the Number of Births, Deaths, and Marriages registered during each Month of the Year 1876, as stated in the Quarterly Reports.

1876.	Jan.	Feb.	Mar.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	YEAR.
Highest Temp. in shade	56°·0	55°·0	57°·2	69°·3	72°·9	85°·0	91°·3	89°·9	72°·3	68°·0	65°·0	58°·5	91°·4
Lowest Temp. in do.	10°·3	12°·0	11°·3	15°·0	21°·0	31°·3	35°·8	31°·0	30°·0	28°·3	9°·0	16°·0	9°·3
Mean Day Temp. . .	44°·0	41°·9	42°·9	50°·2	57°·2	63°·8	66°·4	66°·1	58°·0	54°·6	45°·5	43°·8	52°·0
Mean Night Temp. . .	34°·3	32°·0	32°·3	37°·1	40°·6	46°·2	50°·4	49°·4	45°·6	45°·0	35°·8	36°·3	40°·9
Daily Range	9°·7	9°·8	10°·6	13°·1	16°·6	17°·7	16°·0	16°·7	12°·4	9°·6	9°·7	7°·4	12°·4
Mean Temperature . .	39°·2	36°·9	37°·6	43°·7	48°·9	55°·0	58°·4	57°·8	51°·8	49°·8	40°·7	40°·0	46°·6
Highest Temperature in sun	103°·0	105°·0	111°·0	124°·7	133°·2	135°·9	139°·8	141°·7	130°·5	123°·0	100°·0	79°·0	141°·7
Lowest on grass at night	5°·0	8°·0	11°·2	10°·0	15°·0	25°·0	26°·5	26°·5	25°·0	21°·0	10°·0	9°·0	5°·0
Wet-bulb Temperature	37°·7	34°·9	35°·8	41°·2	45°·7	51°·7	54°·4	54°·2	49°·2	47°·5	39°·0	38°·9	44°·2
Dew-point Temperature	36°·0	33°·1	33°·8	38°·8	42°·3	48°·4	51°·5	51°·4	47°·3	45°·6	37°·4	37°·5	41°·9
Humidity of Air . . .	90	89	88	85	79	78	80	81	87	88	90	91	85
Elastic force of Vapour (inches)	0·213	0·190	0·194	0·237	0·271	0·343	0·382	0·380	0·327	0·307	0·224	0·225	0·274
Number of Rainy Days	15	18	21	15	8	11	14	13	17	17	15	22	186
Amount of Rain (inch.)	2·84	4·33	5·10	3·11	0·91	3·12	2·26	3·73	3·56	4·77	3·58	7·57	44·88
Amount of Cloud . . .	6·6	6·1	6·8	6·7	5·3	5·1	6·0	5·2	6·9	7·2	6·6	8·0	6·4
Hours of Sunshine . .	64	92	102	132	246	265	230	232	118	74	62	26	1643
Mean Barometer (in.)	30·115	29·663	29·394	29·816	30·158	29·922	29·951	29·868	29·753	29·856	29·858	29·409	29·814
Easterly Winds (num- ber of days)	6	11	7	11	13	6	3	8	9	12	13	17	116
Westerly Winds (do.)	15	11	17	11	12	17	22	16	12	11	9	8	161
Births	10832	10369	11132	10660	11802	10626	10623	10261	9906	10411	10094	10033	126749
Deaths	6866	7011	7417	6523	6821	5926	5571	5765	5129	5152	5808	6133	74122
Marriages	3564	1609	1490	1436	1208	3815	2810	1584	1501	1746	2306	3494	26563
Daily Births	349	358	359	355	381	354	343	331	330	336	336	324	346
Daily Deaths	221	242	239	217	220	197	180	186	171	166	194	198	203

able that, during these two last mentioned inclement months of 1876, the mortality should have been far lighter than that recorded during the corresponding months of 1875.

April was a very inclement month indeed. The mean temperature was low; the weather damp; the rainfall large; and the winds very strong and variable in direction. Yet the mortality of the month was unusually low, only amounting to 217 deaths per diem.

In *May* the mean temperature was rather low, but there were considerable variations of temperatures,—some hot days, and many cold nights; very dry weather; little rainfall; a preponderance of strong north-easterly winds; a remarkably high barometric pressure. The daily average of deaths, 220, decidedly exceeded that of May 1875.

In *June* it was remarked that the variations of temperature from day to night were unusually great, and that the winds were very strong. In every other respect the month was meteorologically considered an average one. The mortality was low, being only 197 deaths per diem.

In *July* the average temperature was high; the weather fine, warm, sunny, and accompanied with more west wind than usual; the rainfall on the whole scanty, but more abundant about the western and northern stations. The mean height of the barometric column presented nothing remarkable, but decreased notably with increase of latitude. In the northern islands there was a considerable increase of the temporary barometric variation. The mortality amounted to only 180 deaths per diem.

In *August* the mean temperature was high, though hardly so considerable as in July. The weather was generally fine, warm, and bright. There was a full average rainfall, and the winds were occasionally rather vident. The mortality, 186 deaths per diem, was by no means high,—indeed, it was very decidedly lower than that of August 1875.

In *September* the mean temperature was lower than that observed

TABLE XLII.—Showing the connection between certain Atmospheric Phenomena, especially Temperature, and the Deaths from certain Diseases and Classes of Disease, in the Eight Principal Towns of Scotland, during each Month of the Year 1876.

1876.	Jan.	Feb.	Mar.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.
Mean Temperature . . .	39°·4	36°·9	38°·5	44°·7	49°·7	55°·8	59°·2	58°·3	52°·6	50°·6	40°·6	40°·1
Highest Temperature . . .	56°·0	52°·1	56°·8	69°·0	72°·7	81°·9	87°·3	82°·0	68°·0	68°·0	60°·0	52°·1
Lowest Temperature . . .	23°·0	21°·2	22°·4	24°·0	27°·0	38°·0	41°·0	38°·0	33°·0	32°·0	19°·0	26°·0
Rainfall in inches . . .	1·55	4·19	3·78	3·04	0·55	2·67	2·00	3·13	3·33	4·39	3·83	8·10
Easterly Winds (days) . .	6	10	7	12	14	7	3	9	9	13	13	18
Westerly Winds (days) . .	21	15	20	14	14	17	23	17	15	11	13	9
Total Deaths . . .	2652	2642	2851	2474	2628	2170	2102	2132	1904	1951	2183	2284
Daily Deaths . . .	86	91	92	82	85	72	68	69	63	63	73	74
Zymotic Diseases . . .	510	527	477	440	417	301	414	436	381	375	367	338
Small-pox . . .	1	5	—	1	2	4	—	—	—	1	—	1
Measles . . .	63	78	105	99	75	53	44	25	22	25	30	22
Scarlatina . . .	112	85	71	43	28	48	39	51	67	64	67	49
Diphtheria . . .	24	26	22	23	18	18	19	12	21	38	38	28
Hooping-cough . . .	142	166	138	119	121	57	43	41	50	26	54	52
Croup . . .	25	38	12	12	22	22	15	17	24	36	38	36
All Fevers . . .	55	68	64	66	68	48	36	43	37	57	52	67
Diarrhœa . . .	40	28	26	48	40	30	170	210	124	78	47	42
Dysentery . . .	2	3	1	2	3	—	3	3	5	8	4	4
Cholera . . .	1	—	—	—	—	3	7	9	3	1	—	2
Consumption . . .	291	294	359	365	390	327	292	285	229	221	236	220
Diseases Respiratory Organs	648	659	698	525	552	394	325	268	262	363	563	638
Heart, etc., Diseases . . .	129	148	146	108	148	135	95	105	131	96	103	112
Brain, etc., Diseases . . .	222	239	280	246	273	220	230	211	162	182	184	215
Debility and Premat. Birth .	145	125	142	111	156	124	143	145	117	122	124	130
Age . . .	110	112	124	85	89	91	71	95	74	72	78	94

during previous years, and this was more especially the case in the hill stations. The weather was dull,—such an absence of sunshine having never been remarked, except in 1872. The rainfall, upon the whole, did not exceed the average; but on the eastern coast, both north and south, more rain fell than on the western coast,—a circumstance by no means usual. The prevalent winds were from the north-west; the barometric pressure was lower than usual. The mortality, 171 deaths per diem, was decidedly lower than in August.

October was characterised by a very high mean temperature,—the highest ever chronicled in these returns. There was much cloud, little sunshine, considerable rainfall, and much strong east wind. The barometric pressure somewhat exceeded the mean; but varied considerably from time to time. Although the high mean temperature may be said to have been the only favourable meteorological peculiarity of the month, the deaths were remarkably few,—in fact, only amounting to 166 per diem, and constituting the minimum mortality for the year.

In *November* the mean temperature was by about half a degree above the average. There was much east wind, and an abundant rainfall, especially over the east-midland and north-eastern districts of the country. Even in the south-eastern stations there was a more copious rainfall than in the south-western. The barometer was neither low nor unsteady. The daily deaths, 194, were even less numerous than during the month of June.

“*December*,” says the Astronomer-Royal, “was in several respects an unexampled month in its averages,—thus: never before, except in 1868, was the barometric pressure so low; never were there so many rainy days; never did there fall such a depth of rain; never was there so great a force of wind; never was there so great a proportion of east wind; and never was there anything like so little sunshine.” The only

TABLE XLIII.—Deaths, Temperatures, and Fall of Rain in the Eight Principal Towns of Scotland during each Week of the Year 1876.

No. of Week.	Week ending	DEATHS.	TEMPERATURE.			RAIN, in inches	No. of Week.	Week ending	DEATHS.	TEMPERATURE.			RAIN, in inches
			Mean	Highest	Lowest					Mean	Highest	Lowest	
1	January 8	657	40·1	56·0	24·5	0·54	27	July 8	472	57·6	74·0	41·0	0·48
2	15	620	32·7	44·9	20·0	0·19	28	15	441	59·4	82·0	42·0	0·30
3	22	607	39·6	51·9	23·1	1·19	29	22	516	62·1	87·0	49·0	0·24
4	29	601	44·2	56·0	27·0	0·53	30	29	472	57·2	75·0	43·0	0·54
5	February 5	600	41·8	53·5	28·0	0·89	31	August 5	533	55·7	67·2	41·0	2·04
6	12	576	33·7	44·0	21·2	0·28	32	12	476	58·2	80·0	45·0	0·43
7	19	696	37·7	54·0	21·0	1·50	33	19	463	63·7	82·0	48·9	0·00
8	26	636	37·1	54·5	25·0	1·29	34	26	445	56·6	77·5	38·0	0·24
9	March 4	650	42·2	56·8	30·0	2·02	35	September 2	481	54·3	66·5	41·9	1·53
10	11	607	39·7	51·0	30·0	1·68	36	9	421	53·1	66·0	35·0	1·55
11	18	613	35·1	49·0	22·4	0·75	37	16	456	51·4	62·0	34·0	0·35
12	25	704	37·1	51·0	15·0	0·24	38	23	476	54·3	68·0	40·0	0·36
13	April 1	634	39·6	55·0	30·5	0·69	39	30	431	52·2	68·0	33·0	1·07
14	8	647	50·8	66·0	31·0	0·06	40	October 7	451	52·3	68·0	36·7	1·17
15	15	624	40·6	61·0	24·0	0·47	41	14	434	52·6	66·0	37·8	2·70
16	22	602	43·8	61·0	30·5	0·74	42	21	429	51·8	60·5	35·8	1·04
17	29	531	44·4	69·0	28·8	1·67	43	28	436	47·6	59·0	36·8	0·05
18	May 6	617	46·0	64·0	30·0	0·09	44	November 4	461	35·2	59·0	28·0	0·14
19	13	542	54·9	67·0	28·0	0·00	45	11	491	37·2	60·0	19·0	0·73
20	20	575	49·3	66·0	33·5	0·02	46	18	599	44·3	55·5	28·0	2·10
21	27	546	52·3	69·0	40·0	0·45	47	25	471	42·0	54·0	31·0	0·48
22	June 3	588	54·9	78·0	38·4	0·40	48	December 2	513	36·8	47·0	21·0	1·04
23	10	529	51·6	65·0	38·0	1·07	49	9	535	43·8	50·7	28·0	1·38
24	17	460	53·9	74·0	39·0	0·43	50	16	501	42·1	52·1	27·0	0·63
25	24	529	59·3	82·0	40·4	1·21	51	23	507	37·6	48·0	26·0	2·12
26	July 1	467	59·8	83·7	45·0	0·37	52	30	591	36·3	48·8	26·0	2·28

favourable meteorological characteristic of the month seems to have been its high mean temperature. It is probably in consequence of this peculiarity that the mortality was during the month at the rate of only 198 deaths per diem, a rate barely exceeding that which prevailed at midsummer.

The connection between certain atmospheric phenomena, and the deaths from certain diseases and classes of disease, during each month of the year is made sufficiently apparent by Table XLII., which, however, is founded upon the experience of the Eight Principal Towns only.

March and April, both inclement months, were characterised, as might have been expected, by the highest mortality; while in October, an exceptionally warm month, deaths were at a minimum. But perhaps the most remarkable fact brought out by Table XLII. is, that the exceedingly wet and stormy weather of November and December seemed hardly more trying to the health of the population of the Principal Towns than

TABLE XLIV.—Monthly Mortality at Four Periods of Life in the Eight Principal Towns of Scotland during the Year 1876, and Proportion at each Age in every Hundred Deaths per Month.

MONTHS.	Actual Number of Deaths in 1876.					Proportion at each Age in every Hundred Deaths per Month.				
	0-5 years.	5-20.	20-60.	60 and above.	Total Deaths.	0-5 years.	5-20.	20-60.	60 and above.	Total.
January . .	1132	239	827	454	2652	42·7	9·0	31·2	17·1	100·0
February . .	1133	251	787	471	2642	42·9	9·5	29·8	17·8	100·0
March . . .	1206	269	836	540	2851	42·3	9·4	29·3	19·0	100·0
April . . .	1055	298	755	366	2474	42·6	12·1	30·5	14·8	100·0
May	1129	294	787	418	2628	43·0	11·2	29·9	15·9	100·0
June	858	249	671	392	2170	39·5	11·5	30·9	18·1	100·0
July	935	259	590	318	2102	44·5	12·3	28·1	15·1	100·0
August . . .	936	243	588	365	2132	43·9	11·4	27·6	17·1	100·0
September .	793	205	575	331	1904	41·6	10·8	30·2	17·4	100·0
October . .	848	206	583	314	1951	43·5	10·5	29·9	16·1	100·0
November .	966	186	659	372	2183	44·3	8·5	30·2	17·0	100·0
December .	971	192	695	426	2284	42·5	8·4	30·4	18·7	100·0
YEAR . . .	11,962	2,891	8,353	4,767	27,973	42·8	10·3	29·9	17·0	100·0

TABLE XLV.—Months equalized to 31 Days, and Deaths at each Age corrected thereto, in order to show the relative Mortality at each Age in the Eight Principal Towns during each Month of the Year 1876.

MONTHS.	Relative Number of Deaths in 1876.					Monthly Deaths, proportioned to 1000 per Month, or 12,000 per annum.
	0-5 years.	5-20.	20-60.	60 and above.	Total.	
January . . .	1132	239	827	454	2652	1119
February . . .	1211	269	841	503	2824	1191
March	1206	269	836	540	2851	1203
April	1090	308	780	378	2556	1078
May	1129	294	787	418	2628	1109
June	887	257	693	405	2242	946
July	935	259	590	318	2102	887
August	936	243	588	365	2132	899
September . .	819	212	594	342	1967	830
October	848	206	583	314	1951	823
November . . .	998	192	681	385	2256	952
December . . .	971	192	695	426	2284	963
YEAR	12,162	2,940	8,495	4,848	28,445	12,000

were the comparatively genial days of June. In order to explain this apparent anomaly, we can only suggest that the amount of our winter mortality is ruled more by the temperature that prevails than by any other circumstance; and that rain, wind, absence of sunlight, and even prevalence of east winds are found to be comparatively innocuous in winter, if only the thermometer keeps tolerably steady at a point above its average reading.

Turning to the recorded mortality from the more common causes of death, it is satisfactory to observe that the deaths from Small-pox were exceedingly rare, and that only two were registered in the Eight Principal Towns between the 30th June and 31st of December. It is, however, well known that towards the end of 1876, deaths from Small-pox were by no means so rare in London and in other great towns in England, and it would be premature to flatter ourselves that the disease will not again, from time to time, make head among the population of Scotland, which is probably not better protected by its existing Vaccination Laws than that of England.

The deaths from Scarlatina were 112 in January; rapidly declined in frequency, till in May they numbered only 28; in September and November, amounted to 67; but in December, had again fallen to 49. Thus one of our most formidable town pests did but little damage during 1876.

From Measles there was considerable mortality in some of our towns in March and April, when the virulence of the disease, and fatality of its complications and sequelæ were no doubt promoted by the cold spring weather. During the last five months of the year, including the exceptionally mild December, the deaths from Measles became comparatively trifling in number.

Hooping-Cough, another disease in which inflammatory complications, such as Bronchitis and Pneumonia, constitute a serious risk to life, prevailed rather extensively in January, was still more fatal in February, and continued to cause rather numerous deaths till June, when the advent of summer weather was no doubt efficacious in mitigating its intensity. During the last seven months of the year, and especially

TABLE XLVII.—Months equalized to 31 Days, and Deaths at each Age corrected thereto, in order to show the relative Mortality at each Age during every Month of the Ten Years 1856–1865.

MONTHS.	Relative Number of Deaths—Ten Years 1856–1865.					Monthly Deaths proportioned to 1000 per Month, or 12,000 per Annum.
	Under 5 years.	5–20.	20–60.	60 and above.	Total.	
January . . .	11066	2305	7033	4337	24711	1164
February . . .	11165	2348	6833	4165	24511	1155
March . . .	10359	2271	6809	3865	23304	1098
April . . .	9929	2202	6298	3746	22175	1045
May . . .	9058	2214	5899	3180	20351	959
June . . .	8675	2155	5744	3215	19789	933
July . . .	9052	2121	5287	2886	19346	912
August . . .	8889	1929	4988	2698	18504	872
September . .	8649	1932	4724	2536	17841	841
October . . .	9078	2120	4936	2679	18813	886
November . .	10458	2220	5879	3668	22225	1047
December . .	10590	2258	6344	3893	23085	1088
TEN YEARS . .	116,968	26,075	70,744	40,868	265 54	12,000

during the mild October, deaths from Hooping-Cough were comparatively rare.

Deaths from Fevers, under which term Typhus and Typhoid are the principal included forms, were even less numerous than in 1875. In each of the months of February and May, 68 deaths were attributed to these causes; in December the deaths were 67, and in July only 36. Fever, in an epidemic form, can hardly be said to have prevailed at any time of the year in any of our Principal Towns, and the influence of the weather on the fatality of the few sporadic cases that occurred cannot be distinctly made out by means of Table XLII.

When excessive heat becomes in Scotland the means of raising the mortality, it is by increasing the fatality of such diseases as Diarrhœa that it principally operates. Hence it is only natural to find that during the hot months of July and August, the deaths from Diarrhœa were far more numerous than at any other period of 1876-7. In March, which was a cold and inclement month, the mortality from Diarrhœa was at a minimum, comprising only 26 deaths; while in August the deaths were 210, and in December had sunk back to 42.

Consumption terminated by death in 390 cases in May, in 365 in April, in 221 in October, and in 220 in December. There can be no doubt that this very frequent cause of death gains intensity during cold ungenial weather, but its progress is so chronic, and its modes of fatal termination so various, that we cannot reasonably expect to find in our Tables a very close connection between the record of an inclement month and of a month unusually fatal to consumptive subjects. The mischief done to such patients by the rigour of March or April may not lead to fatal consequences till summer is well advanced, and hence it is no new thing to find the deaths from Consumption in our Principal Towns more numerous in May than in any of the winter months.

No class of diseases is more evidently influenced by the state of the weather than that of the Diseases of the Organs of Respiration. The deaths attributed to these causes were not in 1876 nearly so numerous as those registered in 1875. They were indeed rather frequent in January, and in March even amounted to 698; but after that time they became

TABLE XLVI.—Monthly Mortality at Four Periods of Life in the Eight Principal Towns of Scotland during the Ten Years 1856-1865, and the Proportion at each Age in every Hundred Deaths per Month.

MONTHS.	Absolute Number of Deaths—Ten Years, 1856-1865.					Proportion at each Age in every Hundred Deaths per Month.				
	Under 5 years.	5-20.	20-60.	60 and above.	Total Deaths.	Under 5 years.	5-20.	20-60.	60 and above.	Total.
January .	11066	2305	7003	4337	24711	44·78	9·33	28·34	17·55	100·00
February .	10190	2145	6235	3802	22372	45·54	9·59	27·87	17·00	100·00
March .	10359	2271	6809	3865	23304	44·45	9·75	29·22	16·58	100·00
April .	9609	2131	6095	3625	21460	44·77	9·94	28·40	16·89	100·00
May .	9058	2214	5899	3180	20351	44·51	10·88	28·98	15·63	100·00
June .	9395	2086	5559	3111	19151	43·84	10·89	29·03	16·24	100·00
July .	9052	2121	5287	2886	19346	46·79	10·96	27·33	14·92	100·00
August .	8889	1929	4988	2698	18504	48·05	10·42	26·95	14·58	100·00
September .	8370	1870	4572	2454	17266	48·48	10·83	26·48	14·21	100·00
October .	9078	2120	4936	2679	18813	48·25	11·26	26·24	14·25	100·00
November .	10121	2148	5690	3549	21508	47·05	9·99	26·45	16·51	100·00
December .	10590	2258	6344	3893	23085	45·87	9·78	27·49	16·86	100·00
TEN YEARS	114,777	25,598	69,417	40,079	249,871	45·93	10·25	27·78	16·04	100·00

comparatively rare till September, when only 262 were chronicled. In December, however, they had again risen to 638.

In Tables XLIV. and XLV. the attempt is made to illustrate the lethal effects of all diseases combined at the various seasons of the year upon the persons constituting each of four different classes defined by age. It must be noted that the data for these, as for some of the preceding Tables, are derived from the events registered in the Principal Towns only; and in alluding to these events, we quote, for sake of convenience, exclusively from the statements of Table XLV., in which the months are all equalised to a uniform length of 31 days, and in which the actual mortality of 1876 is consequently overstated by about a sixtieth part.

Children during the first five years of life died in largest numbers during the months of February and of March. January and May were likewise months of considerable mortality among children of these early ages. After May the frequency of such deaths underwent notable abatement. The influence of Infantile Diarrhoea in July is shown by a manifest increase in the figures of the first column of Table XLV.; but in September the number of deaths (819) is at its minimum; and in November and December, in spite of the advance of winter, only 998 and 971 deaths were recorded. These numbers contrast very favourably with those recorded for 1875.

Adolescents, or those aged from 5 to 20 years, died in greatest proportion in April, which was a cold, unpleasant month, and likewise in May. The minimum mortality of adolescents was attained in November and December. In the last named month it was only 192.

Adults, among whom we classify all persons between 20 and 60 years of age, died in largest proportion in February, March, and January. The mortality among adults attained its minimum, 583, in October, an unusually mild month, and continued low during November and December.

Elderly persons, including all aged 60 years and upwards, suffered most severely in March and February. As in the case of adults, the mortality of aged persons was at its minimum in October, and then continued low till the end of the year. In May, June, and August the mortality among the aged was heavier than during the corresponding months of the previous year, and the reason of this is not apparent. On the whole, the mortality among the aged was during 1876 the lowest that has been recorded since 1869, when Tables in the form of XLIV. and XLV. were first introduced into our Detailed Annual Reports.

In framing future Reports, I hope, with your permission, to make use of the system of medical nomenclature which has been, under Dr Farr's direction, used in the recent Reports of the Registrar-General for England, and which for the sake of uniformity has been for the last two years adopted in the Quarterly and Annual Reports issued from this department in Scotland.

I have the honour to be,

SIR,

Your most obedient Servant,

WILLIAM ROBERTSON, M.D.

APPENDIX.

CALCULATION OF INFANT MORTALITY IN SCOTLAND.

The Detailed Annual Report for 1873 contained a Scottish Life Table, constructed by the aid of the materials made available by the Census of 1871, by the Register of Deaths for the single year 1871, and by the registered births for the two years 1870 and 1871. It would obviously be far more accurate, in calculating the probability of living for a year at each particular age, to take into account the mortality experienced during the mean of a considerable series of years. In the case of the first five years of life, to which alone these paragraphs refer, it is quite obvious that Census data furnish a very insecure foundation for calculating a life table. Thus, in the Scottish Census 1871, vol. ii., cap. x., page 2, the numbers of males and females in all Scotland are enumerated as follows:—

					Males.	Females.
At Age	0	<i>i.e.</i> in the 1st year of Life			51,055	49,918
„	1	„	2d	„	44,303	43,058
„	2	„	3d	„	46,093	44,785
„	3	„	4th	„	45,267	44,280
„	4	„	5th	„	44,078	42,760

Now the numbers living in the second year of life, whether males or females, are, as might be expected, smaller in the above Table than the numbers living in the first year of life. But they are likewise decidedly smaller than the numbers enumerated in the third year of life; and it is impossible to explain this circumstance without conceiving some extraordinary variations in the birth-rates or death-rates of those born a few months before the period of Census. But such freaks in birth-rate and death-rate could not have escaped observa-

tion; and besides, a like small proportion of persons living in the second year of life was recorded in every division of the country, and has been recorded elsewhere, and at other Census periods. It is all but certain, then, that the enumeration of the living contained in Census Reports cannot, as regards the first few years of life, be accepted as correct.

A life table for the first few years of life would be better based upon the recorded births of a series of years, and on the recorded deaths during each of the first five years of life.

It may, however, be objected to the records of the ages of children dying in Scotland, that these are likely to be vitiated by the same errors that render Census enumerations of the living of little use for computing the rates of mortality. But it is to be noted that the age of a child at death is usually furnished to the registrar with some precision, and that his instructions oblige him to take more trouble in procuring a reliable statement regarding age, than a Census enumerator must perforce content himself with in dealing with the ages attributed to the living on the authority of careless, ignorant, or even unwilling informants. There is no conceivable object to be served by wilfully falsifying the age of a child just dead, and although it is possible that there may be some unexplained circumstance that may cause a death occurring at the age of (say) *very nearly* 6 months, to be recorded more frequently as over 6 months, than as under 6 months, yet the error from such cause cannot be very considerable.

The following Table, marked D, includes all the births, male and female, registered in Scotland during each of the 15 years 1859–73. The numbers have been taken from the Detailed Annual Reports of the years referred to, and are probably as correct as any similar statement can be made with the aid of a good Registration Act.

TABLE D.—Births registered in Scotland during 15 years, 1859–73.

Years.		Males.		Females.	Years.	
1	1859	54,628		51,915	1859	1
2	1860	54,409		51,220	1860	2
3	1861	54,606		52,403	1861	3
4	1862	55,257		51,812	1862	4
5	1863	56,226		53,115	1863	5
6	1864	57,374		54,959	1864	6
7	1865	58,220		54,850	1865	7
8	1866	58,360		55,307	1866	8
9	1867	58,517		55,527	1867	9
10	1868	59,222		56,292	1868	10
11	1869	58,321		55,033	1869	11
12	1870	58,959		56,431	1870	12
13	1871	60,029		56,099	1871	13
14	1872	61,293		57,472	1872	14
15	1873	61,467		58,233	1873	15

Table E includes all deaths registered during each of the first five years of life in Scotland during each of the 16 years 1859–74. In a separate column attached to the deaths of each sex will be found the additional deaths at unspecified ages, and at all periods of life, registered during each year. It is clear that the rateable proportion of such deaths

that should be assigned to the first five years of life is very small; for when a child is found dead, there is almost invariably some information obtained regarding its age by means of which the register is completed. Hence, it appears that neither adjustment nor correction need be made on account of the very few deaths in which such information may be wanting.

TABLE E.—Deaths under Five Years of Age registered in Scotland during 16 Years, namely, 1859–74.

MALES.								FEMALES.									
Years.		0-1	1-2	2-3	3-4	4-5	Addi- tional at Un- specified Ages.			0-1	1-2	2-3	3-4	4-5	Addi- tional, at Un- specified Ages.	Years.	
1	1859	6,461	2,843	1,508	976	700	84			5,062	2,714	1,503	1,005	723	51	1859	1
2	1860	7,366	3,252	1,544	1,007	711	77			6,047	3,028	1,473	1,024	741	46	1860	2
3	1861	6,653	2,859	1,396	871	611	67			5,216	2,683	1,347	865	600	32	1861	3
4	1862	6,982	3,210	1,567	932	649	52			5,574	3,005	1,587	1,029	662	41	1862	4
5	1863	7,275	3,835	2,017	1,374	880	67			5,850	3,550	1,958	1,377	935	42	1863	5
6	1864	7,786	3,355	1,761	1,283	898	38			6,394	3,176	1,705	1,195	822	50	1864	6
7	1865	7,808	3,150	1,432	960	699	58			6,291	2,995	1,369	945	679	36	1865	7
8	1866	7,673	3,069	1,474	967	640	36			6,242	2,895	1,394	891	697	38	1866	8
9	1867	7,544	3,002	1,468	902	620	41			5,977	2,728	1,350	900	628	37	1867	9
10	1868	7,527	3,158	1,549	1,036	779	38			6,073	2,971	1,472	1,048	742	24	1868	10
11	1869	8,120	3,477	1,774	1,214	862	39			6,534	3,236	1,699	1,216	909	30	1869	11
12	1870	7,894	3,029	1,508	1,053	784	26			6,272	2,783	1,500	1,056	784	20	1870	12
13	1871	8,352	3,160	1,549	1,022	712	38			6,782	3,067	1,551	1,011	729	20	1871	13
14	1872	8,180	3,073	1,468	975	677	29			6,540	2,924	1,417	941	767	24	1872	14
15	1873	8,322	3,320	1,450	951	695	27			6,628	2,981	1,415	902	677	16	1873	15
16	1874	8,692	3,388	1,831	1,297	982	43			6,755	3,014	1,710	1,236	918	18	1874	16

In the *Journal of the Institute of Actuaries* for January 1879, Professor Pell of New South Wales gave a very clear account of the best method of deducing the values of p ,—or the probabilities of living one year,—from such materials as are presented in Tables D and E; and in the same Journal for January 1880 the two Tables relative to Scotland were given, and used by the writer of this Appendix, in order to exemplify the convenience of Pell's formulæ. It is possible, however, to proceed a little further by means of the materials made available by the Detailed Annual Reports of the Registrar-General for Scotland.

Table F shows the deaths of males and of females at ages under 3 months, and between the ages of 3 and 6 months, that have been registered in Scotland during the 16 years 1859–74. This Table, with the probabilities deduced from Tables D and E enables us to calculate the numbers of each sex that will probably survive birth by 3 months, by 6 months, and by 1, 2, 3, 4, and 5 years; and by means of graphical

interpolation the number of survivors on the completion of any one of the first 12 months of life may be approximated to.

TABLE F.—Deaths of *Males* and of *Females* under 3, and at 3 to 6 *Months* of Age in *Scotland* during the Years 1859–74.


YEARS.	MALES.			FEMALES.		YEARS.
	Under 3 months.	3 to 6 months.		Under 3 months.	3 to 6 months.	
1859	3283	1029		2412	790	1859
1860	3562	1243		2877	917	1860
1861	3407	1101		2545	853	1861
1862	3468	1222		2546	927	1862
1863	3554	1203		2673	1015	1863
1864	3847	1341		3079	1093	1864
1865	3854	1414		2963	1098	1865
1866	3797	1339		3077	1083	1866
1867	3820	1291		2864	1099	1867
1868	3706	1335		2817	1121	1868
1869	3922	1410		3048	1159	1869
1870	3962	1436		2993	1154	1870
1871	4056	1533		3081	1247	1871
1872	4164	1486		3120	1202	1872
1873	4229	1427		3231	1182	1873
1874	4443	1617		3263	1311	1874

The following are the probabilities of living for one year at the following ages:—

	Males.	Females.
0 years.	$p_0 = \cdot8672735$	$p_0 = \cdot8874953$
1 year.	$p_1 = \cdot9355538$	$p_1 = \cdot9379081$
2 years.	$p_2 = \cdot9658298$	$p_2 = \cdot9660091$
3 years.	$p_3 = \cdot9760268$	$p_3 = \cdot9758217$
4 years.	$p_4 = \cdot9826477$	$p_4 = \cdot9820137$

These probabilities are deduced from the data of Tables D and E, with the aid of the arithmometer, by the process described by Professor Pell. It would have been quite sufficient to have used only five places of decimals in expressing the values of p ; and the sixth and seventh places are here retained merely to attest the honesty of the arithmetical work, and not with the view of claiming for it any extraordinary degree of accuracy.

In dealing with the data of Table F a similar process has been followed. The following sketch will probably suffice to make its details intelligible. Starting with the deaths of males at ages under three months during the sixteen years 1859–74, these are first summed. From the total there is then deducted one-eighth part of the deaths recorded in 1859, and seven-eighths of those registered in 1874. The sum thus corrected is then used, along with the sum of the registered male births



Graphical Representation of Life Table, for first Five Years of
Male and Female Life.

The lower broken line represents Male, the upper refers to Female life. The points marked by dots have been obtained, by calculation, from the preceding Tables, and the corresponding values of l_x may be readily estimated, by reference to the scale in the right-hand column.

of the fifteen years 1859–73, in order to find l_x for males who survive their birth by three months. In dealing with the male deaths at ages between three and six months, their sum is corrected by deducting three-eighths of the deaths of 1859, and five-eighths of those of 1874; and l_x for males who survive their birth by six months is then easily arrived at. The corresponding values of l_x for females are obtained in the same manner.

Table G and the lithographed diagram are self-explanatory. It will be found interesting to compare the numbers of Table G with those given by Dr Farr in Table VII. at p. xxiii. of his English Life Table, No. 3, and likewise at p. vii. of the Supplement to the Twenty-fifth Annual Report of the Registrar-General for England, published in 1864.

TABLE G.—*Scottish Life Table for First Five Years of Life.* Founded on the Registered Births and Deaths of 15 Years. The numbers to which an asterisk is prefixed are determined *by actual calculation*; the others are approximated to by means of a Diagram.

Months.	Males l_x .		Females l_x .	Months.
0	*100,000		*100,000	0
1	96,430		97,275	1
2	94,556		95,735	2
3	*93,451		*94,708	3
4	92,680		94,052	4
5	91,910		93,397	5
6	*91,140		*92,742	6
7	90,404		92,076	7
8	89,668		91,410	8
9	88,932		90,745	9
10	88,197		90,080	10
11	87,462		89,415	11
12	*86,727		*88,750	12
24	*81,138		*83,239	24
36	*78,366		*80,410	36
48	*76,487		*78,465	48
60	*75,160		*77,054	60

W. R.

ERRATA IN TWENTY-FIRST DETAILED ANNUAL REPORT.

In twelfth line of p. xlvi, for “women” read “men,” and for “men” read “women.”

In twenty-second line of p. xlix, for “spine” read “spleen.”

In second line of p. 1, for “6·62” read “·662.”

VACCINATIONS IN SCOTLAND—1876.

		Success- fully Vacci- nated.	Vacci- nation Post- poned.	Insusceptible of Vaccine Disease.			Died before Vacci- nation.	Removed from District before Vaccina- tion, or otherwise unaccount- ed for.	Total Births for 1876.
				On the ground of Constitu- tional Insuscep- tibility.	In respect of the Children having already had Small-pox.	On the ground of previous Successful Vaccina- tion.			
	SCOTLAND, - -	111815	1034	177	5	348	10760	2567	126706
	GROUPS OF DISTRICTS.								
1	PRINCIPAL TOWNS, - -	38341	156	52	0	254	4468	968	44239
2	LARGE TOWNS, - - -	13675	107	8	0	29	1345	282	15446
3	SMALL TOWNS, - - -	26459	263	30	0	40	2428	496	29716
4	MAINLAND-RURAL, - -	30695	343	69	0	24	2299	442	33872
5	INSULAR-RURAL, - -	2645	165	18	5	1	220	379	3433
	DIVISIONS.								
1	NORTHERN, - - -	2725	123	19	0	21	197	109	3194
2	NORTH-WESTERN, - -	3416	208	21	5	1	324	355	4330
3	NORTH-EASTERN, - -	12068	92	27	0	4	972	55	13218
4	EAST-MIDLAND, - - -	17207	114	20	0	74	1746	171	19332
5	WEST-MIDLAND, - - -	7765	112	13	0	8	658	229	8785
6	SOUTH-WESTERN, - -	47534	176	49	0	207	4917	1224	54107
7	SOUTH-EASTERN, - -	15478	140	22	0	8	1471	346	17465
8	SOUTHERN, - - -	5622	69	6	0	25	475	78	6275
	COUNTIES.								
	I. NORTHERN.								
1	Shetland, - - - -	609	29	4	0	1	39	64	746
2	Orkney, - - - -	743	32	9	0	0	35	5	824
3	Caithness, - - - -	906	44	2	0	20	87	24	1083
4	Sutherland, - - - -	467	18	4	0	0	36	16	541
	II. NORTH-WESTERN.								
5	Ross and Cromarty, - -	1714	99	5	0	1	141	150	2110
6	Inverness, - - - -	1702	109	16	5	0	183	205	2220
	III. NORTH-EASTERN.								
7	Nairn, - - - -	203	0	4	0	1	22	1	231
8	Elgin (or Moray), - -	1147	11	2	0	1	117	8	1286
9	Banff, - - - -	1702	20	7	0	0	123	7	1859
10	Aberdeen, - - - -	7991	50	13	0	2	650	35	8741
11	Kincardine, - - - -	1025	11	1	0	0	60	4	1101
	IV. EAST-MIDLAND.								
12	Forfar, - - - -	8124	32	13	0	71	890	70	9200
13	Perth, - - - -	3063	33	3	0	1	330	46	3476
14	Fife, - - - -	5051	42	4	0	1	443	42	5583
15	Kinross, - - - -	186	1	0	0	0	13	4	204
16	Clackmannan, - - - -	783	6	0	0	1	70	9	869
	V. WEST-MIDLAND.								
17	Stirling, - - - -	3504	12	3	0	6	323	69	3917
18	Dumbarton, - - - -	2165	24	5	0	0	192	54	2440
19	Argyll, - - - -	1754	75	4	0	2	125	47	2007
20	Bute, - - - -	342	1	1	0	0	18	59	421
	VI. SOUTH-WESTERN.								
21	Renfrew, - - - -	7154	36	24	0	28	720	201	8163
22	Ayr, - - - -	7457	29	6	0	1	675	96	8264
23	Lanark, - - - -	32923	111	19	0	178	3522	927	37680
	VII. SOUTH-EASTERN.								
24	Linlithgow, - - - -	1385	6	2	0	0	121	44	1558
25	Edinburgh, - - - -	10872	104	15	0	0	1086	271	12348
26	Haddington, - - - -	1088	11	1	0	8	84	13	1205
27	Berwick, - - - -	974	7	2	0	0	62	2	1047
28	Peebles, - - - -	358	3	2	0	0	36	5	404
29	Selkirk, - - - -	801	9	0	0	0	82	11	903
	VIII. SOUTHERN.								
30	Roxburgh, - - - -	1429	18	1	0	1	115	7	1571
31	Dumfries, - - - -	1951	29	3	0	23	186	42	2234
32	Kirkcudbright, - - -	1108	11	1	0	1	89	16	1226
33	Wigtown, - - - -	1134	11	1	0	0	85	13	1244

BIRTHS, DEATHS, and MARRIAGES registered in SCOTLAND during the YEAR 1876.

1876.			POPULATION.		Total Births, including the Illegitimate.			Illegitimate Births.			Deaths.			Marriages.	Excess of Births over Deaths.	Area in Square Miles.*
			1861.	1871.	Male.	Fem.	Total.	Mal.	Fem.	Total.	Male.	Fem.	Total.			
SCOTLAND, - -			3,062,294	3,360,018	64819	61715	126534	5706	5323	11029	37404	36725	74129	26579	52405	30532.0
GROUPS OF DISTRICTS.																
1	PRINCIPAL TOWNS .		884,955	1,068,556	22605	21660	44265	1926	1782	3708	14256	13721	27977	10722	16288	
2	LARGE TOWNS† .		272,540	332,180	7883	7556	15439	567	537	1104	4500	4524	9024	3116	6415	
3	SMALL TOWNS .		700,474	772,229	15236	14365	29601	1231	1170	2401	8420	8406	16826	5773	12775	
4	MAINLAND-RURAL .		1,067,560	1,055,049	17299	16503	33802	1889	1759	3648	9177	9015	18192	6351	15610	
5	INSULAR-RURAL .		136,765	132,004	1796	1631	3427	93	75	168	1051	1059	2110	617	1317	
DIVISIONS.																
1	NORTHERN . . .		130,422	127,191	1598	1589	3187	119	104	223	1011	1079	2090	621	1097	3730.1
2	NORTH-WESTERN .		167,242	166,351	2257	2059	4316	141	144	285	1431	1487	2918	833	1398	7406.1
3	NORTH-EASTERN .		366,870	393,199	6729	6480	13209	1038	952	1990	3283	3223	6506	2709	6703	3694.3
4	EAST-MIDLAND .		523,822	559,676	9879	9435	19314	931	887	1818	5511	5905	11416	4154	7898	4101.0
5	WEST-MIDLAND .		242,487	251,088	4487	4287	8774	294	296	590	2747	2656	5403	1691	3371	4216.2
6	SOUTH-WESTERN .		1,008,273	1,183,218	27730	26281	54011	1986	1826	3812	16435	15322	31757	11183	22254	2291.5
7	SOUTH-EASTERN .		413,116	475,523	8936	8516	17452	702	690	1392	5134	5111	10245	4068	7207	1854.2
8	SOUTHERN . . .		210,062	203,772	3203	3068	6271	495	424	919	1852	1942	3794	1320	2477	3238.6
COUNTIES.																
I. NORTHERN.																
1	Shetland		31,670	31,608	394	354	748	12	16	28	199	252	451	139	297	} 935.5 701.4 2093.2
2	Orkney		32,395	31,274	404	416	820	14	22	36	223	251	474	195	346	
3	Caithness		42,200	41,011	551	529	1080	73	46	119	403	384	787	188	293	
4	Sutherland		24,157	23,298	249	290	539	20	20	40	186	192	378	99	161	
II. NORTH-WESTERN.																
5	Ross and Cromarty .		82,427	82,093	1083	1019	2102	41	57	98	685	737	1422	368	680	3150.6
6	Inverness		84,815	84,258	1174	1040	2214	100	87	187	746	750	1496	465	718	4255.5
III. NORTH-EASTERN.																
7	Nairn		8,347	8,372	125	106	231	17	11	28	68	80	148	43	83	199.9
8	Elgin (or Moray) . .		44,305	44,549	649	636	1285	114	115	229	397	380	777	266	508	488.0
9	Banff		56,020	58,883	926	930	1856	168	154	322	436	449	885	365	971	646.5
10	Aberdeen		223,417	246,298	4462	4273	8735	663	614	1277	2108	2078	4186	1838	4549	1972.0
11	Kincardine		34,781	35,097	567	535	1102	76	58	134	274	236	510	197	592	387.9
IV. EAST-MIDLAND.																
12	Forfar		206,750	240,049	4692	4500	9192	522	451	973	2528	2776	5304	2065	3888	890.4
13	Perth		133,198	128,550	1759	1714	3473	166	191	357	1178	1301	2479	805	994	2569.8
14	Fife		155,021	160,924	2901	2675	5576	209	203	412	1505	1511	3016	1091	2560	513.2
15	Kinross		8,731	7,918	92	112	204	11	13	24	74	79	153	46	51	77.8
16	Clackmannan		20,122	22,235	435	434	869	23	29	52	226	238	464	147	405	49.8
V. WEST-MIDLAND.																
17	Stirling		88,138	93,345	1994	1920	3914	124	139	263	1186	1112	2298	785	1616	466.5
18	Dumbarton		54,179	61,116	1272	1168	2440	79	73	152	658	644	1302	457	1138	269.8
19	Argyll		83,859	79,661	1001	998	1999	76	68	144	732	728	1460	349	539	3254.9
20	Bute		16,311	16,966	220	201	421	15	16	31	171	172	343	100	78	225.0
VI. SOUTH-WESTERN.																
21	Renfrew		168,746	195,305	4195	3965	8160	248	237	485	2376	2372	4748	1680	3412	253.8
22	Ayr		199,083	206,908	4372	3778	8150	348	305	653	2424	2351	4775	1625	3375	1148.8
23	Lanark		640,444	787,005	19163	18538	37701	1390	1284	2674	11635	10599	22234	7878	15467	888.9
VII. SOUTH-EASTERN.																
24	Linlithgow		39,045	41,379	830	728	1558	60	54	114	413	392	805	302	753	126.7
25	Edinburgh		273,792	328,138	6263	6079	12342	472	493	965	3823	3750	7573	3112	4769	367.1
26	Haddington		37,626	37,755	606	600	1206	45	49	94	285	325	610	241	596	279.9
27	Berwick		36,488	36,382	542	500	1042	65	46	111	280	284	564	181	478	464.3
28	Peebles		11,264	12,218	202	202	404	9	19	28	105	138	243	67	161	356.0
29	Selkirk		14,901	19,651	493	407	900	51	29	80	228	222	450	165	450	260.2
VIII. SOUTHERN.																
30	Roxburgh		49,568	48,241	793	778	1571	97	85	182	433	455	888	301	683	669.5
31	Dumfries		75,904	74,842	1140	1092	2232	189	164	353	713	739	1452	534	780	1103.0
32	Kirkcudbright . . .		42,680	42,087	631	594	1225	109	83	192	370	415	785	260	440	953.7
33	Wigtown		41,910	38,602	639	604	1243	100	92	192	336	333	669	225	574	512.4

* The acreage of all Scotland, so far as can be ascertained from the present state of the Ordnance Survey, is 19,540,416 acres.
† The Distribution of the Population in the Five Groups of Districts does not tally with that given in Table II., but is unavoidably affected here by changes in the Districts, made by authority, since the publication of Census 1871.

No. of District.	REGISTRATION DISTRICTS.	POPULATION.		Total Births, including the Illegitimate.			Illegitimate Births.			Deaths.			Marriages.
		1861.	1871.	Males.	Fem.	Total.	Mal.	Fem.	Total.	Mal.	Fem.	Total.	
	NORTHERN.												
	1. SHETLAND.												
1	Bressay, etc.—(1) Bressay,	915	902	15	5	20	—	—	—	12	6	18	6
	(2) Burra and Quarff	890	952	15	15	30	—	1	1	4	2	6	3
2	Delting,	1975	1862	24	21	45	1	2	3	9	21	30	4
3	Dunrossness, etc.—												
	(1) Dunrossness, . . .	2113	1970	17	17	34	—	1	1	4	6	10	3
	(2) Sandwick and Cunningsburgh, . . .	2337	2326	29	33	62	—	—	—	15	12	27	7
	(3) Fair Isle,	380	226	3	5	8	—	—	—	3	3	6	—
4	Fetlar, etc.—												
	(1) Fetlar,	548	517	5	5	10	—	—	—	5	3	8	2
	(2) North Yell,	932	893	14	7	21	1	—	1	11	10	21	—
5	LERWICK,	3631	4180	65	49	114	4	5	9	43	46	89	58
6	Mid and South Yell, . .	1784	1843	24	19	43	1	2	3	6	9	15	9
7	Nesting, etc.—												
	(1) Nesting,	855	868	7	12	19	1	—	1	6	4	10	7
	(2) Lunnasting,	880	822	10	9	19	—	1	1	8	7	15	1
	(3) Whalsay & Skerries, .	848	989	19	20	39	—	—	—	2	9	11	1
8	Northmavine,	2585	2602	27	31	58	—	—	—	16	29	45	4
9	Sandsting and Aithsting, .	2670	2806	34	32	66	2	1	3	16	19	35	12
10	Tingwall, etc.—												
	(1) Tingwall,	1554	1442	22	15	37	—	—	—	10	19	29	4
	(2) Whiteness & Weisdale	1143	1049	6	14	20	—	—	—	6	11	17	8
11	Unst,	3060	2780	32	24	56	2	2	4	8	20	28	6
12	Walls, etc.—(1) Walls, .	1365	1325	12	10	22	—	1	1	6	7	13	3
	(2) Sandness,	606	646	9	5	14	—	—	—	3	6	9	1
	(3) Papa-Stour,	366	351	2	4	6	—	—	—	3	2	5	—
	(4) Foula,	233	257	3	2	5	—	—	—	3	1	4	—
	Total,	31670	31608	394	354	748	12	16	28	199	252	451	139
	2. ORKNEY.												
+13	Birsay (part of Harry & Birsay)	1774	1597	20	18	38	—	2	2	10	9	19	8
14	Deerness,	813	863	11	11	22	—	—	—	2	7	9	2
15	Eday and Pharay, . . .	979	905	8	15	23	—	—	—	5	6	11	8
16	Evie and Rendall, . . .	1408	1340	16	14	30	—	1	1	13	13	26	11
17	Firth and Stennes, . . .	1493	1434	14	18	32	1	2	3	8	10	18	12
18	Harray (part of Harray & Birsay)	819	727	10	10	20	—	—	—	8	7	15	5
19	Holm and Paplay, . . .	834	935	20	12	32	1	—	1	3	1	4	6
20	Hoy and Græmsay, . . .	556	581	7	10	17	—	1	1	5	10	15	3
21	KIRKWALL and St Ola, .	4422	4261	56	63	119	3	5	8	42	36	78	37
22	North Ronaldshay, . . .	532	539	8	3	11	—	—	—	3	3	6	8
23	Orphir,	1133	1040	12	13	25	—	1	1	8	3	11	7
*24	Rousay and Egilshay, . .	1152	1101	17	14	31	—	—	—	5	8	13	8
25	St Andrews,	868	870	5	10	15	—	—	—	4	8	12	2
26	Sanday,	2145	2053	30	31	61	2	1	3	11	14	25	8
27	Sandwick,	1225	1153	11	14	25	—	1	1	6	8	14	10
28	Shapinshay,	973	949	6	10	16	1	1	2	4	5	9	4
29	South Ronaldshay and Burray,	3282	3228	47	52	99	3	4	7	21	32	53	11
30	Stromness,	2540	2403	28	26	54	1	2	3	22	26	48	7
+31	Stronsay,	1228	1305	15	17	32	—	—	—	11	11	22	4
32	Walls, etc.—(1) Walls, .	1254	1107	18	13	31	1	—	1	10	11	21	8
	(2) Flotta,	420	423	6	7	13	—	—	—	5	1	6	4
33	Westray, etc.—(1) Westray	2153	2090	34	34	68	1	1	2	16	17	33	20
	(2) Papa-Westray, . . .	392	370	5	1	6	—	—	—	1	5	6	2
	Total,	32395	31274	404	416	820	14	22	36	223	251	474	195

Districts containing Parliamentary and Royal Burghs are printed in capitals, thus:—EDINBURGH. Districts containing Towns of 2000 Inhabitants and upwards are printed in small capitals, thus:—CARLUKE.

N.B.—An asterisk "*" is prefixed to those Districts which comprise one or more Parishes or parts of Parishes, and the component parts of these Districts will be found at page 247.

A dagger "†" is prefixed to those Districts which consist of only a part of the Parish of the same name

No. of District.	REGISTRATION DISTRICTS.	POPULATION.		Total Births, including the Illegitimate.			Illegitimate Births.			Deaths.			Marriages.
		1861.	1871.	Males.	Fem.	Total.	Mal.	Fem.	Total.	Mal.	Fem.	Total.	
	3. CAITHNESS.												
34	Bower,	1746	1700	15	21	36	4	4	8	10	9	19	15
35	Canisbay,	2730	2729	40	29	69	5	2	7	33	22	55	15
36	Dunnet,	1861	1661	21	19	40	3	1	4	19	16	35	5
37	Halkirk,	2864	2664	37	26	63	4	2	6	23	20	43	9
38	Latheron,	8571	7400	96	91	187	20	6	26	75	77	152	31
39	Olrig,	2059	2028	28	24	52	—	3	3	25	18	43	12
40	Reay,	2476	2331	23	17	40	2	—	2	15	15	30	10
41	THURSO,	5561	5754	93	94	187	10	10	20	58	60	118	32
42	Watten,	1491	1453	18	27	45	2	—	2	17	11	28	10
43	WICK,	12841	13291	180	181	361	23	18	41	128	136	264	49
	Total,	42200	41011	551	529	1080	73	46	119	403	384	787	188
	4. SUTHERLAND.												
44	Assynt—(1) Kirkton,	553	487	2	6	8	—	1	1	5	—	5	1
	(2) Stoer,	2625	2519	20	26	46	2	1	3	12	12	24	15
45	Clyne,	1886	1733	25	25	50	3	2	5	15	14	29	5
46	Creich—(1) Bonar,	1982	1854	21	19	40	2	—	2	18	17	35	7
	(2) Rosehall,	539	670	5	8	13	—	—	—	6	7	13	3
47	DORNOCH,	2885	2764	24	37	61	1	4	5	23	30	53	18
48	Durness,	1109	1049	10	11	21	2	—	2	7	7	14	4
49	Eddrachillis—(1) Scourie,	727	648	4	4	8	1	—	1	7	1	8	3
	(2) Kinlochbervie,	914	882	10	19	29	1	2	3	9	12	21	4
50	Farr—(1) Kirkton,	1251	1190	19	13	32	1	2	3	7	20	27	4
	(2) Strathly,	852	829	6	14	20	—	—	—	6	7	13	9
51	Golspie,	1615	1804	12	16	28	1	—	1	13	11	24	—
52	Kildonan,	2132	1916	20	29	49	1	1	2	15	15	30	6
53	Lairg,	961	978	24	15	39	3	—	3	12	6	18	3
54	Loth,	610	583	11	9	20	—	—	—	7	3	10	1
55	Rogart,	1439	1341	17	16	33	1	4	5	11	18	29	8
56	Tongue,	2077	2051	19	23	42	1	3	4	13	12	25	8
	Total,	24157	23298	249	290	539	20	20	40	186	192	378	99
	II. NORTH-WESTERN.												
	5. ROSS AND CROMARTY.												
	Mainland.												
57	Alness,	1178	1053	8	20	28	—	—	—	9	10	19	3
58	Applecross—												
	(1) Applecross,	1064	1129	6	8	14	1	—	1	6	12	18	5
	(2) Shieldaig,	1480	1341	8	12	20	1	—	1	8	16	24	7
59a	Avoch,	1788	1828	36	22	58	—	—	—	17	14	31	10
*59b	Carnoch,	c.325	325	2	2	4	—	—	—	—	3	3	1
†60	Contin,	c.697	729	8	9	17	2	—	2	2	9	11	3
61	CROMARTY,	2300	2180	27	23	50	—	1	1	23	14	37	12
62	DINGWALL,	2412	2443	25	23	48	—	2	2	27	26	63	16
63	Edderton,	836	860	9	11	20	1	3	4	2	5	7	3
64	Fearn,	2083	2135	31	21	52	1	2	3	15	13	28	5
†65	Fodderty,	2060	1943	22	19	41	3	1	4	21	27	48	6
66	Gairloch—(1) Northern,	1927	1669	18	23	41	1	—	1	4	13	17	—
	(2) Southern,	3522	3379	35	31	66	—	2	2	19	27	46	15
67	Glenshiel,	485	463	3	2	5	1	—	1	2	3	5	4
68	Killearnan,	1494	1272	16	11	27	3	1	4	10	13	23	6
69	Kilmuir-Easter,	1295	1281	17	16	33	—	2	2	4	10	14	1
70	Kiltearn,	1634	1496	14	13	27	—	1	1	13	8	21	3
71a	Kincardine—												
	(1) Kincardine	{ 1746	{ 1273	9	16	25	—	1	1	14	8	22	2
	(2) Strathoykel,	{ 412	{ 5	2	5	7	1	—	1	2	6	8	1
*71b	Kinlochluichart,	c. 704	704	6	10	16	—	—	—	3	2	5	2
72	Kintail,	890	753	4	5	9	—	—	—	5	9	14	—

No. of District.	REGISTRATION DISTRICTS.	POPULATION.		Total Births, including the Illegitimate.			Illegitimate Births.			Deaths.			Marriages.
		1861.	1871.	Males.	Fem.	Total.	Mal.	Fem.	Total.	Mal.	Fem.	Total.	
73	Knockbain,	2485	2155	27	28	55	1	8	9	12	18	30	11
74	Lochalsh,	2413	2319	21	24	45	1	—	1	19	25	44	8
75	Lochbroom— (1) Lochbroom,	3577	3167	38	32	70	2	2	4	21	23	44	17
	(2) Coigach,	1285	1239	12	20	32	—	—	—	6	14	20	6
76	Lochcarron,	1592	1629	16	16	32	—	1	1	12	16	28	7
77	Logie-Easter,	932	912	13	9	22	1	1	2	8	6	14	3
78	Nigg,	1253	1201	17	12	29	1	1	2	7	16	23	9
79	Resolis,	1568	1527	20	20	40	1	1	2	16	11	27	6
80	ROSEMARKIE,	1545	1441	15	8	23	1	—	1	21	13	34	3
81	Rosskeen,	3766	3808	46	40	86	2	3	5	39	50	89	19
82	TAIN,	3294	3221	40	37	77	3	3	6	33	41	74	10
83	Tarbat,	2269	2182	16	24	40	—	—	—	21	11	32	5
84	Urquhart & Logie-Wester	3147	2863	22	20	42	7	2	9	30	27	57	7
+85	Urray,	c.2325	2278	29	26	55	1	5	6	18	20	38	9
	<i>Insular.</i>												
86a	Barvas,	4609	4950	93	74	167	—	—	—	44	45	89	37
*86b	Carloway,	2204	2702	69	43	112	—	1	1	17	20	37	15
*87	Lochs,	3568	4162	77	69	146	2	3	5	52	43	95	27
88	STORNOWAY,	8668	9510	169	187	356	2	10	12	88	72	160	55
+89	Uig,	2007	2159	37	28	65	1	—	1	15	8	23	9
	Total,	82427	82093	1083	1019	2102	41	57	98	685	737	1422	368
	6. INVERNESS.												
	<i>Mainland.</i>												
90a	Abernethy & Kincardine,	1928	1752	18	21	39	6	7	13	13	13	26	7
90b	Alvie,	833	882	21	9	30	6	2	8	10	7	17	3
91	Ardersier,	1239	1284	35	22	57	2	1	3	15	15	30	13
92	Boleskine, etc.— (1) Boleskine,	813	681	5	8	13	—	1	1	4	7	11	1
	(2) Fort-Augustus or Abertarff,	930	897	13	7	20	—	1	1	6	9	15	1
93	Cromdale and Inverallan. (Now 128b <i>infra</i> .)												
94	Croy and Dalcross, . .	1873	1841	26	20	46	2	6	8	5	12	17	9
95	Daviot and Dunlichity, .	1741	1598	13	10	23	—	—	—	14	13	27	13
96a	Dores,	1506	1401	16	10	26	4	—	4	7	8	15	4
96b	Duthil, etc.—(1) Duthil,	1609	1530	14	17	31	3	4	7	11	13	24	15
	(2) Rothiemurchus, . .	319	342	1	3	4	—	—	—	1	4	5	2
97	Glenelg—(1) Glenelg, . .	800	714	8	6	14	1	1	2	3	4	7	6
	(2) Knoydart,	574	499	5	6	11	2	0	2	6	4	10	1
	(3) North Morar, . . .	469	440	3	9	12	1	—	1	3	1	4	1
98	INVERNESS,	16162	18552	291	269	560	20	26	46	213	216	429	148
99	Kilmonivaig— (1) Glengarry,	625	550	4	12	16	—	—	—	4	3	7	1
	(2) Lochaber,	1651	1417	18	14	32	2	1	3	8	4	12	6
100	Kilmorack,	2852	2728	31	23	54	1	3	4	20	20	40	11
101	Kiltarlity,	2839	2537	34	17	51	3	4	7	18	21	39	6
102	Kingussie and Insh, . .	2033	2101	29	26	55	6	1	7	27	24	51	10
103	Kirkhill,	1757	1582	14	17	31	—	3	3	12	17	29	10
104	Laggan,	986	950	11	14	25	3	—	3	5	5	10	2
105	Moy and Dalarossie, . .	1026	1005	11	9	20	1	—	1	5	10	15	1
106	Petty,	1671	1549	20	15	35	2	4	6	11	16	27	4
107	Urquhart, etc.— (1) Urquhart,	2294	2215	22	24	46	1	—	1	12	25	37	7
	(2) Glenmoriston, . .	617	565	2	6	8	—	—	—	—	5	5	—
	<i>Insular.</i>												
108	Barra,	1853	1997	33	29	62	2	2	4	17	17	34	15
109	Bracadale,	1335	1113	6	8	14	1	—	1	7	14	21	5

No. of District.	REGISTRATION DISTRICTS.	POPULATION.		Total Births, including the Illegitimate.			Illegitimate Births.			Deaths.			Marriages.
		1861.	1871.	Males.	Fem.	Total.	Mal.	Fem.	Total.	Mal.	Fem.	Total.	
110	Duirinish,	4775	4422	78	49	127	6	1	7	50	52	102	25
111	Harris—(1) Harris,	3769	3668	40	37	77	1	—	1	22	21	43	22
	(2) Bernera,	336	381	14	7	21	1	—	1	3	2	5	3
	(3) St Kilda,	78	71	1	2	3	—	1	1	—	1	1	—
*112	Kilmuir—(1) Kilmuir,	1561	1362	19	16	35	3	1	4	14	11	25	8
	(2) Stenscholl,	1311	1228	27	17	44	1	1	2	13	9	22	9
113	North Uist,	3959	4107	72	64	136	5	7	12	35	25	60	16
114	Portree—(1) Portree,	2579	2328	24	36	60	2	2	4	18	14	32	18
	(2) Raasay,	580	600	8	10	18	1	—	1	5	5	10	2
115	Sleat,	2330	2233	35	30	65	1	3	4	23	15	38	13
116	Small Isles,	567	522	4	10	14	—	—	—	5	4	9	1
+117	Snizort—(1) North,	961	803	9	5	14	2	1	3	10	3	13	3
	(2) South,	1652	1500	23	19	42	2	—	2	17	15	32	5
118	South Uist—												
	(1) Benbecula,	1544	1651	20	20	40	—	—	—	12	12	24	6
	(2) Howmore,	1763	1818	27	29	56	4	1	5	22	19	41	20
	(3) Boisdale,	2051	2280	33	19	52	1	—	1	19	12	31	4
119	Strath,	2664	2562	36	39	75	1	2	3	21	23	44	8
	— Total,	84815	84258	1174	1040	2214	100	87	187	746	750	1496	465
	III. NORTH-EASTERN.												
	7. NAIRN.												
120	Ardclach,	1330	1197	13	15	28	1	—	1	9	15	24	4
121	Auldearn,	1328	1279	17	15	32	3	3	6	1	10	11	10
122	Cawdor,	1203	1027	17	16	33	1	1	2	7	8	15	2
123	NAIRN,	4486	4869	78	60	138	12	7	19	51	47	98	27
	Total,	8347	8372	125	106	231	17	11	28	68	80	148	43
	8. ELGIN (OR MORAY).												
124	Abernethy and Kincardine. (Now 90a <i>supra</i>).												
125	Alves,	1010	1018	20	19	39	2	—	2	10	7	17	3
+126	Bellie,	1967	2013	23	26	49	4	4	8	15	19	34	9
127	Birnie,	411	375	2	5	7	—	—	—	1	1	2	1
128a	Boharm,	1412	1337	19	20	39	5	7	12	8	8	16	16
128b	Cromdale, etc.—												
	(1) Cromdale & Advie,	1308	1295	13	10	23	2	—	2	4	7	11	5
	(2) Inverallan,	2635	2522	39	38	77	9	8	17	16	19	35	5
129	Dallas,	1102	1060	12	15	27	4	4	8	5	6	11	4
130	DRAINIE,	3028	3293	70	60	130	6	7	13	35	26	61	25
131	Duffus,	3308	3716	54	51	105	9	6	15	35	25	60	30
132	Duthil, etc.—(Now 96b <i>supra</i>).												
133	Dyke,	1247	1238	19	17	36	4	2	6	5	9	14	7
134	Edinkillie,	1303	1286	22	17	39	3	3	6	7	5	12	3
*135	ELGIN,	9866	9703	135	154	289	22	36	58	122	127	249	62
+136	New Spynie,	518	573	5	4	9	1	3	4	8	9	17	2
137	FORRES,	4112	4562	70	55	125	12	7	19	52	47	99	18
138	Kinloss,	1315	1112	10	10	20	2	—	2	8	7	15	9
139	Knockando,	1736	1909	29	32	61	7	6	13	21	13	34	15
140	Rafford,	1055	1101	19	14	33	—	3	3	6	6	12	10
141	Roths,	2407	2148	35	26	61	12	6	18	15	15	30	16
+142	St Andrews-Lhanbryde,	1344	1286	13	18	31	2	7	9	5	7	12	5
143	Speymouth,	689	634	7	10	17	1	4	5	2	4	6	4
144	Urquhart,	2532	2368	33	35	68	7	2	9	17	13	30	17
	Total,	44305	44549	649	636	1285	114	115	229	397	380	777	266
	9. BANFF.												
+145	Aberlour,	1520	1632	14	20	34	1	2	3	12	11	23	13
146	Alvah,	1467	1436	22	16	38	4	5	9	5	7	12	9

No. of District.	REGISTRATION DISTRICTS.	POPULATION.		Total Births, including the Illegitimate.			Illegitimate Births.			Deaths.			Marriages.
		1861.	1871.	Males.	Fem.	Total.	Mal.	Fem.	Total.	Mal.	Fem.	Total.	
*147	BANFF,	7740	8425	142	122	264	28	14	42	77	69	146	48
148	Botriphnie,	867	785	12	6	18	—	—	—	6	6	12	8
149	Boyndie,	1711	1854	33	39	72	6	7	13	7	23	30	8
+150	CULLEN,	1821	2056	32	26	58	3	1	4	25	10	35	8
151	Deskford,	1031	972	13	15	28	4	4	8	6	8	14	14
*152	Enzie,	2072	2251	42	38	80	13	7	20	12	16	28	25
153	FORDYCE—												
	(1) FORDYCE,	4145	c.2050	40	31	71	7	4	11	10	11	21	13
	(2) Portsoy,		c.2100	37	39	76	6	6	12	18	22	40	16
154	Forglen,	783	845	9	19	28	5	3	8	5	8	13	5
+155a	Gamrie,	3019	3151	47	43	90	5	5	10	21	18	39	20
*155b	Glenrinnies,	439	466	3	5	8	2	1	3	2	2	4	1
156	Grange,	1909	1876	31	17	48	2	5	7	13	9	22	8
157	Inveravon—(1) Inveravon,	868	890	19	16	35	3	3	6	4	3	7	4
	(2) Glenlivat,	1771	1718	29	23	52	7	5	12	16	14	30	3
158	Inverkeithny,	880	1000	15	20	35	1	4	5	4	5	9	4
159	KEITH,	5943	5891	83	95	178	15	26	41	37	48	85	27
160	Kirkmichael, etc.—												
	(1) Kirkmichael,	551	477	4	4	8	1	2	3	1	1	2	1
	(2) Tomintoul,	960	799	11	11	22	3	3	6	12	9	21	2
161	Marnoch,	3289	3294	60	56	116	19	12	31	24	35	59	26
+162	Mortlach,	2801	2737	36	36	72	9	5	14	17	16	33	12
+163	Ordiquhill,	764	761	10	7	17	—	1	1	3	4	7	7
164	RATHVEN,	4922	6659	118	129	247	8	13	21	70	56	126	46
165	Rothiemay,	1414	1370	22	27	49	8	7	15	6	12	18	13
166	St Fergus,	1608	1633	21	34	55	7	7	14	12	9	21	15
*167	SEAFIELD,	1725	1755	21	36	57	1	2	3	11	17	28	9
Total,		56020	58883	926	930	1856	168	154	322	436	449	885	365
10. ABERDEEN,													
168	ABERDEEN—												
	(1) St Nicholas,	41962	47077	926	875	1801	123	106	229	622	543	1165	416
	(2) Old Machar,	31938	41104	766	694	1460	80	59	139	401	467	868	383
	Do. (Landward),	1298	1373	16	22	38	2	2	4	9	5	14	12
+169	Aberdour,	1837	1945	39	33	72	13	6	19	8	8	16	14
170	Aboyne,	1160	1351	18	18	36	3	3	6	11	8	19	8
171	Alford,	1264	1396	25	20	45	6	4	10	9	8	17	11
172	Auchindoir,	1593	1545	30	25	55	7	10	17	11	11	22	15
+173	Auchterless,	1782	1971	38	37	75	6	6	12	10	5	15	11
174	Belhelvie,	1807	1833	29	25	54	3	3	6	22	9	31	3
175	Birse,	1284	1198	15	17	32	3	1	4	7	6	13	5
176	Bourtie,	547	499	11	7	18	1	—	1	3	2	5	2
177	Cabrach,	794	775	11	8	19	2	1	3	5	2	7	4
178	Cairney,	1490	1525	25	25	50	6	5	11	15	3	18	11
179	Chapel of Garioch,	2023	1928	28	33	61	3	4	7	11	18	29	12
180	Clatt,	511	483	9	5	14	2	2	4	3	2	5	5
181	Cluny,	1254	1366	16	23	39	1	6	7	8	7	15	9
182	Coull,	792	824	12	13	25	4	2	6	8	5	13	2
183	Crathie and Braemar,	1574	1566	21	16	37	3	3	6	8	17	25	4
184	Crimond,	892	887	14	10	24	—	1	1	5	5	10	3
185	Cruden,	2743	3124	63	59	122	10	13	23	16	13	29	22
186	Culsamond,	1165	896	13	13	26	4	2	6	5	4	9	3
187	Daviot,	614	597	13	5	18	4	2	6	5	6	11	—
188	Drumblade,	926	931	9	9	18	3	1	4	4	4	8	6
189	Drumoak,	996	1032	13	8	21	3	2	5	9	6	15	7
190	Dyce,	585	945	13	36	49	2	5	7	10	10	20	5
191	Echt,	1287	1259	19	15	34	4	2	6	3	9	12	12
+192	Ellon,	3239	3036	57	47	104	6	10	16	29	19	48	28

No. of District.	REGISTRATION DISTRICTS.	POPULATION.		Total Births, including the Illegitimate.			Illegitimate Births.			Deaths.			Marriages.
		1861.	1871.	Males.	Fem.	Total.	Mal.	Fem.	Totl.	Mal.	Fem.	Total.	
193	Fintray,	1003	1108	16	11	27	3	2	5	5	4	9	2
194	Forgue,	1397	1332	25	19	44	3	4	7	10	6	16	6
195	Foveran,	1891	1859	46	33	79	11	2	13	14	14	28	20
196	FRASERBURGH,	4511	5301	159	147	306	21	15	36	61	51	112	36
197	Fyvie,	3264	3306	47	43	90	10	10	20	21	9	30	22
198	Gartly,	1029	972	12	16	28	2	2	4	8	7	15	5
199	Glass,	1049	1061	15	18	33	1	7	8	8	5	13	8
200	Glenbucket,	552	570	7	10	17	2	1	3	4	3	7	2
201	Glenmuick, Tullich, and Glengairn,	c1503	c1995	35	20	55	9	3	12	16	9	25	9
202	HUNTLY,	4329	4374	75	73	148	9	17	26	27	42	69	21
203	Insch,	1565	1596	25	24	49	4	6	10	9	11	20	6
204	INVERURIE,	2668	2970	47	56	103	8	7	15	18	23	41	22
205	Keig,	811	886	20	14	34	2	—	2	8	6	14	12
206	Keithhall,	933	874	20	9	29	2	2	4	8	6	14	8
207	Kemnay,	832	1300	27	25	52	2	—	2	8	6	14	7
208	Kildrummy,	590	660	10	19	29	1	2	3	3	9	12	5
209	Kincardine O'Neil,	2186	2000	29	21	50	8	4	12	13	11	24	10
210	King-Edward— (1) King-Edward,	1050	1058	19	13	32	—	3	3	1	4	5	6
	(2) New Byth,	1793	2053	34	44	78	11	12	23	11	13	24	17
211	KINNELLAR,	691	601	7	10	17	—	1	1	3	2	5	4
212	Kinnethmont,	1187	1062	15	17	32	2	3	5	3	7	10	12
213	KINTORE,	1895	2158	34	33	67	4	5	9	14	15	29	8
214	Leochel-Cushnie,	1173	1232	22	13	35	4	5	9	8	11	19	4
215	Leslie,	577	532	10	9	19	1	1	2	2	3	5	4
216	Logie-Buchan,	762	808	17	10	27	—	1	1	4	2	6	5
*217	Logie Coldstone and Cromar,	c1097	c1065	20	12	32	5	3	8	8	6	14	3
218	Longside,	3008	3321	58	61	119	11	13	24	10	16	26	27
219	Lonmay,	2142	2245	44	38	82	4	6	10	12	7	19	7
220	Lumphanan,	1251	1239	19	19	38	4	5	9	5	1	6	6
221	Methlic,	2157	2084	36	31	67	8	6	14	13	17	30	13
222a	Midmar,	1091	1127	20	10	30	2	4	6	9	4	13	12
*222b	Millbrex,	1357	1484	23	28	51	7	7	14	9	18	27	11
+223	Monquhitter,	2303	2670	35	50	85	10	15	25	14	16	30	15
224	Monymusk,	988	996	19	16	35	6	2	8	7	2	9	10
225	New Deer,	3736	4147	66	63	129	15	23	38	30	35	65	29
226	Newhills,	3463	4210	69	88	157	6	8	14	37	23	60	26
*227a	New Macha,	1556	1520	22	24	46	5	—	5	7	14	21	4
*227b	NEW PITSLIGO,	2609	3090	55	68	123	13	14	27	27	22	49	25
228	Old Deer,	4392	4434	72	81	153	20	12	32	40	48	88	34
229	Old Meldrum,	2343	2330	44	38	82	12	7	19	17	17	34	19
230	Oyne,	1127	1050	15	14	29	3	5	8	3	5	8	7
231	Peterculter,	1483	1668	23	23	46	2	2	4	7	6	13	5
232	PETERHEAD,	9796	11506	282	301	583	15	27	42	118	133	251	124
233	Pitsligo,	1890	2218	51	44	95	9	4	13	12	24	36	15
234	Premnay,	916	997	17	21	38	3	6	9	4	5	9	4
235	Rathen,	2554	2850	46	52	98	5	4	9	20	22	42	11
236	Rayne,	1514	1409	15	17	32	1	1	2	8	13	21	7
237a	Rhynie,	1061	1195	23	20	43	2	4	6	6	12	18	4
*237b	Savoch,	2061	1961	35	36	71	9	5	14	8	12	20	10
238	Skene,	1831	1842	20	18	38	7	5	12	11	6	17	15
239	Slains,	1266	1355	20	22	42	2	5	7	11	7	18	11
*240	Strathdon,	1735	1761	20	20	40	5	1	6	20	10	30	7
+241	Strichen,	2409	2254	41	35	76	6	7	13	15	15	30	15
+242	Tarland,	970	983	15	9	24	5	1	6	4	14	18	6
+243	Tarves,	2377	2288	44	41	85	11	8	19	11	11	22	19
244	Tough,	874	760	9	7	16	1	1	2	4	4	8	4
245	Towie,	839	798	12	6	18	3	1	4	4	7	11	3
246	Tullynessle and Forbes,	957	970	19	13	32	1	2	3	8	5	13	5

No. of District.	REGISTRATION DISTRICTS.	POPULATION.		Total Births, including the Illegitimate.			Illegitimate Births.			Deaths.			Marriages.
		1861.	1871.	Males.	Fem.	Total.	Mal.	Fem.	Total.	Mal.	Fem.	Total.	
247	TURRIFF,	3693	4348	81	60	141	13	6	19	26	21	47	22
+248	Tyrie,	833	869	12	18	30	—	5	5	4	7	11	6
+249a	Udny,	1623	1626	29	31	60	5	4	9	10	7	17	7
*249b	Ythan Wells,	1517	1494	9	33	42	3	9	12	5	5	10	16
Total,		223417	246298	4462	4273	8735	663	614	1277	2108	2078	4186	1838
11. KINCARDINE.													
250	Arbuthnott,	932	924	13	11	24	—	—	—	9	4	13	3
251	Banchory-Devenick—												
	(1) Banchory-Devenick,	1159	1263	19	21	40	3	3	6	9	13	22	9
	(2) Portlethen,	1687	1789	25	25	50	7	4	11	7	8	15	6
252	Banchory-Ternan,	2947	2875	44	43	87	4	2	6	25	20	45	9
253	BENHOLM,	1574	1569	32	23	55	4	—	4	18	10	28	5
254	BERVIE,	1561	1843	35	25	60	2	2	4	19	10	29	9
255	DUNNOTTAR,	1828	2102	40	38	78	—	9	9	8	12	20	14
256	Durris,	1109	1021	16	18	34	2	2	4	1	4	5	8
257	Fettercairn,	1700	1539	18	19	37	3	—	3	14	11	25	7
258	FETTERESSO—												
	(1) FETTERESSO,	3575	3585	57	51	108	9	4	13	32	41	73	27
	(2) Cookney,	1952	2080	37	30	67	5	2	7	13	11	24	9
259	Fordoun,	2297	2113	38	24	62	5	2	7	21	12	33	10
260	Garvock,	458	476	2	8	10	1	2	3	2	2	4	1
261	Glenbervie,	1219	1073	19	11	30	2	2	4	8	4	12	7
262	Kinneff and Catterline,	1054	1062	18	17	35	1	2	3	8	2	10	6
263	Laurencekirk,	2110	2174	33	27	60	6	5	11	15	16	31	9
264	Maryculter,	1055	1110	10	18	28	1	2	3	6	6	12	7
265	Marykirk,	2068	1771	23	22	45	6	6	12	12	8	20	13
266	Nigg,	2074	2348	54	69	123	6	5	11	30	21	51	20
267	St Cyrus,	1552	1585	25	21	46	5	1	6	11	13	24	14
268	Strachan,	870	795	9	14	23	4	3	7	6	8	14	4
Total,		34781	35097	567	535	1102	76	58	134	274	236	510	197
IV. EAST-MIDLAND.													
12. FORFAR.													
269	Aberlemno,	1054	1007	16	15	31	2	1	3	6	6	12	12
270	Airlie,	845	778	18	11	29	—	1	1	4	1	5	5
271	Arbirlot,	960	919	18	11	29	—	2	2	3	2	5	10
272	ARBROATH,	17831	20169	372	343	715	37	29	66	210	209	419	148
*273	Auchterhouse,	706	721	9	9	18	—	—	—	8	4	12	4
274	BARRY,	2465	3008	42	48	90	—	5	5	20	34	54	25
275	BRECHIN,	8810	9514	174	156	330	32	32	64	89	116	205	76
276	Carmylie,	1286	1309	20	20	40	—	2	2	9	9	18	11
277	Careston,	225	209	8	4	12	2	—	2	1	1	2	2
278	Cortachy and Clova,	653	554	8	5	13	1	1	2	5	3	8	1
+279	COUPAR-ANGUS,	2642	2797	32	35	67	5	5	10	16	21	37	16
280	CRAIG,	2177	2402	42	36	78	3	4	7	16	11	27	11
+281	Dun,	552	565	5	6	11	1	—	1	3	5	8	3
*282	DUNDEE,												
	(1) St Peter,	91664	22,894	515	488	1003	38	38	76	245	289	534	219
	(2) St Mary,		23,582	484	443	927	76	65	141	340	386	726	254
	(3) St Clement,		25,090	529	520	1049	77	52	129	280	292	572	265
	(4) St Andrew,		38,082	938	900	1838	79	68	147	471	506	977	370
	(5) Lochee,		11,076	223	190	413	35	21	56	118	148	266	115
283	Dunnichen,	1932	1536	27	29	56	7	3	10	11	12	23	9
284	Eassie and Nevay,	748	586	10	8	18	1	—	1	1	1	2	4
285	Edzell,	1025	976	10	10	20	1	3	4	6	3	9	4

No. of District.	REGISTRATION DISTRICTS.	POPULATION.		Total Births, including the Illegitimate.			Illegitimate Births.			Deaths.			Marriages.
		1861.	1871.	Males.	Fem.	Total.	Mal.	Fem.	Totl.	Mal.	Fem.	Total.	
286	Farnell,	703	580	8	9	17	1	1	2	3	3	6	3
287	Fearn,	439	348	4	10	14	—	—	—	—	3	3	2
288	FORFAR,	10,838	12,585	237	249	486	29	25	54	156	190	346	105
289	Glamis,	1980	1813	31	23	54	1	3	4	9	10	19	9
290	Glenisla,	1008	925	8	10	18	1	1	2	6	7	13	5
291	Guthrie,	476	404	3	9	12	—	1	1	1	2	3	2
292	Inverarity,	961	888	16	16	32	2	1	3	7	8	15	5
293	Inverkeillor,	1792	1521	16	37	53	3	3	6	10	7	17	8
294	Kettins,	962	855	20	13	33	1	3	4	11	5	16	6
295	Kingoldrum,	473	409	5	4	9	1	1	2	1	2	3	2
296	Kinnell,	816	766	7	14	21	—	2	2	9	6	15	7
297	Kinnettles,	447	405	6	6	12	1	1	2	8	3	11	2
298	Kirkden,	1862	1623	30	36	66	2	5	7	19	13	32	11
299	KIRRIEMUIR,	7359	6420	92	94	186	17	17	34	57	68	125	49
300	Lethnott and Navar,	446	318	7	7	14	2	2	4	4	—	4	2
+301	Liff, Benvie, and Inver- gowrie,	1430	1357	26	20	46	—	1	1	10	10	20	4
302	Lintrathen,	898	756	8	5	13	1	1	2	6	3	9	5
303	Lochlee,	495	424	—	3	3	—	—	—	3	6	9	—
304	Logie-Pert,	1483	1251	16	18	34	3	2	5	5	6	11	4
305	Lunan,	259	248	1	9	10	—	1	1	—	1	1	3
306	Lundie,	442	400	9	7	16	2	1	3	2	4	6	2
307	Mains, etc.—(1) Mains, (2) Strathmartine,	1392	1927	32	40	72	1	2	3	16	15	31	9
308	Marytown,	789	822	23	4	27	—	—	—	9	7	16	4
309	Menmuir,	417	396	6	4	10	—	—	—	—	2	2	—
310	MONIFIETH,	796	761	9	8	17	—	—	—	9	4	13	1
311	Monikie,	5052	7252	160	157	317	11	11	22	68	80	148	76
312	MONTROSE,	1460	1397	22	17	39	3	2	5	7	8	15	9
*312	MONTROSE,	15,668	15,783	238	224	462	25	16	41	160	191	351	115
313	Murroes,	763	751	11	14	25	1	—	1	2	4	6	3
314	Newtyle,	1139	931	18	16	34	2	3	5	7	10	17	5
315	Oathlaw,	399	452	8	7	15	1	—	1	3	—	3	1
316	PANBRIDE,	1299	1331	18	14	32	2	1	3	14	10	24	9
317	Rescobie,	747	748	15	10	25	—	2	2	2	1	3	4
318	Ruthven,	265	247	3	4	7	2	—	2	1	3	4	2
+319	St Vigeans,	2553	2513	40	46	86	6	5	11	20	16	36	14
320	Stracathro,	546	503	9	10	19	1	1	2	5	3	8	1
321	Tannadice,	1438	1286	17	26	43	2	4	6	7	2	9	6
322	Tealing,	883	879	13	13	26	1	—	1	9	4	13	6
Total,		206750	240049	4692	4500	9192	522	451	973	2528	2776	5304	2065
13. PERTH.													
323	Aberdalgie,	295	342	9	5	14	—	—	—	1	1	2	3
*324	Aberfeldy,	2402	2286	18	23	41	1	1	2	16	19	35	9
325	Aberfoyle,	565	432	8	6	14	1	3	4	2	4	6	—
326	Abernethy,	1960	1744	21	32	53	2	6	8	18	24	42	10
327	Abernyte,	310	253	4	2	6	—	—	—	2	1	3	4
+328a	ALYTH,	3198	3151	34	50	84	5	7	12	29	33	62	14
*328b	Ardoch,	1418	1316	14	14	28	—	3	3	6	8	14	10
329	AUCHTERARDER,	4208	3795	49	58	107	16	11	27	42	41	83	26
330	Auchtergaven,	2562	2141	25	20	45	1	1	2	23	18	41	6
*331	Balquhidder,	746	743	7	7	14	1	2	3	9	4	13	5
+332	Bendochy,	549	474	7	3	10	—	—	—	5	—	5	2
333	Blackford,	2041	1836	29	17	46	2	—	2	16	21	37	10
334	Blair-Athol,	1553	1718	25	22	47	2	4	6	18	15	33	13
335	BLAIRGOWRIE,	4423	4832	73	69	142	9	9	18	48	62	110	37
336	Callander,	1676	1870	32	21	53	2	—	2	14	14	28	8

No. of District.	REGISTRATION DISTRICTS.	POPULATION.		Total Births, including the Illegitimate.			Illegitimate Births.			Deaths.			Marriages.
		1861.	1871.	Males.	Fem.	Total.	Mal.	Fem.	Total.	Mal.	Fem.	Total.	
†337	Caputh,	1728	1571	15	20	35	1	1	2	12	4	16	15
338	Cargill,	1647	1411	18	13	31	—	4	4	12	15	27	12
339	Clunie,	699	603	4	6	10	—	1	1	4	5	9	2
340	Collace,	534	456	5	6	11	1	—	1	6	—	6	1
†341	Comrie,	2226	1911	22	18	40	1	2	3	15	18	33	7
342	CRIEFF,	4490	4598	59	60	119	6	7	13	36	63	99	24
343	CULROSS,	1423	1354	12	22	34	2	2	4	8	6	14	7
*344	Dowally,	486	461	3	9	12	—	1	1	5	4	9	1
345	Dron,	376	343	6	6	12	—	—	—	1	1	2	—
†346	Dull,	753	677	3	8	11	—	1	1	7	7	14	1
347	Dunbarney,	1035	913	5	7	12	2	1	3	10	7	17	4
*348	Dunblane,	2528	2765	47	42	89	3	3	6	32	21	53	19
*349	Dunkeld,	1086	881	9	9	18	1	1	2	11	6	17	4
350	Dunning,	2084	1832	34	25	59	3	5	8	8	19	27	9
351	Errol,	2759	2504	38	35	73	4	—	4	28	21	49	17
352	Findo-Gask,	399	369	4	8	12	1	1	2	5	2	7	2
353	Forgandenny,	739	632	9	8	17	2	3	5	5	5	10	4
354	Forteviot,	595	567	13	8	21	3	—	3	3	2	5	—
*355a	Fortingall,												
	(1) Innerwick in Glenlyon	1244	c621	1	5	6	—	—	—	2	2	4	2
	(2) Fortingall,		c393	11	6	17	1	2	3	5	2	7	4
*355b	Foss,	381	270	3	4	7	—	1	1	3	2	5	4
356	Fowlis-Easter,	317	291	5	1	6	—	—	—	—	—	—	2
†357	Fowlis-Wester,	1276	1028	14	15	29	1	3	4	7	7	14	3
358	Glendevon,	138	105	1	—	1	—	—	—	2	1	3	—
359	Inchture,	659	659	9	14	23	1	1	2	5	5	10	4
*360	Kenmore,	1515	1215	12	12	24	2	1	3	12	5	17	6
*361	Killin,	1681	1977	21	8	29	3	—	3	16	13	29	7
362	Kilmadock,	3312	3170	44	40	84	1	5	6	28	30	58	14
363	Kilspindie,	665	679	12	7	19	1	1	2	5	4	9	7
364	Kincardine,	1778	1484	23	18	41	4	2	6	14	18	32	10
365	Kinclaven,	758	607	5	14	19	—	2	2	3	7	10	7
366	Kinfauns,	657	578	8	6	14	—	2	2	6	9	15	3
*367	Kinloch-Rannoch,	1147	921	12	10	22	2	1	3	5	8	13	1
368	Kinnaird,	318	299	9	3	12	—	—	—	3	1	4	2
369	Kinnoul,	796	723	9	7	16	—	1	1	3	2	5	6
†370	Kirkmichael—												
	(1) Kirkmichael,	812	657	12	4	16	3	1	4	6	4	10	4
	(2) Glenshee,	334	241	1	3	4	—	1	1	2	1	3	—
371	LECROFT,	538	535	12	10	22	—	3	3	3	5	8	3
†372	Lethendy, etc.—												
	(1) Lethendy,	235	179	1	3	4	1	—	1	1	3	4	1
	(2) Kinloch,	295	251	2	1	3	—	—	—	2	—	2	—
†373	Little Dunkeld,	2089	2352	21	20	41	—	3	3	29	29	58	11
374	LOGIE,	3483	4553	56	54	110	3	2	5	35	49	84	24
*375	Logiealmond,	815	646	7	7	14	—	1	1	2	1	3	5
†376	Logierait,	1902	1739	24	26	50	6	3	9	20	21	41	7
377	Longforgan,	1823	1753	28	21	49	4	—	4	17	8	25	10
378	Madderty,	536	523	5	5	10	1	1	2	2	1	3	3
379	Meigle,	1122	1003	16	11	27	1	2	3	14	6	20	3
380	Methven,	2290	2073	19	19	38	3	3	6	13	23	36	7
381	Moneydie,	252	244	2	5	7	—	—	—	3	2	5	1
382	Monzie,	461	413	3	1	4	—	—	—	1	3	4	—
†383	Monzievairst,	782	744	9	8	17	—	—	—	3	9	12	4
†384	Moulin,	1605	1561	26	21	47	—	2	2	19	19	38	9
*385	MUCKHART,	615	612	9	6	15	1	—	1	5	2	7	2
*386a	Muthill,	2001	1916	21	29	50	5	4	9	12	10	22	14
*386b	Persie,	839	820	9	8	17	1	1	2	5	7	12	4
387	PERTH,	26094	26382	432	441	873	29	43	72	290	350	640	232
388	Port of Menteith,	1375	1243	14	11	25	—	2	2	6	9	15	5

No. of District.	REGISTRATION DISTRICTS.	POPULATION.		Total Births, including the Illegitimate.			Illegitimate Births.			Deaths.			Marriages.
		1861.	1871.	Males.	Fem.	Total.	Mal.	Fem.	Total.	Mal.	Fem.	Total.	
+389	RATTRAY,	2234	2586	38	33	71	6	5	11	24	42	66	21
+390	Redgorton,	1596	1401	16	17	33	1	1	2	8	9	17	10
391	Rhynd,	297	327	4	—	4	1	—	1	3	4	7	1
392	St Madoes,	280	290	4	6	10	—	—	—	4	4	8	4
393	St Martins,	904	735	9	15	24	—	1	1	3	6	9	7
+394a	Scone,	2153	2185	33	33	66	3	5	8	23	26	49	14
+394b	Strathfillan, . . .	411	342	2	3	5	1	—	1	2	4	6	1
+394c	Tenandry,	595	530	3	7	10	—	—	—	7	5	12	—
+395	Tibbermore,	1182	1128	12	15	27	—	3	3	8	12	20	10
396	Trinity-Gask, . . .	488	415	4	7	11	—	1	1	3	1	4	3
397	Tulliallan,	2410	2184	42	33	75	7	1	8	23	36	59	17
+398	Weem,	215	186	3	2	5	1	—	1	4	3	7	—
Total,		133198	128550	1759	1714	3473	166	191	357	1178	1301	2479	805
14. FIFE.													
+399	Abbotshall (merged in 442),												
+400	ABDIE,	1257	1057	19	15	34	—	3	3	12	8	20	5
401	Aberdour,	1874	1697	30	33	63	3	2	5	19	14	33	19
402	ANSTRUTHER- EASTER,	1155	1239	16	23	39	1	1	2	12	8	20	8
403	ANSTRUTHER- WESTER,	421	545	9	4	13	1	—	1	5	4	9	—
404	Arngask,	705	565	10	9	19	—	—	—	8	3	11	2
405	AUCHTERDERRAN, . .	3457	4017	97	90	187	3	4	7	33	39	72	18
406	AUCHTERMUCHTY, . .	3285	2958	37	37	74	9	8	17	24	23	47	19
407	Auchtertool,	609	529	25	14	39	1	1	2	11	4	15	1
408	BALLINGRY,	736	982	27	22	49	5	1	6	6	6	12	6
409	Balmerino,	815	717	9	10	19	1	3	4	—	1	1	5
410	Beath,	2390	3534	112	99	211	7	3	10	41	34	75	23
411	BURNTISLAND, . . .	3670	3872	68	53	121	3	4	7	33	49	82	19
412	Cameron,	1362	1158	18	17	35	2	3	5	4	8	12	7
413	Carnbee,	1157	1088	26	16	42	2	2	4	13	5	18	4
414	Carnock,	2925	1764	21	22	43	—	4	4	14	8	22	4
415	Ceres,	2723	2381	41	22	63	5	2	7	18	21	39	16
416	Collessie,	1530	1703	34	36	70	2	2	4	15	14	29	13
417	CRAIL,	1931	1864	26	25	51	—	—	—	14	16	30	11
418	Creich,	377	387	7	2	9	1	—	1	1	2	3	2
419	Cults,	800	767	12	9	21	1	1	2	9	2	11	4
420	CUPAR,	6750	7102	107	81	188	12	10	22	80	69	149	48
421	Dairsie,	638	687	13	9	22	—	4	4	8	4	12	6
422	Dalgetty	1569	1310	39	41	80	—	4	4	13	16	29	16
*423	Dunbog,	414	395	7	4	11	—	—	—	4	3	7	3
*424	DUNFERMLINE—												
	(1) Burgh,	13,506	14,963	324	322	646	21	16	37	165	183	348	131
	(2) Landward, . . .	7609	8293	135	143	278	9	10	19	96	65	161	39
425	Dunino,	370	325	4	3	7	—	1	1	1	—	1	3
426	DYSART,	8842	9682	199	194	393	8	15	23	97	111	208	82
427	ELIE,	826	775	9	7	16	—	1	1	7	9	16	8
428	FALKLAND,	2937	3069	23	36	59	1	2	3	32	27	59	20
429	FERRY PORT-ON-CRAIG, .	2013	2674	48	42	90	10	6	16	29	22	51	19
+430	Flisk,	230	212	5	1	6	—	1	1	3	2	5	3
431	Forgan,	1326	2243	36	33	69	1	2	3	24	23	47	16
*432	INVERKEITHING, . .	3196	3131	65	68	133	3	3	6	30	24	54	23
433	Kemback,	896	1056	4	8	12	—	—	—	7	8	15	5
434	Kennoway,	2012	1703	18	20	38	2	—	2	14	22	36	13
435	Kettle,	2474	2323	33	35	68	5	1	6	18	23	41	14
436	KILCONQUHAR, . . .	2431	2018	20	32	52	1	5	6	20	22	42	8
437	Kilmany,	656	651	4	11	15	—	—	—	7	3	10	—
438	KILRENNY,	2534	2945	63	55	118	2	3	5	25	31	56	15

No. of District.	REGISTRATION DISTRICTS.	POPULATION.		Total Births, including the Illegitimate.			Illegitimate Births.			Deaths.			Marriages.
		1861.	1871.	Males.	Fem.	Total.	Mal.	Fem.	Total.	Mal.	Fem.	Total.	
439	KINGHORN,	2349	2602	46	40	86	5	10	15	18	33	51	24
440	KINGLASSIE,	1266	1082	26	21	47	1	—	1	12	17	29	7
441	Kingsbarns,	937	922	7	11	18	1	2	3	7	7	14	7
442	KIRKCALDY & Abbots-hall,	11925	13509	270	230	500	18	12	30	128	137	265	115
443	Largo,	2626	2318	45	39	84	1	2	3	17	21	38	10
444	LESLIE,	4332	4294	68	49	117	8	6	14	35	26	61	28
445	Leuchars,	1903	1727	39	28	67	6	2	8	16	18	34	9
446	Logie,	410	402	5	5	10	1	1	2	4	6	10	4
447	Markinch,	5375	5413	97	98	195	6	11	17	47	52	99	38
448	Monimail,	1054	918	19	14	33	2	1	3	4	3	7	6
449	Moonzie,	179	154	1	—	1	—	—	—	1	3	4	1
450	NEWBURGH,	2693	2529	41	40	81	3	3	6	28	33	61	7
451	Newburn,	374	362	—	5	5	—	1	1	7	1	8	1
452	PITTENWEEM,	1710	1803	42	37	79	7	4	11	22	15	37	12
453	ST ANDREWS and St Leonards,	7605	8592	99	99	198	15	3	18	61	66	127	64
454	St Monance (or Abercrombie),	1498	1761	40	37	77	3	1	4	14	14	28	9
455	Saline,	1610	1259	18	14	32	2	1	3	7	14	21	7
456	SCOONIE,	3257	3178	54	44	98	2	2	4	23	24	47	16
457	Strathmiglo,	2261	2267	31	25	56	2	4	6	19	15	34	14
458	Torryburn,	1229	1051	13	15	28	1	3	4	7	10	17	8
459	WEMYSS—(1) WEMYSS,	6003	c.2492	56	51	107	3	3	6	28	22	50	17
	(2) Buckhaven,		c.3908	84	70	154	—	3	3	28	38	66	29
	Total,	155021	160924	2901	2675	5576	209	203	412	1505	1511	3016	1091
15. KINROSS.													
460	Cleish,	649	539	7	10	17	1	2	3	2	6	8	3
461	Fossoway and Tulliebole,	1584	1461	17	19	36	2	3	5	7	14	21	6
462	KINROSS,	2649	2477	33	33	66	4	6	10	32	30	62	18
463	Orwell,	2399	2248	22	33	55	4	2	6	27	23	50	15
464	Portmoak,	1450	1193	13	17	30	—	—	—	6	6	12	4
	Total,	8731	7918	92	112	204	11	13	24	74	79	153	46
16. CLACKMANNAN.													
465	ALLOA,	8867	9940	229	234	463	15	17	32	122	120	242	65
466	CLACKMANNAN,	4425	4653	98	94	192	5	2	7	41	52	93	24
467	DOLLAR,	1776	2524	25	27	52	—	2	2	23	22	45	10
468	TILlicoultry,	5054	5118	83	79	162	3	8	11	40	44	84	48
	Total,	20122	22235	435	434	869	23	29	52	226	238	464	147
V. WEST-MIDLAND.													
17. STIRLING.													
469	Airth,	1194	1396	26	37	63	2	5	7	14	15	29	7
470	ALVA,	3283	4296	103	112	215	5	9	14	48	60	108	17
471	Baldernock,	718	616	11	10	21	—	—	—	7	1	8	4
472	Balfron,	1517	1502	16	25	41	4	2	6	21	12	33	12
473	Bothkennar,	c.1210	1726	39	54	93	1	2	3	25	16	41	12
474	Buchanan,	705	591	7	11	18	—	—	—	4	1	5	5
475	CAMPSIE,	6483	6739	100	107	207	10	10	20	67	65	132	43
476	DENNY—(1) DENNY,	4988	c.2993	74	77	151	3	3	6	71	80	151	35
	(2) Haggis,		c.2000	28	20	48	1	—	1	15	11	26	9
477	Drymen,	1619	1405	16	16	32	2	2	4	8	14	22	4
478	DUNIPACE,	1731	1733	38	33	71	4	3	7	30	41	71	15

No. of District.	REGISTRATION DISTRICTS.	POPULATION.		Total Births, including the Illegitimate.			Illegitimate Births.			Deaths.			Marriages.
		1861.	1871.	Males.	Fem.	Total.	Mal.	Fem.	Total.	Mal.	Fem.	Total.	
+479	FALKIRK—(1) Burgh,	9030	9547	244	211	455	10	14	24	146	125	271	95
	(2) Landward,	c.6320	6726	172	159	331	17	16	33	83	73	156	85
480	Fintry,	685	499	6	4	10	2	—	2	2	11	13	1
481a	Gargunnoch,	728	675	8	12	20	—	1	1	6	3	9	2
*481b	GRANGEMOUTH,	c.2249	2569	61	65	126	—	2	2	31	34	65	17
482	Killlearn,	1171	1111	15	15	30	2	1	3	10	7	17	4
483	KILSYTH,	6112	6313	156	141	297	6	6	12	109	77	186	56
484	Kippen,	1722	1568	20	27	47	1	2	3	17	10	27	7
485	Larbert,	4999	5280	119	91	210	6	6	12	71	74	145	52
486	Muiravonside,	2660	2653	75	59	134	3	5	8	28	19	47	24
+487	Polmont,	c.4050	3848	86	101	187	6	12	18	44	48	92	31
+488	ST NINIANS—												
	(1) ST NINIANS,	4693	5289	103	89	192	4	7	11	62	58	120	32
	(2) BANNOCKBURN,	3796	4358	84	75	159	4	6	10	45	45	90	30
489	Slamannan,	2916	4164	132	132	264	9	4	13	51	48	99	35
*490	STIRLING,	12171	12513	239	212	451	21	20	41	159	157	316	139
491	Strathblane,	1388	1235	16	25	41	1	1	2	12	7	19	12
	Total,	88138	93345	1994	1920	3914	124	139	263	1186	1112	2298	785
	18. DUMBARTON.												
492	Arrochar,	629	525	5	7	12	—	—	—	4	6	10	3
*493	BONHILL,	9059	9593	185	171	356	11	18	29	102	101	203	107
+494	CARDROSS,	4168	4405	87	87	174	9	2	11	41	36	77	31
495	Cumbernauld,	3513	3602	91	83	174	6	10	16	53	42	95	27
*496	DUMBARTON,	8268	11423	272	239	511	13	13	26	125	120	245	85
497	Kilmaronock,	1085	978	16	5	21	—	—	—	12	3	15	3
498	KIRKINTILLOCH,	8179	8257	201	171	372	18	13	31	130	113	243	70
499	Luss,	831	730	5	9	14	1	—	1	8	5	13	2
500	NEW or EAST KILPATRICK,	4910	6038	140	131	271	6	6	12	43	57	100	28
501	Old or West Kilpatrick,	5577	5346	123	124	247	8	4	12	51	52	103	40
502	Roseneath,	1626	1780	20	20	40	—	1	1	12	17	29	12
503	Row,	6334	8439	127	121	248	7	6	13	77	92	169	49
	Total,	54179	61116	1272	1168	2440	79	73	152	658	644	1302	457
	19. ARGYLL.												
	Mainland.												
504	Ardchattan,	1381	1172	13	14	27	—	1	1	8	7	15	5
505	Ardnamurchan—												
	(1) Aharacle,	1544	1414	13	22	35	1	1	2	10	9	19	8
	(2) Arisaig,	1343	1131	12	6	18	2	2	4	5	9	14	1
	(3) Sunart(or Strontian),	759	760	12	5	17	—	—	—	7	2	9	1
	(4) Western Ardnamurchan,	1054	954	15	15	30	—	—	—	7	6	13	3
*506	Ballachulish and Corran of Ardgor,	919	849	7	7	14	1	—	1	8	6	14	1
507	CAMPBELTOWN,	8149	8580	141	150	291	9	11	20	97	127	224	77
508	Craignish,	618	481	4	8	12	1	—	1	4	3	7	2
*509	Cumlodden and Minard,	c.1340	c.1133	18	19	37	1	—	1	18	8	26	4
510	DUNOON and KILMUN,	5461	6871	96	94	190	4	5	9	78	74	152	29
+511	Glassary,	c.1462	c.1228	12	15	27	—	2	2	8	10	18	8
*512	Glenorchy,	869	752	14	13	27	—	2	2	15	7	22	2
+513	INVERARAY,	1650	1503	16	17	33	—	—	—	7	7	14	2
514	Inverchaolain,	424	443	2	5	7	—	—	—	1	7	8	3
+515	Kilbrandon & Kilchattan,	2053	2107	22	23	45	—	1	1	14	17	31	8
516	Kilcalmonell, etc.—												
	(1) Kilcalmonell,	742	684	5	2	7	—	—	—	5	5	10	3
	(2) Kilberry,	583	485	5	9	14	—	3	3	—	9	9	1

No. of District.	REGISTRATION DISTRICTS.	POPULATION.		Total Births, including the Illegitimate.			Illegitimate Births.			Deaths.			Marriages.
		1861.	1871.	Males.	Fem.	Total.	Mal.	Fem.	Total.	Mal.	Fem.	Total.	
*517	Kilchrenan, etc.—												
	(1) Kilchrenan, . . .	587	396	6	—	6	1	—	1	2	2	4	1
	(2) Dalavich, . . .	230	217	3	3	6	—	—	—	1	2	3	—
518	Kilfinan, . . .	1891	2228	39	32	71	2	1	3	13	17	30	9
519	Killean and Kilchenzie, .	1890	1614	14	24	38	1	2	3	10	13	23	8
+520	Kilmalie, . . .	3353	3217	37	47	84	5	4	9	29	35	64	11
521	Kilmartin, . . .	949	869	13	9	22	2	1	3	6	7	13	4
522	Kilmodan, . . .	433	358	1	5	6	—	—	—	1	—	1	—
523	KILMORE AND KILBRIDE, . . .	2962	3402	31	52	83	1	5	6	32	30	62	19
524	Kilninver, etc.—												
	(1) Kilninver, . . .	314	253	1	4	5	—	—	—	1	—	1	1
	(2) Kilmelford, . . .	486	506	3	3	6	—	—	—	1	—	1	1
525	Lismore, etc.—												
	(1) Lismore, . . .	1023	908	10	10	20	1	2	3	8	6	14	2
	(2) Appin, . . .	825	728	5	9	14	—	1	1	2	4	6	4
	(3) Glencoe & Ballachu- lish, . . .	1324	1529	22	20	42	—	—	—	11	12	23	7
	(4) Duror, . . .	423	370	5	4	9	—	—	—	4	2	6	3
*526	Lochgilphhead, . . .	3312	3680	55	34	89	3	1	4	39	43	82	16
527	Lochgailhead, etc.—												
	(1) Lochgailhead, . . .	418	436	8	4	12	—	—	—	5	3	8	—
	(2) Kilmorich, . . .	284	330	5	5	10	—	—	—	1	2	3	—
528	Morvern, . . .	1226	973	11	9	20	1	—	1	7	6	13	2
*529	Muckairn, . . .	965	790	14	11	25	3	2	5	5	9	14	7
530	North Knapdale, . . .	1327	1059	8	8	16	2	1	3	13	6	19	4
531	Saddell, etc.—												
	(1) Saddell, . . .	739	645	7	9	16	—	1	1	3	7	10	4
	(2) Skipness, . . .	533	500	8	5	13	1	—	1	3	7	10	2
532	Southend, . . .	1214	1044	16	7	23	3	1	4	6	7	13	4
+533	South Knapdale, . . .	654	548	4	6	10	—	1	1	2	1	3	1
534	Stralachlan, etc.—												
	(1) Stralachlan, . . .	309	340	6	7	13	—	1	1	2	4	6	1
	(2) Strachur, . . .	563	527	9	7	16	—	—	—	7	7	14	1
*535	Tarbert, . . .	1661	1866	31	25	56	2	1	3	28	13	41	9
	<i>Insular.</i>												
*536	Bowmore (or Kilarrow),	2701	2088	17	25	42	1	2	3	28	27	55	6
537	Gigha, . . .	467	390	9	5	14	1	1	2	1	3	4	2
538	Iona (merged in 542), . .												
+539	Jura, etc.—(1) Jura, . . .	858	775	13	7	20	1	—	1	5	7	12	4
	(2) Colonsay, . . .	598	456	5	7	12	—	1	1	3	5	8	3
+540	Kilchoman, . . .	2377	1882	16	21	37	2	1	3	22	18	40	5
541	Kildalton and Oa, . . .	2956	2283	34	24	58	6	4	10	27	21	48	11
*542	Kilfinichen & Kilvickeon,	2535	2461	23	22	45	2	2	4	14	9	23	10
*543	Kilmeny, . . .	1268	924	14	10	24	3	—	3	7	5	12	3
+544	Kilninian and Kilmore, .	1641	1189	11	17	28	2	1	3	15	8	23	1
*545	Kinlochspelve, . . .	428	388	2	3	5	—	—	—	3	—	3	—
*546	Oa (merged in 541), . . .												
*547	Portnahaven, . . .	1059	979	11	16	27	2	—	2	11	9	20	5
*548	Salen, . . .	604	605	5	6	11	—	—	—	4	3	7	3
*549	Tobermory, . . .	1566	1344	13	12	25	2	1	3	21	14	35	4
+550	Torosay, . . .	557	454	4	1	5	—	1	1	3	7	10	2
551	Tyree, etc.—(1) Tyree, .	3217	2837	31	34	65	6	1	7	24	27	51	10
	(2) Coll, . . .	781	723	14	5	19	1	—	1	10	7	17	1
	Total,	83859	79661	1001	998	1999	76	68	144	732	728	1460	349

No. of District.	REGISTRATION DISTRICTS.	POPULATION.		Total Births, including the Illegitimate.			Illegitimate Births.			Deaths.			Marriages.
		1861.	1871.	Males.	Fem.	Total.	Mal.	Fem.	Total.	Mal.	Fem.	Total.	
	20. BUTE.												
552	Cumbræ,	1236	1613	24	25	49	1	—	1	15	21	36	7
+553	Kilbride—(1) Brodick, . .	902	928	9	6	15	—	2	2	7	3	10	1
	(2) Kilbride,	1351	1276	10	17	27	1	1	2	10	11	21	6
554	Kilmory,	2515	2278	21	12	33	—	1	1	23	13	36	7
555	Kingarh,	905	901	12	14	26	2	—	2	5	11	16	5
*556	Lochranza,	824	777	9	9	18	2	—	2	9	6	15	5
*557	North Bute,	1351	1393	27	15	42	2	2	4	6	13	19	6
+558	ROTHESAY,	7227	7800	108	103	211	7	10	17	96	94	190	63
	Total,	16311	16966	220	201	421	15	16	31	171	172	343	100
	VI. SOUTH-WESTERN.												
	21. RENFREW.												
*559	ABBEY—												
	(1) Part of PAISLEY, . . .	15889	16348	324	331	655	29	28	57	217	199	416	176
	(2) LANDWARD,	5670	5679	120	95	215	4	3	7	47	61	108	34
	(3) JOHNSTONE,	8142	8590	172	184	356	10	5	15	99	86	185	83
560	CATHCART,	3782	7231	194	169	363	2	3	5	63	78	141	90
561	Eaglesham,	2328	1714	23	24	47	1	—	1	13	25	38	20
562	EASTWOOD,	11314	13098	276	237	513	17	13	30	146	158	304	106
563	Erskine,	1457	1565	20	23	43	—	2	2	16	8	24	7
564	GREENOCK—												
	(1) New, or Middle, . . .	9446	9592	159	155	314	21	19	40	121	112	233	28
	(2) East,	12135	17061	480	428	908	15	28	43	229	196	425	125
	(3) Old, or West,	22313	33141	859	774	1633	50	45	95	507	448	955	380
565	Houstoun and Killellan, . .	2490	2167	44	38	82	—	2	2	29	29	58	12
566	Inchinnan,	619	584	9	6	15	—	—	—	8	9	17	6
567	INVERKIP—												
	(1) Inverkip,	1188	1393	24	13	37	2	—	2	15	7	22	5
	(2) GOUROCK,	2307	3109	45	57	102	1	3	4	36	36	72	20
568	KILBARCHAN,	6348	6093	106	133	239	4	5	9	40	70	110	42
569	Kilmalcolm,	1455	1716	35	30	65	3	3	6	16	17	33	12
570	Lochwinnoch,	3821	3816	44	62	106	5	6	11	32	27	59	22
571	MEARNS,	3547	3543	54	61	115	4	2	6	28	26	54	21
572	NEILSTON—												
	(1) Neilston,	4577	4633	80	67	147	16	11	27	34	39	73	33
	(2) BARRHEAD,	6436	6503	116	81	197	7	4	11	46	53	99	45
*573	PAISLEY,	31538	31909	617	622	1239	38	32	70	427	444	871	288
574	PORT-GLASGOW,	7294	9912	261	236	497	14	13	27	123	145	268	82
+575	RENFREW,	4650	5908	133	139	272	5	10	15	84	99	183	43
	Total,	168746	195305	4195	3965	8160	248	237	485	2376	2372	4748	1680
	22 AYR.												
576	ARDROSSAN—												
	(1) OLD ARDROSSAN, . . .	3530	3336	68	48	116	3	2	5	50	49	99	38
	(2) NEW ARDROSSAN, . . .	3246	3929	75	65	140	2	2	4	50	56	106	34
577	AUCHINLECK,	4213	6174	168	125	293	10	9	19	78	75	153	54
*578	AYR,	19659	19172	371	364	735	38	38	76	256	323	579	180
579	Ballantrae,	1483	1277	19	17	36	2	—	2	5	9	14	4
580	Barr,	910	672	9	8	17	—	1	1	5	8	13	5
581	BEITH,	5775	6233	134	101	235	8	4	12	68	69	137	52
582	Colmonell—(1) Colmonell, . .	2588	{ 1167 1126	21	14	35	3	2	5	10	5	15	9
	(2) Barrhill,			22	14	36	4	3	7	10	6	16	8
583	Coylton,	1604	1440	48	38	86	4	2	6	16	18	34	14
584	Craigie,	730	618	5	4	9	1	—	1	3	4	7	2
585	Dailly,	2050	1932	43	30	73	6	3	9	16	16	32	13
586	Dalmellington,	4194	6165	183	157	340	10	8	18	102	75	177	32
587	DALRY,	11156	10885	193	106	299	10	9	19	104	109	213	60

No. of District.	REGISTRATION DISTRICTS.	POPULATION.		Total Births, including the Illegitimate.			Illegitimate Births.			Deaths.			Marriages.
		1861.	1871.	Males.	Fem.	Total.	Mal.	Fem.	Total.	Mal.	Fem.	Total.	
588	Dalrymple, . . .	1325	1412	32	24	56	6	4	10	13	11	24	15
589	Dreghorn, . . .	3283	3241	86	80	166	5	8	13	49	45	94	21
+590	DUNDONALD—												
	(1) Dundonald, . . .	2095	1507	17	28	45	1	2	3	13	16	29	9
	(2) TROON, . . .	2599	2870	46	47	93	2	2	4	37	22	59	19
591	Dunlop, . . .	1038	1160	21	17	38	—	—	—	6	9	15	6
592	Fenwick, . . .	1532	1318	18	12	30	2	3	5	11	12	23	6
593	GALSTON, . . .	5254	6331	131	134	265	9	6	15	66	75	141	47
594	GIRVAN, . . .	7053	5685	86	83	169	16	12	28	70	67	137	41
*595	IRVINE, . . .	8607	8462	247	206	453	23	23	46	157	139	296	87
596	KILBIENIE, . . .	5265	4953	85	94	179	6	7	13	48	43	91	45
597	KILMARNOCK, . . .	23556	24072	563	473	1036	35	33	68	293	300	593	218
598	Kilmaurs, . . .	3526	3449	92	64	156	8	5	13	46	41	87	33
599	KILWINNING, . . .	7717	7375	183	161	344	13	11	24	87	75	162	47
600	Kirkmichael, . . .	2823	2254	35	30	65	—	2	2	25	27	52	21
601	Kirkoswald, . . .	2060	1846	25	25	50	—	3	3	20	13	33	14
602	LARGS, . . .	3620	4087	62	59	121	—	—	—	46	43	89	35
603	LOUDOUN, . . .	4840	5525	98	96	194	7	13	20	53	55	108	47
604	Mauchline, . . .	2303	2435	46	45	91	3	3	6	25	18	43	20
605	MAYBOLE, . . .	6713	5900	117	96	213	10	10	20	44	46	90	42
606	Monkton and Prestwick,	1937	1744	26	25	51	5	3	8	13	11	24	13
607	MUIRKIRK, . . .	3270	3253	106	96	202	15	5	20	47	45	92	32
608	New Cumnock, . . .	2891	3434	131	108	239	14	14	28	48	42	90	31
609	Ochiltree, . . .	1676	1656	20	19	39	2	1	3	11	12	23	8
610	OLD CUMNOCK, . . .	3721	4041	97	75	172	6	6	12	61	47	108	36
611	RICCARTON, . . .	5629	5845	161	164	325	15	13	28	96	79	175	41
*612	St Quivox and Newton- upon-Ayr, . . .	1870	1363	36	31	67	3	6	9	18	7	25	13
613	SORN, . . .	4042	4032	69	63	132	9	4	13	57	43	100	29
614	Stair, . . .	743	734	21	25	46	1	2	3	7	8	15	6
615	STEVENSTON, . . .	5452	5019	128	104	232	12	4	16	64	57	121	38
616	STEWARTON, . . .	4449	4478	83	74	157	6	2	8	45	52	97	42
617	Straiton, . . .	1544	1443	15	27	42	1	4	5	7	7	14	11
618	Symington, . . .	855	792	11	14	25	2	3	5	6	5	11	6
619	Tarbolton, . . .	2669	3219	84	59	143	4	4	8	37	41	78	31
620	West Kilbride, . . .	1988	1847	35	29	64	6	4	10	25	16	41	10
Total,		199083	200908	4372	3778	8150	348	305	653	2424	2351	4775	1625
23 LANARK.													
621	AVONDALE, . . .	6125	5460	89	81	170	6	6	12	75	68	143	51
+622	BARONY,—												
	(1) MARYHILL, . . .	4356	6659	294	315	609	10	17	27	137	136	273	101
	(2) SHETTLESTONE, . . .	6914	7517	192	181	373	8	9	17	91	93	184	63
623	Biggar, . . .	1999	2013	42	32	74	6	6	12	18	17	35	15
624	Blantyre, . . .	3092	3472	142	161	303	6	4	10	58	75	133	40
625	BOTHWELL—												
	(1) BOTHWELL, . . .	7059	9193	246	205	511	15	8	23	132	112	244	83
	(2) HOLYTOWN, . . .	10844	10099	258	243	501	10	13	23	138	108	246	61
626a	Cadder—(1) Western, . . .	3023	3261	69	73	142	2	3	5	32	26	58	19
	(2) Eastern, . . .	2925	3203	83	67	150	4	2	6	41	30	71	22
*626b	Calderhead, . . .	4034	4271	96	83	179	7	11	18	49	37	86	31
627	CAMBUSLANG, . . .	3647	3740	161	174	335	11	9	20	69	70	139	42
+628	CAMBUSNETHAN, . . .	13118	18709	492	501	993	36	26	62	210	193	403	178
629	CARLUKE, . . .	6176	7066	189	176	365	17	27	44	99	52	151	85
630	Carmichael, . . .	836	708	10	11	21	—	1	1	3	2	5	1
631	Carmunnoch, . . .	734	702	9	8	17	—	1	1	6	8	14	5
632	Carnwath, . . .	3584	5709	147	133	280	18	8	26	51	50	101	51
633	Carstairs, . . .	1345	1718	39	23	62	3	2	5	8	12	20	14

No. of District.	REGISTRATION DISTRICTS.	POPULATION.		Total Births, including the Illegitimate.			Illegitimate Births.			Deaths.			Marriages.
		1861.	1871.	Males.	Fem.	Total.	Mal.	Fem.	Total.	Mal.	Fem.	Total.	
634	Covington and Thankerton,	532	454	3	11	14	—	1	1	5	3	8	11
635	Crawford,—(1) Crawford,	694	727	16	11	27	3	1	4	9	4	13	7
	(2) Leadhills,	896	1102	22	21	43	1	3	4	10	12	22	16
636	Crawfordjohn,	980	853	8	10	18	1	1	2	12	4	16	4
637	Culter,	665	593	8	8	16	—	—	—	7	6	13	3
638	DALSERF—												
	(1) LARKHALL,	3629	5332	150	165	315	11	15	26	78	67	145	49
	(2) Dalserv,	1247	2009	58	61	119	3	4	7	25	31	56	11
639	DALZIEL,	5438	9175	296	310	606	21	15	36	161	136	297	73
640	Dolphinton,	260	231	—	—	—	—	—	—	2	1	3	2
641	Douglas,	2490	2624	48	30	78	5	3	8	28	18	46	22
642	Dunsyre,	312	302	6	4	10	3	—	3	2	1	3	1
643	EAST KILBRIDE,	4064	3861	81	62	143	5	1	6	42	36	78	25
*644	GLASGOW—												
	(1) Bridgeton,	c.31154	867	883	1750	48	53	101	583	588	1171	383	
	(2) Camlachie,	c.32676	841	865	1706	61	75	136	519	544	1063	206	
	(3) Dennistoun,	c.31024	835	849	1684	42	45	87	856	594	1450	558	
	Do. (Landward),	c. 3298	69	79	148	22	25	47	189	155	344	21	
	(4) Calton,	c.43654	764	673	1437	74	50	124	521	493	1014	353	
	(5) Blackfriars,	c.54602	868	825	1693	190	178	368	582	565	1147	256	
	(6) St Rollox,	c.38383	1031	921	1952	90	68	158	770	714	1484	382	
	Do. (Landward),	c. 239	15	13	28	—	—	—	5	3	8	2	
	(7) Blythswood,	c.44310	535	474	1009	72	65	137	420	393	813	449	
	(8) Milton,	c.38223	912	868	1780	59	62	121	494	455	949	268	
	(9) Kelvin,	c.32516	840	812	1652	35	36	71	497	461	958	704	
	(10) Anderston,	c.40178	801	749	1550	48	57	105	518	500	1018	301	
	(11) Hutchesontown,	c.29717	982	1047	2029	61	45	106	515	470	985	244	
	Do. (Landward),	c. 1008	134	97	231	4	3	7	47	44	91	18	
	(12) Gorbals,	c.43212	738	680	1418	56	41	97	509	435	944	669	
	Do. (Landward),	c. 1565	94	81	175	—	2	2	38	40	78	24	
	(13) Tradeston,	c.22340	385	361	746	33	18	51	227	249	476	104	
	Do. (Landward),	c. 1411	53	48	101	1	4	5	17	29	46	23	
	(14) Kinning Park,	c. 9857	286	289	575	16	13	29	163	128	291	75	
	Do. (Landward),	c. 8953	273	297	570	17	14	31	164	138	302	107	
645	Glassford,	1938	1430	29	23	52	3	2	5	14	17	31	10
+646	GOVAN—												
	(1) GOVAN CHURCH,	c10646	19899	1067	1114	2181	53	61	114	607	543	1150	387
	(2) PARTICK,	c14809	c23837	667	672	1339	33	24	57	346	324	670	272
647	HAMILTON,	14047	16803	408	402	810	26	19	45	235	215	450	136
648	LANARK,	7891	7841	109	101	210	21	13	34	92	90	182	43
649	Lesmahagow,	9266	8709	222	202	424	17	17	34	100	75	175	87
650	Libberton,	836	691	8	6	14	—	—	—	6	2	8	3
651	NEW MONKLAND—												
	(1) AIRDRIE,	12922	13488	306	290	596	15	25	40	140	146	286	144
	(2) Landward,	7632	9264	316	328	644	13	10	23	152	123	275	76
652	OLD MONKLAND—												
	(1) WESTERN,	6932	7873	196	182	378	8	8	16	90	91	181	65
	(2) MIDDLE,	15303	18410	507	425	932	28	16	44	242	217	459	157
	(3) EASTERN,	7308	7790	213	170	383	12	7	19	95	74	169	51
653	Pettinain,	407	366	8	8	16	—	3	3	2	2	4	1
654	RUTHERGLEN,	9335	10766	271	244	515	7	10	17	155	156	311	119
+655	Shotts,	4792	5699	180	154	334	7	8	15	80	72	152	58
656	STONEHOUSE,	3267	3177	60	66	126	5	5	10	37	33	70	29
657	Symington,	528	442	5	4	9	1	—	1	2	3	5	3
658	Walston,	480	425	6	3	9	—	1	1	3	2	5	3
659	Wandell and Lamington,	380	332	3	5	8	—	1	1	2	3	5	—
660	Wiston and Robertson,	786	680	5	8	13	—	3	3	3	5	8	1
	Total,	640444	787005	19163	18538	37701	1390	1284	2674	11635	10599	22234	7878

No. of District.	REGISTRATION DISTRICTS.	POPULATION.		Total Births, including the Illegitimate.			Illegitimate Births.			Deaths.			Marriages.
		1861.	1871.	Males.	Fem.	Total.	Mal.	Fem.	Tot.	Mal.	Fem.	Total.	
	VII. SOUTH-EASTERN.												
	24. LINLITHGOW.												
661	Abercorn,	965	933	9	5	14	2	1	3	9	7	16	4
662	BATHGATE—												
	(1) BATHGATE,	6572	6942	140	113	253	8	5	13	55	50	105	49
	(2) ARMADALE,	3562	3187	64	62	126	5	4	9	28	19	47	25
663	BORROWSTOUNNESS,	5698	4986	108	118	226	10	7	17	64	70	134	48
664	CARRIDEN,	1821	1799	39	22	61	3	2	5	21	23	44	10
†665	Dalmeny,	804	916	16	17	33	2	1	3	5	6	11	6
666	Ecclesmachan,	309	329	7	2	9	3	—	3	1	—	1	4
†667	Kirkliston,	1907	2172	52	40	92	1	3	4	22	25	47	18
668	LINLITHGOW,	5784	5554	104	85	189	10	8	18	66	68	134	45
669	Livingstone,	1366	1727	34	29	63	1	1	2	19	13	32	4
*670	QUEENSFERRY,	1391	1521	42	30	72	2	4	6	16	16	32	12
671	Torphichen,	1848	1630	29	27	56	2	2	4	14	8	22	6
672	Uphall,	1507	2772	47	55	102	3	3	6	20	24	44	20
673	WHITBURN,												
	(1) Whitburn,	5511 {	c2250	34	45	79	1	2	3	28	23	51	22
	(2) Fauldhouse,		c4661	105	78	183	7	11	18	45	40	85	29
	Total,	92871	41379	830	728	1558	60	54	114	413	392	805	302
	25. EDINBURGH.												
†674	Borthwick,	1569	1494	17	20	37	—	4	4	7	12	19	10
675	Carrington,	681	712	12	10	22	1	1	2	6	9	15	3
†676	Cockpen,	2113	2481	47	64	111	2	4	6	28	25	53	20
677	Colinton,	2656	3644	65	61	126	16	10	26	88	108	196	17
678	Corstorphine,	1579	1788	24	33	57	—	2	2	17	13	30	12
†679	Cramond,	2695	3020	42	46	88	2	2	4	31	37	68	22
680	Cranston,	1035	1036	20	23	43	2	4	6	12	3	15	7
681	Crichton,	1304	1223	14	16	30	1	2	3	9	8	17	7
682	Currie,	2248	2360	38	49	87	5	4	9	17	11	28	15
*683	DALKEITH,	7114	7667	121	134	255	5	7	12	86	97	183	74
684	DUDDINGSTON—												
	(1) PORTOBELLO,	4366	5481	123	93	216	9	6	15	66	65	131	46
	(2) Landward,	857	970	12	10	22	2	1	3	17	9	26	3
*685	EDINBURGH—												
	(1) St George,	39759	51590	1009	903	1912	54	57	111	486	496	982	397
	Do. (Landward),	2309	3459	54	70	124	9	11	20	119	147	266	21
	(2) St Andrew,	38731	39781	599	574	1173	39	44	83	348	364	712	425
	(3) Canongate,	30169	33183	715	652	1367	126	122	248	640	475	1115	313
	(4) St Giles,	29679	31960	533	542	1075	45	45	90	352	358	710	351
	(5) Newington,	29797	41079	761	759	1520	38	43	81	391	482	873	552
686	Fala and Soutra,	382	364	7	4	11	—	1	1	2	2	4	2
687	Glencorse,	1217	1153	33	16	49	1	2	3	12	6	18	11
688	Heriot,	407	414	5	2	7	—	—	—	2	—	2	3
689	INVERESK,	9518	10068	173	177	350	13	8	21	114	117	231	73
*690	Kirknewton and East- Calder,	1549	2213	48	57	105	2	4	6	20	7	27	14
691	LASSWADE,	5688	7098	159	160	319	10	13	23	76	77	153	62
*692	LEITH—												
	(1) North Leith,	11562	16582	377	359	736	13	17	30	193	177	370	143
	(2) South Leith,	24467	29852	674	714	1388	36	44	80	404	400	804	338
†693	Liberton,	3510	3791	92	91	183	7	8	15	61	59	120	20
694	Mid-Calder,	1389	3634	36	33	69	5	2	7	9	20	29	7
†695	Newbattle,	2138	2424	53	45	98	3	5	8	27	28	55	16
696	Newton,	1553	1181	21	23	44	2	2	4	12	12	24	18
697	PENICUIK,	3249	3765	72	74	146	3	8	11	42	36	78	24
698a	Ratho,	1659	1744	26	26	52	3	2	5	16	9	25	9

No. of District.	REGISTRATION DISTRICTS.	POPULATION.		Total Births, including the Illegitimate.			Illegitimate Births.			Deaths.			Marriages.
		1861.	1871.	Male	Fem.	Total.	Mal.	Fem.	Total.	Mal.	Fem.	Total.	
*698b	Stobhill,	2364	2447	62	49	111	5	2	7	32	20	52	20
†699	Stow,	1870	1957	42	26	68	5	1	6	14	16	30	10
†700	Temple,	682	658	12	17	29	1	2	3	7	2	9	4
701	WEST-CALDER,	1927	7865	165	147	312	7	3	10	60	43	103	43
	Total,	273792	328138	6263	6079	12342	472	493	965	3823	3750	7573	3112
	26. HADDINGTON.												
702	Aberlady,	1019	1022	15	24	39	—	2	2	9	17	26	5
703	Athelstaneford,	902	844	11	9	20	2	—	2	5	2	7	3
704	Bolton,	332	364	8	2	10	3	—	3	1	2	3	2
705	Dirleton,	1540	1419	22	12	34	2	2	4	4	14	18	6
706	DUNBAR,	4944	4982	79	73	152	10	9	19	48	40	88	38
707	Garvald,	891	832	19	13	32	—	—	—	8	2	10	8
708	Gladsmuir,	1945	1863	26	27	53	1	—	1	16	13	29	12
709	HADDINGTON,	5548	5735	84	76	160	8	6	14	52	59	111	45
710	Humbie,	997	967	15	11	26	1	1	2	9	4	13	4
711	Innerwick,	937	892	9	16	25	—	2	2	2	6	8	1
712	Morham,	281	204	2	3	5	—	—	—	—	1	1	—
713	NORTH BERWICK,	2071	2373	45	46	91	3	4	7	18	18	36	13
714	Oldhamstocks,	615	592	6	4	10	—	1	1	3	5	8	8
715	Ormiston,	915	911	21	14	35	—	—	—	11	9	20	4
716	Pencaitland,	1187	1320	22	22	44	1	3	4	7	11	18	5
717	Prestonkirk,	1960	1931	28	26	54	3	3	6	23	19	42	11
718	Prestonpans,	2080	2069	47	58	105	1	3	4	14	29	43	23
719	Salton,	712	647	4	7	11	—	1	1	5	5	10	—
720	Spott,	555	560	5	10	15	1	—	1	2	4	6	4
721	Stenton,	692	612	7	5	12	—	—	—	7	2	9	4
722	TRANENT,	4647	4852	89	104	193	6	7	13	27	49	76	31
723	Whitekirk and Tynning- hame,	1113	1073	13	13	26	—	3	3	5	6	11	4
724	Whittinghame	710	657	11	10	21	—	—	—	2	3	5	3
725	Yester,	1033	1034	18	15	33	3	2	5	7	5	12	7
	Total,	37626	37755	606	600	1206	45	49	94	285	325	610	241
	27. BERWICK.												
726	Abbey St Bathans,	179	195	4	2	6	—	1	1	2	—	2	1
727	AYTON,	2014	1983	30	24	54	1	1	2	14	19	33	7
728	Bunkle and Preston,	756	764	8	14	22	—	3	3	1	4	5	4
729	Channelkirk,	671	705	11	5	16	1	2	3	8	4	12	1
730	Chirnside,	1502	1413	27	25	52	3	1	4	12	10	22	16
731	Cockburnspath,	1194	1133	18	23	41	2	1	3	9	8	17	3
732	Coldingham,	3241	3093	48	49	97	5	7	12	25	23	48	15
733	Coldstream,	2823	2619	30	33	63	3	4	7	24	29	53	10
734	Cranshaws,	134	142	1	—	1	—	—	—	—	1	1	3
735	DUNSE,	3595	3602	44	44	88	4	3	7	32	35	67	21
736	Earlston,	1825	1977	32	31	63	5	2	7	15	26	41	10
737	Eccles,	1861	1780	15	12	27	3	2	5	11	10	21	9
738	Edrom,	1592	1513	21	19	40	5	—	5	7	5	12	2
739	EYEMOUTH,	1804	2372	70	45	115	7	4	11	34	20	54	20
740	Fogo,	559	502	9	5	14	4	—	4	3	2	5	8
741	Foulden,	431	425	7	8	15	1	3	4	1	4	5	2
742	Gordon,	931	876	13	15	28	2	1	3	5	9	14	5
743	Greenlaw,	1370	1381	26	16	42	2	1	3	14	22	36	6
744	Hume,	420	460	4	6	10	1	2	3	1	4	5	—
745	Hutton,	1067	1077	17	12	29	1	—	1	2	7	9	7
746	Ladykirk,	564	518	10	7	17	1	1	2	3	1	4	5

No. of District.	REGISTRATION DISTRICTS.	POPULATION.		Total Births, including the Illegitimate.			Illegitimate Births.			Deaths.			Marriages.
		1861.	1871.	Males.	Fem.	Total.	Mal.	Fem.	Total.	Mal.	Fem.	Total.	
747	Langton,	502	548	3	9	12	1	—	1	2	1	3	—
748	LAUDER,	2198	2120	25	29	54	3	3	6	21	15	36	6
749	Legerwood,	599	525	5	9	14	—	—	—	4	3	7	2
750	Longformacus,	448	452	6	4	10	1	—	1	2	1	3	1
751	Merton,	729	734	9	10	19	1	—	1	6	2	8	2
752	Mordington,	377	402	8	5	13	1	—	1	7	2	9	1
753	Nenthorn,	461	434	8	8	16	2	1	3	2	2	4	1
754	Polwarth,	251	249	4	2	6	—	—	—	1	1	2	2
755	Swinton,	964	996	12	13	25	3	2	5	4	3	7	3
756	Westruther,	786	784	9	10	19	1	—	1	5	6	11	3
757	Whitsome,	640	608	8	6	14	1	1	2	3	5	8	5
Total,		36488	36382	542	500	1042	65	46	111	280	284	564	181
28. PEEBLES.													
758	Broughton (merged in 763),												
759	Drumelzier,	209	221	7	3	10	1	—	1	2	2	4	—
760	Eddlestone,	753	700	10	13	23	—	—	—	2	6	8	3
761	Glenholm (merged in 763),												
+762	Innerleithen,	1787	2776	40	57	97	2	4	6	35	43	78	27
763	Kilbucko, Broughton, and Glenholm,	723	729	8	11	19	—	1	1	2	5	7	—
764	Kirkurd,	362	294	5	2	7	—	1	1	5	1	6	1
765	Lyne, etc.—(1) Lyne,	81	104	1	2	3	—	—	—	—	2	2	—
	(2) Megget,	53	70	2	1	3	—	—	—	—	1	1	—
766	Manor,	247	271	12	3	15	—	1	1	2	—	2	2
767	Newlands,	987	851	13	10	23	—	—	—	7	9	16	5
768	PEEBLES,	2850	3172	52	57	109	4	8	12	30	41	71	20
769	Skirling,	317	325	5	6	11	1	1	2	2	2	4	1
770	Stobo,	478	459	14	7	21	—	1	1	3	4	7	1
771	Traquair,	687	669	11	5	16	—	1	1	4	4	8	1
772	Tweedsmuir,	196	190	6	5	11	—	—	—	4	3	7	2
773	West Linton,	1534	1387	16	20	36	1	1	2	7	15	22	4
Total,		11264	12218	202	202	404	9	19	28	105	138	243	67
29. SELKIRK.													
*774a	Caddonfoot,	610	699	18	14	32	—	—	—	5	6	11	1
774b	Ettrick,	454	434	5	5	10	1	—	1	5	1	6	2
+775	GALASHIELS,	3268	5921	142	123	265	11	11	22	76	69	145	49
776a	Kirkhope,	555	565	11	6	17	2	—	2	6	2	8	5
*776b	LADHOPE,	4154	5317	152	125	277	17	10	27	70	68	138	63
777	Roberton,	640	593	10	6	16	3	—	3	6	1	7	2
+778	SELKIRK,	4646	5555	148	120	268	17	8	25	58	71	129	40
+779	Yarrow,	574	567	7	8	15	—	—	—	2	4	6	3
Total,		14901	19651	493	407	900	51	29	80	228	222	450	165
VIII. SOUTHERN.													
30. ROXBURGH.													
780	Ancrum,	1511	1391	25	15	40	6	1	7	15	8	23	12
781	Ashkirk,	578	550	10	9	19	1	—	1	5	3	8	5
782	Bedrule,	222	292	7	4	11	2	1	3	4	1	5	4
783	Bowden,	864	842	7	5	12	1	1	2	4	4	8	6
784	Castleton,	3688	2202	32	29	61	1	1	2	20	13	33	9
785	Cavers,	1824	1443	21	16	37	1	—	1	14	11	25	6
786	Crailling,	673	657	10	10	20	1	2	3	10	10	20	5
787a	Eckford,	957	931	11	14	25	2	2	4	5	4	9	6
*787b	Edgerston,	359	365	7	4	11	—	—	—	2	2	4	1

No. of District.	REGISTRATION DISTRICTS.	POPULATION.		Total Births, including the Illegitimate.			Illegitimate Births.			Deaths.			Marriages.
		1861	1871	Males.	Fem.	Total.	Mal.	Fem.	Total.	Mal.	Fem.	Total.	
788	Ednam,	599	613	10	12	22	1	2	4	3	4	7	3
789	HAWICK,	8726	8733	174	192	366	26	33	59	95	121	216	78
790	Hobkirk,	771	718	7	6	13	1	1	2	4	4	8	1
791	Hownam,	289	238	4	3	7	—	—	—	3	2	5	—
+792	JEDBURGH,	5011	4971	83	63	146	11	5	16	50	36	86	27
793	KELSO,	5192	5124	76	65	141	8	12	20	51	46	97	26
794	Kirkton,	421	320	9	6	15	1	—	1	1	2	3	—
795	Lilliesleaf,	772	788	15	13	28	1	3	4	4	9	13	5
796	Linton,	608	570	6	4	10	1	—	1	2	1	3	2
797	Makerston,	380	361	8	8	16	—	—	—	1	3	4	9
798	Maxton,	497	481	6	7	13	1	—	1	1	4	5	3
799	Melrose,	3500	4115	49	68	117	5	2	7	45	56	101	18
800	Minto,	430	431	8	4	12	1	—	1	6	1	7	3
801	Morebattle,	1031	986	17	13	30	2	1	3	8	8	16	4
+802	Oxnam,	592	652	11	10	21	1	—	1	4	3	7	1
803	Roxburgh,	1178	1053	11	24	35	1	4	5	7	8	15	8
804	St Boswells,	922	973	18	21	39	2	1	3	4	10	14	4
805	Smailholm,	554	534	7	5	12	2	—	2	3	3	6	1
+806	Southdean,	687	674	10	12	22	2	2	4	3	4	7	4
807	Sprouston,	1305	1294	15	14	29	4	—	4	9	9	18	6
808	Stitchel,	425	388	2	4	6	—	1	1	1	—	1	—
809	Teviothead,	438	515	5	12	17	—	1	1	—	1	1	3
810	WILTON,	3357	3936	97	95	192	10	7	17	39	52	91	32
811	Yetholm,	1207	1100	15	11	26	1	1	2	10	12	22	9
Total,		49568	48241	793	778	1571	97	85	182	433	455	888	301
31. DUMFRIES.													
812	ANNAN,	5113	4631	76	85	161	11	15	26	46	50	96	40
813a	Applegarth,	935	902	9	14	23	2	1	3	7	4	11	3
*813b	BRYDEKIRK,	779	731	9	7	16	3	1	4	5	3	8	7
814	Canonbie,	3219	3055	43	45	88	10	5	15	18	22	40	28
815	Carlaverock,	1248	1151	15	15	30	4	4	8	10	14	24	14
816	Closeburn,	1651	1612	19	33	52	3	4	7	16	16	32	10
+817	Cummertrees,	1184	1072	15	9	24	—	—	—	3	6	9	8
818	Dalton,	679	577	5	4	9	2	—	2	5	2	7	5
819	Dornock,	856	826	14	8	22	7	2	9	8	5	13	4
820	Dryfesdale,	2509	2825	47	31	78	8	4	12	32	31	63	17
821	DUMFRIES,	13523	14841	256	256	512	42	41	83	187	178	365	133
822	Dunscore,	1554	1504	23	15	38	5	1	6	15	15	30	8
823	Durrisdeer,	1320	1189	17	19	36	3	1	4	10	16	26	13
824	Eskdalemuir,	590	551	9	4	13	—	—	—	5	6	11	3
825	Ewes,	356	338	4	4	8	—	1	1	1	1	2	—
826	Glencairn,	1867	1749	18	29	47	1	4	5	18	26	44	10
827	Graitney (or Gretna),	1620	1395	14	26	40	3	4	7	16	22	38	8
828	Halfmorton,	713	611	10	7	17	—	2	2	4	2	6	1
+829	Hoddum,	1568	1520	25	26	51	3	3	6	7	12	19	7
830	Holywood,	1115	1069	14	16	30	2	2	4	9	7	16	13
831	Hutton,	876	842	10	19	29	3	1	4	8	8	16	6
832	Johnstone,	1149	1089	18	12	30	1	1	2	11	8	19	10
833	Keir,	849	828	9	10	19	2	1	3	1	10	11	9
834	Kirkconnel,	996	952	10	15	25	1	1	2	10	9	19	5
835	Kirkmahoe,	1462	1332	22	15	37	3	2	5	6	10	16	12
836	Kirkmichael,	1026	903	14	15	29	5	5	10	2	9	11	8
837	Kirkpatrick-Fleming— (1) Northern District,	493	393	5	5	10	—	—	—	4	1	5	—
	(2) Southern District,	1432	1136	20	17	37	7	4	11	20	16	36	10
838	Kirkpatrick-Juxta,	1025	1091	15	15	30	2	1	3	11	7	18	8
839	LANGHOLM,	2979	3735	65	66	131	9	7	16	37	37	74	22

No. of District.	REGISTRATION DISTRICTS.	POPULATION.		Total Births, including the Illegitimate.			Illegitimate Births.			Deaths.			Marriages.
		1861.	1871.	Males.	Fem.	Total.	Mal.	Fem.	Total.	Mal.	Fem.	Total.	
840	LOCHMABEN,	3087	3085	38	31	69	13	5	18	19	32	51	19
841	Middlebie,	2004	2000	22	21	43	1	2	3	14	16	30	9
842	Moffat,	2232	2543	41	31	72	1	1	2	25	25	50	13
843	Morton,	2253	2099	43	31	74	4	3	7	31	24	55	11
844	Mouswald,	633	647	8	5	13	2	1	3	5	5	10	4
845	Penpont,	1326	1323	15	14	29	1	5	6	10	7	17	6
846	Ruthwell,	1046	974	13	13	26	3	3	6	11	8	19	3
847	St Mungo,	686	658	10	7	17	2	2	4	6	6	12	5
+848	SANQUHAR,	2758	2201	41	35	76	4	8	12	25	24	49	10
849	Tinwald,	1079	993	21	12	33	4	2	6	10	5	15	4
850	Torthorwald,	1254	1098	11	15	26	6	7	13	9	11	20	7
851	Tundergarth,	507	510	12	4	16	1	2	3	1	3	4	4
852	Tynron,	446	381	6	4	10	—	—	—	2	5	7	3
853a	Wamphray,	559	505	7	7	14	2	4	6	3	3	6	3
*853b	Wanlockhead,	811	837	16	11	27	2	1	3	6	9	15	8
854	Westerkirk,	537	540	6	9	15	1	—	1	4	3	7	3
Total,		75904	74842	1140	1092	2232	189	164	353	713	739	1452	534
32. KIRKCUDBRIGHT.													
855	Anwoth,	899	827	12	11	23	2	3	5	9	7	16	4
+856	Balmaclellan,	890	861	12	12	24	2	1	3	9	7	16	5
857a	Balmaghie,	1225	1085	12	13	25	4	4	8	10	14	24	8
*857b	Bargrennan,	471	428	3	6	9	—	—	—	1	3	4	7
858	Borgue,	1162	1087	20	20	40	3	3	6	9	6	15	5
859	Buittle,	1165	1026	16	13	29	1	1	2	4	6	10	6
860	Carsphairn,	553	545	7	6	13	—	—	—	2	3	5	3
861	Colvend,	1366	1318	17	15	32	2	1	3	10	15	25	6
862	Corsock-Bridge,	544	563	8	10	18	—	1	1	6	7	13	2
863	CROSSMICHAEL,	1536	1492	21	22	43	4	5	9	10	8	18	16
*864	DALBEATTIE,	2054	3163	70	55	125	10	10	20	49	31	80	25
865	Dalry,	1149	1074	13	8	21	3	2	5	9	8	17	8
866	Girthon,	1702	1586	18	20	38	4	2	6	13	20	33	4
867	Irongray,	913	815	7	10	17	2	1	3	7	9	16	7
868	KELLS,	1170	1007	9	13	22	3	—	3	6	7	13	3
869	KELTON,	3436	3222	51	57	108	9	8	17	33	39	72	19
870	Kirkbean,	942	825	14	5	19	2	1	3	8	8	16	7
871	KIRKCUDBRIGHT,	3407	3346	51	48	99	8	5	13	22	44	66	18
872	Kirkgunzeon,	793	661	8	9	17	2	—	2	5	6	11	3
873	Kirkmabreck,	1851	1568	34	17	51	7	2	9	11	12	23	11
+874	Kirkpatrick-Durham,	1323	1218	11	8	19	3	2	5	17	10	27	7
875	Lochrutton,	677	656	11	13	24	4	3	7	4	9	13	4
+876	MINNIGAFF,	1518	1329	21	16	37	4	5	9	13	15	28	8
877	New Abbey,	1063	931	15	17	32	4	3	7	8	4	12	6
+878	Parton,	572	526	7	9	16	—	—	—	5	4	9	3
879	Rerrick,	1738	1911	22	30	52	4	5	9	9	19	28	15
880	TERREGLES,	580	547	5	6	11	1	—	1	3	3	6	1
881	Tongland,	892	908	12	12	24	1	1	2	6	1	7	1
882	TROQUEER,	4743	5402	100	74	174	15	9	24	56	64	120	34
883	Twynholm,	815	717	10	11	21	5	2	7	3	3	6	2
+884	Urr,	1531	1443	14	28	42	—	3	3	13	23	36	12
Total,		42680	42087	631	594	1225	109	83	192	370	415	785	260
33. WIGTOWN.													
885	Glasserton,	1472	1196	14	26	40	6	6	12	13	3	16	5
+886	Inch,	2460	2189	38	30	68	3	3	6	16	16	32	12
887	Kirkcolum,	1860	1948	33	29	62	5	6	11	13	17	30	9

No. of District.	REGISTRATION DISTRICTS.	POPULATION.		Total Births, including the Illegitimate.			Illegitimate Births.			Deaths.			Marriages.
		1861.	1871.	Males.	Fem.	Total.	Mal.	Fem	Total	Mal.	Fem	Total.	
888	Kirkcowan, . . .	1434	1352	29	20	49	4	2	6	15	13	28	6
889	Kirkinner, . . .	1716	1548	27	31	58	2	5	7	9	11	20	9
890	Kirkmaiden, . . .	2333	2507	48	47	95	6	5	11	15	12	27	13
+891	Leswalt, . . .	1417	1249	13	30	43	1	4	5	5	11	16	7
892	Mochrum, . . .	2694	2450	26	26	52	5	4	9	12	13	25	13
893	New Luce, . . .	731	661	8	14	22	2	5	7	9	9	18	10
894	Old Luce (or Glenluce), .	2800	2449	38	38	76	5	10	15	21	25	46	13
+895	PENNINGHAME, . . .	3876	3712	65	53	118	11	6	17	36	37	73	20
896	Portpatrick, . . .	2189	1492	21	15	36	4	1	5	11	11	22	10
897	Sorbie, . . .	1814	1667	30	32	62	4	6	10	21	21	42	15
898	Stoneykirk, . . .	3228	2993	62	44	106	10	7	17	25	21	46	19
*899	STRANRAER, . . .	6315	5977	107	102	209	21	14	35	71	64	135	37
900	WHITHORN, . . .	2934	2906	51	41	92	5	6	11	28	28	56	15
901	WIGTOWN, . . .	2637	2306	29	26	55	6	2	8	16	21	37	12
	Total,	41910	38602	639	604	1243	100	92	192	336	333	669	225

MARRIAGES registered in SCOTLAND in 1876, according to the Rites of the several Religious Denominations, with the Conditions of Parties, and the Number of Men and Women who signed the Register with Marks.

DISTRICTS, DIVISIONS, AND COUNTIES.		TOTAL MARRIAGES.	Regular Marriages according to the Rites of							Irregular Marriages.	Condition of Parties.					Signed the Register by Marks.	
			Established Church.	Free Church.	United Presby- terian Church.	Episcopalians.	Roman Catholic Church.	Other Denominations.	Not stated.		Bachelors and Spinsters.	Bachelors and Widows.	Widowers and Spinsters.	Widowers and Widows.	Not stated.	Men.	Women.
SCOTLAND		26579	11996	5944	3603	719	2279	1703	37	298	22438	794	2432	896	19	1993	4288
GROUPS OF DISTRICTS.																	
PRINCIPAL TOWNS		10722	3938	2226	1567	440	1313	961	5	272	8809	444	1003	465	1	894	2056
LARGE TOWNS		3116	1322	634	433	113	385	213	-	16	2591	107	295	121	2	274	558
SMALL TOWNS		5773	2723	1185	941	105	423	380	7	9	4922	147	511	190	3	448	899
MAINLAND-RURAL		6351	3717	1676	616	60	123	135	23	1	5595	86	547	111	12	258	559
INSULAR-RURAL		617	296	223	46	1	35	14	2	-	521	10	76	9	1	119	216
DIVISIONS.																	
I. NORTHERN		621	228	283	67	3	1	34	4	1	546	9	53	13	-	38	92
II. NORTH-WESTERN		833	236	521	9	7	54	6	-	-	710	12	106	5	-	187	319
III. NORTH-EASTERN		2709	1549	686	160	99	47	154	8	6	2363	52	235	59	-	49	160
IV. EAST MIDLAND		4154	1982	805	674	133	207	260	11	82	3531	103	404	110	6	175	493
V. WEST MIDLAND		1691	831	369	221	29	156	83	-	2	1441	35	151	62	2	138	277
VI. SOUTH-WESTERN		11183	4648	2102	1624	260	1524	910	5	110	9285	416	981	497	4	1188	2546
VII. SOUTH-EASTERN		4068	1759	917	681	162	251	204	2	92	3422	143	370	126	7	166	316
VIII. SOUTHERN		1320	763	261	167	26	39	52	7	5	1140	24	132	24	-	52	85
COUNTIES.																	
1	Shetland	139	98	18	6	1	-	16	-	-	125	1	8	5	-	12	37
2	Orkney	195	74	54	59	1	-	4	2	1	166	3	21	5	-	6	6
3	Caithness	188	42	126	2	1	1	14	2	-	166	3	19	-	-	2	16
4	Sutherland	99	14	85	-	-	-	-	-	-	89	2	5	3	-	18	33
5	Ross and Cromarty	368	57	300	6	-	-	5	-	-	313	4	50	1	-	91	151
6	Inverness	465	179	221	3	7	54	1	-	-	397	8	56	4	-	96	168
7	Nairn	43	16	14	5	3	1	4	-	-	37	-	6	-	-	-	1
8	Elgin	266	129	95	21	5	5	10	1	-	228	5	27	6	-	4	17
9	Banff	365	218	86	22	5	15	11	6	2	328	10	20	7	-	12	39
10	Aberdeen	1838	1050	447	106	78	25	128	-	4	1597	36	163	42	-	29	95
11	Kincardine	197	136	44	6	8	1	1	1	-	173	1	19	4	-	4	8
12	Forfar	2065	825	381	329	110	172	173	-	75	1724	55	220	66	-	115	347
13	Perth	805	435	197	105	12	21	25	7	3	700	19	72	10	4	19	57
14	Fife	1091	621	193	208	8	8	47	2	4	941	24	95	29	2	29	70
15	Kinross	46	26	10	10	-	-	-	-	-	39	-	7	-	-	1	1
16	Clackmannan	147	75	24	22	3	6	15	2	-	127	5	10	5	-	11	18
17	Stirling	785	404	136	119	8	62	54	-	2	661	17	72	34	1	54	103
18	Dumbarton	457	190	93	69	9	78	18	-	-	397	9	39	12	-	52	105
19	Argyll	349	201	99	26	10	9	4	-	-	298	8	31	12	-	26	59
20	Bute	100	36	41	7	2	7	7	-	-	85	1	9	4	1	6	10
21	Renfrew	1680	632	369	216	64	257	132	-	10	1390	62	154	74	-	200	409
22	Ayr	1625	896	290	215	18	101	101	-	4	1356	40	171	57	1	122	292
23	Lanark	7878	3120	1443	1193	178	1166	677	5	96	6539	314	656	366	3	866	1845
24	Linlithgow	302	159	45	55	2	24	17	-	-	268	7	13	10	4	31	52
25	Edinburgh	3112	1244	764	498	149	203	163	2	89	2579	124	303	104	2	110	222
26	Haddington	241	147	49	30	4	10	1	-	-	207	6	22	5	1	16	27
27	Berwick	181	81	31	50	2	4	10	-	3	164	3	14	-	-	5	6
28	Peebles	67	44	8	13	1	-	1	-	-	61	1	5	-	-	1	2
29	Selkirk	165	84	20	35	4	10	12	-	-	143	2	13	7	-	3	7
30	Roxburgh	301	153	39	75	12	10	9	-	3	266	5	26	4	-	8	19
31	Dumfries	534	305	107	61	8	17	29	5	2	466	6	52	10	-	14	23
32	Kirkcudbright	260	164	64	16	4	4	7	1	-	219	7	31	3	-	8	11
33	Wigtown	225	141	51	15	2	8	7	1	-	189	6	23	7	-	22	32

CONDITION AND AGE of PERSONS married in SCOTLAND in 1876.

CONDITION AND AGE OF PERSONS MARRIED IN SCOTLAND IN 1876.

CONDITION.	TOTAL MARRIAGES.	AGES AT MARRIAGE.																			Age not stated.		
		Under 15	16	17	18	19	20	21	25	30	35	40	45	50	55	60	65	70	75	80		85	90
BACHELORS with SPINSTERS.	22438	-	-	-	15	169	668	1301	9076	6998	2499	1035	380	153	83	34	16	1	-	1	-	-	9
	22438	1	10	74	410	1064	2020	2278	9269	5227	1383	481	147	53	11	2	1	-	-	-	-	7	
BACHELORS with WIDOWS.	794	-	-	-	-	1	4	11	136	220	174	107	75	35	15	7	6	2	-	-	-	1	-
	794	-	-	-	-	1	1	7	68	197	222	159	78	41	12	4	4	-	-	-	-	-	-
WIDOWERS with SPINSTERS.	2432	-	-	-	-	-	1	1	72	324	481	465	365	272	201	126	74	28	13	7	2	-	-
	2432	-	-	2	7	26	42	68	378	594	472	392	265	121	43	13	8	-	1	-	-	-	-
WIDOWERS with WIDOWS.	896	-	-	-	-	-	-	1	8	45	78	147	165	142	129	84	59	29	7	2	-	-	-
	896	-	-	-	1	-	-	-	10	82	143	189	221	124	68	44	8	4	2	-	-	-	-
{ MEN. WOMEN. Condition not stated.	19	-	-	-	-	-	1	-	7	5	4	1	1	-	-	-	-	-	-	-	-	-	-
	19	-	-	-	-	-	1	1	11	3	3	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL MEN.....	26579	-	-	-	15	170	674	1314	9299	7592	3236	1755	986	602	428	251	155	60	20	10	2	1	9
TOTAL WOMEN...	26579	1	10	76	418	1091	2064	2354	9736	6103	2223	1221	711	339	134	63	21	4	3	-	-	-	7

AGES of MALES married in Scotland in 1876.

AGES OF MALES MARRIED IN SCOTLAND IN 1876.																						
Total Males.	Under 15	16	17	18	19	20	21	25	30	35	40	45	50	55	60	65	70	75	80	85	90	Age not stated.
Scotland.	-	-	-	15	170	674	1314	9299	7592	3236	1755	986	602	428	251	155	60	20	10	2	1	9
GROUPS OF DISTRICTS.																						
Principal Towns	-	-	-	7	74	305	560	3776	2986	1283	706	397	270	160	98	61	27	6	4	1	1	-
Large Towns	-	-	-	1	22	94	171	1114	897	348	184	115	71	46	27	14	6	2	-	1	-	3
Small Towns	-	-	-	3	33	153	306	2219	1584	612	352	201	107	101	52	29	13	5	2	-	-	1
Mainland-Rural	-	-	-	4	36	118	265	2081	1949	842	447	240	133	108	66	40	9	6	3	-	-	4
Insular-Rural	-	-	-	-	5	4	12	109	176	151	66	33	21	13	8	11	5	1	1	-	-	1
DIVISIONS.																						
1. Northern	-	-	-	-	8	7	24	157	170	110	58	29	14	13	12	13	4	1	-	-	-	1
2. North-Western	-	-	-	1	2	4	10	130	257	189	109	54	30	26	11	6	-	2	1	-	-	1
3. North-Eastern	-	-	-	1	25	56	112	925	817	304	177	118	61	54	28	20	8	1	1	-	-	1
4. East Midland	-	-	-	1	24	113	196	1549	1159	450	271	142	92	70	40	30	11	2	2	1	-	1
5. West Midland	-	-	-	-	6	33	62	575	508	236	117	57	38	28	10	10	7	2	-	-	-	2
6. South-Western	-	-	-	9	88	343	674	4143	3067	1256	646	371	241	156	101	51	21	8	4	1	1	2
7. South-Eastern	-	-	-	2	11	85	177	1392	1218	525	280	158	98	57	38	17	6	2	1	-	-	1
8. Southern	-	-	-	1	6	33	59	428	396	166	97	57	28	24	11	8	3	2	1	-	-	-
COUNTIES.																						
Shetland	-	-	-	-	2	1	3	34	44	25	11	6	4	2	3	1	2	1	-	-	-	-
Orkney	-	-	-	-	3	4	11	52	49	35	15	5	3	5	3	8	2	-	-	-	-	-
Caithness	-	-	-	-	2	2	8	52	57	22	24	11	3	4	3	-	-	-	-	-	-	-
Sutherland	-	-	-	-	1	-	2	19	20	28	8	7	4	2	3	4	-	-	-	-	-	1
Ross and Cromarty	-	-	-	-	2	3	3	56	113	78	54	21	16	13	3	4	-	1	-	-	-	1
Inverness	-	-	-	1	-	1	7	74	144	111	55	33	14	13	8	2	-	1	1	-	-	-

AGES of FEMALES married in Scotland in 1876.

AGES OF FEMALES MARRIED IN SCOTLAND IN 1876.																						
TOTAL FEMALES	Under															Age not stated.						
	15	16	17	18	19	20	21	25	30	35	40	45	50	55	60	65	70	75	80	85	90	
Scotland.	1	10	76	418	1091	2064	2354	9736	6103	2223	1221	711	339	134	63	21	4	3	-	-	-	7
GROUPS OF DISTRICTS.																						
Principal Towns .	-	3	21	170	496	882	991	3851	2338	901	509	326	147	52	24	7	1	3	-	-	-	-
Large Towns .	-	4	9	53	146	248	260	1165	690	244	137	88	38	18	11	3	-	-	-	-	-	2
Small Towns .	-	1	30	100	235	463	556	2168	1228	457	264	144	70	34	17	4	2	-	-	-	-	-
Mainland-Rural .	1	2	14	93	202	448	501	2357	1650	554	276	133	73	26	11	6	-	-	-	-	-	4
Insular-Rural .	-	-	2	2	12	23	46	195	197	67	35	20	11	4	-	1	1	-	-	-	-	1
DIVISIONS.																						
1. Northern .	-	-	2	3	11	28	48	211	161	76	39	13	20	4	2	1	1	-	-	-	-	1
2. North-Western .	-	-	3	4	12	31	55	263	284	99	41	31	4	2	2	1	-	-	-	-	-	1
3. North-Eastern .	-	1	12	38	95	197	230	1003	652	237	113	80	23	16	6	4	1	1	-	-	-	-
4. East Midland .	1	2	5	40	111	295	351	1560	1039	344	212	107	50	23	11	1	-	1	-	-	-	1
5. West Midland .	-	1	6	31	61	125	158	645	389	143	59	40	13	12	3	2	2	-	-	-	-	1
6. South-Western .	-	4	35	226	613	1022	1104	4035	2261	856	479	300	158	52	28	8	-	-	-	-	-	2
7. South-Eastern .	-	2	12	54	147	299	304	1520	972	344	215	114	55	19	7	2	-	1	-	-	-	1
8. Southern .	-	-	1	22	41	67	104	499	345 _g	124	63	26	16	6	4	2	-	-	-	-	-	-
COUNTIES.																						
Shetland .	-	-	1	-	2	6	9	42	42	15	9	3	8	1	1	-	-	-	-	-	-	-
Orkney .	-	-	1	2	4	12	19	64	51	18	8	5	6	2	1	1	1	-	-	-	-	-
Caithness .	-	-	-	-	3	6	14	75	42	29	17	1	1	-	-	-	-	-	-	-	-	-
Sutherland .	-	-	-	1	2	4	6	30	26	14	5	4	5	1	-	-	-	-	-	-	-	1
Ross and Cromarty .	-	-	-	2	6	12	23	117	123	51	13	16	3	-	-	1	-	-	-	-	-	1
Inverness .	-	-	3	2	6	19	32	146	161	48	28	15	1	2	2	-	-	-	-	-	-	-

AGES of FEMALES married in Scotland in 1876.

[illegible]

DEATHS at Different Ages in SCOTLAND during the YEAR 1876.—BOTH SEXES.

	POPULATION.		BOTH SEXES.												
			ALL AGES.	AGE UNDER											
				MONTHS.			2	3	4	5	10	15	20	25	30
	1861.	1871.		3	6	12									
SCOTLAND	3062294	3360018	74129	7502	2743	5095	6169	2785	1808	1363	3382	1945	2579	2717	2492
Principal Towns	884955	1068556	27977	3009	1113	2230	2926	1266	786	587	1294	690	929	1024	1028
Large Towns	274381	334257	9024	963	337	690	823	357	218	176	401	245	330	340	293
Small Towns	704380	776087	16826	1729	713	1217	1400	638	418	307	823	472	644	609	530
Mainland-Rural	1061793	1049114	18192	1649	531	881	945	470	344	267	822	499	600	679	555
Insular-Rural	136785	132004	2110	152	49	77	75	54	42	26	42	39	76	65	86
Shetland	31670	31608	451	20	18	10	5	8	4	5	8	6	12	14	22
Orkney	32395	31274	474	23	7	18	14	5	4	3	9	4	15	17	21
Caithness	42200	41011	787	56	18	41	44	32	19	12	47	28	23	26	21
Sutherland	24157	23298	378	25	4	12	6	2	7	5	16	11	9	12	16
Ross & Cromarty	82427	82093	1422	97	25	65	80	48	43	28	64	34	39	42	40
Inverness	84815	84258	1496	119	38	53	60	44	38	20	53	39	42	45	44
Nairn	8347	8372	148	12	5	6	5	2	2	3	3	4	5	7	3
Elgin	44305	44549	777	72	28	46	33	15	18	8	27	20	26	25	35
Banff	56020	58883	885	99	31	33	25	21	3	11	35	21	28	32	26
Aberdeen	223417	246298	4186	466	164	241	254	107	62	53	151	115	151	180	129
Kincardine	34781	35097	510	50	15	14	14	5	7	5	21	10	11	15	15
Forfar	206750	240049	5304	607	260	383	466	165	109	80	182	114	154	163	175
Perth	133198	128550	2479	241	57	110	97	62	40	31	91	58	76	91	71
Fife	155021	160924	3016	310	118	199	218	91	54	43	119	78	116	104	90
Kinross	8731	7918	153	11	2	6	7	3	4	1	11	4	4	4	5
Clackmannan	20122	22235	464	54	24	29	47	11	3	3	24	12	21	16	14
Stirling	88138	93345	2298	227	85	157	189	82	56	64	145	81	78	92	79
Dumbarton	54179	61116	1302	125	48	81	101	53	40	22	73	41	55	49	56
Argyll	83859	79661	1460	76	38	68	57	38	32	21	71	31	50	55	49
Bute	16311	16966	343	14	12	9	19	6	7	6	11	7	18	9	15
Renfrew	168746	195305	4748	467	197	328	453	226	146	117	277	126	191	187	159
Ayr	199083	200908	4775	498	187	343	438	225	148	97	236	151	213	177	139
Lanark	640444	787005	22234	2469	876	1964	2543	1065	654	487	1096	614	828	863	797
Linlithgow	39045	41379	805	89	28	75	69	27	30	18	56	29	29	21	26
Edinburgh	273792	328138	7573	760	280	484	625	280	188	140	310	172	193	261	243
Haddington	37626	37755	610	68	21	28	35	15	8	9	23	9	15	12	23
Berwick	36488	36382	564	42	19	21	20	15	8	12	20	11	25	18	17
Peebles	11264	12218	243	27	9	15	14	7	5	6	13	10	11	9	7
Selkirk	14901	19651	450	52	20	45	35	22	11	4	21	10	19	27	15
Roxburgh	49568	48241	888	86	28	54	61	30	17	16	44	23	23	27	30
Dumfries	75904	74842	1452	128	37	69	67	34	19	20	63	33	52	55	58
Kirkcudbright	42680	42087	785	55	28	47	38	21	13	9	35	23	19	39	32
Wigtown	41910	38602	669	57	16	41	30	18	9	4	27	16	28	23	20

DEATHS at Different Ages in the PRINCIPAL TOWNS of SCOTLAND, 1876.—BOTH SEXES.

Glasgow .	395503	477732	13763	1441	513	1212	1633	711	422	325	680	358	504	531	535
Edinburgh .	170444	201052	4392	423	155	279	349	158	106	82	189	109	119	151	168
Dundee .	91664	120724	3075	400	177	258	322	113	71	47	116	62	82	94	107
Aberdeen .	73900	88181	2033	236	73	146	170	61	35	27	66	55	80	78	66
Greenock .	43894	59794	1613	162	80	113	168	88	72	50	104	41	45	52	56
Paisley .	47427	48257	1287	129	44	86	110	57	25	21	67	32	59	51	45
Leith .	36029	46434	1174	148	51	97	137	53	37	24	44	17	25	45	34
Perth .	26094	26382	640	70	20	39	37	25	18	11	28	16	15	22	17

DEATHS at Different Ages in SCOTLAND during the YEAR 1876.—BOTH SEXES.

	BOTH SEXES.																
	AGE UNDER																
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?	
SCOTLAND,	2343	2402	2280	2335	2664	2798	3391	3371	3708	3682	2485	1376	514	143	25	32	
Principal Towns . .	1046	1046	986	1012	1121	1106	1241	1025	950	816	463	193	62	24	1	3	
Large Towns . . .	263	318	286	305	364	325	406	425	415	371	211	112	29	15	2	4	
Small Towns , . .	479	471	474	452	531	587	773	775	852	902	564	335	98	25	5	3	
Mainland-Rural . .	504	516	481	502	574	701	863	1031	1331	1407	1056	621	267	65	11	20	
Insular-Rural . . .	51	51	53	64	74	79	108	115	160	186	191	115	58	14	6	2	
Shetland	7	11	15	20	14	17	25	26	30	53	53	30	13	4	1	—	
Orkney	13	11	12	13	16	26	29	27	46	56	36	28	18	3	—	—	
Caithness	23	10	17	14	17	16	27	46	56	77	67	36	6	5	2	1	
Sutherland	14	12	6	4	14	17	24	24	29	28	39	24	16	2	—	—	
Ross and Cromarty .	29	35	33	29	42	43	69	64	121	119	121	56	38	7	4	7	
Inverness	52	50	43	47	42	54	71	82	90	139	108	79	30	10	2	2	
Nairn	1	5	4	8	4	8	10	15	13	11	4	6	2	—	—	—	
Elgin	23	14	25	23	21	23	49	45	68	54	37	31	4	6	1	—	
Banff	22	36	19	25	24	36	39	43	71	82	66	40	14	2	1	—	
Aberdeen	113	124	117	117	138	150	206	215	263	276	195	123	57	14	1	4	
Kincardine	11	14	16	7	17	14	30	34	47	54	40	24	9	5	—	6	
Forfar	174	185	164	184	194	240	249	281	252	257	146	86	20	12	—	2	
Perth	77	89	77	75	84	96	124	146	213	202	149	77	31	10	3	1	
Fife	62	83	65	83	99	100	136	178	214	208	135	82	25	5	—	1	
Kinross	2	1	4	1	6	8	7	14	10	13	12	10	3	—	—	—	
Clackmannan	16	15	18	10	19	14	26	17	28	19	18	5	1	—	—	—	
Stirling	76	73	65	62	98	88	90	106	107	87	57	37	12	4	—	1	
Dumbarton	43	37	49	40	47	45	62	48	69	63	33	15	4	1	1	1	
Argyll	45	53	34	51	40	51	72	103	105	107	107	58	38	5	5	—	
Bute	10	10	10	14	24	17	22	25	24	30	15	5	4	—	—	—	
Renfrew	183	169	140	138	170	177	201	177	176	180	110	36	11	5	—	1	
Ayr	125	118	127	127	159	181	196	173	233	221	141	81	34	5	1	1	
Lanark	771	780	759	766	840	755	893	726	663	533	301	137	38	14	1	1	
Linlithgow	24	21	20	19	29	24	36	23	33	41	22	12	3	1	—	—	
Edinburgh	269	285	293	300	300	357	394	365	360	399	180	99	27	8	1	—	
Haddington	18	22	13	25	19	31	37	39	40	55	18	23	4	—	—	—	
Berwick	24	20	12	11	25	25	34	45	38	48	27	21	6	—	—	—	
Peebles	6	7	11	3	13	6	12	13	11	13	11	4	—	—	—	—	
Selkirk	17	11	9	8	15	15	21	20	24	11	10	7	—	—	1	—	
Roxburgh	15	20	21	18	35	38	50	56	60	56	40	26	8	5	—	1	
Dumfries	42	39	43	47	54	68	76	98	99	102	92	34	16	5	—	2	
Kirkcudbright	18	27	24	26	27	24	28	62	63	40	51	24	10	2	—	—	
Wigtown	18	15	15	20	18	34	46	35	52	48	44	20	12	3	—	—	

DEATHS at Different Ages in the PRINCIPAL TOWNS of SCOTLAND, 1876.—BOTH SEXES.

Glasgow	509	519	497	500	552	496	574	409	355	250	153	56	19	8	—	1
Edinburgh	176	172	176	187	171	211	219	202	187	213	111	57	16	5	1	—
Dundee	109	113	97	113	122	139	136	127	109	99	41	14	6	1	—	—
Aberdeen	65	69	74	60	85	85	113	104	104	81	58	29	8	4	—	1
Greenock	76	56	52	57	57	43	51	50	56	38	29	11	4	1	—	1
Paisley	47	51	32	33	56	58	72	62	50	55	35	6	3	1	—	—
Leith	39	43	34	36	51	50	53	43	43	48	14	4	2	2	—	—
Perth	25	23	24	26	27	24	23	28	46	32	22	16	4	2	—	—

DEATHS at Different Ages in SCOTLAND during the YEAR 1876.—MALES.

	MALE POPULATION.		MALES.												
			ALL AGES.	AGE UNDER					2	3	4	5	10	15	20
	MONTHS.														
	1861.	1871.		3	6	12									
SCOTLAND .	1449848	1603143	37404	4294	1519	2759	3217	1422	909	707	1709	984	1368	1351	1210
Principal Towns	407839	502021	14256	1734	602	1205	1541	659	409	301	652	362	492	496	490
Large Towns .	129933	160176	4500	537	185	363	430	162	104	93	209	117	177	159	137
Small Towns .	335356	371118	8420	981	402	656	713	330	205	149	412	228	328	310	265
Mainland-Rural	513554	508787	9177	943	298	489	491	245	169	150	418	259	330	343	277
Insular-Rural .	63166	61041	1051	99	32	46	42	26	22	14	18	18	41	43	41
Shetland . .	13053	13103	199	12	10	7	1	3	2	2	5	3	8	7	12
Orkney . .	14924	14355	223	13	5	11	7	3	—	2	5	2	9	11	10
Caithness . .	19846	19403	403	32	9	27	24	19	12	9	28	15	14	10	12
Sutherland . .	11058	10942	186	14	2	7	5	2	5	2	8	5	7	6	9
Ross & Cromarty	38462	38558	685	64	15	33	42	22	24	18	33	19	16	22	19
Inverness :	39500	39360	746	78	24	31	38	22	22	10	26	20	22	28	21
Nairn . .	3976	3925	68	8	2	4	1	1	—	—	3	—	2	4	3
Elgin . .	20716	20738	397	46	11	28	20	7	9	4	13	11	13	12	16
Banff . .	26401	27826	436	51	20	19	17	11	3	3	23	13	14	19	15
Aberdeen . .	105355	116768	2108	276	92	125	128	60	36	34	79	66	92	96	63
Kincardine . .	16906	17002	274	26	11	6	9	3	2	3	12	5	9	8	9
Forfar . .	93280	107416	2528	340	151	213	215	78	46	44	90	58	73	62	83
Perth . .	63169	60812	1178	116	32	55	52	27	14	21	47	37	42	41	31
Fife . .	72714	75206	1505	189	66	99	104	45	33	22	66	37	54	49	38
Kinross . .	4150	3748	74	7	1	4	4	2	1	1	6	2	3	4	1
Clackmannan . .	9742	10819	226	29	14	15	26	8	1	2	9	3	10	7	7
Stirling . .	43487	46193	1186	132	48	90	102	41	29	29	78	41	43	41	40
Dumbarton . .	26455	29957	658	78	26	36	49	25	21	9	31	24	23	28	34
Argyll . .	40914	38796	732	41	18	40	35	18	14	12	29	12	27	37	21
Bute . .	7201	7616	171	10	7	7	8	3	2	2	5	5	11	5	8
Renfrew . .	79380	93167	2376	268	113	178	226	118	83	67	144	53	90	89	76
Ayr . .	97042	98244	2424	293	104	174	222	114	78	49	109	67	114	84	70
Lanark . .	308263	388392	11635	1388	463	1080	1380	570	324	232	573	331	448	423	384
Linlithgow . .	20069	21049	413	53	18	35	35	12	15	6	29	13	15	10	9
Edinburgh . .	126276	153784	3823	443	155	264	319	124	92	72	138	84	117	140	120
Haddington . .	17866	18069	285	37	7	12	14	7	2	6	10	4	3	5	10
Berwick . .	17354	17361	280	26	14	11	13	9	3	5	7	8	12	10	7
Peebles . .	5588	5902	105	14	2	5	10	6	2	2	7	3	4	5	4
Selkirk . .	7275	9476	228	28	13	25	16	11	4	3	12	5	10	9	11
Roxburgh . .	24555	22049	433	43	15	31	32	11	8	13	21	8	10	15	16
Dumfries . .	35687	34831	713	72	29	36	30	16	10	14	30	11	33	26	30
Kirkcudbright . .	19885	19607	370	33	14	29	16	15	5	5	21	12	5	23	12
Wigtown . .	19299	17769	336	34	8	22	17	9	7	4	12	7	15	15	9

DEATHS at Different Ages in the PRINCIPAL TOWNS of SCOTLAND, 1876.—MALES.

Glasgow .	185556	230995	7174	827	259	664	881	395	225	157	358	194	261	250	254
Edinburgh .	76013	91090	2217	243	86	146	181	73	55	44	85	61	70	81	79
Dundee .	40395	52605	1454	224	106	144	151	48	29	25	51	32	40	32	52
Aberdeen .	32554	39786	1023	147	43	76	88	35	20	17	33	27	48	44	28
Greenock .	21567	30298	857	95	46	63	84	42	42	29	55	14	26	28	30
Paisley .	21913	22269	644	77	26	47	63	31	14	10	36	20	23	24	22
Leith .	17894	22976	597	90	27	49	74	25	17	12	21	3	16	24	19
Perth .	14971	12002	290	31	9	16	19	10	7	7	13	11	8	13	6

DEATHS at Different Ages in SCOTLAND during the YEAR 1876.—MALES.

	MALES.															
	AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
SCOTLAND . . .	1134	1192	1152	1217	1378	1408	1673	1640	1758	1592	1022	535	185	37	9	23
Principal Towns . .	512	543	515	546	569	534	609	495	428	308	165	68	14	4	1	2
Large Towns . . .	120	137	143	150	193	157	212	203	204	161	99	34	10	1	—	3
Small Towns . . .	228	227	225	232	285	304	366	374	408	399	218	130	34	7	2	2
Mainland-Rural . .	252	263	240	258	295	371	443	511	640	651	454	256	94	18	5	14
Insular-Rural . . .	22	22	29	31	36	42	43	57	78	73	86	47	33	7	1	2
Shetland	4	4	7	6	5	7	12	10	10	21	24	11	6	—	—	—
Orkney	4	3	6	7	9	12	11	17	27	16	12	10	9	2	—	—
Caithness	13	4	9	7	8	11	15	22	26	41	23	9	2	1	1	—
Sutherland	8	7	2	2	7	8	11	9	13	12	18	7	9	1	—	—
Ross and Cromarty .	19	14	11	15	24	16	31	29	60	49	50	25	8	2	2	3
Inverness	25	25	24	20	18	25	32	34	42	56	51	31	14	5	—	2
Nairn	—	2	2	3	2	4	1	6	9	6	1	3	1	—	—	—
Elgin	12	11	12	10	13	14	21	19	35	27	18	13	1	1	—	—
Banff	8	15	8	11	12	17	20	20	31	39	30	16	1	—	—	—
Aberdeen	55	63	56	54	74	68	96	104	124	125	70	48	18	3	—	3
Kincardine	4	8	7	4	11	9	18	14	25	30	18	13	3	1	—	6
Forfar	71	88	61	79	86	102	119	133	119	100	71	37	7	1	—	1
Perth	33	42	32	33	39	44	57	77	96	101	66	27	11	4	1	—
Fife	35	42	29	36	50	50	75	83	111	95	54	28	13	1	—	1
Kinross	2	—	1	—	3	2	2	7	5	7	6	3	—	—	—	—
Clackmannan	7	6	9	6	8	8	14	5	13	11	5	2	1	—	—	—
Stirling	34	32	31	32	49	42	46	64	58	41	21	18	3	1	—	—
Dumbarton	25	19	20	17	26	23	34	26	32	29	14	7	1	—	—	1
Argyll	25	27	20	27	26	34	36	51	43	53	42	23	16	2	3	—
Bute	5	6	7	8	11	8	8	11	12	11	5	3	3	—	—	—
Renfrew	96	80	66	73	78	90	103	72	73	81	44	9	4	1	—	1
Ayr	66	58	61	74	88	88	97	82	115	103	60	37	15	1	—	1
Lanark	356	392	418	427	448	398	464	381	316	246	131	48	10	3	—	1
Linlithgow	15	14	11	12	19	13	17	11	22	12	11	4	1	1	—	—
Edinburgh	145	158	173	176	159	194	189	174	144	131	64	39	6	2	1	—
Haddington	8	15	7	14	11	17	20	17	17	20	13	8	1	—	—	—
Berwick	12	8	6	6	11	12	14	25	22	21	7	9	2	—	—	—
Peebles	1	3	5	2	3	2	6	3	3	6	4	3	—	—	—	—
Selkirk	7	6	6	4	10	6	12	5	13	2	6	3	—	—	1	—
Roxburgh	7	7	9	9	22	19	20	34	29	24	14	11	3	1	—	1
Dumfries	20	14	18	19	31	39	37	51	56	36	33	15	5	—	—	2
Kirkcudbright . . .	5	13	11	17	8	14	12	24	28	17	16	9	5	1	—	—
Wigtown	7	6	7	7	9	12	23	20	29	23	20	6	6	2	—	—

DEATHS at Different Ages in the PRINCIPAL TOWNS of SCOTLAND, 1876.—MALES.

Glasgow	242	268	274	278	287	242	287	210	166	111	58	19	4	2	—	1
Edinburgh	101	93	106	110	85	112	111	94	77	62	35	21	5	—	1	—
Dundee	40	54	36	50	56	57	61	57	50	32	19	7	1	—	—	—
Aberdeen	32	33	34	25	45	36	55	50	50	34	12	10	1	—	—	—
Greenock	43	34	25	35	30	24	31	21	29	12	12	3	3	—	—	1
Paisley	21	24	11	14	22	30	37	27	23	26	15	1	—	—	—	—
Leith	19	25	21	21	30	23	19	23	15	12	8	2	—	2	—	—
Perth	14	12	8	13	14	10	8	13	18	19	6	5	—	—	—	—

DEATHS at Different Ages in SCOTLAND during the YEAR 1876.—FEMALES.

	FEMALE POPULATION.		FEMALES.												
			ALL AGES.	AGE UNDER											
	1861.	1871.		MONTHS.			2	3	4	5	10	15	20	25	30
				3	6	12									
SCOTLAND .	1612446	1756875	36725	3208	1224	2336	2952	1363	899	656	1673	961	1211	1366	1282
Principal Towns	477116	566535	13721	1275	511	1025	1385	607	377	286	642	328	437	528	538
Large Towns .	144448	174081	4524	426	152	327	393	195	114	83	192	128	153	181	156
Small Towns .	369024	404969	8406	748	311	561	687	308	213	158	411	244	316	299	265
Mainland-Rural	548239	540327	9015	706	233	392	454	225	175	117	404	240	270	336	278
Insular-Rural .	73619	70963	1059	53	17	31	33	28	20	12	24	21	35	22	45
Shetland . .	18617	18505	252	8	8	3	4	5	2	3	3	3	4	7	10
Orkney . .	17471	16919	251	10	2	7	7	2	4	1	4	2	6	6	11
Caithness . .	22354	21608	384	24	9	14	20	13	7	3	19	13	9	16	9
Sutherland . .	13099	12356	192	11	2	5	1	—	2	3	8	6	2	6	7
Ross & Cromarty	43965	43535	737	33	10	32	38	26	19	10	31	15	23	20	21
Inverness . .	45315	44898	750	41	14	22	22	22	16	10	27	19	20	17	23
Nairn . .	4371	4447	80	4	3	2	4	1	2	3	—	4	3	3	—
Elgin . .	23589	23811	380	26	17	18	13	8	9	4	14	9	13	13	19
Banff . .	29619	31057	449	48	11	14	8	10	—	8	12	8	14	13	11
Aberdeen . .	118062	129530	2078	190	72	116	126	47	26	19	72	49	59	84	66
Kincardine . .	17875	18095	236	24	4	8	5	2	5	2	9	5	2	7	6
Forfar . .	113470	132633	2776	267	109	170	251	87	63	36	92	56	81	101	92
Perth . .	70029	67738	1301	125	25	55	45	35	26	10	44	21	34	50	40
Fife . .	82307	85718	1511	121	52	100	114	46	21	21	53	41	62	55	52
Kinross . .	4581	4170	79	4	1	2	3	1	3	—	5	2	1	—	4
Clackmannan . .	10380	11416	238	25	10	14	21	3	2	1	15	9	11	9	7
Stirling . .	44651	47152	1112	95	37	67	87	41	27	35	67	40	35	51	39
Dumbarton . .	27724	31159	644	47	22	45	52	28	19	13	42	17	32	21	22
Argyll . .	42945	40865	728	35	20	28	22	20	18	9	42	19	23	18	28
Bute . .	9110	9350	172	4	5	2	11	3	5	4	6	2	7	4	7
Renfrew . .	89366	102138	2372	199	84	150	227	108	63	50	133	73	101	98	83
Ayr . .	102041	102664	2351	205	83	169	216	111	70	48	127	84	99	93	69
Lanark . .	332181	398613	10599	1081	413	884	1163	495	330	255	523	283	380	440	413
Linlithgow . .	18976	20330	392	36	10	40	34	15	15	12	27	16	14	11	17
Edinburgh . .	147516	174354	3750	317	125	220	306	156	96	68	172	88	76	121	123
Haddington . .	19760	19686	325	31	14	16	21	8	6	3	13	5	12	7	13
Berwick . .	19134	19021	284	16	5	10	7	6	5	7	13	3	13	8	10
Peebles . .	5676	6316	138	13	7	10	4	1	3	4	6	7	7	4	3
Selkirk . .	7626	10175	222	24	7	20	19	11	7	1	9	5	9	18	4
Roxburgh . .	25013	25292	455	43	13	23	29	19	9	3	23	15	13	12	14
Dumfries . .	40217	40011	739	56	8	33	37	18	9	6	33	22	19	29	28
Kirkcudbright . .	22795	22480	415	22	14	18	22	6	8	4	14	11	14	16	20
Wigtown . .	22611	20833	333	23	8	19	13	9	2	—	15	9	13	8	11

DEATHS at Different Ages in the PRINCIPAL TOWNS of SCOTLAND, 1876.—FEMALES.

Glasgow . .	209947	246737	6589	614	254	548	752	316	197	168	322	164	243	281	281
Edinburgh . .	94431	109962	2175	180	69	133	168	85	51	38	104	48	49	70	89
Dundee . .	51239	68119	1621	176	71	114	171	65	42	22	65	30	42	62	55
Aberdeen . .	41346	48395	1010	89	30	70	82	26	15	10	33	28	32	34	38
Greenock . .	22327	29496	756	67	34	50	84	46	30	21	49	27	19	24	26
Paisley . .	25514	25988	643	52	18	39	47	26	11	11	31	12	36	27	23
Leith . .	18135	23458	577	58	24	48	63	28	20	12	23	14	9	21	15
Perth . .	14147	14380	350	39	11	23	18	15	11	4	15	5	7	9	11

DEATHS at Different Ages in SCOTLAND during the YEAR 1876.—FEMALES.

	FEMALES.																
	AGE UNDER																
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?	
SCOTLAND	1209	1210	1128	1118	1286	1390	1718	1731	1950	2090	1463	841	329	106	16	9	
Principal Towns	534	503	471	466	552	572	632	530	522	508	298	125	48	20	—	1	
Large Towns	143	181	143	155	171	168	194	222	211	210	112	78	19	14	2	1	
Small Towns	251	244	249	220	246	283	407	401	444	503	346	205	64	18	3	1	
Mainland-Rural	252	253	241	244	279	330	420	520	691	756	602	365	173	47	6	6	
Insular-Rural	29	29	24	33	38	37	65	58	82	113	105	68	25	7	5	—	
Shetland	3	7	8	14	9	10	13	16	20	32	29	19	7	4	1	—	
Orkney	9	8	6	6	7	14	18	10	19	40	24	18	9	1	—	—	
Caithness	10	6	8	7	9	5	12	24	30	36	44	27	4	4	1	1	
Sutherland	6	5	4	2	7	9	13	15	16	16	21	17	7	1	—	—	
Ross and Cromarty	10	21	22	14	18	27	38	35	61	70	71	31	30	5	2	4	
Inverness	27	25	19	27	24	29	39	48	48	83	57	48	16	5	2	—	
Nairn	1	3	2	5	2	4	9	9	4	5	3	3	1	—	—	—	
Elgin	11	3	13	13	8	9	28	26	33	27	19	18	3	5	1	—	
Banff	14	21	11	14	12	19	19	23	40	43	36	24	13	2	1	—	
Aberdeen	58	61	61	63	64	82	110	111	139	151	125	75	39	11	1	1	
Kincardine	7	6	9	3	6	5	12	20	22	24	22	11	6	4	—	—	
Forfar	103	97	103	105	108	138	130	148	133	157	75	49	13	11	—	1	
Perth	44	47	45	42	45	52	67	69	117	101	83	50	20	6	2	1	
Fife	27	41	36	47	49	50	61	95	103	113	81	54	12	4	—	—	
Kinross	—	1	3	1	3	6	5	7	5	6	6	7	3	—	—	—	
Clackmannan	9	9	9	4	11	6	12	12	15	8	13	3	—	—	—	—	
Stirling	42	41	34	30	49	46	44	42	49	46	36	19	9	3	—	1	
Dumbarton	18	18	29	23	21	22	28	22	37	34	19	8	3	1	1	—	
Argyll	20	26	14	24	14	17	36	52	62	54	65	35	22	3	2	—	
Bute	5	4	3	6	13	9	14	14	12	19	10	2	1	—	—	—	
Renfrew	87	89	74	65	92	87	98	105	103	99	66	27	7	4	—	—	
Ayr	59	60	66	53	71	93	99	91	118	118	81	44	19	4	1	—	
Lanark	415	388	341	339	392	357	429	345	347	287	170	89	28	11	1	—	
Linlithgow	9	7	9	7	10	11	19	12	11	29	11	8	2	—	—	—	
Edinburgh	124	127	120	124	141	163	205	191	216	268	116	60	21	6	—	—	
Haddington	10	7	6	11	8	14	17	22	23	35	5	15	3	—	—	—	
Berwick	12	12	6	5	14	13	20	20	16	27	20	12	4	—	—	—	
Peebles	5	4	6	1	10	4	6	10	8	7	7	1	—	—	—	—	
Selkirk	10	5	3	4	5	9	9	15	11	9	4	4	—	—	—	—	
Roxburgh	8	13	12	9	13	19	30	22	31	32	26	15	5	4	—	—	
Dumfries	22	25	25	28	23	29	39	47	43	66	59	19	11	5	—	—	
Kirkcudbright	13	14	13	9	19	10	16	38	35	23	35	15	5	1	—	—	
Wigtown	11	9	8	13	9	22	23	15	23	25	24	14	6	1	—	—	

DEATHS at Different Ages in the PRINCIPAL TOWNS of SCOTLAND, 1876.—FEMALES.

Glasgow	267	251	223	222	265	254	287	199	189	139	95	37	15	6	—	—
Edinburgh	75	79	70	77	86	99	108	108	110	151	76	36	11	5	—	—
Dundee	69	59	61	63	66	82	75	70	59	67	22	7	5	1	—	—
Aberdeen	33	36	40	35	40	49	58	54	54	47	46	19	7	4	—	1
Greenock	33	22	27	22	27	19	20	29	27	26	17	8	1	1	—	—
Paisley	26	27	21	19	34	28	35	35	27	29	20	5	3	1	—	—
Leith	20	18	13	15	21	27	34	20	28	36	6	2	2	—	—	—
Perth	11	11	16	13	13	14	15	15	28	13	16	11	4	2	—	—

DEATHS at Different Ages in the LARGE TOWNS of SCOTLAND, 1876.—BOTH SEXES.

	BOTH SEXES.													
	ALL AGES.	AGE UNDER												
		MONTHS.			2	3	4	5	10	15	20	25	30	
		3	6	12										
Inverness	429	34	16	14	22	17	17	7	21	14	8	13	18	
Arbroath	419	52	13	27	24	5	6	6	9	13	14	13	9	
Forfar	346	36	16	27	40	16	8	11	12	10	10	7	8	
Montrose	351	20	7	18	21	5	6	2	9	6	14	14	16	
Dunfermline	348	40	12	26	30	16	8	6	19	9	18	12	10	
Kirkcaldy	265	31	14	22	25	6	5	1	9	3	5	11	8	
Stirling	316	29	10	16	20	6	5	5	14	11	11	10	6	
Dumbarton	245	28	11	16	17	12	10	3	13	10	8	12	11	
Ayr	579	53	17	32	50	20	19	11	24	28	27	18	22	
Kilmarnock	593	62	28	51	51	28	12	8	23	12	37	36	16	
Barony	457	55	20	46	60	20	17	9	21	18	24	17	9	
Glasgow (Landward)	869	79	30	75	85	33	14	14	39	19	24	36	29	
Govan	1820	226	84	159	195	88	54	55	106	38	55	59	60	
Hamilton	450	51	9	37	49	22	5	11	17	7	11	26	19	
Airdrie	286	34	4	28	30	16	13	6	10	10	16	12	9	
Coatbridge	459	58	22	40	43	20	10	5	23	21	25	18	14	
Hawick	307	37	9	26	29	15	3	10	13	8	7	12	6	
Dumfries	485	38	15	30	32	12	6	6	19	8	16	14	23	

DEATHS at Different Ages in the SMALL TOWN DISTRICTS of the COUNTIES of SCOTLAND, 1876.—BOTH SEXES.

Shetland	89	1	2	1	2	2	—	—	5	—	6	4	4
Orkney	78	3	1	1	7	1	1	2	3	1	6	3	—
Caithness	382	31	15	28	22	16	8	6	17	14	10	15	13
Ross and Cromarty	223	13	4	21	17	13	7	7	15	3	5	10	6
Nairn	98	9	5	3	5	2	2	2	3	1	2	3	1
Elgin	409	41	19	23	18	12	12	5	18	14	17	15	17
Banff	392	47	19	18	14	18	1	3	18	9	13	12	12
Aberdeen	569	63	35	39	35	17	11	6	20	18	18	33	15
Kincardine	93	18	5	1	2	1	—	1	2	—	—	3	3
Forfar	569	50	22	30	35	14	8	5	14	9	18	24	23
Perth	504	48	13	19	16	9	6	6	16	8	21	21	24
Fife	1056	108	51	78	72	30	17	16	38	26	36	29	34
Clackmannan	371	42	19	24	40	10	—	3	17	8	13	13	11
Stirling	1220	111	42	100	116	52	34	40	87	46	45	49	37
Dumbarton	792	80	27	48	59	29	24	18	49	21	36	26	32
Argyll	438	32	18	19	26	14	16	5	29	9	10	19	11
Bute	190	10	10	9	16	3	3	2	8	3	9	3	6
Renfrew	1362	135	58	101	143	70	42	42	79	38	60	48	39
Ayr	2421	235	102	180	235	114	74	56	117	81	107	76	67
Lanark	2681	355	127	251	314	106	79	43	133	87	112	102	82
Linlithgow	505	51	25	49	39	16	19	11	41	21	19	12	16
Edinburgh	726	82	32	51	57	41	23	12	28	20	14	25	14
Haddington	275	28	13	18	21	9	4	3	10	2	7	5	8
Berwick	121	13	2	4	8	3	2	2	5	1	4	4	4
Peebles	71	8	2	3	1	1	1	—	4	3	5	2	4
Selkirk	412	46	19	44	34	21	11	4	18	9	19	25	13
Roxburgh	183	12	4	10	11	4	5	1	8	3	5	1	10
Dumfries	170	21	4	9	13	4	—	2	5	3	9	8	6
Kirkcudbright	218	19	10	17	10	3	4	4	8	7	6	12	12
Wigtown	208	17	8	18	12	3	4	—	8	7	12	7	6

DEATHS at Different Ages in the LARGE TOWNS of SCOTLAND, 1876.—BOTH SEXES.

	BOTH SEXES.															
	AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
Inverness . . .	16	17	12	19	14	17	23	22	23	31	20	8	4	1	—	1
Arbroath . . .	11	10	13	19	21	28	22	30	28	22	16	5	1	2	—	—
Forfar . . .	7	10	12	12	3	11	11	23	18	15	9	10	2	2	—	—
Montrose . . .	7	16	12	17	17	16	21	26	24	27	13	12	1	3	—	1
Dunfermline . . .	5	13	5	8	7	15	13	24	19	15	10	5	3	—	—	—
Kirkcaldy . . .	6	8	8	11	8	10	17	8	20	15	4	7	—	3	—	—
Stirling . . .	9	14	6	11	20	17	21	23	17	19	8	6	2	—	—	—
Dumbarton . . .	6	8	6	10	9	6	11	11	14	7	3	—	2	—	1	—
Ayr . . .	16	17	17	17	22	15	30	28	32	34	19	7	4	—	—	—
Kilmarnock . . .	17	20	22	14	21	26	23	18	25	21	14	7	1	—	—	—
Barony . . .	19	12	12	12	16	12	15	20	10	5	2	3	1	1	1	—
Glasgow (Landward) . . .	32	36	37	31	38	30	44	41	45	43	11	3	1	—	—	—
Govan . . .	56	77	60	57	73	44	66	67	59	46	25	9	1	1	—	—
Hamilton . . .	15	16	20	17	18	19	18	19	15	14	9	6	—	—	—	—
Airdrie . . .	13	7	7	7	8	15	10	7	4	8	7	3	1	1	—	—
Coatbridge . . .	11	16	14	15	19	12	16	14	16	12	8	6	1	—	—	—
Hawick . . .	3	7	7	7	20	9	19	15	16	16	3	8	1	1	—	—
Dumfries . . .	14	14	16	21	30	23	26	29	30	21	30	7	3	—	—	2

DEATHS at Different Ages in the SMALL TOWN DISTRICTS of the COUNTIES of SCOTLAND, 1876.—BOTH SEXES.

Shetland . . .	2	3	4	4	2	5	8	5	2	15	8	3	—	1	—	—
Orkney . . .	2	3	5	3	1	2	3	7	3	9	8	1	2	—	—	—
Caithness . . .	9	8	9	5	6	6	13	27	16	43	30	10	2	2	—	1
Ross and Cromarty . . .	3	8	6	3	8	7	10	9	16	10	11	6	3	2	—	—
Nairn . . .	1	3	2	7	2	5	8	10	10	7	1	3	1	—	—	—
Elgin . . .	14	11	11	13	13	10	23	20	34	22	12	14	—	—	1	—
Banff . . .	11	13	9	10	8	18	19	18	29	27	25	17	4	—	—	—
Aberdeen . . .	19	17	14	10	10	15	25	25	28	46	24	13	9	3	1	—
Kincardine . . .	2	3	4	2	3	3	5	8	9	5	7	3	2	1	—	—
Forfar . . .	21	20	19	13	14	22	25	41	31	48	35	23	3	2	—	—
Perth . . .	16	20	21	14	18	21	38	35	37	41	19	9	7	1	—	—
Fife . . .	21	32	25	29	34	31	52	70	63	72	51	32	9	—	—	—
Clackmannan . . .	12	12	15	6	17	13	22	15	26	14	13	5	1	—	—	—
Stirling . . .	37	36	35	31	47	43	40	48	58	40	25	15	5	1	—	—
Dumbarton . . .	30	20	34	24	26	30	36	31	35	39	24	11	1	1	—	1
Argyll . . .	8	12	9	15	10	10	21	27	34	33	29	16	4	1	1	—
Bute . . .	6	4	6	8	11	10	16	15	9	15	6	1	1	—	—	—
Renfrew . . .	48	52	42	31	34	48	57	49	43	61	24	13	3	2	—	—
Ayr . . .	62	58	58	61	89	95	109	91	122	106	64	41	18	1	1	1
Lanark . . .	79	55	73	82	75	80	92	77	92	89	51	35	7	3	—	—
Linlithgow . . .	14	11	13	11	22	14	21	12	19	25	12	10	2	—	—	—
Edinburgh . . .	13	24	22	22	24	33	42	40	33	44	15	11	3	1	—	—
Haddington . . .	9	11	5	16	18	16	15	18	16	17	6	9	1	—	—	—
Berwick . . .	5	3	2	1	5	7	7	12	7	5	8	7	—	—	—	—
Peebles . . .	2	3	2	1	3	3	5	3	5	6	3	1	—	—	—	—
Selkirk . . .	13	10	9	4	15	15	18	16	22	11	8	7	—	—	1	—
Roxburgh . . .	6	6	7	5	8	6	9	10	11	15	12	9	3	2	—	—
Dumfries . . .	4	5	4	5	2	10	10	13	11	9	9	3	1	—	—	—
Kirkcudbright . . .	3	4	5	9	7	2	8	15	20	14	12	5	2	—	—	—
Wigtown . . .	7	4	4	7	9	7	16	8	11	14	12	2	4	1	—	—

DEATHS at Different Ages in the LARGE TOWNS of SCOTLAND, 1876.—MALES.

	ALL AGES	MALES.											
		AGE UNDER											
		MONTHS.			2	3	4	5	10	15	20	25	30
		3	6	12									
Inverness	213	19	8	6	14	8	10	4	13	9	7	6	6
Arbroath	210	32	6	16	10	1	1	4	5	5	10	5	4
Forfar	156	13	9	8	18	11	4	5	5	6	4	4	2
Montrose	160	14	4	11	8	3	3	2	4	3	5	5	9
Dunfermline	165	25	8	8	11	9	8	4	10	8	5	6	4
Kirkcaldy	128	17	9	12	14	3	3	1	4	—	2	4	4
Stirling	159	13	5	8	8	3	1	2	7	5	9	6	4
Dumbarton	125	15	7	6	9	6	5	1	6	8	3	3	7
Ayr	256	24	9	14	25	9	5	5	12	9	8	7	11
Kilmarnock	293	40	11	26	25	11	7	5	15	5	22	21	3
Barony	228	28	10	23	35	10	10	4	13	7	12	5	3
Glasgow (Landward)	460	49	21	51	48	13	5	7	25	8	14	15	14
Govan	953	126	48	84	113	39	27	26	47	17	37	30	23
Hamilton	235	25	5	16	28	7	2	4	13	3	6	18	13
Airdrie	140	16	2	16	14	10	6	3	7	5	9	2	6
Coatbridge	242	40	8	25	24	10	3	4	10	12	12	8	10
Hawick	134	16	5	15	12	2	1	8	6	4	3	6	2
Dumfries	243	25	10	18	14	7	3	4	7	3	9	8	12

DEATHS at Different Ages in the SMALL TOWN DISTRICTS of the COUNTIES of SCOTLAND, 1876.—MALES.

Shetland	43	1	1	1	—	1	—	—	4	—	4	3	3
Orkney	42	2	1	1	4	1	—	2	1	1	4	2	—
Caithness	186	18	8	19	12	6	6	3	12	5	6	5	6
Ross and Cromarty	115	7	2	9	12	8	4	3	9	1	2	7	4
Nairn	51	7	2	2	1	1	—	—	3	—	2	2	1
Elgin	209	23	6	14	10	6	4	3	9	7	8	6	7
Banff	209	24	10	11	9	9	1	2	12	5	7	5	8
Aberdeen	277	30	20	20	19	12	8	3	9	9	10	17	12
Kincardine	40	10	3	1	—	—	—	—	2	—	—	1	2
Forfar	250	25	12	18	19	8	4	3	9	4	7	12	7
Perth	214	19	5	10	10	5	3	4	6	4	12	7	9
Fife	513	61	28	39	30	14	10	6	22	11	17	14	14
Clackmannan	185	22	11	11	21	7	—	2	8	3	5	7	6
Stirling	624	72	22	59	66	24	18	14	44	24	21	18	20
Dumbarton	393	50	16	24	27	14	14	8	17	9	14	16	19
Argyll	207	17	9	13	18	6	7	2	10	4	3	12	4
Bute	96	7	7	7	7	2	1	1	5	2	7	1	4
Renfrew	637	73	32	53	66	39	23	25	40	12	24	22	17
Ayr	1250	139	61	91	128	61	38	28	52	36	54	32	39
Lanark	1431	187	77	135	158	57	33	20	71	55	67	64	38
Linlithgow	258	29	17	21	19	8	8	5	22	10	9	9	4
Edinburgh	368	53	18	32	27	16	11	5	11	10	9	15	7
Haddington	127	18	5	8	8	4	1	2	5	1	2	3	2
Berwick	66	12	2	2	4	2	—	2	2	—	3	3	2
Peebles	30	3	—	1	—	1	—	—	2	2	3	2	3
Selkirk	204	25	12	24	16	10	4	3	9	4	10	8	9
Roxburgh	101	8	3	7	7	3	4	1	4	2	3	1	6
Dumfries	83	12	4	2	7	1	—	1	4	1	7	5	5
Kirkcudbright	104	15	5	9	3	2	1	1	5	4	1	6	6
Wigtown	107	12	3	12	5	2	2	—	3	2	7	5	1

DEATHS at Different Ages in the LARGE TOWNS of SCOTLAND, 1876.—MALES.

	MALES.															
	AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
Inverness . . .	8	9	8	7	5	6	13	9	8	14	10	2	3	—	—	1
Arbroath . . .	8	4	2	7	9	13	13	15	16	10	10	3	1	—	—	—
Forfar . . .	2	5	8	8	1	5	5	9	10	5	5	3	1	—	—	—
Montrose . . .	1	8	5	7	6	8	14	15	9	7	6	2	—	1	—	—
Dunfermline . .	4	4	2	4	3	6	7	6	7	10	4	—	2	—	—	—
Kirkcaldy . . .	2	3	3	5	3	5	10	3	14	5	—	2	—	—	—	—
Stirling . . .	2	7	4	6	14	6	11	13	7	9	4	4	1	—	—	—
Dumbarton . . .	3	3	2	4	3	3	8	7	9	6	1	—	—	—	—	—
Ayr . . .	8	10	10	8	16	6	13	8	18	13	6	2	—	—	—	—
Kilmarnock . . .	11	4	9	9	7	15	9	7	10	9	9	3	—	—	—	—
Barony . . .	6	6	5	7	12	8	6	11	3	2	2	—	—	—	—	—
Glasgow (Landward) .	16	14	20	14	21	17	24	22	23	16	2	1	—	—	—	—
Govan . . .	23	37	31	32	44	23	36	39	31	22	14	4	—	—	—	—
Hamilton . . .	7	10	13	10	9	9	11	7	8	5	4	2	—	—	—	—
Airdrie . . .	5	2	3	2	4	7	6	5	3	3	4	—	—	—	—	—
Coatbridge . . .	3	6	8	9	11	6	8	5	6	6	4	3	1	—	—	—
Hawick . . .	1	1	2	4	12	2	5	9	5	10	1	2	—	—	—	—
Dumfries . . .	10	4	8	7	13	12	13	13	17	9	13	1	1	—	—	2

DEATHS at Different Ages in the SMALL TOWN DISTRICTS of the COUNTIES of SCOTLAND, 1876.—MALES.

Shetland . . .	2	—	3	1	2	2	4	2	—	6	2	1	—	—	—	—
Orkney . . .	—	1	3	2	1	—	2	4	2	3	4	—	1	—	—	—
Caithness . . .	5	3	4	3	3	3	4	10	9	22	13	1	—	—	—	—
Ross and Cromarty .	2	3	—	1	5	2	5	6	8	4	6	2	2	1	—	—
Nairn . . .	—	2	2	2	1	3	1	4	7	5	—	2	1	—	—	—
Elgin . . .	7	8	7	8	9	7	11	8	17	12	7	5	—	—	—	—
Banff . . .	3	7	3	5	6	11	13	12	13	13	11	8	1	—	—	—
Aberdeen . . .	10	11	6	4	5	8	9	12	8	19	5	5	4	2	—	—
Kincardine . . .	—	1	1	1	2	1	2	1	4	3	2	2	1	—	—	—
Forfar . . .	10	6	4	2	9	9	8	15	12	21	14	11	1	—	—	—
Perth . . .	4	9	7	5	6	8	14	18	19	15	9	2	4	—	—	—
Fife . . .	10	15	11	12	19	19	27	37	32	27	21	12	5	—	—	—
Clackmannan . . .	7	5	8	4	6	7	12	5	12	9	4	2	1	—	—	—
Stirling . . .	17	16	17	14	24	19	17	32	32	18	9	7	—	—	—	—
Dumbarton . . .	17	11	14	8	15	17	19	17	15	16	10	4	1	—	—	1
Argyll . . .	5	8	4	9	6	8	10	8	15	16	7	5	—	—	1	—
Bute . . .	4	2	4	5	4	3	6	6	6	3	1	—	1	—	—	—
Renfrew . . .	26	16	22	17	13	20	25	17	16	29	6	3	—	1	—	—
Ayr . . .	29	35	24	34	49	44	56	50	62	53	26	20	8	—	—	1
Lanark . . .	33	31	42	50	37	55	54	42	43	42	24	14	1	1	—	—
Linlithgow . . .	7	6	6	6	14	8	12	7	11	10	6	4	—	—	—	—
Edinburgh . . .	5	9	12	14	17	20	16	18	16	18	6	2	1	—	—	—
Haddington . . .	5	7	2	10	5	8	8	5	5	8	3	2	—	—	—	—
Berwick . . .	2	1	1	—	2	3	2	9	4	2	2	4	—	—	—	—
Peebles . . .	1	1	1	1	—	1	2	—	2	3	—	1	—	—	—	—
Selkirk . . .	6	5	6	2	10	6	10	4	11	2	4	3	—	—	1	—
Roxburgh . . .	3	3	5	2	5	4	4	7	5	6	3	4	—	1	—	—
Dumfries . . .	2	1	1	3	1	5	3	6	7	1	3	1	—	—	—	—
Kirkcudbright . . .	2	2	3	5	4	1	3	6	8	6	3	3	—	—	—	—
Wigtown . . .	4	2	2	2	5	2	7	6	7	7	7	—	1	1	—	—

DEATHS at Different Ages in the LARGE TOWNS of SCOTLAND, 1876.—FEMALES.

	ALL AGES.	FEMALES.											
		AGE UNDER											
		MONTHS.			2	3	4	5	10	15	20	25	30
		3	6	12									
Inverness	216	15	8	8	8	9	7	3	8	5	1	7	12
Arbroath	209	20	7	11	14	4	5	2	4	8	4	8	5
Forfar	190	23	7	19	22	5	4	6	7	4	6	3	6
Montrose	191	6	3	7	13	2	3	—	5	3	9	9	7
Dunfermline	183	15	4	18	19	7	—	2	9	1	13	6	6
Kirkcaldy	137	14	5	10	11	3	2	—	5	3	3	7	4
Stirling	157	16	5	8	12	3	4	3	7	6	2	4	2
Dumbarton	120	13	4	10	8	6	5	2	7	2	5	9	4
Ayr	323	29	8	18	25	11	14	6	12	19	19	11	11
Kilmarnock	300	22	17	25	26	17	5	3	8	7	15	15	13
Barony	229	27	10	23	25	10	7	5	8	11	12	12	6
Glasgow (Landward)	409	30	9	24	37	20	9	7	14	11	10	21	15
Govan	867	100	36	75	82	49	27	29	59	21	18	29	37
Hamilton	215	26	4	21	21	15	3	7	4	4	5	8	6
Airdrie	146	18	2	12	16	6	7	3	3	5	7	10	3
Coatbridge	217	18	14	15	19	10	7	1	13	9	13	10	4
Hawick	173	21	4	11	17	13	2	2	7	4	4	6	4
Dumfries	242	13	5	12	18	5	3	2	12	5	7	6	11

DEATHS at Different Ages in the SMALL TOWN DISTRICTS of the COUNTIES of SCOTLAND, 1876.—FEMALES.

Shetland	46	—	1	—	2	1	—	—	1	—	2	1	1
Orkney	36	1	—	—	3	—	1	—	2	—	2	1	—
Caithness	196	13	7	9	10	10	2	3	5	9	4	10	7
Ross and Cromarty	108	6	2	12	5	5	3	4	6	2	3	3	2
Nairn	47	2	3	1	4	1	2	2	—	1	—	1	—
Elgin	200	18	13	9	8	6	8	2	9	7	9	9	10
Banff	183	23	9	7	5	9	—	1	6	4	6	7	4
Aberdeen	292	33	15	19	16	5	3	3	11	9	8	16	3
Kincardine	53	8	2	—	2	1	—	1	—	—	—	2	1
Forfar	319	25	10	12	16	6	4	2	5	5	11	12	16
Perth	290	29	8	9	6	4	3	2	10	4	9	14	15
Fife	543	47	23	39	42	16	7	10	16	15	19	15	20
Clackmannan	186	20	8	13	19	3	—	1	9	5	8	6	5
Stirling	596	39	20	41	50	28	16	26	43	22	24	31	17
Dumbarton	399	30	11	24	32	15	10	10	32	12	22	10	13
Argyll	231	15	9	6	8	8	9	3	19	5	7	7	7
Bute	94	3	3	2	9	1	2	1	3	1	2	2	2
Renfrew	725	62	26	48	77	31	19	17	39	26	36	26	22
Ayr	1171	96	41	89	107	53	36	28	65	45	53	44	28
Lanark	1250	168	50	116	156	49	46	23	62	32	45	38	44
Linlithgow	247	22	8	28	20	8	11	6	19	11	10	3	12
Edinburgh	358	29	14	19	30	25	12	7	17	10	5	10	7
Haddington	148	10	8	10	13	5	3	1	5	1	5	2	6
Berwick	55	1	—	2	4	1	2	—	3	1	1	1	2
Peebles	41	5	2	2	1	—	1	—	2	1	2	—	1
Selkirk	208	21	7	20	18	11	7	1	9	5	9	17	4
Roxburgh	82	4	1	3	4	1	1	—	4	1	2	—	4
Dumfries	87	9	—	7	6	3	—	1	1	2	2	3	1
Kirkcudbright	114	4	5	8	7	1	3	3	3	3	5	6	6
Wigtown	101	5	5	6	7	1	2	—	5	5	5	2	5

DEATHS at Different Ages in the LARGE TOWNS of SCOTLAND, 1876.—FEMALES.

	FEMALES.															
	AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
Inverness . . .	8	8	4	12	9	11	10	13	15	17	10	6	1	1	—	—
Arbroath . . .	3	6	11	12	12	15	9	15	12	12	6	2	—	2	—	—
Forfar . . .	5	5	4	4	2	6	6	14	8	10	4	7	1	2	—	—
Montrose . . .	6	8	7	10	11	8	7	11	15	20	7	10	1	2	—	1
Dunfermline . .	1	9	3	4	4	9	6	18	12	5	6	5	1	—	—	—
Kirkcaldy . . .	4	5	5	6	5	5	7	5	6	10	4	5	—	3	—	—
Stirling . . .	7	7	2	5	6	11	10	10	10	10	4	2	1	—	—	—
Dumbarton . . .	3	5	4	6	6	3	3	4	5	1	2	—	2	—	1	—
Ayr . . .	8	7	7	9	6	9	17	20	14	21	13	5	4	—	—	—
Kilmarnock . . .	6	16	13	5	14	11	14	11	15	12	5	4	1	—	—	—
Barony . . .	13	6	7	5	4	4	9	9	7	3	—	3	1	1	1	—
Glasgow (Landward) .	16	22	17	17	17	13	20	19	22	27	9	2	1	—	—	—
Govan . . .	33	40	29	25	29	21	30	28	28	24	11	5	1	1	—	—
Hamilton . . .	8	6	7	7	9	10	7	12	7	9	5	4	—	—	—	—
Airdrie . . .	8	5	4	5	4	8	4	2	1	5	3	3	1	1	—	—
Coatbridge . . .	8	10	6	6	8	6	8	9	10	6	4	3	—	—	—	—
Hawick . . .	2	6	5	3	8	7	14	6	11	6	2	6	1	1	—	—
Dumfries . . .	4	10	8	14	17	11	13	16	13	12	17	6	2	—	—	—

DEATHS at Different Ages in the SMALL TOWN DISTRICTS of the COUNTIES of SCOTLAND, 1876.—FEMALES.

Shetland . . .	—	3	1	3	—	3	4	3	2	9	6	2	—	1	—	—
Orkney . . .	2	2	2	1	—	2	1	3	1	6	4	1	1	—	—	—
Caithness . . .	4	5	5	2	3	3	9	17	7	21	17	9	2	2	—	1
Ross and Cromarty .	1	5	6	2	3	5	5	3	8	6	5	4	1	1	—	—
Nairn . . .	1	1	—	5	1	2	7	6	3	2	1	1	—	—	—	—
Elgin . . .	7	3	4	5	4	3	12	12	17	10	5	9	—	—	1	—
Banff . . .	8	6	6	5	2	7	6	6	16	14	14	9	3	—	—	—
Aberdeen . . .	9	6	8	6	5	7	16	13	20	27	19	8	5	1	1	—
Kincardine . . .	2	2	3	1	1	2	3	7	5	2	5	1	1	1	—	—
Forfar . . .	11	14	15	11	5	13	17	26	19	27	21	12	2	2	—	—
Perth . . .	12	11	14	9	12	13	24	17	18	26	10	7	3	1	—	—
Fife . . .	11	17	14	17	15	12	25	33	31	45	30	20	4	—	—	—
Clackmannan . . .	5	7	7	2	11	6	10	10	14	5	9	3	—	—	—	—
Stirling . . .	20	20	18	17	23	24	23	16	26	22	16	8	5	1	—	—
Dumbarton . . .	13	9	20	16	11	13	17	14	20	23	14	7	—	1	—	—
Argyll . . .	3	4	5	6	4	2	11	19	19	17	22	11	4	1	—	—
Bute . . .	2	2	2	3	7	7	10	9	3	12	5	1	—	—	—	—
Renfrew . . .	22	36	20	14	21	28	32	32	27	32	18	10	3	1	—	—
Ayr . . .	33	23	34	27	40	51	53	41	60	53	38	21	10	1	1	—
Lanark . . .	46	24	31	32	38	25	38	35	49	47	27	21	6	2	—	—
Linlithgow . . .	7	5	7	5	8	6	9	5	8	15	6	6	2	—	—	—
Edinburgh . . .	8	15	10	8	7	13	26	22	17	26	9	9	2	1	—	—
Haddington . . .	4	4	3	6	3	8	7	13	11	9	3	7	1	—	—	—
Berwick . . .	3	2	1	1	3	4	5	3	3	3	6	3	—	—	—	—
Peebles . . .	1	2	1	—	3	2	3	3	3	3	3	—	—	—	—	—
Selkirk . . .	7	5	3	2	5	9	8	12	11	9	4	4	—	—	—	—
Roxburgh . . .	3	3	2	3	3	2	5	3	6	9	9	5	3	1	—	—
Dumfries . . .	2	4	3	2	1	5	7	7	4	8	6	2	1	—	—	—
Kirkcudbright . . .	1	2	2	4	3	1	5	9	12	8	9	2	2	—	—	—
Wigtown . . .	3	2	2	5	4	5	9	2	4	7	5	2	3	—	—	—

DEATHS at Different Ages in the MAINLAND-RURAL DISTRICTS of SCOTLAND, 1876.—BOTH SEXES.

	ALL AGES.	BOTH SEXES.											
		AGE UNDER											
		MONTHS.			2	3	4	5	10	15	20	25	30
		3	6	12									
Caithness	405	25	3	13	22	16	11	6	30	14	13	11	8
Sutherland	378	25	4	12	6	2	7	5	16	11	9	12	16
Ross and Cromarty	955	46	14	31	34	21	23	14	46	27	25	28	27
Inverness	480	26	10	14	15	13	8	6	19	11	11	16	7
Nairn	50	3	—	3	—	—	—	1	—	3	3	4	2
Elgin	368	31	9	23	15	3	6	3	9	6	9	10	18
Banff	493	52	12	15	11	3	2	8	17	12	15	20	14
Aberdeen	1584	167	56	56	49	29	16	20	65	42	53	69	48
Kincardine	417	32	10	13	12	4	7	4	19	10	11	12	12
Forfar	544	49	25	23	24	12	10	9	22	14	16	11	12
Perth	1335	123	24	52	44	28	16	14	47	34	40	48	30
Fife	1347	131	41	73	91	39	24	20	53	40	57	52	38
Kinross	153	11	2	6	7	3	4	1	11	4	4	4	5
Clackmannan	93	12	5	5	7	1	3	—	7	4	8	3	3
Stirling	762	87	33	41	53	24	17	19	44	24	22	33	36
Dumbarton	265	17	10	17	25	12	6	1	11	10	11	11	13
Argyll	654	32	14	36	21	11	11	14	28	14	20	21	26
Renfrew	486	41	15	28	32	11	7	4	27	15	27	36	19
Ayr	1182	148	40	80	102	63	43	22	72	30	42	47	34
Lanark	1449	170	67	116	134	49	40	19	67	56	57	62	40
Linlithgow	300	38	3	26	30	11	11	7	15	8	10	9	10
Edinburgh	1281	107	42	57	82	28	22	22	49	26	35	40	27
Haddington	335	40	8	10	14	6	4	6	13	7	8	7	15
Berwick	443	29	17	17	12	12	6	10	15	10	21	14	13
Peebles	172	19	7	12	13	6	4	6	9	7	6	7	3
Selkirk	38	6	1	1	1	1	—	—	3	1	—	2	2
Roxburgh	398	37	15	18	21	11	9	5	23	12	11	14	14
Dumfries	917	76	21	39	33	23	15	12	44	25	29	38	34
Kirkcudbright	447	29	15	21	17	13	7	5	22	13	11	22	15
Wigtown	461	40	8	23	18	15	5	4	19	9	16	16	14

DEATHS at Different Ages in the INSULAR-RURAL DISTRICTS of SCOTLAND, 1876.—BOTH SEXES.

Shetland	362	19	16	9	3	6	4	5	3	6	6	10	18
Orkney	396	20	6	17	7	4	3	1	6	3	9	14	21
Ross and Cromarty	244	38	7	13	29	14	13	7	3	4	9	4	7
Inverness	587	59	12	25	23	14	13	7	13	14	23	16	19
Argyll	368	12	6	13	10	13	5	2	14	8	20	15	12
Bute	153	4	2	—	3	3	4	4	3	4	9	6	9

DEATHS at Different Ages in the MAINLAND-RURAL DISTRICTS of
SCOTLAND, 1876.—BOTH SEXES.

	BOTH SEXES.																
	AGE UNDER																
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?	
Caithness	14	2	8	9	11	10	14	19	40	34	37	26	4	3	2	-	
Sutherland	14	12	6	4	14	17	24	24	29	28	39	24	16	2	-	-	
Ross and Cromarty	24	21	20	17	28	34	50	47	97	100	96	43	30	4	2	6	
Inverness	18	17	15	15	13	16	21	31	31	60	31	35	17	4	-	-	
Nairn	-	2	2	1	2	3	2	5	3	4	3	3	1	-	-	-	
Elgin	9	3	14	10	8	13	26	25	34	32	25	17	4	6	-	-	
Banff	11	23	10	15	16	18	20	25	42	55	41	23	10	2	1	-	
Aberdeen	29	38	29	47	43	50	68	86	131	149	113	81	40	7	-	3	
Kincardine	9	11	12	5	14	11	25	26	38	49	33	21	7	4	-	6	
Forfar	19	16	11	10	17	24	34	34	42	46	32	22	7	2	-	1	
Perth	36	46	32	35	39	51	63	83	130	129	108	52	20	7	3	1	
Fife	30	30	27	35	50	44	54	76	112	106	70	38	13	2	-	1	
Kinross	2	1	4	1	6	8	7	14	10	13	12	10	3	-	-	-	
Clackmannan	4	3	3	4	2	1	4	2	2	5	5	-	-	-	-	-	
Stirling	30	23	24	20	31	28	29	35	32	28	24	16	5	3	-	1	
Dumbarton	7	9	9	6	12	9	15	6	20	17	6	4	1	-	-	-	
Argyll	26	34	17	26	17	28	28	49	41	45	40	28	22	2	3	-	
Renfrew	12	10	14	17	23	28	21	16	27	26	22	6	1	1	-	-	
Ayr	30	23	30	35	27	45	34	36	54	60	44	26	11	4	-	-	
Lanark	37	42	39	45	41	47	58	72	67	66	35	16	7	-	-	-	
Linlithgow	10	10	7	8	7	10	15	11	14	16	10	2	1	1	-	-	
Edinburgh	41	46	61	55	54	63	80	80	97	94	40	27	6	-	-	-	
Haddington	9	11	8	9	11	15	22	21	24	38	12	14	3	-	-	-	
Berwick	19	17	10	10	20	18	27	33	31	43	19	14	6	-	-	-	
Peebles	4	4	9	2	10	3	7	10	6	7	8	3	-	-	-	-	
Selkirk	4	1	-	4	-	-	3	4	2	-	2	-	-	-	-	-	
Roxburgh	6	7	7	6	7	23	22	31	33	25	25	9	4	2	-	1	
Dumfries	25	23	29	24	29	45	43	67	67	74	58	27	12	5	-	-	
Kirkcudbright	14	20	13	14	13	12	17	36	34	24	34	16	8	2	-	-	
Wigtown	11	11	11	13	9	27	30	27	41	34	32	18	8	2	-	-	

DEATHS at Different Ages in the INSULAR-RURAL DISTRICTS of
SCOTLAND, 1876.—BOTH SEXES.

Shetland	5	8	11	16	12	12	17	21	28	38	45	27	13	3	1	-	
Orkney	11	8	7	10	15	24	26	20	43	47	28	27	16	3	-	-	
Ross and Cromarty	2	6	7	9	6	2	9	8	8	9	14	7	5	1	2	1	
Inverness	18	16	16	13	15	21	27	29	36	48	57	36	9	5	2	1	
Argyll	11	7	8	10	13	13	23	27	30	29	38	14	12	2	1	-	
Bute	4	6	4	6	13	7	6	10	15	15	9	4	3	-	-	-	

DEATHS at Different Ages in the MAINLAND-RURAL DISTRICTS of SCOTLAND, 1876.—MALES.

	ALL AGES.	MALES.											
		AGE UNDER											
		MONTHS.			2	3	4	5	10	15	20	25	30
		3	6	12									
Caithness	217	14	1	8	12	13	6	6	16	10	8	5	6
Sutherland	186	14	2	7	5	2	5	2	8	5	7	6	9
Ross and Cromarty	442	31	9	18	14	9	11	9	23	17	9	14	12
Inverness	220	19	4	8	8	5	4	3	7	3	4	10	4
Nairn	17	1	—	2	—	—	—	—	—	—	—	2	2
Elgin	188	23	5	14	10	1	5	1	4	4	5	6	9
Banff	227	27	10	8	8	2	2	1	11	8	7	14	7
Aberdeen	808	99	29	29	21	13	8	14	37	30	34	35	23
Kincardine	234	16	8	5	9	3	2	3	10	5	9	7	7
Forfar	298	32	14	16	9	7	5	5	16	8	7	4	9
Perth	674	66	18	29	23	12	4	10	28	22	22	21	16
Fife	699	86	21	40	49	19	12	11	30	18	30	25	16
Kinross	74	7	1	4	4	2	1	1	6	2	3	4	1
Clackmannan	41	7	3	4	5	1	1	—	1	—	5	—	1
Stirling	403	47	21	23	28	14	10	13	27	12	13	17	16
Dumbarton	140	13	3	6	13	5	2	—	8	7	6	9	8
Argyll	327	16	6	20	12	5	5	8	13	6	12	12	13
Renfrew	238	23	9	15	13	6	4	3	13	7	17	15	7
Ayr	625	90	23	43	44	33	28	11	30	17	30	24	17
Lanark	772	90	33	66	79	29	13	7	29	30	30	31	23
Linlithgow	155	24	1	14	16	4	7	1	7	3	6	1	5
Edinburgh	641	57	24	37	37	10	9	11	21	10	22	20	15
Haddington	158	19	2	4	6	3	1	4	5	3	1	2	8
Berwick	214	14	12	9	9	7	3	3	5	8	9	7	5
Peebles	75	11	2	4	10	5	2	2	5	1	1	3	1
Selkirk	24	3	1	1	—	1	—	—	3	1	—	1	2
Roxburgh	198	19	7	9	13	6	3	4	11	2	4	8	8
Dumfries	443	40	17	21	13	11	9	9	21	8	18	18	15
Kirkcudbright	210	13	7	15	9	10	2	4	14	7	3	12	4
Wigtown	229	22	5	10	12	7	5	4	9	5	8	10	8

DEATHS at Different Ages in the INSULAR-RURAL DISTRICTS of SCOTLAND, 1876.—MALES.

Shetland	156	11	9	6	1	2	2	2	1	3	4	4	9
Orkney	181	11	4	10	3	2	—	—	4	1	5	9	10
Ross and Cromarty	128	26	4	6	16	5	9	6	1	1	5	1	3
Inverness	313	40	12	17	16	9	8	3	6	8	11	12	11
Argyll	198	8	3	7	5	7	2	2	6	2	12	13	4
Bute	75	3	—	—	1	1	1	1	—	3	4	4	4

DEATHS at Different Ages in the MAINLAND-RURAL DISTRICTS of
SCOTLAND, 1876.—MALES.

	MALES.																
	AGE UNDER																
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?	
Caithness . . .	8	1	5	4	5	8	11	12	17	19	10	8	2	1	1	—	
Sutherland . . .	8	7	2	2	7	8	11	9	13	12	18	7	9	1	—	—	
Ross and Cromarty .	15	8	7	8	15	13	23	19	47	44	38	21	4	1	1	2	
Inverness . . .	9	12	5	8	6	8	10	12	14	23	15	13	4	2	—	—	
Nairn	—	—	—	1	1	1	—	2	2	1	1	1	—	—	—	—	
Elgin	5	3	5	2	4	7	10	11	18	15	11	8	1	1	—	—	
Banff	5	8	5	6	6	6	7	8	18	26	19	8	—	—	—	—	
Aberdeen . . .	13	19	16	25	24	24	32	42	66	72	53	33	13	1	—	3	
Kincardine . . .	4	7	6	3	9	8	16	13	21	27	16	11	2	1	—	6	
Forfar	10	11	6	5	5	10	18	22	22	25	17	11	3	—	—	1	
Perth	15	21	17	15	19	26	35	46	59	67	51	20	7	4	1	—	
Fife	19	20	13	15	25	20	31	37	58	53	29	14	6	1	—	1	
Kinross	2	—	1	—	3	2	2	7	5	7	6	3	—	—	—	—	
Clackmannan . . .	—	1	1	2	2	1	2	—	1	2	1	—	—	—	—	—	
Stirling	15	9	10	12	11	17	18	19	19	14	8	7	2	1	—	—	
Dumbarton . . .	5	5	4	5	8	3	7	2	8	7	3	3	—	—	—	—	
Argyll	15	14	12	11	13	18	14	29	16	20	15	12	8	—	2	—	
Renfrew	6	6	8	7	13	16	10	7	5	14	11	2	1	—	—	—	
Ayr	18	9	18	23	16	23	19	17	25	28	19	12	7	1	—	—	
Lanark	21	18	22	25	23	31	32	40	33	39	19	5	4	—	—	—	
Linlithgow . . .	8	8	5	6	5	5	5	4	11	2	5	—	1	1	—	—	
Edinburgh . . .	20	31	34	31	27	39	43	39	36	39	15	14	—	—	—	—	
Haddington . . .	3	8	5	4	6	9	12	12	12	12	10	6	1	—	—	—	
Berwick	10	7	5	6	9	9	12	16	18	19	5	5	2	—	—	—	
Peebles	—	2	4	1	3	1	4	3	1	3	4	2	—	—	—	—	
Selkirk	1	1	—	2	—	—	2	1	2	—	2	—	—	—	—	—	
Roxburgh	3	3	2	3	5	13	11	18	19	8	10	5	3	—	—	1	
Dumfries	8	9	12	10	19	27	21	36	37	27	20	13	4	—	—	—	
Kirkcudbright . .	3	11	5	11	2	8	9	14	15	10	10	6	5	1	—	—	
Wigtown	3	4	5	5	4	10	16	14	22	16	13	6	5	1	—	—	

DEATHS at Different Ages in the INSULAR-RURAL DISTRICTS of
SCOTLAND, 1876.—MALES.

Shetland	2	4	4	5	3	5	8	8	10	15	22	10	6	—	—	—
Orkney	4	2	3	5	8	12	9	13	25	13	8	10	8	2	—	—
Ross and Cromarty .	2	3	4	6	4	1	3	4	5	1	6	2	2	—	1	1
Inverness	8	4	11	5	7	11	9	13	20	19	26	16	7	3	—	1
Argyll	5	5	4	7	7	8	12	14	12	17	20	6	8	2	—	—
Bute	1	4	3	3	7	5	2	5	6	8	4	3	2	—	—	—

DEATHS at Different Ages in the MAINLAND-RURAL DISTRICTS of SCOTLAND, 1876.—FEMALES.

	ALL AGES.	FEMALES.											
		AGE UNDER											
		MONTHS.			2	3	4	5	10	15	20	25	30
		3	6	12									
Caithness	188	11	2	5	10	3	5	—	14	4	5	6	2
Sutherland	192	11	2	5	1	—	2	3	8	6	2	6	7
Ross and Cromarty	513	15	5	13	20	12	12	5	23	10	16	14	15
Inverness	260	7	6	6	7	8	4	3	12	8	7	6	3
Nairn	33	2	—	1	—	—	—	1	—	3	3	2	—
Elgin	180	8	4	9	5	2	1	2	5	2	4	4	9
Banff	266	25	2	7	3	1	—	7	6	4	8	6	7
Aberdeen	776	68	27	27	28	16	8	6	28	12	19	34	25
Kincardine	183	16	2	8	3	1	5	1	9	5	2	5	5
Forfar	246	17	11	7	15	5	5	4	6	6	9	7	3
Perth	661	57	6	23	21	16	12	4	19	12	18	27	14
Fife	648	45	20	33	42	20	12	9	23	22	27	27	22
Kinross	79	4	1	2	3	1	3	—	5	2	1	—	4
Clackmannan	52	5	2	1	2	—	2	—	6	4	3	3	2
Stirling	359	40	12	18	25	10	7	6	17	12	9	16	20
Dumbarton	125	4	7	11	12	7	4	1	3	3	5	2	5
Argyll	327	16	8	16	9	6	6	6	15	8	8	9	13
Renfrew	248	18	6	13	19	5	3	1	14	8	10	21	12
Ayr	557	58	17	37	58	30	15	11	42	13	12	23	17
Lanark	677	80	34	50	55	20	27	12	38	26	27	31	17
Linlithgow	145	14	2	12	14	7	4	6	8	5	4	8	5
Edinburgh	640	50	18	20	45	18	13	11	28	16	13	20	12
Haddington	177	21	6	6	8	3	3	2	8	4	7	5	7
Berwick	229	15	5	8	3	5	3	7	10	2	12	7	8
Peebles	97	8	5	8	3	1	2	4	4	6	5	4	2
Selkirk	14	3	—	—	1	—	—	—	—	—	—	1	—
Roxburgh	200	18	8	9	8	5	6	1	12	10	7	6	6
Dumfries	474	36	4	18	20	12	6	3	23	17	11	20	19
Kirkcudbright	237	16	8	6	8	3	5	1	8	6	8	10	11
Wigtown	232	18	3	13	6	8	—	—	10	4	8	6	6

DEATHS at Different Ages in the INSULAR-RURAL DISTRICTS of SCOTLAND, 1876.—FEMALES.

Shetland	206	8	7	3	2	4	2	3	2	3	2	6	9
Orkney	215	9	2	7	4	2	3	1	2	2	4	5	11
Ross and Cromarty	116	12	3	7	13	9	4	1	2	3	4	3	4
Inverness	274	19	—	8	7	5	5	4	7	6	12	4	8
Argyll	170	4	3	6	5	6	3	—	8	6	8	2	8
Bute	78	1	2		2	2	3	3	3	1	5	2	5

DEATHS at Different Ages in the MAINLAND-RURAL DISTRICTS of
SCOTLAND, 1876.—FEMALES.

	FEMALES.																
	AGE UNDER																
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?	
Caithness . . .	6	1	3	5	6	2	3	7	23	15	27	18	2	2	1	—	—
Sutherland . . .	6	5	4	2	7	9	13	15	16	16	21	17	7	1	—	—	—
Ross and Cromarty . . .	9	13	13	9	13	21	27	28	50	56	58	22	26	3	1	4	—
Inverness . . .	9	5	10	7	7	8	11	19	17	37	16	22	26	2	—	—	—
Nairn . . .	—	2	2	—	1	2	2	3	1	3	2	2	1	—	—	—	—
Elgin . . .	4	—	9	8	4	6	16	14	16	17	14	9	3	5	—	—	—
Banff . . .	6	15	5	9	10	12	13	17	24	29	22	15	10	2	1	—	—
Aberdeen . . .	16	19	13	22	19	26	36	44	65	77	60	48	27	6	—	—	—
Kincardine . . .	5	4	6	2	5	3	9	13	17	22	17	10	5	3	—	—	—
Forfar . . .	9	5	5	5	12	14	16	12	20	21	15	11	4	2	—	—	—
Perth . . .	21	25	15	20	20	25	28	37	71	62	57	32	13	3	2	1	—
Fife . . .	11	10	14	20	25	24	23	39	54	53	41	24	7	1	—	—	—
Kinross . . .	—	1	3	1	3	6	5	7	5	6	6	7	3	—	—	—	—
Clackmannan . . .	4	2	2	2	—	—	2	2	1	3	4	—	—	—	—	—	—
Stirling . . .	15	14	14	8	20	11	11	16	13	14	16	9	3	2	—	1	—
Dumbarton . . .	2	4	5	1	4	6	8	4	12	10	3	1	1	—	—	—	—
Argyll . . .	11	20	5	15	4	10	14	20	25	25	25	16	14	2	1	—	—
Renfrew . . .	6	4	6	10	10	12	11	9	22	12	11	4	—	1	—	—	—
Ayr . . .	12	14	12	12	11	22	15	19	29	32	25	14	4	3	—	—	—
Lanark . . .	16	24	17	20	18	16	26	32	34	27	16	11	3	—	—	—	—
Linlithgow . . .	2	2	2	2	2	5	10	7	3	14	5	2	—	—	—	—	—
Edinburgh . . .	21	15	27	24	27	24	37	41	61	55	25	13	6	—	—	—	—
Haddington . . .	6	3	3	5	5	6	10	9	12	26	2	8	2	—	—	—	—
Berwick . . .	9	10	5	4	11	9	15	17	13	24	14	9	4	—	—	—	—
Peebles . . .	4	2	5	1	7	2	3	7	5	4	4	1	—	—	—	—	—
Selkirk . . .	3	—	—	2	—	—	1	3	—	—	—	—	—	—	—	—	—
Roxburgh . . .	3	4	5	3	2	10	11	13	14	17	15	4	1	2	—	—	—
Dumfries . . .	17	14	17	14	10	18	22	31	30	47	38	14	8	5	—	—	—
Kirkcudbright . . .	11	9	8	3	11	4	8	22	19	14	24	10	3	1	—	—	—
Wigtown . . .	8	7	6	8	5	17	14	13	19	18	19	12	3	1	—	—	—

DEATHS at Different Ages in the INSULAR-RURAL DISTRICTS of
SCOTLAND, 1876.—FEMALES.

Shetland . . .	3	4	7	11	9	7	9	13	18	23	23	17	7	3	1	—	—
Orkney . . .	7	6	4	5	7	12	17	7	18	34	20	17	8	1	—	—	—
Ross and Cromarty . . .	—	3	3	3	2	1	6	4	3	8	8	5	3	1	1	—	—
Inverness . . .	10	12	5	8	8	10	18	16	16	29	31	20	2	2	2	—	—
Argyll . . .	6	2	4	3	6	5	11	13	18	12	18	8	4	—	1	—	—
Bute . . .	3	2	1	3	6	2	4	5	9	7	5	1	1	—	—	—	—

CAUSES of DEATH in the COUNTIES of SCOTLAND during the YEAR 1876.—BOTH SEXES.

DISEASES.	SCOTLAND.	Shetland.	Orkney.	Caithness.	Sutherland.	Ross and Cromarty.	Inverness.	Nairn.	Elgin.	Banff.	Aberdeen.	Kincardine.	Forfar.	Perth.	Fife.	Kimross.
ALL CAUSES	74129	451	474	787	378	1422	1496	148	777	885	4186	510	5304	2479	3016	153
SPECIFIED CAUSES	72916	397	459	777	344	1286	1389	145	753	874	4115	491	5287	2432	2945	153
I. Zymotic Class	13323	19	42	191	40	265	246	14	123	105	690	50	854	335	550	24
II. Diseases of Uncer. Seat	2717	30	27	34	19	59	52	9	27	50	185	27	183	106	124	5
III. Tubercular Class	12219	54	52	89	54	154	135	16	108	123	609	56	876	353	395	21
IV. Brain and Nervous Sys.	7118	23	26	57	34	89	110	15	83	104	450	63	572	269	313	18
V. Organs of Circulation	4603	13	26	46	9	48	67	8	73	57	320	54	408	208	217	10
VI. Respiratory Organs	12569	42	79	107	25	146	209	15	92	138	633	54	1072	337	457	27
VII. Organs of Digestion	5153	18	26	39	22	87	79	20	74	91	278	43	314	178	213	12
VIII. Urinary Organs	1287	8	13	22	8	26	24	2	12	32	103	14	79	47	56	5
IX. Organs of Generation	558	6	5	4	3	11	17	1	8	5	33	3	37	19	19	—
X. Organs of Locomotion	499	4	5	9	3	7	15	—	7	15	33	4	30	10	16	2
XI. Skin, etc.	104	—	2	1	—	2	1	1	1	2	15	1	4	2	3	—
XII. Malformation	299	—	—	4	—	3	4	—	1	3	25	5	31	15	15	2
XIII. Premature Debility	3695	11	12	33	8	14	29	13	32	44	199	15	301	118	139	5
XIV. Atrophy	519	—	4	1	3	10	11	1	3	4	13	6	22	22	14	—
XV. Age	5178	153	126	104	99	325	335	22	73	69	315	62	304	322	277	18
XVI. Sudden Deaths	85	—	—	—	1	2	2	1	—	—	1	—	3	4	13	—
XVII. Violent Deaths	2990	16	14	36	16	38	53	7	36	32	213	34	197	87	124	4
I. Small-pox	39	—	—	—	—	—	—	—	—	—	—	—	—	4	—	—
Measles	1241	1	—	—	1	—	7	1	4	1	74	1	117	21	20	6
Scarlatina	2364	—	—	56	11	110	86	—	38	12	36	—	96	28	73	2
Diphtheria	861	—	—	11	1	25	14	—	3	9	36	5	38	27	25	1
Hooping-cough	2250	3	12	47	1	10	33	—	21	12	83	10	186	75	152	7
Croup	811	1	1	15	5	57	11	1	2	8	42	6	44	21	33	3
Thrush	41	—	2	—	—	—	—	—	—	2	8	1	2	2	4	—
Diarrhœa	2050	4	2	16	2	9	20	4	13	21	145	15	171	42	79	2
Dysentery	178	1	1	—	—	2	2	—	7	5	21	—	12	7	7	—
Cholera	132	—	1	1	—	1	3	—	—	—	6	—	9	—	3	—
Influenza	94	1	3	1	1	3	4	—	1	5	12	—	7	—	3	—
Purpura	48	—	—	3	—	2	1	2	—	1	2	1	4	3	2	—
Ague	10	—	1	—	—	—	—	—	—	—	1	—	2	—	—	—
Worms	11	—	—	—	—	—	1	—	—	—	—	—	—	—	1	—
Typhus	471	2	1	5	—	13	15	—	—	4	42	1	21	18	18	—
Enteric Fever	1448	2	4	23	11	14	19	4	18	10	60	7	58	41	80	2
Relapsing Fever	18	—	—	—	—	—	—	—	—	—	2	—	1	—	3	—
Simple Cont. Fever	65	—	2	—	—	—	2	1	—	1	—	—	3	3	3	—
Infantile Remittent	88	—	1	—	—	—	—	—	—	—	4	—	3	1	8	—
Metria	231	3	2	1	2	5	6	—	2	3	12	—	21	12	12	—
Rheumatic Fever	165	—	2	8	3	8	5	—	3	5	11	—	9	4	4	1
Erysipelas	349	1	4	2	2	3	9	1	5	5	35	2	21	18	12	—
Pyæmia	101	—	1	—	—	2	5	—	3	1	5	1	6	5	5	—
Syphilis	210	—	—	2	—	1	3	—	—	—	14	—	22	2	1	—
Noma	11	—	1	—	—	—	—	—	1	—	1	—	1	—	—	—
Hydrophobia	6	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Other Zymotic Diseases	30	—	1	—	—	—	—	—	2	—	1	—	—	1	2	—
II. Hæmorrhage	82	2	—	3	—	4	2	—	—	—	3	1	2	4	4	—
Dropsy	473	15	10	3	5	11	11	2	2	7	20	—	31	16	17	—
Abscess	207	1	1	1	1	3	1	—	1	—	11	1	11	3	11	—
Ulcer	56	—	—	—	1	1	2	—	1	1	7	—	1	—	2	—
Fistula	19	—	—	—	—	—	1	—	—	—	2	—	—	—	—	—
Mortification	167	—	4	2	—	9	2	—	3	4	16	—	7	6	8	—
Cancer	1695	12	12	25	12	30	33	7	19	36	124	25	129	75	81	5
Gout	18	—	—	—	—	1	—	—	1	2	2	—	2	2	1	—
III. Scrofula	705	4	7	6	3	7	6	1	2	14	56	6	48	16	23	—
Tabes Mesenterica	1102	—	—	2	—	3	7	1	6	8	34	1	66	28	29	1
Phthisis	8491	45	42	68	44	133	112	14	88	84	426	41	625	273	282	17
Hydrocephalus	1921	5	3	13	7	11	10	—	12	17	93	8	137	36	61	3

CAUSES of DEATH in the COUNTIES of SCOTLAND during the YEAR 1876.—BOTH SEXES.

DISEASES.	Clack- manan.	Stirling.	Dumbarton.	Argyll.	Bute.	Renfrew.	Ayr.	Lanark.	Linlithgow.	Edinburgh.	Haddington.	Berwick.	Peebles.	Selkirk.	Roxburgh.	Dumfries.	Kirkcud- bright.	Wigtown.
ALL CAUSES . . .	464	2298	1302	1460	343	4748	4775	22234	805	7573	610	564	243	450	888	1452	785	669
SPECIFIED CAUSES .	455	2250	1286	1387	335	4708	4733	22032	787	7546	597	559	242	446	879	1413	755	659
Zymotic Class .	72	548	249	235	43	902	1020	4255	218	1375	80	80	65	83	164	198	108	80
Uncertain Seat .	20	70	59	63	22	160	162	606	26	332	27	34	8	15	46	64	27	39
Tubercular Class .	64	304	249	228	64	897	933	4302	85	1117	69	75	33	85	114	227	156	122
Brain, etc. . .	46	211	120	113	46	490	383	1926	76	837	80	69	15	41	116	167	89	67
Heart, etc. . .	36	152	86	90	28	240	278	997	57	596	52	65	21	37	66	118	71	49
Respiratory Organs .	84	312	163	176	33	744	700	4631	126	1387	84	61	28	72	120	202	111	102
Digestive Organs .	32	205	96	85	34	350	316	1538	67	505	50	56	16	25	66	123	51	44
Urinary Organs .	12	26	20	35	6	58	84	280	14	151	15	22	8	12	23	40	11	19
Generative Organs .	2	20	8	11	2	29	25	165	10	58	3	8	4	4	12	13	6	7
Locomotive Organs .	—	8	8	19	2	32	28	132	8	71	4	2	—	1	3	10	5	6
Skin	—	1	—	3	—	12	—	24	1	13	4	1	—	3	—	3	2	2
Malformation . .	5	13	9	3	2	13	23	63	—	35	2	5	—	3	6	5	1	3
Premature Debility .	27	119	76	34	4	287	267	1260	31	370	34	14	18	31	57	57	16	20
Atrophy	8	28	9	8	1	61	35	190	2	38	4	—	3	1	6	6	2	3
Age	32	133	81	227	28	224	275	729	36	342	60	43	15	14	60	131	70	74
Sudden Deaths .	1	5	—	1	—	5	2	37	1	5	—	—	—	—	—	—	1	—
Violent Deaths .	14	95	53	56	20	204	202	897	29	314	29	24	8	19	20	49	28	22
Small-pox . . .	—	16	5	—	—	2	2	9	—	—	—	—	—	—	—	1	—	—
Measles	—	47	28	9	—	26	155	450	5	185	—	2	7	8	14	11	20	20
Scarlatina . . .	6	149	68	79	6	224	190	572	72	252	12	16	17	12	51	58	28	4
Diphtheria . . .	4	35	19	11	2	72	72	209	9	133	4	12	11	1	11	11	7	6
Hooping-cough .	18	51	15	29	5	165	128	963	34	111	12	5	6	15	6	23	9	3
Croup	6	23	8	24	3	46	23	245	7	109	13	8	4	11	16	7	4	4
Thrush	1	—	1	—	—	1	5	4	—	4	—	—	—	1	1	1	—	1
Diarrhoea	9	57	37	31	5	129	151	716	31	229	14	8	10	7	16	26	11	18
Dysentery	—	9	—	2	—	8	22	45	2	10	2	2	1	—	2	4	4	—
Cholera	2	7	3	1	3	5	18	40	5	19	—	—	—	—	—	2	1	2
Influenza	1	5	2	4	—	3	6	19	—	7	—	3	—	—	—	1	1	2
Purpura	—	1	—	—	—	2	2	12	1	6	2	—	—	—	—	—	—	—
Ague	—	2	—	—	—	—	—	2	1	1	—	—	—	—	—	1	—	—
Worms	—	—	1	1	—	1	1	5	—	—	—	—	—	—	—	—	—	—
Typhus	2	24	9	2	4	39	36	149	5	44	2	4	—	1	8	1	—	1
Enteric Fever . .	16	72	31	17	8	99	153	436	20	125	10	15	6	20	19	30	9	9
Relapsing Fever .	—	1	1	—	—	1	1	7	—	1	—	—	—	—	—	—	—	—
Simple Cont. Fever .	1	2	2	—	—	2	7	19	5	2	—	—	1	—	3	2	4	—
Infantile Remittent .	—	12	1	1	—	11	2	27	—	13	1	1	—	—	1	1	—	—
Metria	—	15	5	5	2	20	6	67	5	7	2	2	—	—	5	6	1	2
Rheumatic Fever .	1	5	1	4	—	11	7	39	2	17	—	—	1	4	2	2	3	3
Erysipelas . . .	5	12	9	8	3	19	15	86	7	42	2	—	1	1	8	6	1	4
Pyæmia	—	—	1	1	1	3	5	34	2	11	2	—	—	2	1	3	—	1
Syphilis	—	3	—	4	1	12	8	83	3	43	2	—	—	—	—	1	5	—
Noma	—	—	—	1	—	—	2	2	—	2	—	—	—	—	—	—	—	—
Hydrophobia . . .	—	—	—	—	—	—	1	4	1	—	—	—	—	—	—	—	—	—
Other Zymotic Dis. .	—	—	2	1	—	1	2	11	1	2	—	2	—	—	—	1	—	—
Hæmorrhage . . .	3	3	3	1	—	10	4	23	—	4	—	—	—	1	—	1	2	2
Dropsy	8	17	11	17	1	37	22	146	2	29	2	4	—	—	7	7	4	9
Abscess	—	5	3	5	—	17	9	64	3	30	5	2	2	—	2	11	2	1
Ulcer	1	—	2	—	1	7	5	13	—	4	1	2	—	—	1	—	1	2
Fistula	—	—	—	1	—	—	4	7	1	2	—	—	—	—	—	—	—	—
Mortification . .	—	8	3	3	1	15	8	23	1	24	2	2	—	1	4	2	5	4
Cancer	8	37	37	36	19	73	110	327	19	237	17	24	6	13	32	41	13	21
Gout	—	—	—	—	—	1	—	3	—	2	—	—	—	—	—	1	—	—
Scrofula	2	20	12	17	4	60	51	214	5	72	5	9	1	1	3	11	7	12
Tabes Mesenterica .	5	34	15	4	4	55	92	518	15	97	4	6	3	7	14	23	10	10
Phthisis	51	201	157	180	40	628	618	2905	44	751	50	46	25	58	81	166	113	85
Hydrocephalus . .	6	49	65	27	16	154	172	665	21	197	10	14	6	19	16	27	26	15

CAUSES of DEATH in the COUNTIES of SCOTLAND during the YEAR 1876.—BOTH SEXES. (Continued.)

DISEASES.	SCOTLAND.	Shetland.	Orkney.	Caithness.	Sutherland.	Ross and Cromarty.	Inverness.	Nairn.	Elgin.	Banff.	Aberdeen.	Kincardine.	Forfar.	Perth.	Fife.	Kinross.
IV. Cephalitis . . .	875	3	3	7	3	11	13	3	3	13	46	7	78	18	37	4
Apoplexy . . .	1735	7	7	22	1	6	17	4	23	29	107	15	151	68	73	3
Paralysis . . .	2045	11	9	20	18	49	42	4	26	32	124	25	158	106	114	4
Delirium Tremens . . .	52	—	—	—	—	2	1	—	—	2	3	—	1	2	2	—
Chorea . . .	10	—	—	—	—	—	—	—	—	—	1	—	—	—	1	—
Epilepsy . . .	276	1	1	2	4	3	2	—	4	7	21	4	26	16	19	—
Tetanus . . .	58	1	—	—	1	4	—	—	—	—	5	—	5	5	1	1
Insanity . . .	90	—	—	1	—	3	9	—	1	1	5	—	—	2	3	1
Convulsions . . .	1034	—	4	3	1	4	17	1	12	6	64	2	104	17	38	1
Brain Disease . . .	943	—	2	2	6	7	9	3	14	14	74	10	49	35	25	4
V. Pericarditis . . .	106	2	1	1	1	1	—	—	3	2	5	1	2	3	3	—
Aneurism . . .	140	—	2	2	—	1	—	3	1	3	13	2	10	9	3	—
Heart Disease . . .	4357	11	23	43	8	46	67	5	69	52	302	51	396	196	211	10
VI. Laryngitis . . .	154	—	—	2	1	7	3	—	—	2	11	1	12	3	8	—
Bronchitis . . .	8194	25	48	77	9	90	103	9	57	80	451	37	741	214	296	15
Pleurisy . . .	276	1	4	1	—	2	23	—	2	5	20	1	11	6	10	—
Pneumonia . . .	3296	9	22	19	4	26	38	3	24	44	133	14	278	93	132	11
Asthma . . .	394	7	1	8	8	18	31	3	4	5	13	1	20	17	7	—
Lung Disease . . .	255	—	4	—	3	3	11	—	5	2	5	—	10	4	4	1
VII. Teething . . .	749	3	2	2	1	6	7	5	16	11	42	1	37	24	34	1
Quinsey . . .	53	—	—	1	—	1	—	—	—	2	4	—	2	3	6	—
Gastritis . . .	212	1	—	1	1	3	1	—	1	6	8	—	10	6	14	—
Enteritis . . .	961	1	2	3	4	14	12	5	11	13	19	2	53	20	24	4
Peritonitis . . .	479	3	1	4	2	5	10	—	6	8	30	6	47	15	20	—
Ascites . . .	79	—	4	—	—	2	—	—	—	3	4	1	3	—	4	—
Ulceration of Intestines	217	2	1	4	—	6	6	2	3	4	20	7	13	7	9	1
Hernia . . .	125	2	1	1	1	1	1	1	4	—	9	2	11	3	6	—
Ileus . . .	300	2	4	5	1	7	5	—	3	7	35	3	27	14	12	—
Intussusception . . .	63	—	—	1	1	4	1	1	3	4	3	1	2	2	2	—
Stricture of Intestines	36	—	—	2	—	—	1	—	—	—	2	1	3	1	2	—
Stomach Disease . . .	625	2	3	1	7	16	17	3	10	7	35	10	27	26	23	3
Pancreas Disease . . .	3	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—
Hepatitis . . .	245	2	—	1	—	5	4	—	1	8	7	2	10	9	9	1
Jaundice . . .	239	—	3	1	4	7	4	—	1	4	21	4	14	14	15	1
Liver Disease . . .	723	—	3	12	—	10	6	3	14	12	37	3	53	32	31	1
Spleen Disease . . .	44	—	2	—	—	—	3	—	1	2	2	—	2	2	2	—
VIII. Nephritis . . .	137	—	3	3	1	1	1	—	1	5	7	1	9	1	3	—
Nephria . . .	382	—	2	7	2	9	7	—	3	8	21	3	28	16	14	1
Addison's Disease . . .	15	—	—	—	—	—	—	—	—	—	—	—	—	1	1	—
Ischuria . . .	78	—	1	1	—	5	5	—	1	1	6	2	4	—	6	—
Diabetes . . .	109	—	2	—	1	4	5	—	2	3	8	3	4	2	7	1
Stone . . .	45	4	2	3	3	1	2	—	—	1	8	—	3	—	1	—
Cystitis . . .	142	2	3	6	—	2	1	—	—	4	14	1	7	8	9	1
Stricture of Urethra . . .	18	—	—	—	—	—	—	—	—	—	4	—	—	1	1	—
Kidney Disease . . .	361	2	—	2	1	4	3	2	5	10	35	4	24	18	14	2
IX. Paramenia . . .	30	1	—	—	—	—	3	—	—	—	2	—	4	—	1	—
Ovarian Dropsy . . .	55	—	2	1	—	—	1	—	1	1	8	—	5	—	—	—
Childbirth . . .	374	4	2	3	3	6	12	1	5	2	19	2	23	14	14	—
Organs of Generation . . .	99	1	1	—	—	5	1	—	2	2	4	1	5	5	4	—
X. Bone Disease . . .	140	1	—	2	—	2	2	—	1	3	13	1	10	3	8	2
Rheumatism . . .	186	2	3	7	2	4	12	—	4	7	9	2	9	4	2	—
Joint Disease . . .	173	1	2	—	1	1	1	—	2	5	11	1	11	3	6	—
XI. Carbuncle . . .	22	—	—	—	—	—	1	1	—	—	2	—	2	—	3	—
Phlegmon . . .	17	—	—	—	—	—	—	—	—	—	2	—	—	1	—	—
Skin Disease . . .	65	—	2	1	—	2	—	—	1	2	11	1	2	1	—	—
XVII. Intemperance . . .	197	—	—	—	2	1	4	—	1	1	9	—	14	5	7	1
Privation . . .	7	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Want of Breast Milk . . .	61	—	—	—	—	—	—	—	—	1	5	—	1	2	1	—
Neglect . . .	5	—	—	—	—	—	—	—	—	—	—	—	1	1	—	—
Cold . . .	58	1	1	1	2	3	6	—	2	—	3	1	3	4	3	—
Poison . . .	55	—	—	—	—	—	—	—	—	—	3	—	4	2	4	—
Poisoned Wounds . . .	3	—	—	—	—	—	—	—	—	—	—	—	1	1	—	—
Burns and Scalds . . .	285	1	—	3	3	7	5	—	2	1	11	1	11	5	12	—
Hanging, etc. . .	62	—	—	—	—	2	1	—	2	—	7	2	11	1	2	1
Suffocation . . .	272	—	—	2	—	1	1	—	2	8	21	1	37	3	5	—
Drowning . . .	721	11	9	19	5	8	23	6	12	9	81	16	37	25	36	2
Fracture and Contusion . . .	937	2	3	8	3	13	6	1	9	6	50	9	56	24	35	—
Gunshot Wounds . . .	23	—	1	—	—	—	1	—	—	2	3	—	1	—	1	—
Cuts and Stabs . . .	52	—	—	—	—	1	—	—	—	—	4	—	9	4	4	—
Other Violent Causes . . .	252	1	—	3	1	2	6	—	6	4	16	4	11	10	14	—
Not specified . . .	1213	54	15	10	34	136	107	3	24	11	71	19	17	47	71	—

CAUSES of DEATH in the COUNTIES of SCOTLAND during the YEAR 1876.—BOTH SEXES. (Continued.)

DISEASES.	Clack- mannan.	Stirling.	Dumbarton.	Argyll.	Bute.	Renfrew.	Ayr.	Lanark.	Linlithgow.	Edinburgh.	Haddington.	Berwick.	Peebles.	Selkirk.	Roxburgh.	Dumfries.	Kirkcud- bright.	Wigtown.
Cephalitis	4	24	7	9	4	55	30	331	5	108	2	—	1	6	16	17	4	3
Apoplexy	16	47	37	36	19	132	115	456	17	164	17	20	3	16	27	42	26	12
Paralysis	12	56	27	37	11	115	105	426	23	259	36	21	8	5	49	57	31	25
Delirium Tremens	—	4	2	1	—	1	1	13	—	11	—	—	—	1	3	1	—	1
Chorea	—	—	1	—	—	—	2	1	1	3	—	—	—	—	—	—	—	—
Epilepsy	1	9	3	6	—	21	10	53	1	37	4	7	1	1	—	3	5	4
Tetanus	—	3	1	1	1	3	5	11	—	6	—	—	—	1	—	2	—	1
Insanity	—	3	4	4	—	5	2	17	—	14	—	—	—	1	3	9	2	—
Convulsions	9	34	12	7	1	84	50	366	19	117	11	2	1	6	7	14	14	6
Brain Disease	4	31	26	12	10	74	63	252	10	118	10	19	1	4	11	22	7	15
Pericarditis	1	4	3	4	—	2	5	31	10	13	1	—	1	1	1	3	1	—
Aneurism	1	2	1	1	—	2	5	35	1	32	3	1	—	—	2	3	—	2
Heart Disease	34	146	82	85	28	236	268	931	46	551	48	64	20	36	63	112	70	47
Laryngitis	1	3	4	1	—	11	6	41	4	22	—	1	1	—	5	—	3	1
Bronchitis	61	188	100	119	15	477	443	3112	79	862	56	30	19	53	75	132	55	66
Pleurisy	1	5	3	7	—	5	19	78	3	41	6	2	2	2	5	2	3	6
Pneumonia	15	82	48	34	18	205	189	1213	36	391	17	23	4	13	31	61	44	22
Asthma	6	12	2	11	—	22	36	98	4	30	4	5	—	4	3	6	5	3
Lung Disease	—	22	6	4	—	24	7	89	—	41	1	—	2	—	1	1	1	4
Teething	7	26	18	8	1	72	49	292	4	51	5	3	1	4	5	5	—	6
Quinsey	—	1	1	—	1	3	2	20	—	3	1	—	1	—	—	1	—	—
Gastritis	—	10	5	7	6	14	16	73	1	11	3	2	—	—	1	8	1	2
Enteritis	4	43	11	8	2	77	83	375	27	60	11	15	1	6	16	19	10	6
Peritonitis	8	5	4	12	4	26	25	116	7	64	5	8	3	1	6	11	12	5
Ascites	—	3	3	5	—	6	11	16	1	8	—	—	—	1	—	2	1	1
Ulceration of Intestines	—	7	5	2	4	9	6	44	3	20	3	4	1	1	8	4	5	6
Hernia	1	3	2	3	1	2	6	27	3	23	—	—	2	—	2	4	—	3
Pleurisy	1	10	7	1	1	14	11	70	2	30	1	8	—	2	6	5	3	3
Intussusception	—	2	—	—	—	4	4	14	4	3	—	1	1	—	5	5	—	—
Stricture of Intestines	—	1	—	—	—	3	—	10	—	6	—	—	—	—	—	2	—	2
Stomach Disease	2	37	19	16	3	33	35	162	1	83	4	7	1	6	4	15	5	2
Pancreas Disease	—	—	—	—	—	—	—	1	—	1	—	—	—	—	—	—	—	—
Hepatitis	1	10	6	5	1	16	13	87	5	12	5	—	2	—	7	13	2	1
Jaundice	—	14	5	4	1	12	14	51	3	27	4	—	1	—	—	4	3	2
Liver Disease	7	33	9	14	9	59	40	169	6	95	8	7	2	2	11	22	8	5
Spleen Disease	1	—	1	—	—	—	1	11	—	8	—	1	—	1	—	3	1	—
Nephritis	—	3	4	1	2	10	5	46	3	16	1	1	—	—	4	2	2	1
Nephria	6	5	5	9	2	18	29	85	4	54	3	7	1	5	4	13	4	7
Addison's Disease	2	—	—	—	—	2	3	4	—	—	—	—	—	—	—	1	—	1
Ischuria	—	2	—	2	1	1	6	13	1	9	1	4	1	1	—	2	1	1
Diabetes	—	1	2	—	—	2	2	25	3	11	—	5	1	2	2	6	3	2
Stone	—	—	1	1	—	1	—	6	—	6	—	1	—	—	1	—	—	—
Cystitis	—	5	1	8	—	8	12	20	1	9	5	1	1	1	3	8	—	1
Stricture of Urethra	—	—	—	2	—	—	—	6	—	2	—	—	—	—	1	1	—	—
Kidney Disease	4	10	7	12	1	16	27	75	2	44	5	3	4	3	8	7	1	6
Paramenia	—	1	1	—	—	3	1	2	1	4	—	—	—	2	2	1	1	—
Ovarian Dropsy	1	1	—	2	1	1	—	18	—	6	—	2	2	—	1	1	—	—
Childbirth	1	14	6	5	1	21	19	117	7	35	3	5	2	2	7	11	5	3
Organs of Generation	—	4	1	4	—	4	5	28	2	13	—	1	—	—	—	—	—	4
Bone Disease	—	2	1	4	—	6	9	36	2	22	—	—	—	1	—	4	4	1
Rheumatism	—	2	5	11	—	9	11	40	1	29	—	—	—	—	2	4	—	3
Joint Disease	—	4	2	4	2	17	8	56	5	20	2	2	—	—	1	2	1	2
Carbuncle	—	—	—	—	—	1	—	6	—	4	1	—	—	—	—	1	—	—
Phlegmon	—	1	—	—	—	4	—	2	—	2	2	—	—	2	—	1	—	—
Skin Disease	—	—	—	3	—	7	—	16	1	7	1	1	—	1	—	1	2	2
Intemperance	1	4	6	3	1	18	8	56	2	33	5	—	—	—	2	3	5	5
Privation	—	—	—	—	1	1	—	1	—	4	—	—	—	—	—	—	—	—
Want of Breast Milk	—	—	—	1	1	1	1	31	—	11	—	—	—	2	—	2	—	1
Neglect	—	—	—	—	—	1	—	1	—	—	—	—	1	—	—	—	—	—
Cold	—	—	—	3	—	2	1	11	—	3	2	—	—	—	1	1	1	1
Poison	—	3	—	2	—	2	3	19	—	8	1	—	—	2	—	1	—	—
Poisoned Wounds	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—
Burns and Scalds	2	6	6	3	1	22	44	89	2	27	6	2	—	2	4	3	3	1
Hanging, etc.	—	1	—	1	—	3	5	14	2	2	—	2	—	1	—	1	1	—
Suffocation	2	5	1	3	2	16	24	88	1	37	—	1	—	4	1	4	1	1
Drowning	6	29	26	26	9	46	29	170	5	30	7	4	4	2	6	10	8	5
Fracture and Contusion	3	33	12	8	3	74	73	333	15	117	7	4	—	4	4	13	5	2
Gunshot Wounds	—	1	1	1	—	3	1	2	—	3	—	—	—	—	—	2	—	—
Cuts and Stabs	—	2	—	1	1	2	—	9	1	8	—	—	—	—	3	—	—	2
Other Violent Causes	—	11	1	4	1	13	13	73	1	30	1	7	3	2	5	4	4	4
Not specified	9	48	16	73	8	40	42	202	18	27	13	5	1	4	9	39	30	10

CAUSES of DEATH in the COUNTIES of SCOTLAND during the YEAR 1876.—MALES.

DISEASES.	SCOTLAND.	Shetland.	Orkney.	Caithness.	Sutherland.	Ross and Cromarty.	Inverness.	Nairn.	Elgin.	Banff.	Aberdeen.	Kincardine.	Forfar.	Perth.	Fife.	Kinross.
ALL CAUSES	37404	199	223	403	186	685	746	68	397	436	2108	274	2528	1178	1505	74
SPECIFIED CAUSES	36759	172	218	397	171	619	679	67	384	431	2062	264	2518	1152	1475	74
I. Zymotic Class	6433	6	23	106	23	127	118	9	58	54	358	25	399	145	260	13
II. Diseases of Uncer. Seat	1057	8	11	16	7	27	17	3	9	17	64	13	58	46	41	—
III. Tubercular Class	6111	28	30	45	27	80	81	6	54	64	307	33	367	162	195	9
IV. Brain and Nervous Sys.	3792	12	14	33	20	55	57	8	50	54	227	39	291	130	165	9
V. Organs of Circulation	2327	3	13	21	5	31	43	5	38	22	154	27	167	114	106	6
VI. Respiratory Organs	6585	25	44	41	12	73	102	5	41	72	314	26	543	164	258	15
VII. Organs of Digestion	2624	11	8	25	9	50	40	8	40	44	133	23	168	93	97	4
VIII. Urinary Organs	863	8	9	15	6	21	15	1	10	20	73	8	45	33	33	4
IX. Organs of Generation	4	—	1	—	—	—	—	—	1	—	—	1	—	—	—	—
X. Organs of Locomotion	252	1	1	3	1	3	6	—	2	7	14	1	20	7	11	1
XI. Skin, etc.	59	—	1	1	—	2	—	—	1	2	8	1	3	—	1	—
XII. Malformation	165	—	—	2	—	2	3	—	1	3	17	2	13	6	8	1
XIII. Premature Debility	2093	5	7	20	5	8	18	9	20	23	105	6	177	58	96	3
XIV. Atrophy	223	—	1	—	2	2	6	—	3	3	2	3	11	8	5	—
XV. Age	1919	52	46	39	44	113	129	9	27	21	113	28	120	118	100	6
XVI. Sudden Deaths	44	—	—	—	—	—	1	1	—	—	—	—	1	3	8	—
XVII. Violent Deaths	2208	13	9	30	10	25	43	3	29	25	173	28	135	65	91	3
I. Small-pox	29	—	—	—	—	—	—	—	—	—	—	—	—	2	—	—
Measles	631	—	—	—	1	—	3	1	2	1	38	1	51	11	9	2
Scarlatina	1188	—	—	33	6	59	44	—	18	11	22	—	40	15	40	2
Diphtheria	409	—	—	5	—	11	8	—	1	1	38	3	23	12	14	1
Hooping-cough	993	—	6	29	1	4	19	—	8	5	40	7	87	32	71	4
Croup	424	1	1	8	5	29	5	—	—	6	25	4	23	10	13	3
Thrush	15	—	1	—	—	—	—	—	—	1	2	—	—	2	3	—
Diarrhœa	1030	3	1	8	—	2	11	3	9	11	72	7	94	21	39	—
Dysentery	79	—	1	—	—	—	1	—	1	3	7	—	7	3	2	—
Cholera	70	—	—	1	—	1	2	—	—	—	3	—	4	—	1	—
Influenza	53	—	3	—	—	3	2	—	—	3	6	—	3	—	1	—
Purpura	25	—	—	—	—	1	—	—	—	—	1	1	1	1	1	—
Ague	8	—	1	—	—	—	—	—	—	—	1	—	2	—	—	—
Worms	7	—	—	—	—	—	1	—	—	—	—	—	—	—	1	—
Typhus	259	2	1	2	—	4	5	—	—	1	23	1	12	7	10	—
Enteric Fever	679	—	2	13	8	6	7	3	10	5	31	—	24	21	37	—
Relapsing Fever	10	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—
Simple Cont. Fever	30	—	1	—	—	—	—	1	—	—	—	—	1	3	1	—
Infantile Remittent	45	—	—	—	—	—	—	—	—	—	3	—	1	—	4	—
Metria	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Rheumatic Fever	73	—	—	5	1	4	2	—	1	2	7	—	4	—	1	1
Erysipelas	194	—	2	2	1	2	4	1	4	3	26	1	8	3	7	—
Pyæmia	55	—	1	—	—	1	3	—	3	1	2	—	4	1	4	—
Syphilis	100	—	—	—	—	—	1	—	—	—	10	—	10	1	—	—
Noma	6	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—
Hydrophobia	4	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Other Zymotic Diseases	17	—	1	—	—	—	—	—	1	—	1	—	—	—	—	—
II. Hæmorrhage	50	1	—	3	—	2	1	—	—	—	2	1	2	2	2	—
Dropsy	203	2	1	2	3	7	3	—	—	3	7	—	9	11	8	—
Abscess	118	1	1	—	1	1	1	—	—	—	5	—	6	3	5	—
Ulcer	21	—	—	—	—	1	1	—	1	—	3	—	1	—	1	—
Fistula	14	—	—	—	—	—	1	—	—	—	1	—	—	—	—	—
Mortification	76	—	2	1	—	5	—	—	2	1	10	—	3	3	5	—
Cancer	565	4	7	10	3	11	10	3	5	12	36	12	35	26	20	—
Gout	10	—	—	—	—	—	—	—	1	1	—	—	2	1	—	—
III. Scrofula	390	1	3	3	1	5	2	1	1	8	27	4	26	11	14	—
Tabes Mesenterica	617	—	—	2	—	2	6	1	5	6	19	1	26	14	12	1
Phthisis	4624	23	24	29	21	69	67	4	45	38	205	23	245	115	133	6
Hydrocephalus	1980	4	3	11	5	4	6	—	3	12	56	5	70	22	36	2

CAUSES of DEATH in the COUNTIES of SCOTLAND during the YEAR 1876.—MALES.

DISEASES.	Clack- mannan.	Stirling.	Dumbarton.	Argyll.	Bute.	Renfrew.	Ayr.	Lanark.	Linlithgow.	Edinburgh.	Haddington.	Berwick.	Peebles.	Selkirk.	Roxburgh.	Dumfries.	Kirkcud- bright.	Wigtown.
ALL CAUSES . . .	226	1186	658	732	171	2376	2424	11635	413	3823	285	280	105	228	433	713	370	336
SPECIFIED CAUSES . . .	220	1164	648	699	163	2356	2403	11527	403	3808	276	276	104	224	432	682	354	332
Zymotic Class . . .	35	260	118	101	21	441	496	2097	103	653	27	41	28	38	77	84	51	38
Uncertain Seat . . .	8	29	28	29	8	58	70	246	16	131	12	11	3	4	22	29	5	11
Tubercular Class . . .	32	155	128	127	35	403	448	2192	39	605	31	47	15	47	62	109	84	64
Brain, etc.	24	117	55	70	21	275	204	1053	42	441	38	34	5	21	69	84	38	37
Heart, etc.	16	81	46	49	13	128	145	542	29	307	26	29	6	17	28	61	26	23
Respiratory Organs . . .	40	166	81	85	17	370	393	2524	70	716	37	31	11	38	61	90	57	63
Digestive Organs . . .	14	116	48	54	16	168	154	789	39	256	25	24	5	15	25	69	30	24
Urinary Organs . . .	7	12	15	29	6	41	59	188	8	92	10	15	7	7	16	30	6	14
Generative Organs . . .	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Locomotive Organs . . .	—	5	4	6	1	17	13	76	3	33	2	2	—	—	3	4	2	3
Skin	—	—	—	2	—	7	—	18	—	8	1	—	—	1	—	1	—	1
Malformation	3	8	6	—	1	7	12	38	—	20	2	3	—	1	2	2	1	1
Premature Debility . . .	13	70	45	19	4	170	149	713	14	205	18	8	9	14	30	34	7	11
Atrophy	6	10	5	2	1	28	15	81	—	18	—	—	1	—	6	1	—	3
Age	13	52	29	85	10	78	110	294	14	97	24	14	9	7	18	45	27	28
Sudden Deaths . . .	—	3	—	1	—	3	—	19	1	3	—	—	—	—	—	—	—	—
Violent Deaths . . .	9	79	40	40	14	162	135	657	25	223	23	17	5	14	13	39	20	11
Small-pox	—	13	4	—	—	—	2	7	—	—	—	—	—	—	—	1	—	—
Measles	—	21	12	7	—	13	81	244	2	88	—	—	3	4	9	7	9	11
Scarlatina	4	65	39	37	3	123	99	275	32	133	6	6	9	3	24	24	14	2
Diphtheria	1	15	10	3	—	36	40	98	5	54	2	3	6	—	3	7	6	3
Hooping-cough	9	23	5	9	1	72	48	433	14	38	2	4	4	6	2	4	4	2
Croup	5	14	2	12	1	21	12	137	4	51	7	5	1	6	6	2	2	3
Thrush	—	—	—	—	—	—	1	1	—	2	—	—	—	1	1	—	—	—
Diarrhoea	5	30	16	12	3	62	84	367	16	107	4	6	1	2	10	8	7	9
Dysentery	—	5	—	—	—	5	10	24	—	6	—	—	—	—	1	3	—	—
Cholera	1	3	2	—	1	1	6	25	3	12	—	—	—	—	—	1	1	2
Influenza	—	2	2	2	—	2	4	12	—	4	—	3	—	—	—	—	1	—
Purpura	—	1	—	—	—	1	1	10	1	3	1	—	—	—	—	1	—	—
Ague	—	1	—	—	—	—	—	2	1	—	—	—	—	—	—	—	—	—
Worms	—	—	1	1	—	—	—	3	—	—	—	—	—	—	—	—	—	—
Typhus	1	15	4	1	3	21	17	91	3	26	—	4	—	1	3	1	—	—
Enteric Fever	5	29	11	6	4	54	66	204	10	64	4	8	4	12	9	16	3	3
Relapsing Fever	—	1	—	—	—	1	1	5	—	1	—	—	—	—	—	—	—	—
Simple Cont. Fever . . .	—	2	—	—	—	1	3	7	4	2	—	—	—	—	1	2	1	—
Infantile Remittent . . .	—	8	1	1	—	6	2	17	—	1	—	—	—	—	—	1	—	—
Metria	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Rheumatic Fever	1	3	1	2	—	5	4	17	1	6	—	—	—	2	2	—	1	—
Erysipelas	3	8	6	4	3	8	7	46	3	29	1	—	—	—	6	2	1	3
Pyæmia	—	—	—	1	1	3	4	20	1	2	—	—	—	1	—	2	—	—
Syphilis	—	1	—	1	1	5	2	43	1	22	—	—	—	—	—	1	1	—
Noma	—	—	—	1	—	—	1	2	—	1	—	—	—	—	—	—	—	—
Hydrophobia	—	—	—	—	—	—	—	3	1	—	—	—	—	—	—	—	—	—
Other Zymotic Dis. . . .	—	—	2	1	—	1	1	4	1	1	—	2	—	—	—	1	—	—
Hæmorrhage	2	2	1	1	—	6	2	15	—	3	—	—	—	—	—	1	—	1
Dropsy	3	8	5	7	1	17	9	66	2	13	1	1	—	—	4	5	1	4
Abscess	—	3	2	3	—	6	6	41	3	17	2	1	1	—	2	7	—	—
Ulcer	—	—	1	—	1	3	3	3	—	—	1	1	—	—	—	—	—	—
Fistula	—	—	—	1	—	—	2	6	—	2	—	—	—	—	—	1	—	—
Mortification	—	4	2	1	—	6	5	7	1	14	1	—	—	—	—	—	—	—
Cancer	3	12	17	16	6	19	43	106	10	81	7	8	2	4	16	14	2	5
Gout	—	—	—	—	—	1	—	2	—	1	—	—	—	—	—	1	—	—
Scrofula	1	13	4	8	1	35	28	126	2	38	2	7	—	—	2	6	3	7
Tabes Mesenterica	2	21	7	4	2	30	41	306	9	55	1	5	2	4	7	13	6	7
Phthisis	25	89	81	97	22	258	284	1385	21	403	25	26	11	32	43	74	60	41
Hydrocephalus	4	32	36	18	10	80	95	375	7	109	3	9	2	11	10	16	15	9

CAUSES of DEATH in the COUNTIES of SCOTLAND during the YEAR 1876.—MALES. (Continued.)

DISEASES.	SCOTLAND.	Shetland.	Orkney.	Caithness.	Sutherland.	Ross and Cromarty.	Inverness.	Nairn.	Elgin.	Banff.	Aberdeen.	Kincardine.	Forfar.	Perth.	Fife.	Kinross.
IV. Cephalitis . . .	484	3	1	3	2	3	7	2	2	9	27	3	36	10	16	3
Apoplexy . . .	899	4	2	15	—	3	10	3	18	11	52	6	75	30	35	1
Paralysis . . .	1028	5	6	11	12	33	21	1	10	14	55	19	75	45	58	2
Delirium Tremens . .	48	—	—	—	—	2	1	—	—	2	3	—	1	2	1	—
Chorea . . .	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Epilepsy . . .	142	—	1	1	3	2	1	—	3	4	8	2	12	8	14	—
Tetanus . . .	42	—	—	—	—	3	—	—	—	—	4	—	5	2	1	1
Insanity . . .	33	—	—	—	—	1	2	—	—	—	2	—	—	2	1	—
Convulsions . . .	575	—	3	2	—	3	12	—	6	3	37	1	60	10	24	—
Brain Disease . . .	539	—	1	1	3	5	3	2	11	11	39	8	27	21	15	2
V. Pericarditis . . .	53	—	1	1	1	1	—	—	1	1	4	—	—	1	1	—
Aneurism . . .	102	—	—	2	—	1	—	2	—	2	4	2	9	7	2	—
Heart Disease . . .	2172	3	12	18	4	29	43	3	37	19	146	25	158	106	103	6
VI. Laryngitis . . .	89	—	—	—	1	5	2	—	—	2	5	—	7	3	4	—
Bronchitis . . .	4023	13	25	25	5	47	51	4	23	41	208	15	346	89	152	10
Pleurisy . . .	178	1	4	1	—	1	15	—	1	3	16	1	8	2	4	—
Pneumonia . . .	1948	8	12	12	3	13	19	1	14	24	77	9	170	58	91	5
Asthma . . .	218	3	—	3	2	6	12	—	1	2	6	1	9	10	5	—
Lung Disease . . .	129	—	3	—	1	1	3	—	2	—	2	—	3	2	2	—
VII. Teething . . .	420	2	1	2	1	3	2	—	12	6	23	—	21	12	12	—
Quinsey . . .	28	—	—	—	—	—	—	—	—	1	3	—	2	2	4	—
Gastritis . . .	99	—	—	1	1	—	—	—	1	3	1	—	2	3	4	—
Enteritis . . .	533	1	2	2	3	9	11	4	7	4	6	2	34	14	12	2
Peritonitis . . .	209	1	—	2	—	2	4	—	1	4	16	4	21	5	7	—
Ascites . . .	27	—	2	—	—	—	—	—	—	1	2	—	—	—	—	—
Ulceration of Intestines	114	—	—	3	—	3	4	1	2	3	11	6	8	4	6	—
Hernia . . .	61	2	—	1	1	1	—	1	1	—	4	1	5	1	3	—
Ileus . . .	140	2	—	4	1	5	2	—	2	4	15	1	19	5	5	—
Intussusception . .	45	—	—	1	—	3	1	—	3	3	2	1	2	1	2	—
Stricture of Intestines	19	—	—	1	—	—	—	—	—	—	1	—	2	1	—	—
Stomach Disease . .	308	2	1	1	2	11	8	—	4	2	16	5	12	17	6	1
Pancreas Disease . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Hepatitis . . .	113	1	—	—	—	4	4	—	—	4	4	—	2	4	6	1
Jaundice . . .	128	—	1	—	—	3	—	—	—	2	11	1	8	10	12	—
Liver Disease . . .	356	—	1	7	—	6	2	2	6	7	17	2	29	14	16	—
Spleen Disease . . .	24	—	—	—	—	—	2	—	1	—	1	—	1	—	2	—
VIII. Nephritis . . .	84	—	2	2	1	1	—	—	1	4	5	—	5	1	—	—
Nephria . . .	195	—	—	2	—	6	2	—	3	4	9	1	12	9	4	1
Addison's Disease . .	7	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Ischuria . . .	64	—	1	1	—	5	5	—	1	1	6	2	3	—	6	—
Diabetes . . .	74	—	1	—	1	3	3	—	2	1	6	1	2	1	3	—
Stone . . .	43	4	2	3	3	1	2	—	—	1	8	—	2	—	1	—
Cystitis . . .	124	2	3	6	—	2	1	—	—	3	13	1	4	8	8	1
Stricture of Urethra .	18	—	—	—	—	—	—	—	—	—	4	—	—	1	1	—
Kidney Disease . . .	254	2	—	1	1	3	2	1	3	6	22	3	17	13	10	2
IX. Paramenia . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Ovarian Dropsy . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Childbirth . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Organs of Generation	4	—	1	—	—	—	—	—	1	—	—	1	—	—	—	—
X. Bone Disease . . .	80	—	—	—	—	—	1	—	—	1	7	1	7	2	5	1
Rheumatism . . .	68	1	1	3	—	2	5	—	2	3	4	—	5	3	1	—
Joint Disease . . .	104	—	—	—	1	1	—	—	—	3	3	—	8	2	5	—
XI. Carbuncle . . .	12	—	—	—	—	—	—	—	—	—	1	—	1	—	1	—
Phlegmon . . .	5	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Skin Disease . . .	42	—	1	1	—	2	—	—	1	2	7	1	2	—	—	—
XVII. Intemperance . .	115	—	—	—	1	1	3	—	—	1	7	—	8	2	3	—
Privation . . .	3	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Want of Breast Milk .	31	—	—	—	—	—	—	—	—	1	5	—	—	1	—	—
Neglect . . .	4	—	—	—	—	—	—	—	—	—	—	—	1	1	—	—
Cold . . .	42	1	1	1	1	2	3	—	2	—	1	1	3	3	3	—
Poison . . .	32	—	—	—	—	—	—	—	—	—	2	—	3	2	2	—
Poisoned Wounds . .	2	—	—	—	—	—	—	—	—	—	—	—	1	1	—	—
Burns and Scalds . .	130	—	—	1	—	6	2	—	1	1	5	1	3	1	4	—
Hanging, etc. . .	46	—	—	—	—	1	1	—	2	—	7	2	8	1	—	1
Suffocation . . .	152	—	—	2	—	—	1	—	1	5	11	—	21	1	3	—
Drowning . . .	624	11	6	19	4	7	22	2	12	8	69	15	30	20	35	2
Fracture and Contusion	769	1	1	5	3	5	4	1	7	5	46	7	41	21	27	—
Gunshot Wounds . .	23	—	1	—	—	—	1	—	—	2	3	—	1	—	1	—
Cuts and Stabs . . .	44	—	—	—	—	1	—	—	—	—	3	—	9	4	4	—
Other Violent Causes .	191	—	—	2	1	2	6	—	4	2	14	2	6	7	9	—
Not specified . . .	645	27	5	6	15	66	67	1	13	5	46	10	10	26	30	—

CAUSES of DEATH in the COUNTIES of SCOTLAND during the YEAR 1876.—MALES. (Continued.)

DISEASES.	Clack- mannan.	Stirling.	Dumbarton.	Argyll.	Bute.	Renfrew.	Ayr.	Lanark.	Linlithgow.	Edinburgh.	Haddington.	Berwick.	Peebles.	Selkirk.	Roxburgh.	Dumfries.	Kirkcud- bright.	Wigtown.
Cephalitis	1	14	2	6	1	31	22	185	3	60	1	—	1	5	10	11	3	1
Apoplexy	9	23	18	23	8	72	62	253	8	86	7	10	1	5	18	16	9	6
Paralysis	6	31	15	21	7	54	50	222	10	128	20	10	3	3	26	33	10	12
Delirium Tremens . .	—	3	1	1	—	1	1	13	—	10	—	—	—	1	3	1	—	1
Chorea	—	—	—	—	—	—	—	—	—	2	—	—	—	—	—	—	—	—
Epilepsy	—	6	1	2	—	12	4	24	1	19	1	5	—	1	—	1	2	4
Tetanus	—	3	—	1	1	3	4	5	—	5	—	—	—	1	—	2	—	1
Insanity	—	—	1	1	—	—	1	7	—	8	—	—	—	—	2	4	1	—
Convulsions	5	20	7	6	—	52	24	199	12	59	6	1	—	3	3	5	8	4
Brain Disease	3	17	10	9	4	50	36	145	8	64	3	8	—	2	7	11	5	8
Pericarditis	1	1	2	3	—	1	2	17	3	7	1	—	—	—	1	2	—	—
Aneurism	1	2	1	1	—	1	3	27	—	27	2	1	—	—	1	2	—	2
Heart Disease	14	78	43	45	13	126	140	498	26	273	23	28	6	17	26	57	26	21
Laryngitis	—	1	1	—	—	7	3	28	3	14	—	1	—	—	1	—	1	—
Bronchitis	27	94	49	49	6	229	229	1618	41	412	22	17	7	27	34	49	20	39
Pleurisy	—	2	2	6	—	1	11	53	2	27	3	—	2	—	3	1	3	5
Pneumonia	10	51	27	21	11	116	115	711	21	220	10	11	1	8	21	34	29	15
Asthma	3	7	—	7	—	7	31	65	3	19	1	2	—	3	1	5	3	1
Lung Disease	—	11	2	2	—	10	4	49	—	24	1	—	1	—	1	1	1	3
Teething	3	14	12	8	—	44	25	167	3	27	3	2	—	3	4	3	—	5
Quinsey	—	—	1	—	1	1	—	11	—	1	—	—	—	—	—	1	—	—
Gastritis	—	6	1	5	4	8	7	40	1	6	—	1	—	—	—	3	—	1
Enteritis	3	26	4	5	1	42	46	205	13	36	6	6	—	4	5	12	4	2
Peritonitis	3	1	1	7	1	11	12	56	3	26	2	1	2	—	1	6	7	2
Ascites	—	2	2	2	—	2	4	4	1	2	—	—	—	1	—	1	1	—
Ulceration of Intestines	—	2	2	—	1	5	5	27	2	7	3	1	1	—	2	2	1	2
Hernia	—	2	1	3	—	—	2	14	1	13	—	—	—	—	2	1	—	1
Ileus	1	7	4	—	—	5	8	23	2	13	—	4	—	2	2	1	2	1
Intussusception . . .	—	2	—	—	—	1	3	10	3	3	—	1	—	—	—	3	—	—
Stricture of Intestines	—	—	—	—	—	2	—	6	—	4	—	—	—	—	—	—	—	2
Stomach Disease . . .	1	23	10	8	1	10	18	81	1	38	2	5	—	2	3	10	5	2
Pancreas Disease . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Hepatitis	—	5	2	4	1	4	4	35	4	7	2	—	—	—	4	9	2	—
Jaundice	—	9	3	3	—	6	8	24	3	15	2	—	1	1	—	—	3	2
Liver Disease	3	17	5	9	6	27	11	81	2	53	5	2	1	1	2	14	4	4
Spleen Disease	—	—	—	—	—	—	1	5	—	5	—	1	—	1	—	3	1	—
Nephritis	—	1	3	1	2	4	4	32	1	10	—	—	—	—	3	—	—	1
Nephria	2	1	4	9	2	11	16	41	—	32	2	3	1	2	1	7	3	5
Addison's Disease . .	1	—	—	—	—	2	1	3	—	—	—	—	—	—	—	—	—	—
Ischuria	—	1	—	2	1	—	3	11	1	4	1	4	1	1	—	1	1	1
Diabetes	—	—	1	—	—	1	2	19	3	7	—	4	1	1	1	6	2	2
Stone	—	—	1	1	—	1	—	6	—	5	—	1	—	—	1	—	—	—
Cystitis	—	3	1	7	—	8	10	17	1	8	3	1	1	—	3	8	—	1
Stricture of Urethra .	—	—	—	2	—	—	—	6	—	2	—	—	—	—	1	1	—	—
Kidney Disease	4	6	5	7	1	14	23	53	2	24	4	2	3	3	6	7	—	4
Paramenia	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Ovarian Dropsy	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Childbirth	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Organs of Generation .	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Bone Disease	—	2	1	2	—	3	4	25	—	12	—	—	—	—	—	3	2	1
Rheumatism	—	1	2	3	—	3	2	12	—	11	—	—	—	—	2	1	—	1
Joint Disease	—	2	1	1	1	11	7	39	3	10	2	2	—	—	1	—	—	1
Carbuncle	—	—	—	—	—	1	—	5	—	2	—	—	—	—	—	1	—	—
Phlegmon	—	—	—	—	—	2	—	1	—	1	—	—	—	1	—	—	—	—
Skin Disease	—	—	—	2	—	4	—	12	—	5	1	—	—	—	—	—	—	1
Intemperance	1	—	5	1	1	13	4	35	—	16	3	—	—	—	1	3	3	3
Privation	—	—	—	—	—	—	—	—	—	3	—	—	—	—	—	—	—	—
Want of Breast Milk . .	—	—	—	1	1	—	—	11	—	8	—	—	—	2	—	1	—	—
Neglect	—	—	—	—	—	1	—	—	—	—	—	—	1	—	—	—	—	—
Cold	—	—	—	3	—	2	1	5	—	1	2	2	—	—	1	1	1	1
Poison	—	3	—	—	—	1	1	13	—	5	—	—	—	—	—	—	—	—
Poisoned Wounds . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Burns and Scalds . . .	—	4	2	2	1	12	11	49	1	12	4	1	—	2	2	1	1	—
Hanging, etc. . . .	—	1	—	—	—	2	4	9	2	1	—	1	—	1	—	1	1	—
Suffocation	—	2	1	2	1	11	14	49	1	20	—	—	—	2	—	3	1	—
Drowning	6	26	22	20	6	43	24	144	5	26	7	4	2	1	5	10	8	3
Fracture and Contusion .	2	29	9	6	2	61	67	279	14	94	6	5	—	4	3	10	2	2
Gunshot Wounds	—	1	1	1	—	3	1	2	—	3	—	—	—	—	—	2	—	—
Cuts and Stabs	—	2	—	1	1	2	—	4	1	8	—	—	—	—	1	2	—	1
Other Violent Causes . .	—	11	—	3	1	11	8	57	1	26	1	4	2	2	—	5	3	1
Not specified	6	22	10	33	3	20	21	108	10	15	9	4	1	4	1	31	16	4

CAUSES of DEATH in the COUNTIES of SCOTLAND during the YEAR 1876.—FEMALES.

DISEASES.	SCOTLAND.	Shetland.	Orkney.	Caitness.	Sutherland.	Ross and Cromarty.	Inverness.	Nairn.	Elgin.	Banff.	Aberdeen.	Kincardine.	Forfar.	Perth.	Fife.	Kimross.
ALL CAUSES	36725	252	251	384	192	737	750	80	380	449	2078	236	2776	1301	1511	79
SPECIFIED CAUSES	36157	225	241	380	173	667	710	78	369	443	2053	227	2769	1280	1470	79
I. Zymotic Class	6890	13	19	85	17	138	128	5	65	51	332	25	455	190	290	11
II. Diseases of Uncer. Seat	1660	22	16	18	12	32	35	6	18	33	121	14	125	60	83	5
III. Tubercular Class . .	6108	26	22	44	27	74	54	10	54	59	302	23	509	191	200	12
IV. Brain and Nervous Sys.	3326	11	12	24	14	34	53	7	33	50	223	24	281	139	148	9
V. Organs of Circulation	2276	10	13	25	4	17	24	3	35	35	166	27	241	94	111	4
VI. Respiratory Organs . .	5984	17	35	66	13	73	107	10	51	66	319	28	529	173	199	12
VII. Organs of Digestion . .	2529	7	18	14	13	37	39	12	34	47	145	20	146	85	116	8
VIII. Urinary Organs . . .	424	—	4	7	2	5	9	1	2	12	30	6	34	14	23	1
IX. Organs of Generation	554	6	4	4	3	11	17	1	7	5	33	2	37	19	19	—
X. Organs of Locomotion	247	3	4	6	2	4	9	—	5	8	19	3	10	3	5	1
XI. Skin, etc.	45	—	1	—	—	—	1	1	—	—	7	—	1	2	2	—
XII. Malformation	134	—	—	2	—	1	1	—	—	—	8	3	18	9	7	1
XIII. Premature Debility . .	1602	6	5	13	3	6	11	4	12	21	94	9	124	60	43	2
XIV. Atrophy	296	—	3	1	1	8	5	1	—	1	11	3	11	14	9	—
XV. Age	3259	101	80	65	55	212	206	13	46	48	202	34	184	204	177	12
XVI. Sudden Deaths . . .	41	—	—	—	1	2	1	—	—	—	1	—	2	1	5	—
XVII. Violent Deaths . . .	782	3	5	6	6	13	10	4	7	7	40	6	62	22	33	1
I. Small-pox	10	—	—	—	—	—	—	—	—	—	—	—	—	2	—	—
Measles	610	1	—	—	—	—	4	—	2	—	36	—	66	10	11	4
Scarlatina	1176	—	—	23	5	51	42	—	20	1	14	—	56	13	33	—
Diphtheria	452	—	—	6	1	14	6	—	2	8	35	2	15	15	11	—
Hooping-cough	1257	3	6	18	—	6	14	—	13	7	43	3	99	43	81	3
Croup	387	—	—	7	—	28	6	1	2	2	17	2	21	11	20	—
Thrush	26	—	1	—	—	—	—	—	—	1	6	1	2	—	1	—
Diarrhoea	1020	1	1	8	2	7	9	1	4	10	73	8	77	21	40	2
Dysentery	99	1	—	—	—	2	1	—	6	2	14	—	5	4	5	—
Cholera	62	—	1	—	—	—	1	—	—	—	3	—	5	—	2	—
Influenza	41	1	—	1	1	—	2	—	1	2	6	—	4	—	2	—
Purpura	23	—	—	3	—	1	1	2	—	1	1	—	3	2	1	—
Ague	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Worms	4	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Typhus	212	—	—	3	—	9	10	—	—	3	19	—	9	11	8	—
Enteric Fever	769	2	2	10	3	8	12	1	8	5	29	7	34	20	43	2
Relapsing Fever	8	—	—	—	—	—	—	—	—	—	2	—	1	—	2	—
Simple Cont. Fever	35	—	1	—	—	—	2	—	—	1	—	—	2	—	2	—
Infantile Remittent	43	—	1	—	—	—	—	—	—	—	1	—	2	1	4	—
Metria	231	3	2	1	2	5	6	—	2	3	12	—	21	12	12	—
Rheumatic Fever	92	—	2	3	2	4	3	—	2	3	4	—	5	4	3	—
Erysipelas	155	1	2	—	1	1	5	—	1	2	9	1	13	15	5	—
Pyæmia	46	—	—	—	—	1	2	—	—	—	3	1	2	4	1	—
Syphilis	110	—	—	2	—	1	2	—	—	—	4	—	12	1	1	—
Noma	5	—	—	—	—	—	—	—	1	—	1	—	1	—	—	—
Hydrophobia	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Other Zymotic Diseases	13	—	—	—	—	—	—	—	1	—	—	—	—	1	2	—
II. Hæmorrhage	32	1	—	—	—	2	1	—	—	—	1	—	—	2	2	—
Dropsy	270	13	9	1	2	4	8	2	2	4	13	—	22	5	9	—
Abscess	89	—	—	1	—	2	—	—	1	—	6	1	5	—	6	—
Ulcer	35	—	—	—	1	—	1	—	—	1	4	—	—	—	1	—
Fistula	5	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—
Mortification	91	—	2	1	—	4	2	—	1	3	6	—	4	3	3	—
Cancer	1130	8	5	15	9	19	23	4	14	24	88	13	94	49	61	5
Gout	8	—	—	—	—	1	—	—	—	1	2	—	—	1	1	—
III. Scrofula	315	3	4	3	2	2	4	—	1	6	29	2	22	5	9	—
Tabes Mesenterica	485	—	—	—	—	1	1	—	1	2	15	—	40	14	17	—
Phthisis	4467	22	18	39	23	64	45	10	43	46	221	18	380	158	149	11
Hydrocephalus	841	1	—	2	2	7	4	—	9	5	37	3	67	14	25	1

CAUSES of DEATH in the COUNTIES of SCOTLAND during the YEAR 1876.—FEMALES.

DISEASES.	Clack- mannan.	Stirling.	Dumbarton.	Argyll.	Bute.	Renfrew.	Ayr.	Lanark.	Linlithgow.	Edinburgh.	Haddington.	Berwick.	Peebles.	Selkirk.	Roxburgh.	Dumfries.	Kirkcud- bright.	Wigtown.
ALL CAUSES . . .	238	1112	644	728	172	2372	2351	10599	392	3750	325	284	138	222	455	739	415	333
SPECIFIED CAUSES . . .	235	1086	638	688	167	2352	2330	10505	384	3738	321	283	138	222	447	731	401	327
Zymotic Class . . .	37	288	131	134	22	461	524	2158	115	722	53	39	37	45	87	114	57	42
Uncertain Seat . . .	12	41	31	34	14	102	92	360	10	201	15	23	5	11	24	35	22	28
Tubercular Class . . .	32	149	121	101	29	494	485	2110	46	512	38	28	18	38	52	118	72	58
Brain, etc.	22	94	65	43	25	215	179	873	34	396	42	35	10	20	47	83	51	30
Heart, etc.	20	71	40	41	15	112	133	455	28	289	26	36	15	20	38	57	45	26
Respiratory Organs . . .	44	146	82	91	16	374	307	2107	56	671	47	30	17	34	59	112	54	39
Digestive Organs . . .	18	89	48	31	18	182	162	749	28	249	25	32	11	10	41	54	21	20
Urinary Organs	5	14	5	6	—	17	25	92	6	59	5	7	1	5	7	10	5	5
Generative Organs . . .	2	19	8	11	2	29	25	165	10	58	3	8	4	4	12	13	6	7
Locomotive Organs . . .	—	3	4	13	1	15	15	56	5	38	2	—	—	1	—	6	3	3
Skin	—	1	—	1	—	5	—	6	1	5	3	1	—	2	—	2	2	1
Malformation	2	5	3	3	1	6	11	25	—	15	—	2	—	2	4	3	—	2
Premature Debility . . .	14	49	31	15	—	117	118	547	17	165	16	6	9	17	27	23	9	9
Atrophy	2	18	4	6	—	33	20	109	2	20	4	—	2	1	—	5	2	—
Age	19	81	52	142	18	146	165	435	22	245	36	29	6	7	42	86	43	46
Sudden Deaths	1	2	—	—	—	2	2	18	—	2	—	—	—	—	—	—	1	—
Violent Deaths	5	16	13	16	6	42	67	240	4	91	6	7	3	5	7	10	8	11
Small-pox	—	3	1	—	—	2	—	2	—	—	—	—	—	—	—	—	—	—
Measles	—	26	16	2	—	13	74	206	3	97	—	2	4	4	5	4	11	9
Scarlatina	2	84	29	42	3	101	91	297	40	119	6	10	8	9	27	34	14	2
Diphtheria	3	20	9	8	2	36	32	111	4	79	2	9	5	1	8	4	1	3
Whooping-cough	9	28	10	20	4	93	80	530	20	73	10	1	2	9	4	19	5	1
Croup	1	9	6	12	2	25	11	108	3	58	6	3	3	5	10	5	2	1
Thrush	1	—	1	—	—	1	4	3	—	2	—	—	—	—	—	1	—	1
Diarrhoea	4	27	21	19	2	67	67	349	15	122	10	2	9	5	6	18	4	9
Dysentery	—	4	—	2	—	3	12	21	2	4	2	2	1	—	1	1	4	—
Cholera	1	4	1	1	2	4	12	15	2	7	—	—	—	—	—	1	—	—
Influenza	1	3	—	2	—	1	2	7	—	3	—	—	—	—	—	—	—	2
Purpura	—	—	—	—	—	1	1	2	—	3	1	—	—	—	—	—	—	—
Ague	—	1	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—
Worms	—	—	—	—	—	1	1	2	—	—	—	—	—	—	—	—	—	—
Typhus	1	9	5	1	1	18	19	58	2	18	2	—	—	—	5	—	—	1
Enteric Fever	11	43	20	11	4	45	87	232	10	61	6	7	2	8	10	14	6	6
Relapsing Fever	—	—	1	—	—	—	—	2	—	—	—	—	—	—	—	—	—	—
Simple Cont. Fever . . .	1	—	2	—	—	1	4	12	1	—	—	—	1	—	2	—	3	—
Infantile Remittent . . .	—	4	—	—	—	5	—	10	—	12	1	1	—	—	1	—	—	—
Metria	—	15	5	5	2	20	6	67	5	7	2	2	—	—	5	6	1	2
Rheumatic Fever	—	2	—	2	—	6	3	22	1	11	—	—	1	2	—	2	2	3
Erysipelas	2	4	3	4	—	11	8	40	4	13	1	—	1	1	2	4	—	1
Pyæmia	—	—	1	—	—	—	1	14	1	9	2	—	—	1	1	1	—	1
Syphilis	—	2	—	3	—	7	6	40	2	21	2	—	—	—	—	—	4	—
Noma	—	—	—	—	—	—	1	—	—	1	—	—	—	—	—	—	—	—
Hydrophobia	—	—	—	—	—	—	1	1	—	—	—	—	—	—	—	—	—	—
Other Zymotic Dis. . . .	—	—	—	—	—	—	1	7	—	1	—	—	—	—	—	—	—	—
Hæmorrhage	1	1	2	—	—	4	2	8	—	1	—	—	—	1	—	—	2	1
Dropsy	5	9	6	10	—	20	13	80	—	16	1	3	—	—	3	2	3	5
Abscess	—	2	1	2	—	11	3	23	—	13	3	1	1	—	—	4	2	1
Ulcer	1	—	1	—	—	4	2	10	—	4	—	1	—	—	1	—	1	2
Fistula	—	—	—	—	—	—	2	1	1	—	—	—	—	—	—	—	—	—
Mortification	—	4	1	2	1	9	3	16	—	10	1	2	—	1	4	2	3	3
Cancer	5	25	20	20	13	54	67	221	9	156	10	16	4	9	16	27	11	16
Gout	—	—	—	—	—	—	—	1	—	1	—	—	—	—	—	—	—	—
Scrofula	1	7	8	9	3	25	23	88	3	34	3	2	1	1	1	5	4	5
Tabes Mesenterica	3	13	8	—	2	25	51	212	6	42	3	1	1	3	7	10	4	3
Phthisis	26	112	76	83	18	370	334	1520	23	348	25	20	12	26	38	92	53	44
Hydrocephalus	2	17	29	9	6	74	77	290	14	88	7	5	4	8	6	11	11	6

CAUSES of DEATH in the COUNTIES of SCOTLAND during the YEAR 1876.—FEMALES. (Continued.)

DISEASES.	SCOTLAND.	Shetland.	Orkney.	Caithness.	Sutherland.	Ross and Cromarty.	Inverness.	Nairn.	Elgin.	Banff.	Aberdeen.	Kincairdine.	Forfar.	Perth.	Fife.	Kinross.
IV. Cephalitis . . .	391	—	2	4	1	8	6	1	1	4	19	4	42	8	21	1
Apoplexy . . .	836	3	5	7	1	3	7	1	5	18	55	9	76	38	38	2
Paralysis . . .	1017	6	3	9	6	16	21	3	16	18	69	6	83	61	56	2
Delirium Tremens . . .	4	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—
Chorea . . .	8	—	—	—	—	—	—	—	—	—	1	—	—	—	1	—
Epilepsy . . .	134	1	—	1	1	1	1	—	1	3	13	2	14	8	5	—
Tetanus . . .	16	1	—	—	1	1	—	—	—	—	1	—	—	—	—	—
Insanity . . .	57	—	—	1	—	2	7	—	1	1	3	—	—	—	2	1
Convulsions . . .	459	—	1	1	1	1	5	1	6	3	27	1	44	7	14	1
Brain Disease . . .	404	—	1	1	3	2	6	1	3	3	35	2	22	14	10	2
V. Pericarditis . . .	53	2	—	—	—	—	—	—	2	1	1	1	2	2	2	—
Aneurism . . .	38	—	2	—	—	—	—	1	1	1	9	—	1	2	1	—
Heart Disease . . .	2185	8	11	25	4	17	24	2	32	33	156	26	238	90	108	4
VI. Laryngitis . . .	65	—	—	2	—	2	1	—	—	—	6	1	5	—	4	—
Bronchitis . . .	4171	12	23	52	4	43	52	5	34	39	243	22	395	125	144	5
Pleurisy . . .	98	—	—	—	—	1	8	—	1	2	4	—	3	4	6	—
Pneumonia . . .	1348	1	10	7	1	13	19	2	10	20	56	5	108	35	41	6
Asthma . . .	176	4	1	5	6	12	19	3	3	3	7	—	11	7	2	—
Lung Disease . . .	126	—	1	—	2	2	8	—	3	2	3	—	7	2	2	1
VII. Teething . . .	329	1	1	—	—	3	5	5	4	5	19	1	16	12	22	1
Quinsey . . .	25	—	—	1	—	1	—	—	—	1	1	—	—	1	2	—
Gastritis . . .	113	1	—	—	—	3	1	—	—	3	7	—	8	3	10	—
Enteritis . . .	428	—	—	1	1	5	1	1	4	9	13	—	19	6	12	2
Peritonitis . . .	270	2	1	2	2	3	6	—	5	4	14	2	26	10	13	—
Ascites . . .	52	—	2	—	—	2	—	—	—	2	2	1	3	—	4	—
Ulceration of Intestines	103	2	1	1	—	3	2	1	1	1	9	1	5	3	3	1
Hernia . . .	64	—	1	—	—	—	1	—	3	—	5	1	6	2	3	—
Ileus . . .	160	—	4	1	—	2	3	—	1	3	20	2	8	9	7	—
Intussusception . . .	18	—	—	—	1	1	—	1	—	1	1	—	—	1	—	—
Stricture of Intestines	17	—	—	1	—	—	1	—	—	—	1	1	1	—	2	—
Stomach Disease . . .	317	—	2	—	5	5	9	3	6	5	19	5	15	9	17	2
Pancreas Disease . . .	3	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—
Hepatitis . . .	132	1	—	1	—	1	—	—	1	4	3	2	8	5	3	—
Jaundice . . .	111	—	2	1	4	4	4	—	1	2	10	3	6	4	3	1
Liver Disease . . .	367	—	2	5	—	4	4	1	8	5	20	1	24	18	15	1
Spleen Disease . . .	20	—	2	—	—	—	1	—	—	2	1	—	1	2	—	—
VIII. Nephritis . . .	53	—	1	1	—	—	1	—	—	1	2	1	4	—	3	—
Nephria . . .	187	—	2	5	2	3	5	—	—	4	12	2	16	7	10	—
Addison's Disease . . .	8	—	—	—	—	—	—	—	—	—	—	—	—	1	1	—
Ischuria . . .	14	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—
Diabetes . . .	35	—	1	—	—	1	2	—	—	2	2	2	2	1	4	1
Stone . . .	2	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—
Cystitis . . .	18	—	—	—	—	—	—	—	—	1	1	—	3	—	1	—
Stricture of Urethra . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Kidney Disease . . .	107	—	—	1	—	1	1	1	2	4	13	1	7	5	4	—
IX. Paramenia . . .	30	1	—	—	—	—	3	—	—	—	2	—	4	—	1	—
Ovarian Dropsy . . .	55	—	2	1	—	—	1	—	1	1	8	—	5	—	—	—
Childbirth . . .	374	4	2	3	3	6	12	1	5	2	19	2	23	14	14	—
Organs of Generation . . .	95	1	—	—	—	5	1	—	1	2	4	—	5	5	4	—
X. Bone Disease . . .	60	1	—	2	—	2	1	—	1	2	6	—	3	1	3	1
Rheumatism . . .	118	1	2	4	2	2	7	—	2	4	5	2	4	1	1	—
Joint Disease . . .	69	1	2	—	—	—	1	—	2	2	8	1	3	1	1	—
XI. Carbuncle . . .	10	—	—	—	—	—	1	1	—	—	1	—	1	—	2	—
Phlegmon . . .	12	—	—	—	—	—	—	—	—	—	2	—	—	1	—	—
Skin Disease . . .	23	—	1	—	—	—	—	—	—	—	4	—	—	1	—	—
XVII. Intemperance . . .	82	—	—	—	1	—	1	—	1	—	2	—	6	3	4	1
Privation . . .	4	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Want of Breast Milk . . .	30	—	—	—	—	—	—	—	—	—	—	—	1	1	1	—
Neglect . . .	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Cold . . .	16	—	—	—	1	1	3	—	—	—	2	—	—	1	—	—
Poison . . .	23	—	—	—	—	—	—	—	—	—	1	—	1	—	2	—
Poisoned Wounds . . .	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Burns and Scalds . . .	155	1	—	2	3	1	3	—	1	—	6	—	8	4	8	—
Hanging, etc. . .	16	—	—	—	—	1	—	—	—	—	—	—	3	—	2	—
Suffocation . . .	120	—	—	—	—	1	—	—	1	3	10	1	16	2	2	—
Drowning . . .	97	—	3	—	1	1	1	4	—	1	12	1	7	5	1	—
Fracture and Contusion . . .	168	1	2	3	—	8	2	—	2	1	4	2	15	3	8	—
Gunshot Wounds . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Cuts and Stabs . . .	8	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—
Other Violent Causes . . .	61	1	—	1	—	—	—	—	2	2	2	2	5	3	5	—
Not specified . . .	568	27	10	4	19	70	40	2	11	6	25	9	7	21	41	—

CAUSES of DEATH in the COUNTIES of SCOTLAND during the YEAR 1876.—FEMALES. (Continued.)

DISEASES.	Clack- mannan.	Stirling.	Dumbarton.	Argyll.	Bute.	Renfrew.	Ayr.	Lanark.	Linlithgw.	Edinburgh.	Haddington.	Berwick.	Peebles.	Selkirk.	Roxburgh.	Dumfries.	Kirkcud- bright.	Wigtown.
Cephalitis	3	10	5	3	3	24	8	146	2	48	1	—	—	1	6	6	1	2
Apoplexy	7	24	19	13	11	60	53	203	9	78	10	10	2	11	9	26	17	6
Paralysis	6	25	12	16	4	61	55	204	13	131	16	11	5	2	23	24	21	13
Delirium Tremens . .	—	1	1	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—
Chorea	—	—	1	—	—	—	2	1	1	1	—	—	—	—	—	—	—	—
Epilepsy	1	3	2	4	—	9	6	29	—	18	3	2	1	—	—	2	3	—
Tetanus	—	—	1	—	—	—	1	6	—	1	—	—	—	—	—	—	—	—
Insanity	—	3	3	3	—	5	1	10	—	6	—	—	—	1	1	5	1	—
Convulsions	4	14	5	1	1	32	26	167	7	58	5	1	1	3	4	9	6	2
Brain Disease . . .	1	14	16	3	6	24	27	107	2	54	7	11	1	2	4	11	2	7
Pericarditis	—	3	1	1	—	1	3	14	7	6	—	—	1	1	—	1	1	—
Aneurism	—	—	—	—	—	1	2	8	1	5	1	—	—	—	1	1	—	—
Heart Disease . . .	20	68	39	40	15	110	128	433	20	278	25	36	14	19	37	55	44	26
Laryngitis	1	2	3	1	—	4	3	13	1	8	—	—	1	—	4	—	2	1
Bronchitis	34	94	51	70	9	248	214	1494	38	450	34	13	12	26	41	83	35	27
Pleurisy	1	3	1	1	—	4	8	25	1	14	3	2	—	2	2	1	—	1
Pneumonia	5	31	21	13	7	89	74	502	15	171	7	12	3	5	10	27	15	7
Asthma	3	5	2	4	—	15	5	33	1	11	3	3	—	1	2	1	2	2
Lung Disease . . .	—	11	4	2	—	14	3	40	—	17	—	—	1	—	—	—	—	1
Teething	4	12	6	—	1	28	24	125	1	24	2	1	1	1	1	2	—	1
Quinsey	—	1	—	—	—	2	2	9	—	2	1	—	1	—	—	—	—	—
Gastritis	—	4	4	2	2	6	9	33	—	5	3	1	—	—	1	5	1	1
Enteritis	1	17	7	3	1	35	37	170	14	24	5	9	1	2	11	7	6	4
Peritonitis	5	4	3	5	3	15	13	60	4	38	3	7	1	1	5	5	5	3
Ascites	—	1	1	3	—	4	7	12	—	6	—	—	—	—	—	1	1	1
Ulceration of Intestines	—	5	3	2	3	4	1	17	1	13	—	3	—	1	6	2	4	4
Hernia	1	1	1	—	1	2	4	13	2	10	—	—	2	—	—	3	—	2
Ileus	—	3	3	1	1	9	3	47	—	17	1	4	—	—	4	4	1	2
Intussusception . .	—	—	—	—	—	3	1	4	1	—	—	—	1	—	—	2	—	—
Stricture of Intestines	—	1	—	—	—	1	—	4	—	2	—	—	—	—	—	2	—	—
Stomach Disease . .	1	14	9	8	2	23	17	81	—	45	2	2	1	4	1	5	—	—
Pancreas Disease . .	—	—	—	—	—	—	—	1	—	1	—	—	—	—	—	—	—	—
Hepatitis	1	5	4	1	—	12	9	52	1	5	3	—	2	—	3	4	—	1
Jaundice	—	5	2	1	1	6	6	27	—	12	2	—	—	—	—	4	—	—
Liver Disease . . .	4	16	4	5	3	32	29	88	4	42	3	5	1	1	9	8	4	1
Spleen Disease . . .	1	—	1	—	—	—	—	6	—	3	—	—	—	—	—	—	—	—
Nephritis	—	2	1	—	—	6	1	14	2	6	1	1	—	—	1	2	2	—
Nephria	4	4	1	—	—	7	13	44	4	22	1	4	—	3	3	6	1	2
Addison's Disease .	1	—	—	—	—	—	2	1	—	—	—	—	—	—	—	1	—	1
Ischuria	—	1	—	—	—	1	3	2	—	5	—	—	—	—	—	1	—	—
Diabetes	—	1	1	—	—	1	—	6	—	4	—	1	—	1	1	—	1	—
Stone	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—
Cystitis	—	2	—	1	—	—	2	3	—	1	2	—	—	1	—	—	—	—
Stricture of Urethra .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Kidney Disease . . .	—	4	2	5	—	2	4	22	—	20	1	1	1	—	2	—	1	2
Paramenia	—	1	1	—	—	3	1	2	1	4	—	—	—	2	2	1	1	—
Ovarian Dropsy . . .	1	1	—	2	1	1	—	18	—	6	—	2	2	—	1	1	—	—
Childbirth	1	14	6	5	1	21	19	117	7	35	3	5	2	2	7	11	5	3
Organs of Generation	—	3	1	4	—	4	5	28	2	13	—	1	—	—	2	—	—	4
Bone Disease	—	—	—	2	—	3	5	11	2	10	—	—	—	1	—	1	2	—
Rheumatism	—	1	3	8	—	6	9	28	1	18	2	—	—	—	—	3	—	2
Joint Disease	—	2	1	3	1	6	1	17	2	10	—	—	—	—	—	2	1	1
Carbuncle	—	—	—	—	—	—	—	1	—	2	1	—	—	—	—	—	—	—
Phlegmon	—	1	—	—	—	2	—	1	—	1	2	—	—	1	—	1	—	—
Skin Disease	—	—	—	1	—	3	—	4	1	2	—	1	—	1	—	1	2	1
Intemperance	—	4	1	2	—	5	4	21	2	17	2	—	—	—	1	—	2	2
Privation	—	—	—	—	1	1	—	1	—	1	—	—	—	—	—	—	—	—
Want of Breast Milk .	—	—	—	—	—	1	1	20	—	3	—	—	—	—	—	1	—	1
Neglect	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—
Cold	—	—	—	—	—	—	—	6	—	2	—	—	—	—	—	—	—	—
Poison	—	—	—	2	—	1	2	6	—	3	1	—	—	2	—	2	—	—
Poisoned Wounds . .	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—
Burns and Scalds . .	2	2	4	1	—	10	33	40	1	15	2	1	—	—	2	2	2	1
Hanging, etc. . . .	—	—	—	1	—	1	1	5	—	1	—	1	—	—	—	—	—	—
Suffocation	2	3	—	1	1	5	10	39	—	17	—	1	—	2	1	1	—	1
Drowning	—	3	4	6	3	3	5	26	—	4	—	—	2	1	1	—	—	2
Fracture and Contusion	1	4	3	2	1	13	6	54	1	23	1	1	—	—	1	3	3	—
Gunshot Wounds . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Cuts and Stabs . . .	—	—	—	—	—	—	—	5	—	—	—	—	—	—	—	1	—	1
Other Violent Causes .	—	—	1	1	—	2	5	16	—	4	—	3	1	—	1	—	1	3
Not specified	3	26	6	40	5	20	21	94	8	12	4	1	—	—	8	8	14	6

CAUSES of DEATH in the PRINCIPAL TOWNS of SCOTLAND during the YEAR
1876.—BOTH SEXES.

DISEASES.	Total Principal Towns.	Glasgow.	Edinburgh.	Dundee.	Aberdeen.	Greenock.	Paisley.	Leith.	Perth.
ALL CAUSES	27977	15763	4392	3075	2033	1613	1287	1174	640
SPECIFIED CAUSES	27852	13684	4383	3073	2027	1598	1283	1168	636
I. Zymotic Class	5206	2562	773	547	373	338	243	245	125
II. Diseases of Uncertain Seat	893	354	214	86	76	57	49	44	13
III. Tubercular Class	5052	2734	695	535	320	277	230	167	94
IV. Brain and Nervous System	2709	1216	460	315	231	173	139	125	50
V. Organs of Circulation	1603	645	359	193	148	80	53	63	62
VI. Respiratory Organs	5856	3168	853	703	345	251	202	235	99
VII. Organs of Digestion	1810	942	280	154	124	96	90	82	42
VIII. Urinary Organs	414	152	101	46	58	14	19	17	7
IX. Organs of Generation	189	87	35	19	17	13	4	9	5
X. Organs of Locomotion	186	75	46	16	22	7	11	7	2
XI. Skin, etc.	48	18	8	1	8	10	1	1	1
XII. Malformation	105	33	21	19	14	8	1	4	5
XIII. Premature Debility	1517	735	187	203	96	109	84	70	33
XIV. Atrophy	195	90	19	14	6	33	14	8	11
XV. Age	909	298	152	122	89	51	92	41	64
XVI. Sudden Deaths	38	28	—	1	1	1	2	3	2
XVII. Violent Deaths	1122	547	180	99	99	80	49	47	21
I. Small-pox	10	8	—	—	—	—	—	—	2
Measles	635	310	119	83	61	8	3	50	1
Scarlatina	732	313	150	49	23	107	32	45	13
Diphtheria	293	122	58	16	20	32	15	19	11
Hooping-cough	1021	643	52	118	54	25	71	24	34
Croup	322	154	57	21	23	28	8	18	13
Thrush	16	2	3	1	8	1	—	—	1
Diarrhoea	905	407	116	151	78	50	43	47	13
Dysentery	50	22	6	4	10	3	3	1	1
Cholera	47	18	13	8	3	3	1	1	—
Influenza	21	10	4	1	3	3	—	—	—
Purpura	18	6	4	2	—	1	—	2	3
Ague	4	2	—	1	—	—	—	1	—
Worms	3	3	—	—	—	—	—	—	—
Typhus	226	92	30	16	29	21	15	11	12
Enteric Fever	407	210	63	31	24	34	27	12	6
Relapsing Fever	5	2	1	—	1	1	—	—	—
Simple Continued Fever	19	14	1	—	—	—	2	—	2
Infantile Remittent	42	24	7	—	3	—	6	2	—
Metria	83	43	5	11	6	6	7	2	3
Rheumatic Fever	51	26	13	3	3	3	2	—	1
Erysipelas	125	46	31	12	16	7	3	4	6
Pyæmia	32	18	10	1	1	1	—	—	1
Syphilis	120	55	27	17	6	4	4	5	2
Noma	5	2	2	1	—	—	—	—	—
Hydrophobia	3	3	—	—	—	—	—	—	—
Other Zymotic Diseases	11	7	1	—	1	—	1	1	—
II. Hæmorrhage	17	9	3	—	1	3	—	—	1
Dropsy	155	71	17	17	12	13	16	8	1
Abscess	76	33	15	8	5	4	6	4	1
Ulcer	22	9	2	—	6	3	—	2	—
Fistula	8	6	—	—	1	—	—	1	—
Mortification	47	12	13	2	6	7	5	2	—
Cancer	565	213	163	59	45	27	22	27	9
Gout	3	1	1	—	—	—	—	—	1
I. I. Scrofula	292	135	38	38	19	23	17	18	4
Tabes Mesenterica	488	321	53	40	19	16	13	17	9
Phthisis	3526	1927	473	382	223	197	161	97	66
Hydrocephalus	746	351	131	75	59	41	39	35	15

CAUSES of DEATH in the PRINCIPAL TOWNS of SCOTLAND during the YEAR
1876.—BOTH SEXES. (Continued.)

DISEASES.	Total Principal Towns.	Glasgow.	Edinburgh.	Dundee.	Aberdeen.	Greenock.	Paisley.	Leith.	Perth.
IV. Cephalitis	423	212	75	58	26	31	4	12	5
Apoplexy	634	293	105	79	50	38	36	22	11
Paralysis	614	239	108	83	50	34	42	43	15
Delirium Tremens	22	8	6	1	3	—	1	3	—
Chorea	2	—	1	—	1	—	—	—	—
Epilepsy	106	37	20	13	13	8	9	3	3
Tetanus	12	5	3	1	1	—	—	1	1
Insanity	19	9	3	—	3	1	3	—	—
Convulsions	487	230	69	60	43	26	22	30	7
Brain Disease	390	183	70	20	41	35	22	11	8
V. Pericarditis	32	20	8	1	2	—	—	—	1
Aneurism	68	25	23	5	8	—	2	2	3
Heart Disease	1503	600	328	187	138	80	51	61	58
VI. Laryngitis	58	25	12	6	7	4	1	3	—
Bronchitis	3993	2217	493	477	260	154	156	167	69
Pleurisy	102	45	31	7	9	—	3	6	1
Pneumonia	1459	770	262	198	53	68	34	53	21
Asthma	105	41	20	10	11	6	8	2	7
Lung Disease	139	70	35	5	5	19	—	4	1
VII. Teething	341	197	27	27	21	24	24	9	12
Quinsey	17	11	1	1	—	2	—	2	—
Gastritis	73	47	6	6	3	7	—	2	2
Enteritis	346	228	29	33	6	21	17	10	2
Peritonitis	161	67	37	19	13	8	6	8	3
Ascites	25	11	6	1	1	2	2	2	—
Ulceration of Intestines	62	22	16	4	10	2	6	2	—
Hernia	45	18	12	3	4	1	—	5	2
Ileus	90	38	17	12	12	2	5	4	—
Intussusception	18	10	3	—	2	2	—	—	1
Stricture of Intestines	14	6	4	—	2	1	—	1	—
Stomach Disease	203	93	41	10	21	9	6	18	5
Pancreas Disease	1	—	1	—	—	—	—	—	—
Hepatitis	74	50	4	6	2	—	7	1	4
Jaundice	71	24	14	6	11	2	4	7	3
Liver Disease	251	112	55	25	15	13	13	10	8
Spleen Disease	18	8	7	1	1	—	—	1	—
VIII. Nephritis	58	32	6	7	4	2	3	4	—
Nephria	139	44	44	22	11	4	8	2	4
Addison's Disease	4	2	—	—	—	—	1	—	1
Ischuria	16	6	6	—	3	—	—	1	—
Diabetes	26	12	5	2	4	—	1	2	—
Stone	15	5	6	—	3	1	—	—	—
Cystitis	31	10	5	5	7	—	4	—	—
Stricture of Urethra	8	3	1	—	3	—	—	1	—
Kidney Disease	117	38	28	10	23	7	2	7	2
IX. Paramenia	8	2	2	1	2	—	1	—	—
Ovarian Dropsy	24	13	6	1	4	—	—	—	—
Childbirth	123	58	20	16	10	10	2	4	3
Organs of Generation	34	14	7	1	1	3	1	5	2
X. Bone Disease	55	21	12	5	8	1	4	4	—
Rheumatism	55	24	17	3	4	1	2	3	1
Joint Disease	76	30	17	8	10	5	5	—	1
XI. Carbuncle	12	6	2	1	2	—	1	—	—
Phlegmon	6	1	—	—	—	4	—	—	1
Skin Disease	30	11	6	—	6	6	—	1	—
XVII. Intemperance	94	40	24	8	4	11	2	4	1
Privation	2	1	1	—	—	—	—	—	—
Want of Breast Milk	33	19	8	—	4	1	—	1	—
Neglect	2	1	—	1	—	—	—	—	—
Cold	5	4	—	—	—	—	1	—	—
Poison	24	13	6	3	—	—	1	—	1
Poisoned Wounds	1	—	1	—	—	—	—	—	—
Burns and Scalds	97	48	15	6	5	8	7	5	3
Hanging, etc.	18	6	1	6	2	1	2	—	—
Suffocation	139	67	27	20	12	2	7	4	—
Drowning	211	112	2	15	43	16	6	11	6
Fracture and Contusion	377	183	68	30	21	33	18	16	8
Gunshot Wounds	4	—	1	—	—	2	—	1	—
Cuts and Stabs	24	7	6	6	2	2	—	1	—
Other Violent Causes	91	46	20	4	6	4	5	4	2
Not specified	125	79	9	2	6	15	4	6	4

CAUSES of DEATH in the PRINCIPAL TOWNS of SCOTLAND during
the YEAR 1876.—MALES.

DISEASES.	Total Principal Towns.	Glasgow.	Edinburgh.	Dundee.	Aberdeen.	Greenock.	Paisley.	Leith.	Perth.
ALL CAUSES	14256	7174	2217	1454	1023	857	644	597	290
SPECIFIED CAUSES	14182	7124	2211	1452	1019	851	641	595	289
I. Zymotic Class	2566	1274	370	265	190	174	117	118	58
II. Diseases of Uncertain Seat	339	146	87	23	26	23	17	12	5
III. Tubercular Class	2505	1387	381	218	150	127	101	97	44
IV. Brain and Nervous System	1458	662	234	162	117	107	83	68	25
V. Organs of Circulation	839	352	195	79	76	44	26	36	31
VI. Respiratory Organs	3042	1687	430	348	178	128	107	119	45
VII. Organs of Digestion	902	483	142	75	57	51	42	35	17
VIII. Urinary Organs	260	100	61	22	38	10	14	11	4
IX. Organs of Generation	—	—	—	—	—	—	—	—	—
X. Organs of Locomotion	96	43	22	13	7	5	4	1	1
XI. Skin, etc.	32	13	4	1	6	6	1	1	—
XII. Malformation	58	21	12	7	11	3	—	2	2
XIII. Premature Debility	871	420	101	120	55	69	48	44	14
XIV. Atrophy	85	39	9	8	—	14	7	4	4
XV. Age	318	111	43	47	27	22	34	11	23
XVI. Sudden Deaths	21	16	—	1	—	—	2	1	1
XVII. Violent Deaths	790	370	120	63	81	68	38	35	15
I. Small-pox	7	6	—	—	—	—	—	—	1
Measles	317	166	53	38	30	3	1	26	—
Scarlatina	376	157	81	19	13	59	17	22	8
Diphtheria	132	57	21	11	10	17	3	9	4
Hooping-cough	465	292	14	64	26	11	35	8	15
Croup	164	86	32	6	10	11	4	9	6
Thrush	5	1	1	—	2	—	—	—	1
Diarrhoea	469	213	58	84	39	24	21	22	8
Dysentery	26	12	3	3	4	1	2	1	—
Cholera	26	11	8	3	2	1	—	1	—
Influenza	10	6	1	—	1	2	—	—	—
Purpura	12	6	2	1	—	1	—	1	1
Ague	3	2	—	1	—	—	—	—	—
Worms	2	2	—	—	—	—	—	—	—
Typhus	136	61	15	8	17	11	10	9	5
Enteric Fever	202	91	36	14	13	23	16	5	4
Relapsing Fever	4	2	1	—	—	1	—	—	—
Simple Continued Fever	9	5	1	—	—	—	1	—	2
Infantile Remittent	21	16	—	—	2	—	3	—	—
Metria	—	—	—	—	—	—	—	—	—
Rheumatic Fever	21	11	5	1	2	1	1	—	—
Erysipelas	76	26	22	3	13	6	1	3	2
Pyæmia	18	14	2	1	—	1	—	—	—
Syphilis	54	24	12	8	5	1	1	2	1
Noma	3	2	1	—	—	—	—	—	—
Hydrophobia	3	3	—	—	—	—	—	—	—
Other Zymotic Diseases	5	2	1	—	1	—	1	—	—
II. Hæmorrhage	13	8	2	—	1	1	—	—	1
Dropsy	65	28	8	6	5	7	8	3	—
Abscess	42	23	9	3	2	1	2	1	1
Ulcer	6	2	—	—	2	2	—	—	—
Fistula	7	5	—	—	1	—	—	1	—
Mortification	21	5	6	—	3	3	3	1	—
Cancer	184	74	62	14	12	9	4	6	3
Gout	1	1	—	—	—	—	—	—	—
III. Scrofula	164	79	20	22	10	14	7	10	2
Tabes Mesenterica	278	189	34	16	9	10	7	10	3
Phthisis	1645	918	253	146	99	82	62	56	29
Hydrocephalus	418	201	74	34	32	21	25	21	10

CAUSES of DEATH in the PRINCIPAL TOWNS of SCOTLAND during
the YEAR 1876.—MALES. (Continued.)

DISEASES.	Total Principal Towns.	Glasgow.	Edinburgh.	Dundee.	Aberdeen.	Greenock.	Paisley.	Leith.	Perth.
IV. Cephalitis	232	120	41	27	16	17	3	6	2
Apoplexy	347	166	50	42	22	23	25	14	5
Paralysis	288	119	49	38	18	19	21	18	6
Delirium Tremens	21	8	6	1	3	—	1	2	—
Chorea	—	—	—	—	—	—	—	—	—
Epilepsy	51	15	10	8	4	5	4	2	3
Tetanus	7	1	3	1	1	—	—	1	—
Insanity	5	—	3	—	2	—	—	—	—
Convulsions	280	130	35	35	28	15	16	16	5
Brain Disease	227	103	37	10	23	28	13	9	4
V. Pericarditis	16	9	5	—	2	—	—	—	—
Aneurism	53	20	120	5	3	—	1	2	2
Heart Disease	770	323	170	74	71	44	25	34	29
VI. Laryngitis	36	17	8	3	3	3	1	1	—
Bronchitis	1963	1131	225	217	129	71	83	78	29
Pleurisy	69	30	19	5	9	—	1	5	—
Pneumonia	845	448	142	119	29	45	19	33	10
Asthma	53	21	13	2	6	1	3	1	6
Lung Disease	76	40	23	2	2	8	—	1	—
VII. Teething	198	114	13	16	11	15	16	6	7
Quinsey	8	5	—	1	—	1	—	1	—
Gastritis	32	23	4	1	—	4	—	—	—
Enteritis	191	129	18	17	3	10	8	5	1
Peritonitis	70	33	16	4	8	5	1	2	1
Ascites	6	2	2	—	1	1	—	—	—
Ulceration of Intestines	30	11	7	3	5	—	4	—	—
Hernia	21	10	7	—	—	—	—	4	—
Ileus	39	13	8	8	4	2	3	1	—
Intussusception	13	7	3	—	1	1	—	—	1
Stricture of Intestines	8	3	2	—	1	1	—	1	—
Stomach Disease	89	40	19	4	11	3	2	7	3
Pancreas Disease	—	—	—	—	—	—	—	—	—
Hepatitis	27	19	2	2	1	—	1	1	1
Jaundice	38	16	8	2	6	2	—	2	2
Liver Disease	123	54	29	17	5	6	7	4	1
Spleen Disease	9	4	4	—	—	—	—	1	—
VIII. Nephritis	37	21	4	4	3	1	1	3	—
Nephria	74	22	26	10	4	3	5	2	2
Addison's Disease	2	1	—	—	—	—	1	—	—
Ischuria	11	5	3	—	3	—	—	—	—
Diabetes	18	9	3	1	3	—	1	1	—
Stone	14	5	5	—	3	1	—	—	—
Cystitis	24	7	4	2	7	—	4	—	—
Stricture of Urethra	8	3	1	—	3	—	—	1	—
Kidney Disease	72	27	15	5	12	5	2	4	2
IX. Paramenia	—	—	—	—	—	—	—	—	—
Ovarian Dropsy	—	—	—	—	—	—	—	—	—
Childbirth	—	—	—	—	—	—	—	—	—
Organs of Generation	—	—	—	—	—	—	—	—	—
X. Bone Disease	31	14	6	4	4	1	1	1	—
Rheumatism	19	6	8	3	—	—	1	—	1
Joint Disease	46	23	8	6	3	4	2	—	—
XI. Carbuncle	8	5	—	1	1	—	1	—	—
Phlegmon	3	1	—	—	—	2	—	—	—
Skin Disease	21	7	4	—	5	4	—	1	—
XVII. Intemperance	49	21	11	4	2	9	1	1	—
Privation	—	—	—	—	—	—	—	—	—
Want of Breast Milk	17	6	6	—	4	—	—	1	—
Neglect	1	—	—	1	—	—	—	—	—
Cold	2	1	—	—	—	—	1	—	—
Poison	16	9	3	2	—	—	1	—	1
Poisoned Wounds	—	—	—	—	—	—	—	—	—
Burns and Scalds	39	20	5	2	2	4	2	3	1
Hanging, etc.	12	4	—	4	2	1	1	—	—
Suffocation	73	35	15	8	6	1	6	2	—
Drowning	187	97	2	13	39	16	6	10	4
Fracture and Contusion	297	139	54	20	19	30	16	12	7
Gunshot Wounds	4	—	1	—	—	2	—	1	—
Cuts and Stabs	20	3	6	6	2	2	—	1	—
Other Violent Causes	73	35	17	3	5	3	4	4	2
Not specified	74	50	6	2	4	6	3	2	1

CAUSES of DEATH in the PRINCIPAL TOWNS of SCOTLAND during
the YEAR 1876.—FEMALES.

DISEASES.	Total Principal Towns.	Glasgow.	Edinburgh	Dundee.	Aberdeen.	Greenock.	Paisley.	Leith.	Perth.
ALL CAUSES	13721	6589	2175	1621	1010	756	643	577	350
SPECIFIED CAUSES	13670	6560	2172	1621	1008	747	642	573	347
I. Zymotic Class	2640	1288	403	282	183	164	126	127	67
II. Diseases of Uncertain Seat	554	208	127	63	50	34	32	32	8
III. Tubercular Class	2547	1347	314	317	170	150	129	70	50
IV. Brain and Nervous System	1251	554	226	153	114	66	56	57	25
V. Organs of Circulation	764	293	164	114	72	36	27	27	31
VI. Respiratory Organs	2814	1481	423	355	167	123	95	116	54
VII. Organs of Digestion	908	459	138	79	67	45	48	47	25
VIII. Urinary Organs	154	52	40	24	20	4	5	6	3
IX. Organs of Generation	189	87	35	19	17	13	4	9	5
X. Organs of Locomotion	90	32	24	3	15	2	7	6	1
XI. Skin, etc.	16	5	4	—	2	4	—	—	1
XII. Malformation	47	12	9	12	3	5	1	2	3
XIII. Premature Debility	646	315	86	83	41	40	36	26	19
XIV. Atrophy	110	51	10	6	6	19	7	4	7
XV. Age	591	187	109	75	62	29	58	30	41
XVI. Sudden Deaths	17	12	—	—	1	1	—	2	1
XVII. Violent Deaths	332	177	60	36	18	12	11	12	6
I. Small-pox	3	2	—	—	—	—	—	—	1
Measles	318	144	66	45	31	5	2	24	1
Scarlatina	356	156	69	30	10	48	15	23	5
Diphtheria	161	65	37	5	10	15	12	10	7
Hooping-cough	556	351	38	54	28	14	36	16	19
Croup	158	68	25	15	13	17	4	9	7
Thrush	11	1	2	1	6	1	—	—	—
Diarrhoea	436	194	58	67	39	26	22	25	5
Dysentery	24	10	3	1	6	2	1	—	1
Cholera	21	7	5	5	1	2	1	—	—
Influenza	11	4	3	1	2	1	—	—	—
Purpura	6	—	2	1	—	—	—	1	2
Ague	1	—	—	—	—	—	—	1	—
Worms	1	1	—	—	—	—	—	—	—
Typhus	90	31	15	8	12	10	5	2	7
Enteric Fever	205	119	27	17	11	11	11	7	2
Relapsing Fever	1	—	—	—	1	—	—	—	—
Simple Continued Fever	10	9	—	—	—	—	1	—	—
Infantile Remittent	21	8	7	—	1	—	3	2	—
Metria	83	43	5	11	6	6	7	2	3
Rheumatic Fever	30	15	8	2	1	2	1	—	1
Erysipelas	49	20	9	9	3	1	2	1	4
Pyæmia	14	4	8	—	1	—	—	—	1
Syphilis	66	31	15	9	1	3	3	3	1
Noma	2	—	1	1	—	—	—	—	—
Hydrophobia	—	—	—	—	—	—	—	—	—
Other Zymotic Diseases	6	5	—	—	—	—	—	1	—
II. Hæmorrhage	4	1	1	—	—	2	—	—	—
Dropsy	90	43	9	11	7	6	8	5	1
Abscess	34	10	6	5	3	3	4	3	—
Ulcer	16	7	2	—	4	1	—	2	—
Fistula	1	1	—	—	—	—	—	—	—
Mortification	26	7	7	2	3	4	2	1	—
Cancer	381	139	101	45	33	18	18	21	6
Gout	2	—	1	—	—	—	—	—	1
III. Scrofula	128	56	18	16	9	9	10	8	2
Tabes Mesenterica	210	132	19	24	10	6	6	7	6
Phthisis	1881	1009	220	236	124	115	99	41	37
Hydrocephalus	328	150	57	41	27	20	14	14	5

CAUSES of DEATH in the PRINCIPAL TOWNS of SCOTLAND during
the YEAR 1876.—FEMALES. (Continued.)

DISEASES.	Total Principal Towns.	Glasgow.	Edinb. burgh.	Dundee.	Aberdeen.	Greenock.	Paisley.	Leith.	Perth.
IV. Cephalitis	191	92	34	31	10	14	1	6	3
Apoplexy	287	127	55	37	28	15	11	8	6
Paralysis	326	120	59	45	32	15	21	25	9
Delirium Tremens	1	—	—	—	—	—	—	1	—
Chorea	2	—	1	—	1	—	—	—	—
Epilepsy	55	22	10	5	9	3	5	1	—
Tetanus	5	4	—	—	—	—	—	—	1
Insanity	14	9	—	—	1	1	3	—	—
Convulsions	207	100	34	25	15	11	6	14	2
Brain Disease	163	80	33	10	18	7	9	2	4
V. Pericarditis	16	11	3	1	—	—	—	—	1
Aneurism	15	5	3	—	5	—	1	—	1
Heart Disease	733	277	158	113	67	36	26	27	29
VI. Laryngitis	22	8	4	3	4	1	—	2	—
Bronchitis	2030	1086	268	260	131	83	73	89	40
Pleurisy	33	15	12	2	—	—	2	1	1
Pneumonia	614	322	120	79	24	23	15	20	11
Asthma	52	20	7	8	5	5	5	1	1
Lung Disease	63	30	12	3	3	11	—	3	1
VII. Teething	143	83	14	11	10	9	8	3	5
Quinsey	9	6	1	—	—	1	—	1	—
Gastritis	41	24	2	5	3	3	—	2	2
Enteritis	155	99	11	16	3	11	9	5	1
Peritonitis	91	34	21	15	5	3	5	6	2
Ascites	19	9	4	1	—	1	2	2	—
Ulceration of Intestines	32	11	9	1	5	2	2	2	—
Hernia	24	8	5	3	4	1	—	1	2
Ileus	51	25	9	4	8	—	2	3	—
Intussusception	5	3	—	—	1	1	—	—	—
Stricture of Intestines	6	3	2	—	1	—	—	—	—
Stomach Disease	114	53	22	6	10	6	4	11	2
Pancreas Disease	1	—	1	—	—	—	—	—	—
Hepatitis	47	31	2	4	1	—	6	—	3
Jaundice	33	8	6	4	5	—	4	5	1
Liver Disease	128	58	26	8	10	7	6	6	7
Spleen Disease	9	4	3	1	1	—	—	—	—
VIII. Nephritis	21	11	2	3	1	1	2	1	—
Nephria	65	22	18	12	7	1	3	—	2
Addison's Disease	2	1	—	—	—	—	—	—	1
Ischuria	5	1	3	—	—	—	—	1	—
Diabetes	8	3	2	1	1	—	—	1	—
Stone	1	—	1	—	—	—	—	—	—
Cystitis	7	3	1	3	—	—	—	—	—
Stricture of Urethra	—	—	—	—	—	—	—	—	—
Kidney Disease	45	11	13	5	11	2	—	3	—
IX. Paramenia	8	2	2	1	2	—	1	—	—
Ovarian Dropsy	24	13	6	1	4	—	—	—	—
Childbirth	123	58	20	16	10	10	2	4	3
Organs of Generation	34	14	7	1	1	3	1	5	2
X. Bone Disease	24	7	6	1	4	—	3	3	—
Rheumatism	36	18	9	—	4	1	1	3	—
Joint Disease	30	7	9	2	7	1	3	—	1
XI. Carbuncle	4	1	2	—	1	—	—	—	—
Phlegmon	3	—	—	—	—	2	—	—	1
Skin Disease	9	4	2	—	1	2	—	—	—
XVII. Intemperance	45	19	13	4	2	2	1	3	1
Privation	2	1	1	—	—	—	—	—	—
Want of Breast Milk	16	13	2	—	—	1	—	—	—
Neglect	1	1	—	—	—	—	—	—	—
Cold	3	3	—	—	—	—	—	—	—
Poison	8	4	3	1	—	—	—	—	—
Poisoned Wounds	1	—	1	—	—	—	—	—	—
Burns and Scalds	58	28	10	4	3	4	5	2	2
Hanging, etc.	6	2	1	2	—	—	1	—	—
Suffocation	66	32	12	12	6	1	1	2	—
Drowning	24	15	—	2	4	—	—	1	2
Fracture and Contusion	80	44	14	10	2	3	2	4	1
Gunshot Wounds	—	—	—	—	—	—	—	—	—
Cuts and Stabs	4	4	—	—	—	—	—	—	—
Other Violent Causes	18	11	3	1	1	1	1	—	—
Not specified	51	29	3	—	2	9	1	4	3

CAUSES of DEATH in the LARGE TOWNS of SCOTLAND during
the YEAR 1876.—BOTH SEXES.

DISEASES.	Total Large Towns.	Inverness.	Arbroath.	Forfar.	Montrose.	Dunfermline.	Kirkcaldy.	Stirling.	Dumbarton.	Ayr.	Kilmarnock.	Barony.	Glasgow (Landward).	Govan.	Hamilton.	Airdrie.	Coatbridge.	Hawick.	Dumfries.
ALL CAUSES	9024	429	419	346	351	348	265	316	245	579	593	457	869	1820	450	286	459	307	485
SPECIFIED CAUSES	8933	424	418	346	350	341	262	313	241	575	590	446	869	1808	442	281	459	303	465
I. Zymotic Class	1590	112	49	83	28	63	46	45	48	94	121	80	164	358	95	37	71	48	48
II. Diseases of Uncer. Seat	299	17	12	12	10	9	9	9	11	12	24	8	35	50	19	6	19	15	22
III. Tubercular Class	1644	36	67	47	66	49	42	43	46	104	119	108	191	377	70	50	107	44	78
IV. Brain and Nervous Sys.	941	50	53	37	44	33	34	45	20	46	51	40	62	206	34	32	45	37	72
V. Organs of Circulation	518	28	49	25	35	16	16	45	17	35	42	7	39	68	28	6	14	15	33
VI. Respiratory Organs	1584	59	83	64	68	75	47	42	37	76	115	85	144	330	80	63	83	59	74
VII. Organs of Digestion	566	24	30	14	22	23	21	22	15	40	36	29	40	101	28	27	32	26	36
VIII. Urinary Organs	155	14	5	6	7	3	4	6	7	7	13	5	21	25	7	4	5	5	11
IX. Organs of Generation	92	6	5	1	4	3	1	2	2	4	5	7	8	18	3	5	5	8	5
X. Organs of Locomotion	51	2	2	3	4	4	1	1	1	4	2	1	3	8	5	4	4	—	2
XI. Skin, etc.	7	1	1	—	—	—	—	—	—	—	—	1	2	2	—	—	—	—	—
XII. Malformation	35	—	3	—	5	1	—	1	1	1	4	2	4	9	1	—	—	3	—
XIII. Premature Debility	477	11	27	15	6	23	15	14	15	38	25	25	46	110	17	20	28	22	20
XIV. Atrophy	89	—	1	2	1	2	2	4	4	5	2	6	19	22	2	6	5	3	3
XV. Age	535	42	18	22	35	23	13	21	11	59	20	16	77	74	20	16	20	12	36
XVI. Sudden Deaths	15	2	—	—	2	—	3	—	—	1	—	1	1	3	—	—	2	—	—
XVII. Violent Deaths	335	20	13	15	13	14	8	13	6	49	11	25	13	47	33	5	19	6	25
I. Small-pox	1	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—
Measles	143	—	8	18	—	6	—	2	1	30	13	4	7	21	12	2	6	4	9
Scarlatina	293	62	19	8	4	5	1	2	22	27	5	14	19	81	3	2	5	3	11
Diphtheria	77	5	5	2	3	4	—	5	1	2	4	6	6	17	3	2	2	8	2
Whooping-cough	281	2	5	35	6	18	20	7	4	6	10	18	46	54	18	12	15	1	4
Croup	75	1	1	2	1	7	4	—	1	1	3	5	3	28	2	1	4	10	1
Thrush	6	—	—	—	—	1	—	—	—	—	2	—	1	—	—	—	—	1	1
Diarrhoea	292	13	3	—	5	8	11	9	12	12	28	10	50	82	22	6	15	—	6
Dysentery	27	—	—	1	—	—	2	1	—	2	7	1	2	5	—	1	3	1	1
Cholera	20	2	—	—	—	—	—	1	1	2	5	2	2	2	1	—	2	—	—
Influenza	7	—	—	2	1	—	1	—	—	1	—	1	—	1	—	—	—	—	—
Purpura	4	—	—	1	—	—	—	—	—	—	—	—	—	3	—	—	—	—	—
Ague	1	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Worms	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Typhus	59	5	—	1	—	4	1	2	2	5	12	1	3	10	4	2	2	4	1
Enteric Fever	154	7	3	1	4	6	3	10	2	5	22	4	11	26	21	6	10	6	7
Relapsing Fever	1	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—
Simple Cont. Fever	7	—	—	3	—	—	1	—	—	—	1	—	1	—	—	—	1	—	—
Infantile Remittent	4	—	—	1	—	—	—	1	—	—	—	—	—	—	1	—	—	1	—
Metria	26	3	1	3	2	2	—	—	—	—	1	2	2	5	1	—	1	2	1
Rheumatic Fever	16	1	—	—	—	—	2	1	1	—	3	1	1	4	—	—	1	1	—
Erysipelas	45	5	2	1	2	2	—	2	—	—	3	5	2	9	1	2	2	5	2
Pyæmia	17	4	1	1	—	—	—	—	—	1	—	1	2	2	3	—	1	1	—
Syphilis	27	2	1	2	—	—	—	2	—	—	1	3	6	4	3	1	1	—	1
Noma	1	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—
Hydrophobia	1	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—
Other Zymotic Diseases	5	—	—	—	—	—	—	—	1	—	—	1	—	2	—	—	—	—	1
II. Hæmorrhage	14	1	—	—	—	—	1	1	—	1	—	—	3	4	1	—	1	—	1
Dropsy	69	—	2	—	1	2	2	1	6	—	3	—	7	21	6	3	7	5	3
Abscess	28	—	—	—	—	1	—	—	1	1	—	1	5	6	3	2	3	1	4
Ulcer	6	1	—	1	—	—	1	—	—	—	—	—	1	1	—	—	—	—	—
Fistula	4	1	—	—	—	—	—	—	—	—	1	—	—	1	—	—	—	—	1
Mortification	15	1	—	1	1	1	1	1	1	—	1	—	3	2	—	—	—	1	1
Cancer	160	13	10	10	7	5	3	6	3	10	19	7	16	14	9	1	8	7	12
Gout	3	—	—	—	1	—	1	—	—	—	—	—	—	1	—	—	—	—	—
III. Scrofula	72	2	5	2	—	2	4	3	—	5	4	6	11	17	2	1	3	2	3
Tabes Mesenterica	163	1	1	5	1	7	4	4	2	16	8	16	14	44	12	4	10	9	5
Phthisis	1078	29	49	32	45	34	28	34	30	65	85	66	131	223	39	35	76	23	54
Hydrocephalus	331	4	12	8	20	6	6	2	14	18	22	20	35	93	17	10	18	10	16

CAUSES of DEATH in the LARGE TOWNS of SCOTLAND during
the YEAR 1876.—BOTH SEXES. (Continued.)

DISEASES.	Total Large Towns.	Inverness.	Arbroath.	Forfar.	Montrose.	Dunfermline.	Kirkcaldy.	Stirling.	Dumbarton.	Ayr.	Kilmarnock.	Barony.	Glasgow (Landward).	Govan.	Hamilton.	Airdrie.	Coatbridge.	Hawick.	Dumfries.
IV. Cephalitis	120	5	3	5	1	5	8	5	—	—	7	7	9	39	3	7	10	1	5
Apoplexy	225	10	10	13	13	5	4	8	7	10	13	17	9	32	16	6	16	11	25
Paralysis	274	19	18	7	12	12	13	9	3	25	9	6	14	71	2	12	7	16	19
Delirium Tremens . . .	7	—	—	—	—	—	—	2	1	—	—	—	—	2	—	—	1	1	—
Chorea	1	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—
Epilepsy	24	—	—	2	3	1	2	1	—	2	1	—	3	5	1	—	—	—	3
Tetanus	10	—	2	—	1	—	1	—	1	1	—	—	1	—	1	2	—	—	—
Insanity	19	4	—	—	—	—	—	1	—	1	—	1	—	4	—	—	—	—	8
Convulsions	170	7	12	7	8	7	4	9	3	3	13	7	18	44	8	2	7	4	7
Brain Disease	91	5	8	3	6	3	2	10	5	3	8	2	8	9	3	3	4	4	5
V. Pericarditis	4	—	—	—	—	—	—	—	1	—	—	—	1	1	1	—	—	—	—
Aneurism	13	—	1	—	2	—	—	—	—	2	—	—	2	3	—	—	1	2	—
Heart Disease	501	28	48	25	33	16	16	45	16	33	42	7	36	64	27	6	13	13	33
VI. Laryngitis	19	2	3	—	—	—	1	—	1	1	—	—	2	4	1	2	—	2	—
Bronchitis	1016	34	68	42	49	46	26	34	18	47	89	45	86	193	56	45	47	44	47
Pleurisy	25	4	—	—	1	1	1	—	1	—	2	—	6	4	1	—	1	1	2
Pneumonia	451	14	10	20	14	25	18	5	13	26	18	33	47	117	20	7	29	10	25
Asthma	48	4	1	2	2	—	1	1	—	2	4	5	3	10	2	5	4	2	—
Lung Disease	25	1	1	—	2	3	—	2	4	—	2	2	—	2	—	4	2	—	—
VII. Teething	77	3	2	—	1	3	8	3	1	7	3	11	8	16	1	3	4	2	1
Quinsey	3	—	—	—	—	—	—	—	—	—	—	—	2	1	—	—	—	—	—
Gastritis	24	—	—	1	1	2	—	1	—	1	3	1	—	1	1	3	6	—	3
Enteritis	94	6	7	—	—	2	3	3	2	9	12	1	8	20	5	3	2	6	5
Peritonitis	61	4	4	3	6	3	—	—	1	6	2	2	4	9	6	2	3	2	4
Ascites	11	—	—	1	—	1	2	2	1	2	—	1	—	—	1	—	—	—	—
Ulceration of Intestines	25	1	3	—	—	1	1	2	—	—	1	1	2	2	—	1	1	6	3
Hernia	14	—	3	1	—	1	—	—	1	1	—	—	2	2	1	—	—	—	1
Ileus	31	1	3	1	—	—	—	—	1	—	1	2	2	7	3	2	2	3	3
Intussusception	5	—	1	—	—	—	1	1	—	—	1	—	—	—	—	—	1	—	—
Stricture of Intestines	7	1	—	1	—	—	1	—	—	—	—	—	—	1	1	—	—	—	2
Stomach Disease	73	3	4	2	2	3	2	4	3	2	6	1	3	14	4	8	4	2	6
Pancreas Disease	2	1	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—
Hepatitis	32	—	1	—	1	2	1	1	—	1	—	4	1	11	1	1	2	3	2
Jaundice	30	1	—	—	1	3	1	3	1	2	1	2	1	7	2	1	3	—	1
Liver Disease	71	2	2	3	10	2	1	2	3	8	5	3	5	10	2	3	4	2	4
Spleen Disease	6	1	—	1	—	—	—	—	1	1	—	—	1	—	—	—	—	—	1
VIII. Nephritis	16	1	—	—	2	—	—	2	1	—	—	—	2	4	—	—	2	—	2
Nephria	47	6	1	—	1	2	—	—	1	1	5	1	10	12	2	—	1	1	3
Addison's Disease . . .	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1
Ischuria	10	1	1	1	—	1	1	1	—	1	—	—	—	—	1	2	—	—	—
Diabetes	13	5	—	1	—	—	1	—	—	—	—	1	2	1	1	—	—	—	1
Stone	4	—	—	2	—	—	—	—	—	—	—	—	1	—	—	—	—	1	—
Cystitis	12	—	1	1	—	—	—	1	—	2	2	—	—	1	—	—	1	1	2
Stricture of Urethra . .	3	—	—	—	—	—	—	—	—	—	—	—	—	2	—	—	—	—	1
Kidney Disease	49	1	2	1	4	—	2	2	5	3	6	3	6	5	3	2	1	2	1
IX. Paramenia	6	—	1	—	2	—	—	—	1	—	—	—	—	—	—	—	—	2	—
Ovarian Dropsy	7	—	2	—	—	—	—	—	—	—	—	1	—	1	1	—	—	1	—
Childbirth	62	6	—	1	1	2	1	2	1	4	3	4	6	13	1	3	5	4	5
Organs of Generation . .	17	—	2	—	1	1	—	—	—	—	2	2	1	4	1	2	—	1	—
X. Bone Disease	18	1	1	2	1	2	1	—	—	1	1	—	1	3	1	1	1	—	1
Rheumatism	14	1	—	1	2	—	—	—	1	2	—	—	1	3	2	1	—	—	—
Joint Disease	19	—	1	—	1	2	—	1	—	1	1	1	1	2	2	2	3	—	1
XI. Carbuncle	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Phlegmon	1	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—
Skin Disease	5	—	1	—	—	—	—	—	—	—	—	—	2	2	—	—	—	—	—
XVII. Intemperance . . .	25	3	1	2	2	4	—	—	2	—	2	2	1	2	1	—	—	—	3
Privation	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Want of Breast Milk . . .	4	—	—	—	—	—	—	—	—	—	—	—	1	1	1	—	—	—	1
Neglect	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Cold	4	—	—	1	—	—	—	—	—	—	—	—	—	—	2	—	1	—	—
Poison	7	—	—	—	1	1	1	—	—	1	1	—	—	—	—	1	—	—	1
Poisoned Wounds	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Burns and Scalds	63	2	—	1	—	2	—	—	1	31	1	5	2	3	7	2	1	2	3
Hanging, etc.	7	1	1	2	—	—	—	—	—	1	—	1	—	—	—	—	—	—	1
Suffocation	36	—	6	7	1	—	1	1	—	5	1	2	2	6	3	—	1	—	—
Drowning	61	8	1	—	5	—	—	4	2	4	1	6	2	16	3	—	3	1	5
Fracture and Contusion . .	91	3	3	1	4	4	4	5	—	6	5	5	4	13	13	1	11	2	7
Gunshot Wounds	2	—	1	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—
Cuts and Stabs	2	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	1
Other Violent Causes . . .	33	3	—	1	—	3	2	3	1	1	—	4	1	5	3	—	2	1	3
Not specified	91	5	1	—	1	7	3	3	4	4	3	11	—	12	8	5	—	4	20

CAUSES of DEATH in the LARGE TOWNS of SCOTLAND during
the YEAR 1876.—MALES.

DISEASES.	Total Large Towns.	Inverness.	Arbroath.	Forfar.	Montrose.	Dunfermline.	Kirkcaldy.	Stirling.	Dumbarton.	Ayr.	Kilmarnock.	Barony.	Glasgow (Landward)	Govan.	Hamilton.	Airdrie.	Coatbridge.	Hawick.	Dumfries.
ALL CAUSES	4500	213	210	156	160	165	128	159	125	256	293	228	460	953	235	140	242	134	243
SPECIFIED CAUSES.	4450	210	209	156	159	163	127	159	123	255	291	219	460	947	229	139	242	134	228
I. Zymotic Class	750	61	17	36	14	28	18	17	22	47	51	35	79	178	45	20	33	20	29
II. Diseases of Uncer. Seat	118	5	2	5	4	4	3	2	6	5	12	4	15	24	6	2	5	6	8
III. Tubercular Class	819	23	34	23	21	19	18	27	27	43	59	44	107	192	36	23	55	24	44
IV. Brain and Nervous Sys.	493	24	31	13	27	19	15	22	8	21	27	19	38	112	20	16	27	23	31
V. Organs of Circulation	261	17	23	9	15	10	9	24	10	24	19	3	18	38	12	3	6	8	13
VI. Respiratory Organs	842	25	40	39	29	37	28	21	19	33	60	49	89	183	46	35	53	24	32
VII. Organs of Digestion	270	10	20	5	13	7	8	11	6	20	18	18	18	49	14	14	13	8	18
VIII. Urinary Organs	98	7	3	3	6	1	4	3	5	7	6	2	11	19	6	3	3	2	7
IX. Organs of Generation	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
X. Organs of Locomotion	29	1	—	1	4	3	1	1	—	3	2	—	1	4	3	3	1	—	1
XI. Skin, etc.	5	—	1	—	—	—	—	—	—	—	—	—	2	2	—	—	—	—	—
XII. Malformation	18	—	1	—	3	—	—	1	1	—	2	1	3	5	—	—	—	1	—
XIII. Premature Debility	266	6	18	4	3	17	12	6	7	17	17	16	27	59	8	10	16	10	13
XIV. Atrophy	35	—	1	1	—	1	1	1	2	2	—	3	8	10	—	—	1	3	1
XV. Age	214	15	10	8	8	8	3	11	5	19	11	5	33	38	8	6	11	2	13
XVI. Sudden Deaths	5	1	—	—	—	—	2	—	—	—	—	—	—	1	—	—	1	—	—
XVII. Violent Deaths	227	15	8	9	12	9	5	12	5	14	7	20	11	33	25	4	17	3	18
I. Small-pox	1	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—
Measles	69	—	3	7	—	2	—	—	1	17	4	2	3	9	7	2	3	2	7
Scarlatina	141	34	7	4	1	4	—	2	12	12	3	5	8	37	2	2	1	1	6
Diphtheria	40	4	1	1	3	3	—	—	1	—	3	3	4	9	2	1	—	3	2
Hooping-cough	117	1	1	14	1	9	9	3	—	1	3	5	24	23	6	7	8	1	1
Croup	42	1	1	2	1	4	—	—	—	—	3	5	1	19	1	1	1	2	—
Thrush	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—
Diarrhoea	142	6	2	—	2	1	6	3	6	10	11	6	21	45	10	2	9	—	2
Dysentery	14	—	—	1	—	—	1	—	—	2	1	—	2	2	—	1	2	1	1
Cholera	9	1	—	—	—	—	—	—	—	—	3	1	2	1	—	—	1	—	—
Influenza	5	—	—	1	1	—	—	—	—	1	—	1	—	1	—	—	—	—	—
Purpura	2	—	—	—	—	—	—	—	—	—	—	—	—	2	—	—	—	—	—
Ague	1	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Worms	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Typhus	25	4	—	1	—	1	—	—	—	3	5	1	2	5	—	1	—	1	1
Enteric Fever	76	4	1	1	3	3	1	5	—	—	13	1	3	14	12	2	5	3	5
Relapsing Fever	1	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—
Simple Cont. Fever	2	—	—	1	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—
Infantile Remittent	1	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—
Metria	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Rheumatic Fever	9	—	—	—	—	—	1	1	1	—	1	1	1	1	—	—	1	1	—
Erysipelas	23	2	—	—	2	1	—	1	—	—	1	1	2	5	1	—	1	4	2
Pyæmia	8	3	1	—	—	—	—	—	—	1	—	1	1	—	1	—	—	—	—
Syphilis	18	1	—	2	—	—	—	1	—	—	—	1	4	3	3	1	1	—	1
Noma	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Hydrophobia	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Other Zymotic Diseases	3	—	—	—	—	—	—	—	1	—	—	—	—	1	—	—	—	—	1
II. Hæmorrhage	7	1	—	—	—	—	—	1	—	—	—	—	—	3	1	—	—	—	1
Dropsy	33	—	—	—	—	2	1	—	3	—	1	—	5	14	1	1	1	3	1
Abscess	16	—	—	—	—	—	—	—	1	1	—	1	2	3	2	1	2	1	2
Ulcer	3	1	—	1	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—
Fistula	3	1	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	1
Mortification	6	—	—	1	1	1	1	—	—	—	1	—	—	1	—	—	—	—	—
Cancer	48	2	2	3	2	1	—	1	2	4	10	3	8	1	2	—	2	2	3
Gout	2	—	—	—	1	—	—	—	—	—	—	—	—	1	—	—	—	—	—
III. Scrofula	45	2	3	1	—	2	1	3	—	3	3	3	6	13	—	1	1	1	2
Tabes Mesenterica	91	1	1	2	—	2	1	2	1	5	5	13	10	25	6	3	5	5	4
Phthisis	510	18	24	16	9	12	13	20	17	30	41	20	68	106	21	14	40	12	29
Hydrocephalus	173	2	6	4	12	3	3	2	9	5	10	8	23	48	9	5	9	6	9

CAUSES of DEATH in the LARGE TOWNS of SCOTLAND during
the YEAR 1876.—MALES. (Continued.)

DISEASES.	Total Large Towns.	Inverness.	Arbroath.	Forfar.	Montrose.	Dunfermline.	Kirkcaldy.	Stirling.	Dumbarton.	Ayr.	Kilmarnock.	Barony.	Glasgow (Landward)	Govan.	Hamilton.	Airdrie.	Coatbridge.	Hawick.	Dumfries.
IV. Cephalitis	61	4	1	2	1	3	2	2	-	-	5	2	6	19	1	3	8	1	1
Apoplexy	112	5	4	7	6	3	2	3	3	2	8	9	5	14	10	6	8	6	11
Paralysis	146	9	13	2	6	5	5	5	2	13	5	2	8	42	1	5	3	10	10
Delirium Tremens	7	-	-	-	-	-	-	2	1	-	-	-	-	2	-	-	1	1	-
Chorea	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Epilepsy	12	-	-	-	2	1	2	-	-	1	-	-	1	3	1	-	-	-	1
Tetanus	7	-	2	-	1	-	1	-	-	1	-	-	1	-	1	-	-	-	-
Insanity	12	1	-	-	-	-	-	-	-	1	-	1	-	4	-	-	-	-	5
Convulsions	88	4	6	2	6	4	3	6	1	1	5	4	12	23	4	-	4	2	1
Brain Disease	48	1	5	-	5	3	-	4	1	2	4	1	5	5	2	2	3	3	2
V. Pericarditis	3	-	-	-	-	-	-	-	1	-	-	-	1	-	1	-	-	-	-
Aneurism	9	-	1	-	2	-	-	-	-	2	-	-	1	2	-	-	-	1	-
Heart Disease	249	17	22	9	13	10	9	24	9	22	19	3	16	36	11	3	6	7	13
VI. Laryngitis	11	1	1	-	-	-	-	-	-	1	-	-	2	3	1	1	-	1	-
Bronchitis	510	13	32	24	22	19	15	15	10	17	45	24	51	105	30	25	27	17	19
Pleurisy	14	2	-	-	1	-	-	-	1	-	1	-	3	3	1	-	1	-	1
Pneumonia	264	8	6	13	6	16	13	4	7	13	9	22	31	64	12	3	19	6	12
Asthma	32	1	1	2	-	-	-	-	-	2	4	3	2	8	2	3	4	-	-
Lung Disease	11	-	-	-	-	2	-	2	1	-	1	-	-	-	-	3	2	-	-
VII. Teething	40	1	-	-	1	-	3	1	1	3	2	6	5	10	-	1	3	2	1
Quinsey	3	-	-	-	-	-	-	-	-	-	-	-	2	1	-	-	-	-	-
Gastritis	8	-	-	-	-	-	-	1	-	1	-	1	-	-	-	2	2	-	1
Enteritis	53	5	5	-	-	1	1	2	1	6	8	1	3	11	3	1	1	1	3
Peritonitis	31	2	3	-	6	1	-	-	-	5	2	1	1	4	2	-	3	-	1
Ascites	3	-	-	-	-	-	-	1	-	1	-	1	-	-	-	-	-	-	-
Ulceration of Intestines	13	-	2	-	-	-	1	-	-	-	1	1	2	1	-	-	1	2	2
Hernia	4	-	1	1	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-
Ileus	15	1	3	1	-	-	-	-	-	-	1	-	-	3	3	1	-	1	1
Intussusception	3	-	1	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-
Stricture of Intestines	2	-	-	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
Stomach Disease	38	-	3	1	-	1	-	2	1	1	3	1	2	8	3	6	1	1	4
Pancreas Disease	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hepatitis	11	-	-	-	-	1	1	-	-	-	3	-	-	3	-	-	-	1	2
Jaundice	11	-	-	-	1	2	1	2	1	-	-	-	-	1	1	-	1	-	1
Liver Disease	32	1	2	-	5	1	-	1	2	2	1	3	2	6	1	3	1	-	1
Spleen Disease	3	-	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1
VIII. Nephritis	8	-	-	-	1	-	-	-	1	-	-	-	-	4	-	-	2	-	-
Nephria	24	2	-	-	1	-	-	-	1	1	3	-	6	6	2	-	-	-	2
Addison's Disease	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Ischuria	9	1	1	-	-	1	1	1	-	1	-	-	-	1	2	-	-	-	-
Diabetes	10	3	-	1	-	-	1	-	-	-	-	1	2	1	-	-	-	-	1
Stone	3	-	-	1	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-
Cystitis	10	-	1	1	-	-	-	1	-	2	-	-	-	1	-	-	1	1	2
Stricture of Urethra	3	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	1	1
Kidney Disease	31	1	1	-	4	-	2	1	3	3	3	1	2	5	3	1	-	-	1
IX. Paramenia	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Ovarian Dropsy	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Childbirth	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Organs of Generation	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
X. Bone Disease	13	-	-	1	1	2	1	-	-	1	1	-	-	3	1	-	1	-	1
Rheumatism	6	1	-	-	2	-	-	-	-	1	-	-	-	1	1	-	-	-	-
Joint Disease	10	-	-	-	1	1	-	1	-	1	-	-	1	1	2	-	-	-	-
XI. Carbuncle	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Phlegmon	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Skin Disease	5	-	1	-	-	-	-	-	-	-	-	-	2	2	-	-	-	-	-
XVII. Intemperance	17	2	-	1	2	2	-	-	2	-	1	2	1	1	1	-	-	-	2
Privation	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Want of Breast Milk	3	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	1
Neglect	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Cold	3	-	-	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
Poison	2	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-
Poisoned Wounds	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Burns and Scalds	20	-	-	-	-	-	-	-	1	1	1	4	1	1	6	2	1	1	1
Hanging, etc.	5	1	-	2	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1
Suffocation	21	-	5	4	1	-	1	-	-	1	-	2	2	3	2	-	-	-	-
Drowning	52	7	1	-	5	-	-	4	-	2	4	-	2	3	2	-	3	-	5
Fracture and Contusion	75	2	1	1	3	4	3	5	-	5	5	5	3	10	11	1	10	2	4
Gunshot Wounds	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
Cuts and Stabs	2	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1
Other Violent Causes	25	3	-	-	-	3	1	3	-	1	-	3	1	3	2	-	2	-	3
Not specified	50	3	1	-	1	2	1	-	2	1	2	9	-	6	6	1	-	-	15

CAUSES of DEATH in the LARGE TOWNS of SCOTLAND during
the YEAR 1876.—FEMALES.

DISEASES.	Total Large Towns.	Inverness.	Arbroath.	Forfar.	Montrose.	Dunfermline.	Kirkcaldy.	Stirling.	Dumbarton.	Ayr.	Kilmarnock.	Barony.	Glasgow (Landward).	Govan.	Hamilton.	Airdrie.	Coatbridge.	Hawick.	Dumfries.
ALL CAUSES	4524	216	209	190	191	183	137	157	120	323	300	229	409	867	215	146	217	173	242
SPECIFIED CAUSES	4483	214	209	190	191	178	135	154	118	320	299	227	409	861	213	142	217	169	237
I. Zymotic Class	840	51	32	47	14	35	28	28	26	47	70	45	85	180	50	17	38	28	19
II. Diseases of Uncer. Seat	181	12	10	7	6	5	6	7	5	7	12	4	20	26	13	4	14	9	14
III. Tubercular Class	825	13	33	24	45	30	24	16	19	61	60	64	84	185	34	27	52	20	34
IV. Brain and Nervous Sys.	448	26	22	24	17	14	19	23	12	25	24	21	24	94	14	16	18	14	41
V. Organs of Circulation	257	11	26	16	20	6	7	21	7	11	23	4	21	30	16	3	8	7	20
VI. Respiratory Organs	742	34	43	25	39	38	19	21	18	43	55	36	55	147	34	28	30	35	42
VII. Organs of Digestion	296	14	10	9	9	16	13	11	9	20	18	11	22	52	14	13	19	18	18
VIII. Urinary Organs	57	7	2	3	1	2	—	3	2	—	7	3	10	6	1	1	2	3	4
IX. Organs of Generation	92	6	5	1	4	3	1	2	2	4	5	7	8	18	3	5	5	8	5
X. Organs of Locomotion	22	1	2	2	—	1	—	—	1	1	—	1	2	4	2	1	3	—	1
XI. Skin, etc.	2	1	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—
XII. Malformation	17	—	2	—	2	1	—	—	—	1	2	1	1	4	1	—	—	2	—
XIII. Premature Debility	211	5	9	11	3	6	3	8	8	21	8	9	19	51	9	10	12	12	7
XIV. Atrophy	54	—	—	1	1	1	1	3	2	3	2	3	11	12	2	6	4	—	2
XV. Age	321	27	8	14	27	15	10	10	6	40	9	11	44	36	12	10	9	10	23
XVI. Sudden Deaths	10	1	—	—	2	—	1	—	—	1	—	1	1	2	—	—	1	—	—
XVII. Violent Deaths	108	5	5	6	1	5	3	1	1	35	4	5	2	14	8	1	2	3	7
I. Small-pox	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Measles	74	—	5	11	—	4	—	2	—	13	9	2	4	12	5	—	3	2	2
Scarlatina	152	28	12	4	3	1	1	—	10	15	2	9	11	44	1	—	4	2	5
Diphtheria	37	1	4	1	—	1	—	5	—	2	1	3	2	8	1	1	2	5	—
Hooping-cough	164	1	4	21	5	9	11	4	4	5	7	13	22	31	12	5	7	8	3
Croup	33	—	—	—	—	3	4	—	1	1	—	—	2	9	1	—	3	8	1
Thrush	5	—	—	—	—	1	—	—	—	—	2	—	1	—	—	—	—	—	1
Diarrhoea	150	7	1	—	3	7	5	6	6	2	17	4	29	37	12	4	6	—	4
Dysentery	13	—	—	—	—	—	1	1	—	—	6	1	—	3	—	—	1	—	—
Cholera	11	1	—	—	—	—	—	1	1	2	2	1	—	1	1	—	1	—	—
Influenza	2	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—
Purpura	2	—	—	1	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—
Ague	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Worms	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Typhus	34	1	—	—	—	3	1	2	2	2	7	—	1	5	4	1	2	3	—
Enteric Fever	78	3	2	—	1	3	2	5	2	5	9	3	8	12	9	4	5	3	2
Relapsing Fever	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Simple Cont. Fever	5	—	—	2	—	—	1	—	—	—	1	—	—	—	—	—	1	—	—
Infantile Remittent	3	—	—	1	—	—	—	—	—	—	—	—	—	—	1	—	—	1	—
Metria	26	3	1	3	2	2	—	—	—	—	1	2	2	5	1	—	1	2	1
Rheumatic Fever	7	1	—	—	—	—	1	—	—	—	2	—	—	3	—	—	—	1	—
Erysipelas	22	3	2	1	—	1	—	1	—	—	2	4	—	4	—	2	1	1	—
Pyæmia	9	1	1	—	—	—	—	—	—	—	—	—	1	2	2	—	—	—	—
Syphilis	9	1	1	—	—	—	—	1	—	—	1	2	—	1	—	—	—	—	—
Noma	1	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—
Hydrophobia	1	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—
Other Zymotic Diseases	2	—	—	—	—	—	—	—	—	—	—	1	—	1	—	—	—	—	—
II. Hæmorrhage	7	—	—	—	—	—	1	—	—	1	—	—	3	1	—	—	1	—	—
Dropsy	36	—	2	—	1	—	1	1	3	—	2	—	2	7	5	2	6	2	2
Abscess	12	—	—	—	—	1	—	—	—	—	—	—	3	3	1	1	—	—	—
Ulcer	3	—	—	—	—	—	—	—	—	—	—	—	1	1	—	—	—	1	—
Fistula	1	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—
Mortification	9	1	—	—	—	—	—	1	1	—	—	—	3	1	—	—	—	1	1
Cancer	112	11	8	7	5	4	3	5	1	6	9	4	8	13	7	1	6	5	9
Gout	1	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—
III. Scrofula	27	—	2	1	—	—	3	—	—	2	1	3	5	4	2	—	2	1	1
Tabes Mesenterica	72	—	—	3	1	5	3	2	1	11	3	3	4	19	6	1	5	4	1
Phthisis	568	11	25	16	36	22	15	14	13	35	44	46	63	117	18	21	36	11	25
Hydrocephalus	158	2	6	4	8	3	3	—	5	13	12	12	12	45	8	5	9	4	7

CAUSES of DEATH in the LARGE TOWNS of SCOTLAND during
the YEAR 1876.—FEMALES. (Continued.)

DISEASES.	Total Large Towns.	Inverness.	Arbroath.	Forfar.	Montrose.	Dunfermline.	Kirkcaldy.	Stirling.	Dumbarton.	Ayr.	Kilmarnock.	Barony.	Glasgow (Landward).	Govan.	Hamilton.	Airdrie.	Coatbridge.	Hawick.	Dumfries.
IV. Cephalitis	59	1	2	3	—	2	6	3	—	—	2	5	3	20	2	4	2	—	4
Apoplexy	113	5	6	6	7	2	2	5	4	8	5	8	4	18	6	—	8	5	14
Paralysis	128	10	5	5	6	7	8	4	1	12	4	4	6	29	1	7	4	6	9
Delirium Tremens	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Chorea	1	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—
Epilepsy	12	—	—	2	1	—	—	1	—	1	1	—	2	2	—	—	—	—	2
Tetanus	3	—	—	—	—	—	—	—	1	—	—	—	—	—	—	2	—	—	—
Insanity	7	3	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	3
Convulsions	82	3	6	5	2	3	1	3	2	2	8	3	6	21	4	2	3	2	6
Brain Disease	43	4	3	3	1	—	2	6	4	1	4	1	3	4	1	1	1	1	3
V. Pericarditis	1	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—
Aneurism	4	—	—	—	—	—	—	—	—	—	—	—	1	1	—	—	1	1	—
Heart Disease	252	11	26	16	20	6	7	21	7	11	23	4	20	28	16	3	7	6	20
VI. Laryngitis	8	1	2	—	—	—	1	—	1	—	—	—	—	1	—	1	—	1	—
Bronchitis	506	21	36	18	27	27	11	19	8	30	44	21	35	88	26	20	20	27	28
Pleurisy	11	2	—	—	—	1	1	—	—	—	1	—	3	1	—	—	—	1	1
Pneumonia	187	6	4	7	8	9	5	1	6	13	9	11	16	53	8	4	10	4	13
Asthma	16	3	—	—	2	—	1	1	—	—	—	2	1	2	—	2	—	2	—
Lung Disease	14	1	1	—	2	1	—	—	3	—	1	2	—	2	—	1	—	—	—
VII. Teething	37	2	2	—	—	3	5	2	—	4	1	5	3	6	1	2	1	—	—
Quinsey	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Gastritis	16	—	—	1	1	2	—	—	—	—	3	—	—	1	1	1	4	—	2
Enteritis	41	1	2	—	—	1	2	1	1	3	4	—	5	9	2	2	1	5	2
Peritonitis	30	2	1	3	—	2	1	1	1	1	—	1	3	5	4	2	—	2	3
Ascites	8	—	—	1	—	1	2	1	1	—	—	—	—	—	1	—	—	—	—
Ulceration of Intestines	12	1	1	—	—	1	—	2	1	1	—	—	—	1	—	1	—	4	1
Hernia	10	—	2	—	—	1	—	—	1	1	1	—	1	1	1	—	—	—	1
Ileus	16	—	—	—	—	—	—	—	1	—	—	2	2	4	—	1	2	2	2
Intussusception	2	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	1	—	—
Stricture of Intestines	5	1	—	—	—	—	1	—	—	—	—	—	—	1	—	—	—	—	2
Stomach Disease	35	3	1	1	2	2	2	2	2	1	3	—	1	6	1	2	3	1	2
Pancreas Disease	2	1	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—
Hepatitis	21	—	1	—	1	1	—	1	—	1	—	1	1	8	1	1	2	2	—
Jaundice	19	1	—	—	—	1	—	1	—	2	1	2	1	6	1	1	2	—	—
Liver Disease	39	1	—	3	5	1	1	1	1	6	4	—	3	4	1	—	3	2	3
Spleen Disease	3	1	—	—	—	—	—	—	1	—	—	—	1	—	—	—	—	—	—
VIII. Nephritis	8	1	—	—	1	—	—	2	—	—	—	—	2	—	—	—	—	—	2
Nephria	23	4	1	—	—	2	—	—	—	—	2	1	4	6	—	—	1	1	1
Addison's Disease	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Ischuria	1	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Diabetes	3	2	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—
Stone	1	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Cystitis	2	—	—	—	—	—	—	—	—	—	2	—	—	—	—	—	—	—	—
Stricture of Urethra	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Kidney Disease	18	—	1	1	—	—	—	1	2	—	3	2	4	—	—	1	1	2	—
IX. Paramenia	6	—	1	—	2	—	—	—	1	—	—	—	—	—	—	—	—	2	—
Ovarian Dropsy	7	—	2	—	—	—	—	—	—	—	—	1	1	1	1	—	—	1	—
Childbirth	62	6	—	1	1	2	1	2	1	4	3	4	6	13	1	3	5	4	5
Organs of Generation	17	—	2	—	1	1	—	—	—	—	2	2	1	4	1	2	—	1	—
X. Bone Disease	5	1	1	1	—	—	—	—	—	—	—	—	1	—	—	1	—	—	—
Rheumatism	8	—	—	1	—	—	—	—	1	1	—	—	1	3	1	—	—	—	—
Joint Disease	9	—	1	—	—	1	—	—	—	—	—	1	—	1	—	3	—	—	1
XI. Carbuncle	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Phlegmon	1	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—
Skin Disease	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
XVII. Intemperance	8	1	1	1	—	2	—	—	—	—	1	—	—	1	—	—	—	—	1
Privation	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Want of Breast Milk	1	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—
Neglect	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Cold	1	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—
Poison	5	—	—	—	—	1	1	—	—	—	1	—	—	—	—	1	—	—	1
Poisoned Wounds	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Burns and Scalds	43	2	—	1	—	2	—	—	30	—	—	1	1	2	1	—	—	1	2
Hanging, etc.	2	—	1	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—
Suffocation	15	—	1	3	—	—	—	1	—	4	1	—	—	3	1	—	1	—	—
Drowning	9	1	—	—	—	—	—	—	—	—	1	2	—	3	1	—	—	1	—
Fracture and Contusion	16	1	2	—	1	—	1	—	—	1	—	—	1	3	2	—	1	—	3
Gunshot Wounds	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Cuts and Stabs	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Other Violent Causes	8	—	—	1	—	—	1	—	1	—	—	1	—	2	1	—	—	1	—
Not specified	41	2	—	—	—	5	2	3	2	3	1	2	—	6	2	4	—	4	5

CAUSES of DEATH in the SMALL TOWN DISTRICTS of the COUNTIES of SCOTLAND
during the YEAR 1876.—BOTH SEXES.

DISEASES.	Total Small Towns.	Shetland.	Orkney.	Caithness.	Ross and Cromarty.	Nairn.	Elgin.	Banff.	Aberdeen.	Kincardine.	Forfar.	Perth.	Fife.	Clack- mannan.	Stirling.
ALL CAUSES . . .	16826	89	78	382	223	98	409	392	569	93	569	504	1056	371	1220
SPECIFIED CAUSES . . .	16563	89	78	382	214	95	398	391	536	93	559	499	1038	362	1193
I. Zymotic Class . . .	3320	4	10	96	65	9	85	50	89	9	74	50	194	49	345
II. Diseases of Uncer. Seat	603	7	5	17	5	5	13	14	21	4	24	26	44	14	36
III. Tubercular Class . .	2835	23	11	50	23	8	56	51	85	5	99	101	135	47	172
IV. Brain and Nervous Sys.	1621	9	5	25	17	11	50	56	43	14	65	68	123	42	92
V. Organs of Circulation	1081	7	6	23	7	5	35	21	40	13	56	42	83	34	69
VI. Respiratory Organs . .	2510	14	18	56	30	11	47	76	82	8	79	55	162	68	172
VII. Organs of Digestion .	1226	4	3	20	14	14	31	44	41	10	47	35	80	23	91
VIII. Urinary Organs . . .	302	—	4	10	3	2	8	14	7	4	9	16	18	11	13
IX. Organs of Generation	125	2	1	1	3	1	6	2	8	—	6	6	4	2	9
X. Organs of Locomotion	112	—	—	6	2	—	3	9	2	—	3	2	7	—	4
XI. Skin, etc.	17	—	—	—	—	1	—	—	2	—	1	—	1	—	1
XII. Malformation . . .	80	—	—	1	1	—	1	2	5	2	1	6	6	5	6
XIII. Premature Debility .	884	—	2	23	4	10	17	19	30	8	23	23	47	18	62
XIV. Atrophy	120	—	—	1	4	—	1	4	2	3	1	1	2	7	16
XV. Age	1062	18	12	37	28	12	20	15	54	8	50	51	93	29	59
XVI. Sudden Deaths . . .	16	—	—	—	—	1	—	—	—	—	—	—	4	1	5
XVII. Violent Deaths . . .	649	1	1	16	8	5	25	14	25	5	21	17	35	12	41
I. Small-pox	21	—	—	—	—	—	—	—	—	—	—	—	—	—	16
Measles	274	—	—	—	—	—	2	1	10	—	6	1	1	—	42
Scarlatina	642	—	—	14	33	—	32	4	5	—	5	1	19	4	116
Diphtheria	213	—	—	5	4	—	1	—	9	1	1	2	8	1	21
Hooping-cough	523	—	5	30	1	—	16	8	4	1	10	8	49	17	23
Croup	191	1	—	15	14	1	1	6	4	—	7	1	10	6	11
Thrush	10	—	—	—	—	—	—	—	—	—	1	—	3	1	—
Diarrhoea	475	—	1	11	2	4	6	10	23	5	9	9	37	4	33
Dysentery	53	—	—	—	1	—	7	3	4	—	5	—	2	—	6
Cholera	31	—	—	1	—	—	—	—	1	—	—	—	1	2	2
Influenza	26	—	—	—	3	—	1	1	1	—	3	—	—	1	2
Purpura	13	—	—	2	1	1	—	1	—	—	1	—	2	—	1
Ague	3	—	—	—	—	—	—	—	—	—	—	—	—	—	2
Worms	4	—	—	—	—	—	—	—	—	—	—	—	1	—	—
Typhus	83	2	1	1	4	—	—	1	4	—	1	—	3	2	15
Enteric Fever	458	1	1	10	1	3	10	7	11	2	12	17	34	7	32
Relapsing Fever	7	—	—	—	—	—	—	—	1	—	—	—	2	—	1
Simple Cont. Fever	21	—	2	—	—	—	—	—	—	—	—	—	2	1	2
Infantile Remittent	27	—	—	—	—	—	—	—	1	—	2	—	6	—	9
Metria	46	—	—	1	—	—	2	2	—	—	3	3	5	—	5
Rheumatic Fever	35	—	—	3	—	—	1	3	3	—	4	—	2	1	—
Erysipelas	91	—	—	1	—	—	2	3	6	—	1	5	4	2	6
Pyæmia	25	—	—	—	1	—	1	—	1	—	1	3	1	—	—
Syphilis	36	—	—	2	—	—	—	—	1	—	2	—	—	—	—
Noma	3	—	—	—	—	—	1	—	—	—	—	—	—	—	—
Hydrophobia	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Other Zymotic Diseases	8	—	—	—	—	—	2	—	—	—	—	—	2	—	—
II. Hæmorrhage	19	—	—	—	—	—	—	—	—	—	—	—	2	2	1
Dropsy	90	1	3	1	1	—	2	2	2	—	3	2	3	6	11
Abscess	42	—	—	1	1	—	—	—	2	—	—	—	3	—	—
Ulcer	13	—	—	—	—	—	—	1	—	—	—	—	1	1	—
Fistula	4	—	—	—	—	—	—	—	1	—	—	—	—	—	—
Mortification	42	—	1	1	1	—	—	1	2	—	2	—	4	—	4
Cancer	389	6	1	14	2	5	11	9	13	4	19	24	31	5	20
Gout	4	—	—	—	—	—	—	1	1	—	—	—	—	—	—
III. Scrofula	165	3	1	3	1	1	1	9	13	1	3	4	5	1	12
Tabes Mesenterica	274	—	—	1	—	1	3	4	7	—	12	8	9	4	24
Phthisis	1882	17	8	38	21	6	44	28	55	3	72	80	98	37	101
Hydrocephalus	514	3	2	8	1	—	8	10	10	1	12	9	23	5	35

CAUSES of DEATH in the SMALL TOWN DISTRICTS of the COUNTIES of SCOTLAND
during the YEAR 1876.—BOTH SEXES.

DISEASES.	Dumbarton.	Argyll.	Bute.	Renfrew.	Ayr.	Lanark.	Linlithgow.	Edinburgh.	Haddington.	Berwick.	Peebles.	Selkirk.	Roxburgh.	Dumfries.	Kirkcud- bright.	Wigtown.
ALL CAUSES . . .	792	438	190	1362	2421	2681	505	726	275	121	71	412	183	170	218	208
SPECIFIED CAUSES . .	782	431	189	1349	2411	2621	496	725	267	121	71	408	183	167	212	203
Zymotic Class . . .	153	90	26	251	509	591	147	159	43	13	15	81	35	27	22	29
Uncertain Seat . . .	32	13	12	39	82	66	20	25	11	5	4	14	11	11	8	15
Tubercular Class . .	156	62	41	295	528	431	56	109	33	21	11	77	28	33	49	39
Brain, etc.	81	39	25	144	203	188	47	75	34	18	6	39	24	22	30	26
Heart, etc.	53	37	20	69	130	107	34	55	20	21	8	33	11	9	23	10
Respiratory Organs .	96	65	22	223	346	457	73	109	43	9	10	64	23	25	27	40
Digestive Organs . .	54	22	18	107	172	215	43	46	15	10	2	21	9	10	14	11
Urinary Organs . . .	8	11	4	13	51	34	9	11	7	4	3	11	5	3	3	6
Generative Organs . .	5	2	1	8	10	23	6	3	2	1	1	4	2	—	4	2
Locomotive Organs .	4	5	1	13	13	18	5	5	—	1	—	1	3	1	2	2
Skin	—	2	—	1	—	—	1	2	3	—	—	2	—	—	—	—
Malformation	3	2	1	3	14	10	—	4	—	1	—	3	1	1	1	—
Premature Debility .	52	19	3	72	122	175	18	53	16	4	5	30	10	8	7	4
Atrophy	3	3	—	11	19	28	1	4	2	—	1	1	1	1	1	2
Age	51	47	5	52	117	140	19	35	25	8	3	12	18	13	16	15
Sudden Deaths . . .	—	1	—	1	1	1	1	—	—	—	—	—	—	—	—	—
Violent Deaths . . .	31	11	10	47	94	137	16	30	13	5	2	15	2	3	5	2
Small-pox	3	—	—	—	2	—	—	—	—	—	—	—	—	—	—	—
Measles	21	—	—	12	70	63	4	10	—	—	1	8	7	4	6	5
Scarlatina	36	32	4	71	58	92	46	29	6	2	5	12	11	3	2	—
Diphtheria	17	8	1	18	52	31	2	19	3	5	1	1	—	—	2	—
Hooping-cough . . .	6	8	3	59	88	104	25	19	9	—	—	15	1	9	2	3
Croup	3	13	2	8	14	31	3	19	7	1	—	11	—	—	1	1
Thrush	1	—	—	—	3	—	—	—	—	—	—	1	—	—	—	—
Diarrhoea	17	17	4	27	70	90	25	25	7	2	5	7	6	4	3	12
Dysentery	—	1	—	2	8	8	1	1	1	—	—	—	1	2	—	—
Cholera	1	—	3	1	10	2	4	2	—	—	—	—	—	—	1	—
Influenza	2	1	—	—	4	5	—	1	—	—	—	—	—	—	1	—
Purpura	—	—	—	1	—	1	—	—	2	—	—	—	—	—	—	—
Ague	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—
Worms	—	—	—	1	—	2	—	—	—	—	—	—	—	—	—	—
Typhus	1	—	2	3	15	19	2	3	1	1	—	1	1	—	—	—
Enteric Fever	26	3	3	24	83	100	13	19	1	1	3	18	7	5	—	4
Relapsing Fever . . .	1	—	—	—	—	2	—	—	—	—	—	—	—	—	—	—
Simple Cont. Fever . .	2	—	—	—	5	1	4	1	—	—	—	—	1	—	—	—
Infantile Remittent .	—	—	—	5	1	1	—	2	—	—	—	—	—	—	—	—
Metria	5	1	2	3	3	5	3	—	2	1	—	—	—	—	—	—
Rheumatic Fever . . .	—	—	—	4	4	3	1	1	—	—	—	4	—	—	—	1
Erysipelas	9	3	—	7	11	15	6	4	2	—	—	1	—	—	—	3
Pyæmia	1	—	1	1	2	7	2	—	1	—	—	2	—	—	—	—
Syphilis	—	2	1	4	3	9	3	4	1	—	—	—	—	—	4	—
Noma	—	1	—	—	1	—	—	—	—	—	—	—	—	—	—	—
Hydrophobia	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—
Other Zymotic Dis. . .	1	—	—	—	2	—	1	—	—	—	—	—	—	—	—	—
Hæmorrhage	3	1	—	2	2	3	—	1	—	—	—	1	—	—	—	1
Dropsy	3	1	—	7	10	19	2	2	1	1	—	—	1	1	—	5
Abscess	2	2	—	6	4	8	2	2	2	—	1	—	1	2	2	1
Ulcer	2	—	—	3	3	—	—	—	1	1	—	—	—	—	—	—
Fistula	—	—	—	—	2	—	1	—	—	—	—	—	—	—	—	—
Mortification	1	—	—	3	6	5	1	2	1	—	—	1	1	1	2	2
Cancer	21	9	12	17	55	31	14	18	6	3	3	12	8	6	4	6
Gout	—	—	—	1	—	—	—	—	—	—	—	—	—	1	—	—
Scrofula	10	3	3	13	25	32	2	6	—	2	1	1	1	3	3	2
Tabes Mesenterica . .	9	—	4	22	50	68	11	15	2	2	—	7	2	5	3	1
Phthisis	96	47	20	200	351	261	24	70	25	11	10	53	23	20	30	33
Hydrocephalus	41	12	14	60	102	70	19	18	6	6	—	16	2	5	13	3

CAUSES of DEATH in the SMALL TOWN DISTRICTS of the COUNTIES of SCOTLAND during the YEAR 1876.—BOTH SEXES. (Continued.)

DISEASES.	Total Small Towns.	Shetland.	Orkney.	Caithness.	Ross and Cromarty.	Nairn.	Elgin.	Banff.	Aberdeen.	Kincardine.	Forfar.	Perth.	Fife.	Clack- mannan.	Stirling.
IV. Cephalitis	167	2	-	3	4	2	3	7	6	-	7	7	10	3	14
Apoplexy	466	5	1	14	1	3	14	15	12	3	19	17	39	16	24
Paralysis	453	2	2	5	9	3	12	17	12	8	19	27	42	11	22
Delirium Tremens . . .	16	-	-	-	1	-	-	2	-	-	-	1	1	-	2
Chorea	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Epilepsy	54	-	-	-	1	-	3	4	2	-	5	5	5	1	4
Tetanus	16	-	-	-	1	-	-	-	1	-	-	-	-	-	2
Insanity	14	-	-	1	-	-	1	-	-	-	-	-	-	-	-
Convulsions	202	-	2	1	-	1	6	4	3	-	9	4	15	7	13
Brain Disease	231	-	-	1	-	2	11	7	7	3	6	7	11	4	11
V. Pericarditis	29	1	-	-	-	-	1	-	1	1	1	-	1	1	2
Aneurism	21	-	-	2	-	1	-	2	-	-	-	2	1	1	1
Heart Disease	1031	6	6	21	7	4	34	19	39	12	55	40	81	32	66
VI. Laryngitis	29	-	-	2	2	-	-	1	-	-	1	-	3	1	1
Bronchitis	1613	11	14	45	17	9	26	45	54	6	64	35	104	47	111
Pleurisy	58	-	-	1	-	-	2	2	1	-	1	2	8	1	3
Pneumonia	683	3	3	8	5	-	17	25	27	2	10	15	46	13	38
Asthma	82	-	-	-	5	2	1	2	-	-	1	2	1	6	4
Lung Disease	45	-	1	-	1	-	1	1	-	-	2	1	-	-	15
VII. Teething	186	-	-	2	2	4	4	5	13	1	6	2	16	4	16
Quinsey	16	-	-	-	-	-	-	1	2	-	1	-	3	-	-
Gastritis	50	-	-	1	1	-	-	5	-	-	-	-	7	-	5
Enteritis	234	-	-	3	-	2	4	10	-	-	5	2	7	4	10
Peritonitis	104	1	-	3	1	-	-	4	3	1	6	7	10	3	2
Ascites	20	-	1	-	1	-	-	1	1	-	1	1	1	-	1
Ulceration of Intestines	42	1	-	-	1	1	1	3	1	-	3	3	2	-	3
Hernia	20	-	-	-	-	1	-	-	2	1	3	-	1	1	-
Ileus	63	1	-	2	1	-	1	3	5	-	6	5	3	1	4
Intussusception . . .	16	-	-	1	2	1	2	1	-	1	-	-	-	-	-
Stricture of Intestines	6	-	-	1	-	-	-	-	-	-	1	-	-	-	1
Stomach Disease . . .	141	-	-	-	1	2	7	3	2	2	3	3	8	1	22
Pancreas Disease . . .	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hepatitis	57	1	-	-	-	-	1	2	-	1	-	1	3	1	6
Jaundice	68	-	1	1	3	-	1	1	5	1	4	3	6	-	5
Liver Disease	199	-	1	6	1	3	10	4	7	2	8	8	13	7	16
Spleen Disease	4	-	-	-	-	-	-	1	-	-	-	1	-	1	-
VIII. Nephritis	23	-	-	1	-	-	1	2	-	-	-	-	1	-	-
Nephria	95	-	1	3	-	-	1	3	2	1	2	6	7	6	4
Addison's Disease . .	7	-	-	-	-	-	-	-	-	-	-	-	-	1	-
Ischuria	16	-	1	-	-	-	-	-	-	-	1	-	1	-	1
Diabetes	27	-	1	-	2	-	2	1	1	1	1	-	2	-	1
Stone	5	-	1	1	-	-	-	1	-	-	1	-	-	-	-
Cystitis	40	-	-	4	-	-	-	1	2	-	-	4	3	-	3
Stricture of Urethra .	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Kidney Disease	87	-	-	1	1	2	4	6	2	2	4	6	4	4	4
IX. Paramenia	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Ovarian Dropsy	9	-	-	-	-	-	1	-	1	-	1	-	-	1	1
Childbirth	87	1	1	1	1	1	3	1	5	-	4	5	3	1	5
Organs of Generation .	23	1	-	-	2	-	2	1	2	-	1	1	1	-	3
X. Bone Disease	29	-	-	2	-	-	-	1	2	-	1	1	3	-	-
Rheumatism	44	-	-	4	2	-	2	5	-	-	2	-	2	-	2
Joint Disease	39	-	-	-	-	-	1	3	-	-	-	1	2	-	2
XI. Carbuncle	3	-	-	-	-	1	-	-	-	-	-	-	1	-	-
Phlegmon	5	-	-	-	-	-	-	-	-	-	-	-	-	-	1
Skin Disease	9	-	-	-	-	-	-	-	2	-	1	-	-	-	-
XVII. Intemperance . .	42	-	-	-	-	-	-	1	1	-	-	2	1	1	1
Privation	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Want of Breast Milk .	21	-	-	-	-	-	-	1	-	-	1	2	1	-	-
Neglect	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Cold	8	1	-	1	-	-	-	-	2	-	-	1	1	-	-
Poison	11	-	-	-	-	-	-	-	1	-	-	-	-	-	3
Poisoned Wounds . . .	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-
Burns and Scalds . . .	51	-	-	2	2	-	1	1	1	-	2	-	3	1	3
Hanging, etc.	8	-	-	-	-	-	-	-	-	-	-	-	1	-	-
Suffocation	49	-	-	1	-	-	2	5	-	-	1	2	1	2	2
Drowning	184	-	-	8	3	4	10	4	12	3	7	2	14	6	12
Fracture and Contusion	205	-	1	3	3	1	7	1	6	1	7	4	8	2	10
Gunshot Wounds . . .	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1
Cuts and Stabs	6	-	-	-	-	-	-	-	-	-	-	1	-	-	2
Other Violent Causes .	59	-	-	1	-	-	5	1	2	1	3	2	5	-	7
Not specified	263	-	-	-	9	3	11	1	33	-	10	5	18	9	27

CAUSES of DEATH in the SMALL TOWN DISTRICTS of the COUNTIES of SCOTLAND
during the YEAR 1876.—BOTH SEXES. (Continued.)

DISEASES.	Dumbarton.	Argyll.	Bute.	Renfrew.	Ayr.	Lanark.	Linlithgow.	Edinburgh.	Haddington.	Berwick.	Peebles.	Selkirk.	Roxburgh.	Dumfries.	Kirkcudbright.	Wigtown.
Cephalitis	3	2	4	17	18	32	2	4	1	-	-	5	6	2	1	2
Apoplexy	22	16	13	43	68	45	12	16	8	4	1	15	3	3	9	5
Paralysis	20	14	3	31	44	45	13	30	16	3	4	5	12	7	8	7
Delirium Tremens . .	1	-	-	-	1	2	-	1	-	-	-	1	2	-	-	1
Chorea	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
Epilepsy	3	1	-	4	3	6	-	1	1	1	-	1	-	-	2	1
Tetanus	-	1	1	3	3	1	-	2	-	-	-	1	-	-	-	-
Insanity	4	-	-	1	1	3	-	2	-	-	-	1	-	-	-	-
Convulsions	8	3	-	32	22	29	11	8	6	-	1	6	-	3	7	1
Brain Disease	19	2	4	13	43	25	8	11	2	10	-	4	1	7	3	9
Pericarditis	2	1	-	-	3	4	7	-	1	-	-	1	-	-	1	-
Aneurism	1	1	-	-	2	4	1	2	-	-	-	-	-	-	-	-
Heart Disease	50	35	20	69	125	99	26	53	19	21	8	32	11	9	22	10
Laryngitis	1	-	-	5	4	3	2	-	-	1	-	-	-	-	1	1
Bronchitis	64	52	6	125	216	285	43	85	30	3	6	48	12	16	12	22
Pleurisy	-	2	-	2	12	10	2	-	3	-	2	2	1	-	-	1
Pneumonia	27	8	16	81	93	138	23	19	9	3	-	11	8	9	14	12
Asthma	2	1	-	6	18	15	3	5	1	2	-	3	1	-	-	1
Lung Disease	2	2	-	4	3	6	-	-	-	-	2	-	1	-	-	3
Teething	10	-	-	14	32	40	4	5	1	-	-	4	1	-	-	-
Quinsey	-	-	1	1	2	4	-	-	1	-	-	-	-	-	-	-
Gastritis	3	4	3	6	5	9	1	-	-	-	-	-	-	-	-	-
Enteritis	6	4	1	23	47	63	15	8	6	2	-	6	1	1	4	-
Peritonitis	3	1	3	6	16	14	6	3	2	2	-	1	1	-	2	3
Ascites	-	1	-	1	6	3	1	-	-	-	-	1	-	-	-	-
Ulceration of Intestines	5	1	1	-	1	9	2	1	1	1	-	-	1	-	-	-
Hernia	1	-	-	1	3	2	1	1	-	-	-	-	-	-	-	2
Ileus	4	-	1	5	4	8	1	2	-	3	-	2	-	-	-	1
Intussusception . . .	-	-	-	2	-	3	2	-	-	-	1	-	-	-	-	-
Stricture of Intestines	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	1
Stomach Disease . . .	11	1	2	13	18	20	1	7	-	1	-	5	1	3	2	2
Pancreas Disease . . .	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hepatitis	5	2	-	5	6	11	3	4	-	-	-	-	2	2	1	-
Jaundice	3	2	-	4	10	7	2	2	3	-	1	1	-	1	1	-
Liver Disease	3	6	6	25	22	21	4	12	1	1	-	1	2	3	4	2
Spleen Disease	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
Nephritis	-	-	1	3	4	3	2	2	1	1	-	-	-	1	-	-
Nephria	4	2	2	3	20	9	2	3	2	1	1	5	-	-	2	3
Addison's Disease . .	-	-	-	1	3	2	-	-	-	-	-	-	-	-	-	-
Ischuria	-	1	-	1	3	2	-	2	-	-	1	1	-	1	-	-
Diabetes	1	-	-	1	1	4	2	1	-	2	-	1	-	1	-	1
Stone	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Cystitis	1	3	-	1	6	6	1	2	2	-	-	1	-	-	-	-
Stricture of Urethra .	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-
Kidney Disease	2	4	1	3	14	7	2	1	2	-	1	3	4	-	1	2
Paramenia	-	-	-	2	1	-	-	-	-	-	-	2	-	-	1	-
Ovarian Dropsy	-	-	1	1	-	1	-	-	-	-	1	-	-	-	-	-
Childbirth	4	1	-	5	7	20	5	3	2	1	-	2	1	-	3	1
Organs of Generation .	1	1	-	-	2	2	1	-	-	-	-	-	1	-	-	1
Bone Disease	-	3	-	1	5	3	2	1	-	-	-	1	-	1	2	-
Rheumatism	2	1	-	5	5	7	-	3	-	-	-	-	2	-	-	-
Joint Disease	2	1	1	7	3	8	3	1	-	1	-	-	1	-	-	2
Carbuncle	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
Phlegmon	-	-	-	-	-	-	-	2	1	-	-	1	-	-	-	-
Skin Disease	-	2	-	1	-	-	1	-	1	-	-	1	-	-	-	-
Intemperance	3	1	1	5	5	7	2	4	3	-	-	-	1	1	1	1
Privation	-	-	1	1	-	-	-	1	-	-	-	-	-	-	-	-
Want of Breast Milk . .	-	-	1	-	1	9	-	2	-	-	-	2	-	-	-	1
Neglect	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Cold	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
Poison	-	-	-	1	1	3	-	1	1	-	-	-	-	-	-	-
Poisoned Wounds	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Burns and Scalds . . .	3	2	-	2	6	13	2	3	1	1	-	2	-	-	-	-
Hanging, etc.	-	-	-	-	3	2	1	1	-	-	-	-	-	-	-	-
Suffocation	1	1	1	4	12	6	-	4	-	-	-	3	-	-	1	-
Drowning	15	7	2	16	18	23	1	6	5	2	-	2	1	-	1	-
Fracture and Contusion .	9	-	2	16	41	63	8	5	2	-	-	4	-	1	-	-
Gunshot Wounds	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Cuts and Stabs	-	-	1	-	-	1	1	-	-	-	-	-	-	-	-	-
Other Violent Causes . .	-	-	1	2	6	9	1	3	1	2	2	2	-	1	2	-
Not specified	10	7	1	13	10	60	9	1	8	-	-	4	-	3	6	5

CAUSES of DEATH in the SMALL TOWN DISTRICTS of the COUNTIES of SCOTLAND during the YEAR 1876.—MALES.

DISEASES.	Total Small Towns.	Shetland.	Orkney.	Caithness.	Ross and Cromarty.	Nairn.	Elgin.	Banff.	Aberdeen.	Kincardine.	Forfar.	Perth.	Fife.	Clack- mannan.	Stirling.
ALL CAUSES . . .	8420	43	42	186	115	51	209	209	277	40	250	214	513	185	624
SPECIFIED CAUSES . .	8274	43	42	186	110	50	203	209	252	40	246	213	505	179	607
I. Zymotic Class . .	1598	3	6	49	41	6	39	26	49	5	29	17	82	27	160
II. Diseases of Uncer. Seat	221	2	2	7	2	2	4	7	6	2	6	8	12	6	16
III. Tubercular Class .	1383	15	8	25	10	3	26	29	48	3	42	44	70	25	84
IV. Brain and Nervous Sys.	865	6	2	16	10	5	31	31	18	6	29	36	68	23	55
V. Organs of Circulation	528	2	3	8	6	4	19	9	15	4	14	19	38	15	32
VI. Respiratory Organs .	1295	8	11	20	15	4	21	41	32	4	43	17	95	31	92
VII. Organs of Digestion .	623	2	1	14	7	6	18	23	21	5	26	17	32	11	51
VIII. Urinary Organs . .	201	—	3	7	2	1	6	10	6	1	6	12	8	6	7
IX. Organs of Generation	1	—	—	—	—	—	1	—	—	—	—	—	—	—	—
X. Organs of Locomotion	61	—	—	1	1	—	1	5	1	—	1	2	4	—	2
XI. Skin, etc. . . .	7	—	—	—	—	—	—	—	1	—	1	—	1	—	—
XII. Malformation . .	42	—	—	—	—	—	1	2	3	—	—	1	4	3	3
XIII. Premature Debility .	510	—	1	14	—	8	8	8	11	4	15	13	28	7	40
XIV. Atrophy	56	—	—	—	—	—	1	3	1	—	1	—	1	5	5
XV. Age	375	4	5	13	10	7	7	5	17	2	19	15	35	12	23
XVI. Sudden Deaths . .	10	—	—	—	—	1	—	—	—	—	—	—	3	—	3
XVII. Violent Deaths . .	498	1	—	12	6	3	20	10	23	4	14	12	24	8	34
I. Small-pox	17	—	—	—	—	—	—	—	—	—	—	—	—	—	13
Measles	149	—	—	—	—	—	1	1	6	—	3	1	—	—	20
Scarlatina	309	—	—	7	20	—	15	4	4	—	3	—	10	3	44
Diphtheria	98	—	—	1	2	—	—	—	3	1	—	1	5	—	10
Hooping-cough	219	—	2	19	1	—	7	4	3	1	4	2	18	8	11
Croup	101	1	—	8	8	—	—	4	3	—	6	1	2	5	7
Thrush	5	—	—	—	—	—	—	—	—	—	—	—	3	—	—
Diarrhœa	240	—	1	6	1	3	5	2	12	3	3	3	18	3	19
Dysentery	22	—	—	—	—	—	1	2	1	—	1	—	—	—	4
Cholera	15	—	—	1	—	—	—	—	—	—	—	—	—	1	1
Influenza	16	—	—	—	3	—	—	—	1	—	1	—	—	—	—
Purpura	5	—	—	—	1	—	—	—	—	—	—	—	1	—	1
Ague	2	—	—	—	—	—	—	—	—	—	—	—	—	—	1
Worms	2	—	—	—	—	—	—	—	—	—	—	—	1	—	—
Typhus	45	2	1	—	3	—	—	1	2	—	1	—	2	1	9
Enteric Fever	223	—	1	5	1	3	6	4	6	—	3	9	17	3	8
Relapsing Fever	3	—	—	—	—	—	—	—	—	—	—	—	—	—	1
Simple Cont. Fever . .	10	—	1	—	—	—	—	—	—	—	—	—	1	—	2
Infantile Remittent . .	13	—	—	—	—	—	—	—	1	—	1	—	2	—	5
Metria	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Rheumatic Fever . . .	15	—	—	1	—	—	—	2	1	—	1	—	—	1	—
Erysipelas	53	—	—	1	—	—	2	2	5	—	1	—	2	2	4
Pyæmia	11	—	—	—	1	—	1	—	—	—	1	—	—	—	—
Syphilis	18	—	—	—	—	—	—	—	1	—	—	—	—	—	—
Noma	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Hydrophobia	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Other Zymotic Diseases	4	—	—	—	—	—	1	—	—	—	—	—	—	—	—
II. Hæmorrhage	12	—	—	—	—	—	—	—	—	—	—	—	2	2	1
Dropsy	41	—	—	1	1	—	—	2	1	—	1	2	1	1	7
Abscess	20	—	—	—	1	—	—	—	—	—	—	—	—	—	—
Ulcer	6	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Fistula	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Mortification	17	—	1	1	—	—	—	1	1	—	1	—	1	—	2
Cancer	121	2	1	5	—	2	4	3	4	2	4	6	8	3	6
Gout	3	—	—	—	—	—	—	1	—	—	—	—	—	—	—
III. Scrofula	78	1	—	1	—	1	—	5	5	1	—	3	3	1	7
Tabes Mesenterica . . .	139	—	—	1	—	1	2	3	6	—	6	4	4	1	14
Phthisis	879	11	6	17	10	1	22	14	30	1	30	32	48	19	39
Hydrocephalus	287	3	2	6	—	—	2	7	7	1	6	5	15	4	24

CAUSES of DEATH in the SMALL TOWN DISTRICTS of the COUNTIES of SCOTLAND
during the YEAR 1876.—MALES.

DISEASES.	Dumbarton.	Argyll.	Bute.	Renfrew.	Ayr.	Lanark.	Linlithgow.	Edinburgh.	Haddington.	Berwick.	Peebles.	Selkirk.	Roxburgh.	Dumfries.	Kirkcud- bright.	Wigtown.
ALL CAUSES . . .	393	207	96	637	1250	1431	258	368	127	66	30	204	101	83	104	107
SPECIFIED CAUSES . .	387	205	96	630	1245	1405	253	367	120	66	30	200	101	80	101	103
Zymotic Class . . .	70	35	13	120	259	297	69	78	12	5	7	37	21	11	10	15
Uncertain Seat . . .	14	6	3	11	30	23	13	8	6	2	1	4	6	4	3	5
Tubercular Class . . .	78	35	24	128	243	222	24	51	16	13	5	42	13	16	25	16
Brain, etc.	39	21	9	70	115	102	29	38	19	11	1	20	13	15	16	11
Heart, etc.	28	21	8	37	71	70	16	28	8	11	2	14	6	5	11	4
Respiratory Organs . .	48	24	12	102	191	251	43	60	20	6	5	32	17	10	11	29
Digestive Organs . . .	26	13	9	49	79	116	24	27	6	3	1	13	3	5	8	7
Urinary Organs . . .	7	11	4	9	36	21	6	8	2	2	2	6	5	2	1	4
Generative Organs . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Locomotive Organs . .	2	4	1	8	3	14	2	3	—	1	—	—	3	—	1	1
Skin	—	2	—	—	—	—	—	1	1	—	—	—	—	—	—	—
Malformation	2	—	1	3	7	6	—	3	—	1	—	1	—	—	1	—
Premature Debility . .	32	11	3	42	76	100	8	33	12	4	2	13	7	5	4	1
Atrophy	1	1	—	6	9	16	—	2	—	—	1	—	1	—	—	2
Age	20	13	1	10	51	51	6	8	8	3	2	5	5	4	6	8
Sudden Deaths . . .	—	1	—	1	—	—	1	—	—	—	—	—	—	—	—	—
Violent Deaths . . .	20	7	8	34	75	116	12	19	10	4	1	13	1	3	4	—
Small-pox	2	—	—	—	2	—	—	—	—	—	—	—	—	—	—	—
Measles	9	—	—	8	39	38	2	7	—	—	—	4	6	1	—	3
Scarlatina	21	11	2	38	30	45	22	14	2	—	3	3	6	1	1	—
Diphtheria	8	2	—	11	30	13	1	6	1	1	—	—	—	—	2	—
Hooping-cough	2	3	1	21	36	46	9	9	1	—	—	6	—	2	1	2
Croup	2	7	1	5	9	12	2	7	3	1	—	6	—	—	1	—
Thrush	—	—	—	—	1	—	—	—	—	—	—	1	—	—	—	—
Diarrhœa	6	7	3	13	40	44	13	13	3	2	1	2	5	1	2	6
Dysentery	—	—	—	2	4	4	—	1	—	—	—	—	—	2	—	—
Cholera	1	—	1	—	3	2	2	2	—	—	—	—	—	—	1	—
Influenza	2	—	—	—	3	4	—	1	—	—	—	—	—	—	1	—
Purpura	—	—	—	—	—	1	—	—	1	—	—	—	—	—	—	—
Ague	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—
Worms	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—
Typhus	—	—	1	—	6	10	1	2	—	1	—	1	1	—	—	—
Enteric Fever	10	—	2	12	39	57	5	9	—	—	3	11	3	4	—	2
Relapsing Fever . . .	—	—	—	—	—	2	—	—	—	—	—	—	—	—	—	—
Simple Cont. Fever . .	—	—	—	—	2	—	3	1	—	—	—	—	—	—	—	—
Infantile Remittent . .	—	—	—	3	1	—	—	—	—	—	—	—	—	—	—	—
Metria	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Rheumatic Fever . . .	—	—	—	2	3	1	1	—	—	—	—	2	—	—	—	—
Erysipelas	6	3	—	1	6	9	3	3	1	—	—	—	—	—	—	2
Pyæmia	—	—	1	1	1	3	1	—	—	—	—	1	—	—	—	—
Syphilis	—	1	1	3	2	5	1	3	—	—	—	—	—	—	1	—
Noma	—	1	—	—	1	—	—	—	—	—	—	—	—	—	—	—
Hydrophobia	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—
Other Zymotic Dis. . .	1	—	—	—	1	—	1	—	—	—	—	—	—	—	—	—
Hæmorrhage	1	1	—	1	1	1	—	1	—	—	—	—	—	—	—	1
Dropsy	1	1	—	1	4	11	2	1	1	—	—	—	—	—	—	2
Abscess	1	1	—	3	2	5	2	—	1	—	1	—	1	2	—	—
Ulcer	1	—	—	1	2	—	—	—	1	1	—	—	—	—	—	—
Fistula	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—
Mortification	1	—	—	—	3	1	1	2	—	—	—	—	—	—	1	—
Cancer	9	3	3	4	17	5	8	4	3	1	—	4	5	1	2	2
Gout	—	—	—	1	—	—	—	—	—	—	—	—	—	1	—	—
Scrofula	3	1	1	8	10	17	—	3	—	2	—	—	1	2	1	1
Tabes Mesenterica . .	5	—	2	11	20	37	6	6	1	1	—	4	—	2	1	1
Phthisis	49	27	12	83	155	124	11	35	13	6	5	29	10	9	17	14
Hydrocephalus	21	7	9	26	58	44	7	7	2	4	—	9	2	3	6	—

CAUSES of DEATH in the SMALL TOWN DISTRICTS of the COUNTIES of SCOTLAND during the YEAR 1876.—MALES. (Continued.)

DISEASES.	Total Small Towns.	Shetland.	Orkney.	Caithness.	Ross and Cromarty.	Nairn.	Elgin.	Banff.	Aberdeen.	Kincardine.	Forfar.	Perth.	Fife.	Clack- mannan.	Stirling.
IV. Cephalitis . . .	90	2	-	2	-	2	2	4	2	-	3	5	3	1	8
Apoplexy . . .	247	3	-	10	-	2	11	8	6	1	8	9	20	9	15
Paralysis . . .	225	1	1	3	8	-	4	8	4	4	9	14	22	6	13
Delirium Tremens . .	13	-	-	-	1	-	-	2	-	-	-	1	-	-	1
Chorea . . .	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Epilepsy . . .	29	-	-	-	1	-	2	2	1	-	1	1	5	-	3
Tetanus . . .	14	-	-	-	-	-	-	-	1	-	-	-	-	-	2
Insanity . . .	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Convulsions . . .	107	-	1	1	-	-	2	1	1	-	5	2	10	4	7
Brain Disease . . .	135	-	-	-	-	1	10	6	3	1	3	4	8	3	6
V. Pericarditis . . .	11	-	-	-	-	-	-	-	1	-	-	-	-	1	-
Aneurism . . .	16	-	-	2	-	1	-	1	-	-	-	1	-	1	1
Heart Disease . . .	501	2	3	6	6	3	19	8	14	4	14	18	38	13	31
VI. Laryngitis . . .	17	-	-	-	1	-	-	1	-	-	1	-	3	-	-
Bronchitis . . .	796	5	8	15	9	4	11	26	16	3	31	9	57	20	59
Pleurisy . . .	32	-	-	1	-	-	1	1	-	-	1	-	4	-	1
Pneumonia . . .	384	3	2	4	3	-	8	12	16	1	8	8	30	8	23
Asthma . . .	45	-	-	-	2	-	-	1	-	-	1	-	1	3	1
Lung Disease . . .	21	-	1	-	-	-	1	-	-	-	1	-	-	-	8
VII. Teething . . .	98	-	-	2	1	-	4	2	6	-	4	-	6	1	9
Quinsey . . .	8	-	-	-	-	-	-	1	1	-	1	-	2	-	-
Gastritis . . .	25	-	-	1	-	-	-	3	-	-	-	-	1	-	2
Enteritis . . .	131	-	-	2	-	2	3	4	-	-	4	2	3	3	7
Peritonitis . . .	39	-	-	2	-	-	-	1	1	1	2	2	2	2	1
Ascites . . .	10	-	1	-	-	-	-	1	-	-	-	-	-	-	1
Ulceration of Intestines	26	-	-	-	-	1	1	3	1	-	2	2	2	-	2
Hernia . . .	12	-	-	-	-	1	-	-	2	1	2	-	1	-	-
Ileus . . .	32	1	-	1	1	-	1	-	4	-	4	3	-	1	3
Intussusception . . .	12	-	-	1	2	-	2	1	-	1	-	-	-	-	-
Stricture of Intestines	4	-	-	1	-	-	-	-	-	-	1	-	-	-	-
Stomach Disease . . .	67	-	-	-	1	-	2	1	-	1	1	1	3	1	14
Pancreas Disease . . .	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hepatitis . . .	29	1	-	-	-	-	-	2	-	-	-	1	2	-	3
Jaundice . . .	39	-	-	-	1	-	-	1	2	-	3	2	5	-	1
Liver Disease . . .	90	-	-	4	1	2	5	3	4	1	2	4	5	3	8
Spleen Disease . . .	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
VIII. Nephritis . . .	15	-	-	1	-	-	1	1	-	-	-	-	-	-	-
Nephria . . .	42	-	-	1	-	-	1	2	1	-	-	3	2	2	1
Addison's Disease . .	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Ischuria . . .	10	-	1	-	-	-	-	-	-	-	1	-	1	-	-
Diabetes . . .	18	-	1	-	1	-	2	-	1	-	-	-	1	-	-
Stone . . .	5	-	1	1	-	-	-	1	-	-	1	-	-	-	-
Cystitis . . .	35	-	-	4	-	-	-	1	2	-	-	4	2	-	2
Stricture of Urethra . .	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Kidney Disease . . .	70	-	-	-	1	1	2	5	2	1	4	5	2	4	4
IX. Paramenia . . .	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Ovarian Dropsy . . .	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Childbirth . . .	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Organs of Generation . .	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-
X. Bone Disease . . .	13	-	-	-	-	-	-	-	1	-	1	1	1	-	-
Rheumatism . . .	19	-	-	1	1	-	1	3	-	-	-	-	1	-	1
Joint Disease . . .	29	-	-	-	-	-	-	2	-	-	-	1	2	-	1
XI. Carbuncle . . .	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-
Phlegmon . . .	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Skin Disease . . .	5	-	-	-	-	-	-	-	1	-	1	-	-	-	-
XVII. Intemperance . . .	25	-	-	-	-	-	-	1	1	-	-	1	1	1	-
Privation . . .	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Want of Breast Milk . .	9	-	-	-	-	-	-	1	-	-	-	1	-	-	-
Neglect . . .	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Cold . . .	6	1	-	1	-	-	-	-	1	-	-	1	1	-	-
Poison . . .	6	-	-	-	-	-	-	-	-	-	-	-	-	-	3
Poisoned Wounds . . .	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-
Burns and Scalds . . .	29	-	-	-	2	-	-	1	1	-	-	-	2	-	2
Hanging, etc. . .	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Suffocation . . .	29	-	-	1	-	-	1	3	-	-	1	1	1	-	1
Drowning . . .	164	-	-	8	3	2	10	3	12	3	6	1	14	6	11
Fracture and Contusion .	173	-	-	2	1	1	6	1	6	1	6	4	4	1	7
Gunshot Wounds . . .	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1
Cuts and Stabs . . .	5	-	-	-	-	-	-	-	-	-	-	1	-	-	2
Other Violent Causes . .	42	-	-	-	-	-	3	-	2	-	1	1	1	-	7
Not specified . . .	146	-	-	-	5	1	6	-	25	-	4	1	8	6	17

CAUSES of DEATH in the SMALL TOWN DISTRICTS of the COUNTIES of SCOTLAND
during the YEAR 1876.—MALES. (Continued.)

DISEASES.	Dumbarton.	Argyll.	Bute.	Renfrew.	Ayr.	Lanark.	Linlithgow.	Edinburgh.	Haddington.	Berwick.	Peebles.	Selkirk.	Roxburgh.	Dumfries.	Kirkcudbright.	Wigtown.
Cephalitis . . .	12	2	1	8	14	18	1	1	—	—	—	4	4	2	1	—
Apoplexy . . .	11	8	4	21	39	24	7	9	4	4	—	5	1	—	4	3
Paralysis . . .	—	6	3	11	22	23	6	15	10	2	1	3	5	6	2	2
Delirium Tremens . . .	—	—	—	—	1	2	—	1	—	—	—	1	2	—	—	1
Chorea . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Epilepsy . . .	1	—	—	3	2	4	—	—	—	—	—	1	—	—	1	1
Tetanus . . .	—	1	1	3	3	1	—	1	—	—	—	1	—	—	—	—
Insanity . . .	1	—	—	—	—	2	—	2	—	—	—	—	—	—	—	—
Convulsions . . .	5	3	—	17	11	10	8	3	4	—	—	3	—	2	6	1
Brain Disease . . .	9	1	—	7	23	18	7	6	1	5	—	2	1	5	2	3
Pericarditis . . .	1	1	—	—	1	3	2	—	1	—	—	—	—	—	—	—
Aneurism . . .	1	1	—	—	1	4	—	2	—	—	—	—	—	—	—	—
Heart Disease . . .	26	19	8	37	69	63	14	26	7	11	2	14	6	5	11	4
Laryngitis . . .	1	—	—	3	2	2	2	—	—	1	—	—	—	—	—	—
Bronchitis . . .	31	17	3	56	114	154	25	48	13	3	2	24	8	7	3	15
Pleurisy . . .	—	1	—	—	8	8	2	—	1	—	2	—	—	—	—	1
Pneumonia . . .	15	5	9	41	52	74	12	10	5	2	—	6	7	3	8	9
Asthma . . .	—	1	—	1	14	11	2	2	1	—	—	2	1	—	—	1
Lung Disease . . .	1	—	—	1	1	2	—	—	—	—	1	—	1	—	—	3
Teething . . .	7	—	—	9	16	22	3	2	—	—	—	3	1	—	—	—
Quinsey . . .	—	—	1	—	—	2	—	—	—	—	—	—	—	—	—	—
Gastritis . . .	—	—	2	3	2	7	1	—	—	—	—	—	—	—	—	—
Enteritis . . .	2	3	—	17	25	34	6	5	2	—	—	4	—	1	2	—
Peritonitis . . .	1	1	—	2	4	9	3	1	2	1	—	—	—	—	—	1
Ascites . . .	—	—	—	1	3	1	1	—	—	—	—	1	—	—	—	—
Ulceration of Intestines . . .	2	—	1	—	1	6	1	—	1	—	—	—	—	—	—	—
Hernia . . .	1	—	—	—	1	—	1	1	—	—	—	—	—	—	—	1
Ileus . . .	4	—	—	—	2	2	1	1	—	1	—	2	—	—	—	—
Intussusception . . .	—	—	—	—	—	3	2	—	—	—	—	—	—	—	—	—
Stricture of Intestines . . .	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	1
Stomach Disease . . .	6	—	1	3	10	9	1	3	—	1	—	2	1	1	2	2
Pancreas Disease . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Hepatitis . . .	1	1	—	1	2	7	2	3	—	—	—	—	1	1	1	—
Jaundice . . .	1	2	—	2	7	4	2	2	1	—	1	1	—	—	1	—
Liver Disease . . .	1	3	4	11	6	9	—	8	—	—	—	—	—	2	2	2
Spleen Disease . . .	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—
Nephritis . . .	—	—	1	2	4	2	1	2	—	—	—	—	—	—	—	—
Nephria . . .	3	2	2	2	10	2	—	1	1	—	1	2	—	—	1	2
Addison's Disease . . .	—	—	—	1	1	2	—	—	—	—	—	—	—	—	—	—
Ischuria . . .	—	1	—	—	1	1	—	1	—	—	1	1	—	1	—	—
Diabetes . . .	1	—	—	—	1	3	2	1	—	2	—	—	—	1	—	1
Stone . . .	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Cystitis . . .	1	3	—	1	6	6	1	2	—	—	—	—	—	—	—	—
Stricture of Urethra . . .	—	—	—	—	—	1	—	—	—	—	—	—	1	—	—	—
Kidney Disease . . .	2	4	1	3	13	4	2	1	1	—	—	3	4	—	—	1
Paramenia . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Ovarian Dropsy . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Childbirth . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Organs of Generation . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Bone Disease . . .	—	2	—	1	1	3	—	1	—	—	—	—	—	—	—	1
Rheumatism . . .	1	1	—	2	—	4	—	1	—	—	—	—	2	—	—	—
Joint Disease . . .	1	1	1	5	2	7	2	1	—	1	—	—	1	—	—	1
Carbuncle . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Phlegmon . . .	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—
Skin Disease . . .	—	2	—	—	—	—	—	—	1	—	—	—	—	—	—	—
Intemperance . . .	2	—	1	3	2	6	—	3	2	—	—	—	—	1	—	—
Privation . . .	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—
Want of Breast Milk . . .	—	—	1	—	—	3	—	1	—	—	—	2	—	—	—	—
Neglect . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Cold . . .	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—
Poison . . .	—	—	—	—	—	2	—	1	—	—	—	—	—	—	—	—
Poisoned Wounds . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Burns and Scalds . . .	—	2	—	1	4	9	1	1	1	—	—	2	—	—	—	—
Hanging, etc. . .	—	—	—	—	3	2	1	1	—	—	—	—	—	—	—	—
Suffocation . . .	1	—	1	2	8	4	—	1	—	—	—	2	—	—	1	—
Drowning . . .	11	5	2	15	16	20	1	5	5	2	—	1	1	—	1	—
Fracture and Contusion . . .	6	—	1	11	37	62	7	3	1	—	—	4	—	1	—	—
Gunshot Wounds . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Cuts and Stabs . . .	—	—	1	—	—	—	1	—	—	—	—	—	—	—	—	—
Other Violent Causes . . .	—	—	1	2	4	8	1	2	1	2	1	2	—	1	2	—
Not specified . . .	6	2	—	7	5	26	5	1	7	—	—	4	—	3	3	4

CAUSES of DEATH in the SMALL TOWN DISTRICTS of the COUNTIES of SCOTLAND
during the YEAR 1876.—FEMALES.

DISEASES.	Total Small Towns	Shetland.	Orkney.	Caithness.	Ross and Cromarty.	Nairn.	Elgin.	Banff.	Aberdeen.	Kincardine.	Forfar.	Perth.	Fife.	Clack- mannan.	Stirling.
ALL CAUSES	8406	46	36	196	108	47	200	183	292	53	319	290	543	186	596
SPECIFIED CAUSES	8289	46	36	196	104	45	195	182	284	53	313	286	533	183	586
I. Zymotic Class	1722	1	4	47	24	3	46	24	40	4	45	33	112	22	185
II. Diseases of Uncer. Seat	382	5	3	10	3	3	9	7	15	2	18	18	32	8	20
III. Tubercular Class	1452	8	3	25	13	5	30	22	37	2	57	57	65	22	88
IV. Brain and Nervous Sys.	756	3	3	9	7	6	19	25	25	8	36	32	55	19	37
V. Organs of Circulation	553	5	3	15	1	1	16	12	25	9	42	23	45	19	37
VI. Respiratory Organs	1215	6	7	36	15	7	26	35	50	4	36	38	67	37	80
VII. Organs of Digestion	603	2	2	6	7	8	13	21	20	5	21	18	48	12	40
VIII. Urinary Organs	101	—	1	3	1	1	2	4	1	3	3	4	10	5	6
IX. Organs of Generation	124	2	1	1	3	1	5	2	8	—	6	6	4	2	9
X. Organs of Locomotion	51	—	—	5	1	—	2	4	1	—	2	—	3	—	2
XI. Skin, etc.	10	—	—	—	—	1	—	—	1	—	—	—	—	—	1
XII. Malformation	38	—	—	1	1	—	—	—	2	2	1	5	2	2	3
XIII. Premature Debility	374	—	1	9	4	2	9	11	19	4	8	10	19	11	22
XIV. Atrophy	64	—	—	1	4	—	—	1	1	3	—	1	1	2	11
XV. Age	687	14	7	24	18	5	13	10	37	6	31	36	58	17	36
XVI. Sudden Deaths	6	—	—	—	—	—	—	—	—	—	—	—	1	1	2
XVII. Violent Deaths	151	—	1	4	2	2	5	4	2	1	7	5	11	4	7
I. Small-pox	4	—	—	—	—	—	—	—	—	—	—	—	—	—	3
Measles	125	—	—	—	—	—	1	—	4	—	3	—	1	—	22
Scarlatina	333	—	—	7	13	—	17	—	1	—	2	1	9	1	72
Diphtheria	115	—	—	4	2	—	1	—	6	—	1	1	3	1	11
Hooping-cough	304	—	3	11	—	—	9	4	1	—	6	6	31	9	12
Croup	90	—	—	7	6	1	1	2	1	—	1	—	8	1	4
Thrush	5	—	—	—	—	—	—	—	—	—	1	—	—	1	—
Diarrhoea	235	—	—	5	1	1	1	8	11	2	6	6	19	1	14
Dysentery	31	—	—	—	1	—	6	1	3	—	4	—	2	—	2
Cholera	16	—	—	—	—	—	—	—	1	—	—	—	1	1	1
Influenza	10	—	—	—	—	—	1	1	—	—	2	—	—	1	2
Purpura	8	—	—	2	—	1	—	1	—	—	1	—	1	—	—
Ague	1	—	—	—	—	—	—	—	—	—	—	—	—	—	1
Worms	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Typhus	38	—	—	1	1	—	—	—	2	—	—	—	1	1	6
Enteric Fever	235	1	—	5	—	—	4	3	5	2	9	8	17	4	24
Relapsing Fever	4	—	—	—	—	—	—	—	1	—	—	—	2	—	—
Simple Cont. Fever	11	—	1	—	—	—	—	—	—	—	—	—	1	1	—
Infantile Remittent	14	—	—	—	—	—	—	—	—	—	1	—	4	—	4
Metria	46	—	—	1	—	—	2	2	—	—	3	3	5	—	5
Rheumatic Fever	20	—	—	2	—	—	1	1	2	—	3	—	2	—	—
Erysipelas	38	—	—	—	—	—	—	1	1	—	—	5	2	—	2
Pyæmia	14	—	—	—	—	—	—	—	1	—	—	3	1	—	—
Syphilis	18	—	—	2	—	—	—	—	—	—	2	—	—	—	—
Noma	1	—	—	—	—	—	1	—	—	—	—	—	—	—	—
Hydrophobia	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Other Zymotic Diseases	4	—	—	—	—	—	1	—	—	—	—	—	2	—	—
II. Hæmorrhage	7	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Dropsy	49	1	3	—	—	—	2	—	1	—	2	—	2	5	4
Abscess	22	—	—	1	—	—	—	—	2	—	—	—	3	—	—
Ulcer	7	—	—	—	—	—	—	1	—	—	—	—	1	1	—
Fistula	3	—	—	—	—	—	—	—	1	—	—	—	—	—	—
Mortification	25	—	—	—	1	—	—	—	1	—	1	—	3	—	2
Cancer	268	4	—	9	2	3	7	6	9	2	15	18	23	2	14
Gout	1	—	—	—	—	—	—	—	1	—	—	—	—	—	—
III. Scrofula	87	2	1	2	1	—	1	4	8	—	3	1	2	—	5
Tabes Mesenterica	135	—	—	—	—	—	1	1	1	—	6	4	5	3	10
Phthisis	1003	6	2	21	11	5	22	14	25	2	42	48	50	18	62
Hydrocephalus	227	—	—	2	1	—	6	3	3	—	6	4	8	1	11

CAUSES of DEATH in the SMALL TOWN DISTRICTS of the COUNTIES of SCOTLAND
during the YEAR 1876.—FEMALES.

DISEASES.	Dumbarton.	Argyll.	Bute.	Renfrew.	Ayr.	Lanark.	Linlithgow.	Edinburgh.	Haddington.	Berwick.	Peebles.	Selkirk.	Roxburgh.	Dumfries.	Kirkcudbright.	Wigtown.
ALL CAUSES . . .	399	231	94	725	1171	1250	247	358	148	55	41	208	82	87	114	101
SPECIFIED CAUSES . . .	395	226	93	719	1166	1216	243	358	147	55	41	208	82	87	111	100
Zymotic Class . . .	83	55	13	131	250	294	78	81	31	8	8	44	14	16	12	14
Uncertain Seat . . .	18	7	9	28	52	43	7	17	5	3	3	10	5	7	5	10
Tubercular Class . . .	78	27	17	167	285	209	32	58	17	8	6	35	15	17	24	23
Brain, etc.	42	18	16	74	88	86	18	37	15	7	5	19	11	7	14	15
Heart, etc.	25	16	12	32	59	37	18	27	12	10	6	19	5	4	12	6
Respiratory Organs . . .	48	41	10	121	155	206	30	49	23	3	5	32	6	15	16	11
Digestive Organs . . .	28	9	9	58	93	99	19	19	9	7	1	8	6	5	6	4
Urinary Organs . . .	1	—	—	4	15	13	3	3	5	2	1	5	—	1	2	2
Generative Organs . . .	5	2	1	8	10	23	6	3	2	1	1	4	2	—	4	2
Locomotive Organs . . .	2	1	—	5	10	4	3	2	—	—	—	1	—	1	1	1
Skin	—	—	—	1	—	—	1	1	2	—	—	2	—	—	—	—
Malformation	1	2	—	—	7	4	—	1	—	—	—	2	1	1	—	—
Premature Debility . . .	20	8	—	30	46	75	10	20	4	—	3	17	3	3	3	3
Atrophy	2	2	—	5	10	12	1	2	2	—	—	1	—	1	1	—
Age	31	34	4	42	66	89	13	27	17	5	1	7	13	9	10	7
Sudden Deaths	—	—	—	—	1	1	—	—	—	—	—	—	—	—	—	—
Violent Deaths	11	4	2	13	19	21	4	11	3	1	1	2	1	—	1	2
Small-pox	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Measles	12	—	—	4	31	25	2	3	—	—	1	4	1	3	6	2
Scarlatina	15	21	2	33	28	47	24	15	4	2	2	9	5	2	1	—
Diphtheria	9	6	1	7	22	18	1	13	2	4	1	1	—	—	—	—
Hooping-cough	4	5	2	38	52	58	16	10	8	—	—	9	1	7	1	1
Croup	1	6	1	3	5	19	1	12	4	—	—	5	—	—	—	1
Thrush	1	—	—	—	2	—	—	—	—	—	—	—	—	—	—	—
Diarrhoea	11	10	1	14	30	46	12	12	4	—	4	5	1	3	1	6
Dysentery	—	1	—	—	4	4	1	—	1	—	—	—	—	—	—	—
Cholera	—	—	2	1	7	—	2	—	—	—	—	—	—	—	—	—
Influenza	—	1	—	—	1	1	—	—	—	—	—	—	—	—	—	—
Purpura	—	—	—	1	—	—	—	—	1	—	—	—	—	—	—	—
Ague	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Worms	—	—	—	1	—	1	—	—	—	—	—	—	—	—	—	—
Typhus	1	—	1	3	9	9	1	1	1	—	—	—	—	—	—	—
Enteric Fever	16	3	1	12	44	43	8	10	1	1	—	7	4	1	—	2
Relapsing Fever	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Simple Cont. Fever	2	—	—	—	3	1	1	—	—	—	—	—	1	—	—	—
Infantile Remittent	—	—	—	2	—	1	—	2	—	—	—	—	—	—	—	—
Metria	5	1	2	3	3	5	3	—	2	1	—	—	—	—	—	—
Rheumatic Fever	—	—	—	2	1	2	—	1	—	—	—	2	—	—	—	1
Erysipelas	3	—	—	6	5	6	3	1	1	—	—	1	—	—	—	1
Pyæmia	1	—	—	—	1	4	1	—	1	—	—	1	—	—	—	—
Syphilis	—	1	—	1	1	4	2	1	1	—	—	—	—	—	3	—
Noma	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Hydrophobia	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Other Zymotic Dis.	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—
Hæmorrhage	2	—	—	1	1	2	—	—	—	—	—	1	—	—	—	—
Dropsy	2	—	—	6	6	8	—	1	—	1	—	—	1	1	—	3
Abscess	1	1	—	3	2	3	—	2	1	—	—	—	—	—	2	1
Ulcer	1	—	—	2	1	—	—	—	—	—	—	—	—	—	—	—
Fistula	—	—	—	—	1	—	1	—	—	—	—	—	—	—	—	—
Mortification	—	—	—	3	3	4	—	—	1	—	—	1	1	1	1	2
Cancer	12	6	9	13	38	26	6	14	3	2	3	8	3	5	2	4
Gout	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Scrofula	7	2	2	5	15	15	2	3	—	—	1	1	—	1	2	1
Tabes Mesenterica	4	—	2	11	30	31	5	9	1	1	—	3	2	3	2	—
Phthisis	47	20	8	117	196	137	13	35	12	5	5	24	13	11	13	19
Hydrocephalus	20	5	5	34	44	26	12	11	4	2	—	7	—	2	7	3

CAUSES of DEATH in the SMALL TOWN DISTRICTS of the COUNTIES of SCOTLAND
during the YEAR 1876.—FEMALES. (Continued.)

DISEASES.	Total Small Towns.	Shetland.	Orkney.	Caithness.	Ross and Cromarty.	Nairn.	Elgin.	Banff.	Aberdeen.	Kincardine.	Forfar.	Perth.	Fife.	Clack- mannan.	Stirling.
IV. Cephalitis	77	—	—	1	4	—	1	3	4	—	4	2	7	2	6
Apoplexy	219	2	1	4	1	1	3	7	6	2	11	8	19	7	9
Paralysis	228	1	1	2	1	3	8	9	8	4	10	13	20	5	9
Delirium Tremens	3	—	—	—	—	—	—	—	—	—	—	—	1	—	1
Chorea	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Epilepsy	25	—	—	—	—	—	1	2	1	—	4	4	—	1	1
Tetanus	2	—	—	—	1	—	—	—	—	—	—	—	—	—	—
Insanity	9	—	—	1	—	—	1	—	—	—	—	—	—	—	—
Convulsions	95	—	1	—	—	1	4	3	2	—	4	2	5	3	6
Brain Disease	96	—	—	1	—	1	1	1	4	2	3	3	3	1	5
V. Pericarditis	18	1	—	—	—	—	1	—	—	1	1	—	1	—	2
Aneurism	5	—	—	—	—	—	—	1	—	—	—	1	1	—	—
Heart Disease	530	4	3	15	1	1	15	11	25	8	41	22	43	19	35
VI. Laryngitis	12	—	—	2	1	—	—	—	—	—	—	—	—	1	1
Bronchitis	817	6	6	30	8	5	15	19	38	3	33	26	47	27	52
Pleurisy	26	—	—	—	—	—	1	1	1	—	—	2	4	1	2
Pneumonia	299	—	1	4	2	—	9	13	11	1	2	7	16	5	15
Asthma	37	—	—	—	3	2	1	1	—	—	—	2	—	3	3
Lung Disease	24	—	—	—	1	—	—	1	—	—	1	1	—	—	7
VII. Teething	88	—	—	—	1	4	—	3	7	1	2	2	10	3	7
Quinsey	8	—	—	—	—	—	—	—	1	—	—	—	1	—	—
Gastritis	25	—	—	—	1	—	—	2	—	—	—	—	6	—	3
Enteritis	103	—	—	1	—	—	1	6	—	—	1	—	4	1	3
Peritonitis	65	1	—	1	1	—	—	3	2	—	4	5	8	1	1
Ascites	10	—	—	—	1	—	—	—	1	—	1	—	1	—	—
Ulceration of Intestines	16	1	—	—	1	—	—	—	—	—	1	1	—	—	1
Hernia	8	—	—	—	—	—	—	—	—	—	1	—	—	1	—
Ileus	31	—	—	1	—	—	—	3	1	—	2	2	3	—	1
Intussusception	4	—	—	—	—	1	—	—	—	—	—	—	—	—	—
Stricture of Intestines	2	—	—	—	—	—	—	—	—	—	—	—	—	—	1
Stomach Disease	74	—	—	—	—	2	5	2	2	1	2	2	5	—	8
Pancreas Disease	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Hepatitis	28	—	—	—	—	—	1	—	—	1	—	—	1	1	3
Jaundice	29	—	1	1	2	—	1	—	3	1	1	1	1	—	4
Liver Disease	109	—	1	2	—	1	5	1	3	1	6	4	8	4	8
Spleen Disease	3	—	—	—	—	—	—	1	—	—	—	1	—	1	—
VIII. Nephritis	8	—	—	—	—	—	—	1	—	—	—	—	1	—	—
Nephria	53	—	1	2	—	—	—	1	1	1	2	3	5	4	3
Addison's Disease	3	—	—	—	—	—	—	—	—	—	—	—	—	1	—
Ischuria	6	—	—	—	—	—	—	—	—	—	—	—	—	—	1
Diabetes	9	—	—	—	1	—	—	1	—	1	1	—	1	—	1
Stone	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Cystitis	5	—	—	—	—	—	—	—	—	—	—	—	1	—	1
Stricture of Urethra	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Kidney Disease	17	—	—	1	—	1	2	1	—	1	—	1	2	—	—
IX. Paramenia	6	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Ovarian Dropsy	9	—	—	—	—	—	1	—	1	—	1	—	—	1	1
Childbirth	87	1	1	1	1	1	3	1	5	—	4	5	3	1	5
Organs of Generation	22	1	—	—	2	—	1	1	2	—	1	1	1	—	3
X. Bone Disease	16	—	—	2	—	—	—	1	1	—	—	—	2	—	—
Rheumatism	25	—	—	3	1	—	1	2	—	—	2	—	1	—	1
Joint Disease	10	—	—	—	—	—	1	1	—	—	—	—	—	—	1
XI. Carbuncle	2	—	—	—	—	1	—	—	—	—	—	—	—	—	—
Phlegmon	4	—	—	—	—	—	—	—	—	—	—	—	—	—	1
Skin Disease	4	—	—	—	—	—	—	—	1	—	—	—	—	—	—
XVII. Intemperance	17	—	—	—	—	—	—	—	—	—	—	1	—	—	1
Privation	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Want of Breast Milk	12	—	—	—	—	—	—	—	—	—	1	1	1	—	—
Neglect	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Cold	2	—	—	—	—	—	—	—	1	—	—	—	—	—	—
Poison	5	—	—	—	—	—	—	—	1	—	—	—	—	—	—
Poisoned Wounds	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Burns and Scalds	22	—	—	2	—	—	1	—	—	—	2	—	1	1	1
Hanging, etc.	1	—	—	—	—	—	—	—	—	—	—	—	1	—	—
Suffocation	20	—	—	—	—	—	1	2	—	—	—	1	—	2	1
Drowning	20	—	—	—	—	2	—	1	—	—	1	1	—	—	1
Fracture and Contusion	32	—	1	1	2	—	1	—	—	—	1	—	4	1	3
Gunshot Wounds	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Cuts and Stabs	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Other Violent Causes	17	—	—	1	—	—	2	1	—	1	2	1	4	—	—
Not specified	117	—	—	—	4	2	5	1	8	—	6	4	10	3	10

CAUSES of DEATH in the SMALL TOWN DISTRICTS of the COUNTIES of SCOTLAND
during the YEAR 1876.—FEMALES. (Continued.)

DISEASES.	Dumbarton.	Argyll.	Bute.	Renfrew.	Ayr.	Lanark.	Linlithgow.	Edinburgh.	Haddington	Berwick.	Peebles.	Selkirk.	Roxburgh.	Dumfries.	Kirkcudbright.	Wigtown.
Cephalitis	3	-	3	9	4	14	1	3	1	-	-	1	2	-	-	2
Apoplexy	10	8	9	22	29	21	5	7	4	-	1	10	2	3	5	2
Paralysis	9	8	-	20	22	22	7	15	6	1	3	2	7	1	6	5
Delirium Tremens	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Chorea	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
Epilepsy	2	1	-	1	1	2	-	1	1	1	-	-	-	-	1	-
Tetanus	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
Insanity	3	-	-	1	1	1	-	-	-	-	-	1	-	-	-	-
Convulsions	3	-	-	15	11	19	3	5	2	-	1	3	-	1	1	-
Brain Disease	10	1	4	6	20	7	1	5	1	5	-	2	-	2	1	6
Pericarditis	1	-	-	-	2	1	5	-	-	-	-	1	-	-	1	-
Aneurism	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-
Heart Disease	24	16	12	32	56	36	12	27	12	10	6	18	5	4	11	6
Laryngitis	-	-	-	2	2	1	-	-	-	-	-	-	-	-	1	1
Bronchitis	33	35	3	69	102	131	18	37	17	-	4	24	4	9	9	7
Pleurisy	-	1	-	2	4	2	-	-	2	-	-	2	1	-	-	-
Pneumonia	12	3	7	40	41	64	11	9	4	1	-	5	1	6	6	3
Asthma	2	-	-	5	4	4	1	3	-	2	-	1	-	-	-	-
Lung Disease	1	2	-	3	2	4	-	-	-	-	1	-	-	-	-	-
Teething	3	-	-	5	16	18	1	3	1	-	-	1	-	-	-	-
Quinsey	-	-	-	1	2	2	-	-	1	-	-	-	-	-	-	-
Gastritis	3	1	1	3	3	2	-	-	-	-	-	-	-	-	-	-
Enteritis	4	1	1	6	22	29	9	3	4	2	-	2	1	-	2	-
Peritonitis	2	-	3	4	12	5	3	2	-	1	-	1	1	-	2	2
Ascites	-	1	-	-	3	2	-	-	-	-	-	-	-	-	-	-
Ulceration of Intestines	3	1	-	-	-	3	1	1	-	1	-	-	1	-	-	-
Hernia	-	-	-	1	2	2	-	-	-	-	-	-	-	-	-	1
Ileus	-	-	1	5	2	6	-	1	-	2	-	-	-	-	-	1
Intussusception	-	-	-	2	-	-	-	-	-	-	1	-	-	-	-	-
Stricture of Intestines	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
Stomach Disease	5	1	1	10	8	11	-	4	-	-	-	3	-	2	-	-
Pancreas Disease	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hepatitis	4	1	-	4	4	4	1	1	-	-	-	-	1	1	-	-
Jaundice	2	-	-	2	3	3	-	-	2	-	-	-	-	1	-	-
Liver Disease	2	3	2	14	16	12	4	4	1	1	-	1	2	1	2	-
Spleen Disease	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Nephritis	-	-	-	1	-	1	1	-	1	1	-	-	-	1	-	-
Nephria	1	-	-	1	10	7	2	2	1	1	-	3	-	-	1	1
Addison's Disease	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-
Ischuria	-	-	-	1	2	1	-	1	-	-	-	-	-	-	-	-
Diabetes	-	-	-	1	-	1	-	-	-	-	-	1	-	-	-	-
Stone	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Cystitis	-	-	-	-	-	-	-	-	2	-	-	1	-	-	-	-
Stricture of Urethra	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Kidney Disease	-	-	-	-	1	3	-	-	1	-	1	-	-	-	1	1
Paramenia	-	-	-	2	1	-	-	-	-	-	-	2	-	-	1	-
Ovarian Dropsy	-	-	1	1	-	1	-	-	-	-	1	-	-	-	-	-
Childbirth	4	1	-	5	7	20	5	3	2	1	-	2	1	-	3	1
Organs of Generation	1	1	-	-	2	2	1	-	-	-	-	-	1	-	-	1
Bone Disease	-	1	-	-	4	-	2	-	-	-	-	1	-	1	1	-
Rheumatism	1	-	-	3	5	3	-	2	-	-	-	-	-	-	-	-
Joint Disease	1	-	-	2	1	1	1	-	-	-	-	-	-	-	-	1
Carbuncle	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
Phlegmon	-	-	-	-	-	-	-	1	1	-	-	1	-	-	-	-
Skin Disease	-	-	-	1	-	-	1	-	-	-	-	1	-	-	-	-
Intemperance	1	1	-	2	3	1	2	1	1	-	-	-	1	-	1	1
Privation	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-
Want of Breast Milk	-	-	-	-	1	6	-	1	-	-	-	-	-	-	-	1
Neglect	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Cold	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
Poison	-	-	-	1	1	1	-	-	1	-	-	-	-	-	-	-
Poisoned Wounds	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Burns and Scalds	3	-	-	1	2	4	1	2	-	1	-	-	-	-	-	-
Hanging, etc.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Suffocation	-	1	-	2	4	2	-	3	-	-	-	1	-	-	-	-
Drowning	4	2	-	1	2	3	-	1	-	-	-	1	-	-	-	-
Fracture and Contusion	3	-	1	5	4	1	1	2	1	-	-	-	-	-	-	-
Gunshot Wounds	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Cuts and Stabs	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
Other Violent Causes	-	-	-	-	2	1	-	1	-	-	1	-	-	-	-	-
Not specified	4	5	1	6	5	34	4	-	1	-	-	-	-	-	3	1

CAUSES of DEATH in the MAINLAND-RURAL DISTRICTS of SCOTLAND
during the YEAR 1876.—BOTH SEXES.

DISEASES.	Total Mainland- Rural.	Caithness.	Sutherland.	Ross and Cromarty.	Inverness.	Nairn.	Elgin.	Banff.	Aberdeen.	Kincardine.	Forfar.	Perth.	Fife.	Kinross.	Clack- mannan.
ALL CAUSES	18192	405	378	955	480	50	368	493	1584	417	544	1335	1347	153	93
SPECIFIED CAUSES	17719	395	344	900	462	50	355	483	1552	398	541	1297	1304	153	93
I. Zymotic Class	2972	95	40	140	73	5	38	55	228	41	73	160	247	24	23
II. Diseases of Uncer. Seat	819	17	19	43	18	4	14	36	88	23	39	67	62	5	6
III. Tubercular Class	2467	39	54	113	42	8	52	72	204	51	62	158	169	21	17
IV. Brain and Nervous Sys.	1735	32	34	64	36	4	33	48	176	49	58	151	123	18	4
V. Organs of Circulation	1332	23	9	37	23	3	38	36	132	41	50	104	102	10	2
VI. Respiratory Organs	2369	51	25	105	54	4	45	62	206	46	75	183	173	27	16
VII. Organs of Digestion	1448	19	22	65	33	6	43	47	113	33	47	101	89	12	9
VIII. Urinary Organs	379	12	8	22	7	—	4	18	38	10	6	24	31	5	1
IX. Organs of Generation	135	3	3	6	5	—	2	3	8	3	2	8	11	—	—
X. Organs of Locomotion	122	3	3	5	4	—	4	6	9	4	2	6	4	2	—
XI. Skin, etc.	30	1	—	2	—	—	1	2	5	1	1	1	2	—	—
XII. Malformation	76	3	—	2	2	—	—	1	6	3	3	4	8	2	—
XIII. Premature Debility	781	10	8	9	8	3	15	25	73	7	27	62	54	5	9
XIV. Atrophy	103	—	3	5	6	1	2	—	5	3	3	10	8	—	1
XV. Age	2134	67	99	257	140	10	53	54	172	54	57	207	148	18	3
XVI. Sudden Deaths	16	—	1	2	—	—	—	—	—	—	—	2	6	—	—
XVII. Violent Deaths	801	20	16	23	11	2	11	18	89	29	36	49	67	4	2
I. Small-pox	7	—	—	—	—	—	—	—	—	—	—	2	—	—	—
Measles	180	—	1	—	2	1	2	—	3	1	2	19	13	6	—
Scarlatina	652	42	11	54	21	—	6	8	8	—	11	14	48	2	2
Diphtheria	276	6	1	21	8	—	2	9	44	4	11	14	13	1	3
Hooping-cough	384	17	1	7	10	—	5	4	25	9	12	33	65	7	1
Croup	196	—	5	19	9	—	1	2	15	6	12	7	12	3	—
Thrush	7	—	—	—	—	—	—	2	—	1	—	1	—	—	—
Diarrhœa	360	5	2	7	2	—	7	11	44	10	3	20	23	2	5
Dysentery	44	—	—	1	—	—	—	2	7	—	2	6	3	—	—
Cholera	33	—	—	1	1	—	—	—	2	—	1	—	2	—	—
Influenza	31	1	1	—	2	—	—	4	8	—	—	—	2	—	—
Purpura	13	1	—	1	1	1	—	—	2	1	—	—	—	—	—
Ague	1	—	—	—	—	—	—	—	1	—	—	—	—	—	—
Worms	3	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Typhus	86	4	—	4	1	—	—	3	9	1	3	6	10	—	—
Enteric Fever	405	13	11	10	5	1	8	3	25	5	7	18	37	2	9
Relapsing Fever	5	—	—	—	—	—	—	—	—	—	1	—	1	—	—
Simple Cont. Fever	18	—	—	—	2	1	—	1	—	—	—	1	—	—	—
Infantile Remittent	13	—	—	—	—	—	—	—	—	—	—	1	2	—	—
Metria	69	—	2	5	2	—	—	1	6	—	1	6	5	—	—
Rheumatic Fever	55	5	3	6	2	—	2	2	5	—	2	3	—	1	—
Erysipelas	76	1	2	2	3	1	3	2	13	2	3	7	6	—	3
Pyæmia	26	—	—	1	1	—	2	1	3	1	2	1	4	—	—
Syphilis	25	—	—	1	1	—	—	—	7	—	—	—	1	—	—
Noma	1	—	—	—	—	—	—	—	1	—	—	—	—	—	—
Hydrophobia	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Other Zymotic Diseases	5	—	—	—	—	—	—	—	—	—	—	1	—	—	—
II. Hæmorrhage	28	3	—	3	—	—	—	—	2	1	2	3	1	—	1
Dropsy	121	2	5	8	4	2	—	5	6	—	8	13	10	—	2
Abscess	58	—	1	2	—	—	1	—	4	1	3	2	7	—	—
Ulcer	14	—	1	1	1	—	1	—	1	—	—	—	—	—	—
Fistula	3	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Mortification	56	1	—	6	1	—	3	3	8	—	1	6	2	—	—
Cancer	531	11	12	22	12	2	8	27	66	21	24	42	42	5	3
Gout	8	—	—	1	—	—	1	1	1	—	1	1	—	—	—
III. Scrofula	161	3	3	4	2	—	1	5	24	5	—	8	12	—	1
Tabes Mesenterica	173	1	—	3	2	—	3	4	8	1	7	11	9	1	1
Phthisis	1816	30	44	96	36	8	44	56	148	38	45	127	122	17	14
Hydrocephalus	317	5	7	10	2	—	4	7	24	7	10	12	26	3	1

CAUSES of DEATH in the MAINLAND-RURAL DISTRICTS of SCOTLAND
during the YEAR 1876.—BOTH SEXES.

DISEASES.	Stirling.	Dumbarton.	Argyll.	Renfrew.	Ayr.	Lanark.	Linlithgow.	Edinburgh.	Hington.	Berwick.	Peebles.	Selkirk.	Roxburgh.	Dumfries.	Kirkcudbright.	Wigtown.
ALL CAUSES . . .	762	265	654	486	1182	1449	300	1281	335	443	172	38	398	917	447	461
SPECIFIED CAUSES . .	744	263	617	478	1157	1442	291	1270	330	438	171	38	393	895	429	456
Zymotic Class . . .	158	48	95	70	296	297	71	198	37	67	50	2	81	142	67	51
Uncertain Seat . . .	25	16	30	15	44	49	6	49	16	29	4	1	20	35	15	24
Tubercular Class . .	89	47	115	95	182	234	29	146	36	54	22	8	42	142	81	83
Brain, etc.	74	19	50	34	83	103	29	177	46	51	9	2	55	95	37	41
Heart, etc.	38	16	38	38	71	83	23	119	32	44	13	4	40	80	44	39
Respiratory Organs .	98	30	68	68	163	221	53	190	41	52	18	8	38	114	73	62
Digestive Organs . .	92	27	43	57	68	124	24	97	35	46	14	4	31	83	31	33
Urinary Organs . . .	7	5	10	12	13	27	5	22	8	18	5	1	13	28	6	13
Generative Organs . .	9	1	9	4	6	9	4	11	1	7	3	—	2	8	2	5
Locomotive Organs .	3	3	5	1	9	14	3	13	4	1	—	—	—	8	2	4
Skin	—	—	1	—	—	1	—	2	1	1	—	1	—	3	2	2
Malformation	6	5	1	1	4	4	—	6	2	4	—	—	2	4	—	3
Premature Debility .	43	9	12	22	82	104	13	60	18	10	13	1	25	32	6	16
Atrophy	8	2	4	3	9	12	1	7	2	—	2	—	2	3	—	1
Age	53	19	107	29	79	68	17	114	35	35	12	2	30	89	47	59
Sudden Deaths . . .	—	—	—	1	—	1	—	2	—	—	—	—	—	—	1	—
Violent Deaths . . .	41	16	29	28	48	71	13	57	16	19	6	4	12	29	15	20
Small-pox	—	2	—	2	—	—	—	—	—	—	—	—	—	1	—	—
Measles	3	6	6	3	42	25	1	6	—	2	6	—	3	1	11	15
Scarlatina	31	10	30	14	100	43	26	28	6	14	12	—	37	52	18	4
Diphtheria	9	1	3	7	14	20	7	37	1	7	10	—	3	9	5	6
Hooping-cough . . .	21	5	15	10	24	53	9	16	3	5	6	—	4	13	4	—
Croup	12	4	11	2	5	17	4	15	6	7	4	—	6	6	3	3
Thrush	—	—	—	—	—	1	—	1	—	—	—	—	—	—	—	1
Diarrhoea	15	8	7	9	41	34	6	41	7	6	5	—	10	19	5	6
Dysentery	2	—	1	—	5	3	1	2	1	2	1	—	—	1	4	—
Cholera	4	1	1	—	1	11	1	3	—	—	—	—	—	2	—	2
Influenza	3	—	—	—	1	2	—	2	—	3	—	—	—	—	—	2
Purpura	—	—	—	—	2	2	1	—	—	—	—	—	—	1	—	—
Ague	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Worms	—	1	1	—	1	—	—	—	—	—	—	—	—	—	—	—
Typhus	7	6	1	—	4	16	3	—	1	3	—	—	3	—	—	1
Enteric Fever	30	3	9	14	43	48	7	31	9	14	3	2	6	19	8	5
Relapsing Fever . . .	—	—	—	—	1	2	—	—	—	—	—	—	—	—	—	—
Simple Cont. Fever .	—	—	—	—	1	2	1	—	—	—	1	—	—	2	4	—
Infantile Remittent .	2	1	—	—	1	1	—	2	1	1	—	—	2	1	—	—
Metria	10	—	3	4	2	8	2	—	—	1	—	—	3	5	1	2
Rheumatic Fever . .	4	—	2	2	—	3	1	3	—	—	1	—	1	2	3	2
Erysipelas	4	—	3	2	1	4	1	3	—	—	1	—	3	5	—	1
Pyæmia	—	—	1	1	2	—	—	1	1	—	—	—	—	3	—	1
Syphilis	1	—	—	—	4	1	—	7	1	—	—	—	—	—	1	—
Noma	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Hydrophobia	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—
Other Zymotic Dis. .	—	—	1	—	—	1	—	—	—	2	—	—	—	—	—	—
Hæmorrhage	1	—	—	5	1	2	—	—	—	—	—	—	—	—	2	1
Dropsy	5	2	9	1	9	12	—	2	1	3	—	—	1	4	3	4
Abscess	5	—	3	1	4	3	1	9	3	2	1	—	—	5	—	—
Ulcer	—	—	—	1	2	2	—	—	—	1	—	—	—	—	1	2
Fistula	—	—	1	—	1	—	—	1	—	—	—	—	—	—	—	—
Mortification	3	1	2	—	1	1	—	7	1	2	—	—	2	—	3	2
Cancer	11	13	15	7	26	28	5	29	11	21	3	1	17	26	6	15
Gout	—	—	—	—	—	1	—	1	—	—	—	—	—	—	—	—
Scrofula	5	2	11	7	17	7	3	10	5	7	—	—	—	6	3	10
Tabes Mesenterica . .	6	4	4	4	18	29	4	12	2	4	3	—	3	14	6	9
Phthisis	66	31	89	70	117	147	20	111	25	35	13	5	35	112	63	52
Hydrocephalus . . .	12	10	11	14	30	51	2	13	4	8	6	3	4	10	9	12

CAUSES of DEATH in the MAINLAND-RURAL DISTRICTS of SCOTLAND
during the YEAR 1876.—BOTH SEXES. (Continued.)

DISEASES.	Total Mainland- Rural.	Caithness.	Sutherland.	Ross and Cromarty.	Inverness.	Nairn.	Elgin.	Banff.	Aberdeen.	Kincardine.	Forfar.	Perth.	Fife.	Kinross.	Clack- mannan.
IV. Cephalitis	157	4	3	7	6	1	—	6	14	7	4	6	14	4	1
Apoplexy	391	8	1	4	5	1	9	14	45	12	17	40	25	3	—
Paralysis	660	15	18	37	16	1	14	15	62	17	19	64	47	4	1
Delirium Tremens	7	—	—	1	1	—	—	—	—	—	—	1	1	—	—
Chorea	5	—	—	—	—	—	—	—	—	—	—	—	1	—	—
Epilepsy	86	2	4	2	—	—	1	3	6	4	3	8	11	—	—
Tetanus	16	—	1	—	—	—	—	—	3	—	1	4	—	1	—
Insanity	33	—	—	2	3	—	—	1	2	—	—	2	3	1	—
Convulsions	164	2	1	4	4	—	6	2	18	2	8	6	12	1	2
Brain Disease	216	1	6	7	1	1	3	7	26	7	6	20	9	4	—
V. Pericarditis	39	1	1	1	—	—	2	2	2	—	—	2	2	—	—
Aneurism	35	—	—	—	—	2	1	1	5	2	2	4	2	—	—
Heart Disease	1258	22	8	36	23	1	35	33	125	39	48	98	98	10	2
VI. Laryngitis	48	—	1	5	1	—	—	1	4	1	2	3	4	—	—
Bronchitis	1444	32	9	66	33	—	31	35	137	31	41	110	120	15	14
Pleurisy	69	—	—	2	2	—	—	3	10	1	2	3	—	—	—
Pneumonia	649	11	4	18	12	3	7	19	53	12	26	57	43	11	2
Asthma	124	8	8	12	4	1	3	3	2	1	4	8	5	—	—
Lung Disease	35	—	3	2	2	—	4	1	—	—	—	2	1	1	—
VII. Teething	134	—	1	4	2	1	12	6	8	—	1	10	7	1	3
Quinsey	17	1	—	1	—	—	—	1	2	—	—	3	3	—	—
Gastritis	58	—	1	2	—	—	1	1	5	—	2	4	5	—	—
Enteritis	278	—	4	13	4	3	7	3	13	2	8	16	12	4	—
Peritonitis	143	1	2	3	3	—	6	4	14	5	9	5	7	—	5
Ascites	18	—	—	1	—	—	—	2	2	1	—	—	—	—	—
Ulceration of Intestines	80	4	—	4	3	1	2	1	9	7	3	4	5	1	—
Hernia	41	1	1	1	1	—	4	—	3	1	1	1	4	—	—
Ileus	108	3	1	5	2	—	2	4	18	3	5	9	9	—	—
Intussusception	22	—	1	1	—	—	1	3	1	—	1	1	1	—	—
Stricture of Intestines	9	1	—	—	—	—	—	—	—	1	1	1	1	—	—
Stomach Disease	193	1	7	14	9	1	3	4	12	8	6	18	10	3	1
Pancreas Disease	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Hepatitis	77	1	—	5	2	—	—	6	5	1	2	4	3	1	—
Jaundice	64	—	4	3	2	—	—	3	5	3	3	8	5	1	—
Liver Disease	193	6	—	8	4	—	4	8	15	1	5	16	15	1	—
Spleen Disease	13	—	—	—	1	—	1	1	1	—	—	1	2	—	—
VIII. Nephritis	36	2	1	1	—	—	—	3	3	1	—	1	2	—	—
Nephria	93	4	2	8	1	—	2	5	8	2	2	6	5	1	—
Addison's Disease	3	—	—	—	—	—	—	—	—	—	—	—	1	—	1
Ischuria	33	1	—	5	2	—	1	1	3	2	1	—	3	—	—
Diabetes	42	—	1	2	—	—	—	2	3	2	—	2	4	1	—
Stone	16	2	3	1	2	—	—	—	5	—	—	—	1	—	—
Cystitis	51	2	—	2	—	—	—	3	5	1	—	4	6	1	—
Stricture of Urethra	5	—	—	—	—	—	—	—	1	—	—	1	1	—	—
Kidney Disease	100	1	1	3	2	—	1	4	10	2	3	10	8	2	—
IX. Paramenia	8	—	—	—	2	—	—	—	—	—	—	—	1	—	—
Ovarian Dropsy	12	1	—	—	—	—	—	1	3	—	1	—	—	—	—
Childbirth	93	2	3	4	3	—	2	1	4	2	1	6	8	—	—
Organs of Generation	22	—	—	2	—	—	—	1	1	1	—	2	2	—	—
X. Bone Disease	36	—	—	2	—	—	1	2	3	1	—	2	2	2	—
Rheumatism	53	3	2	2	4	—	2	2	5	2	1	3	—	—	—
Joint Disease	33	—	1	1	—	—	1	2	1	1	1	1	2	—	—
XI. Carbuncle	6	—	—	—	—	—	—	—	—	—	1	—	2	—	—
Phlegmon	5	—	—	—	—	—	—	—	2	—	—	—	—	—	—
Skin Disease	19	1	—	2	—	—	1	2	3	1	—	1	—	—	—
XVII. Intemperance	34	—	2	1	1	—	1	—	4	—	1	2	2	1	—
Privation	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Want of Breast Milk	2	—	—	—	—	—	—	—	1	—	—	—	—	—	—
Neglect	3	—	—	—	—	—	—	—	—	—	—	1	—	—	—
Cold	34	—	2	2	2	—	2	—	1	1	2	3	2	—	—
Poison	13	—	—	—	—	—	—	—	2	—	—	1	2	—	—
Poisoned Wounds	1	—	—	—	—	—	—	—	—	—	1	—	—	—	—
Burns and Scalds	68	1	3	3	1	—	1	—	5	1	2	2	7	—	1
Hanging, etc.	28	—	—	1	—	—	2	—	5	2	2	1	1	1	—
Suffocation	47	1	—	1	1	—	—	3	9	1	2	1	3	—	—
Drowning	220	11	5	3	4	2	2	5	26	13	9	17	22	2	—
Fracture and Contusion	252	5	3	9	1	—	2	5	23	8	11	12	19	—	1
Gunshot Wounds	14	—	—	—	1	—	—	2	3	—	—	—	1	—	—
Cuts and Stabs	20	—	—	1	—	—	—	—	2	—	3	3	4	—	—
Other Violent Causes	63	2	1	2	—	—	1	3	8	3	3	6	4	—	—
Not specified	473	10	34	55	18	—	13	10	32	19	3	38	43	—	—

CAUSES of DEATH in the MAINLAND-RURAL DISTRICTS of SCOTLAND
during the YEAR 1876.—BOTH SEXES. (Continued.)

DISEASES.	Stirling.	Dumbarton.	Argyll.	Renfrew.	Ayr.	Lanark.	Linlithgow.	Edinburgh.	Haddington.	Berwick.	Peebles.	Selkirk.	Roxburgh.	Dumfries.	Kirkcudbright.	Wigtown.
Cephalitis . . .	5	4	5	3	5	12	3	17	1	—	1	1	9	12	1	1
Apoplexy . . .	15	8	18	15	24	22	5	21	9	16	2	1	13	23	8	7
Paralysis . . .	25	4	13	8	27	30	10	78	20	18	4	—	21	37	17	18
Delirium Tremens . . .	—	—	1	—	—	—	—	1	—	—	—	—	—	1	—	—
Chorea . . .	—	—	—	—	1	1	—	2	—	—	—	—	—	—	—	—
Epilepsy . . .	4	—	3	—	4	1	1	13	3	6	1	—	—	1	2	3
Tetanus . . .	1	—	—	—	1	1	—	—	—	—	—	—	—	2	—	1
Insanity . . .	2	—	2	—	—	—	—	9	—	—	—	—	3	2	1	—
Convulsions . . .	12	1	2	4	12	21	8	10	5	2	—	—	3	6	5	5
Brain Disease . . .	10	2	6	4	9	15	2	26	8	9	1	—	6	11	3	6
Pericarditis . . .	2	—	3	2	2	4	3	5	—	—	1	—	1	3	—	—
Aneurism . . .	1	—	—	—	1	—	—	5	3	1	—	—	—	3	—	2
Heart Disease . . .	35	16	35	36	68	79	20	109	29	43	12	4	39	74	44	37
Laryngitis . . .	2	2	1	1	1	4	2	7	—	—	1	—	3	—	2	—
Bronchitis . . .	43	18	39	42	91	138	36	117	26	27	13	5	19	74	38	44
Pleurisy . . .	2	2	5	—	5	11	1	4	3	2	—	—	3	1	2	5
Pneumonia . . .	39	8	14	22	52	52	13	57	8	20	4	2	13	32	25	10
Asthma . . .	7	—	7	2	12	13	1	3	3	3	—	1	—	6	5	2
Lung Disease . . .	5	—	2	1	2	3	—	2	1	—	—	—	—	1	1	1
Teething . . .	7	7	5	10	7	12	—	10	4	3	1	—	2	4	—	6
Quinsey . . .	1	1	—	—	—	2	—	—	—	—	1	—	—	1	—	—
Gastritis . . .	4	2	1	1	7	5	—	3	3	2	—	—	1	5	1	2
Enteritis . . .	30	3	2	16	15	45	12	13	5	13	1	—	9	14	5	6
Peritonitis . . .	3	—	9	6	1	9	1	16	3	6	3	—	3	8	9	2
Ascites . . .	—	2	2	1	3	—	—	—	—	—	—	—	—	2	1	1
Ulceration of Intestines . . .	2	—	1	1	4	6	1	1	2	3	1	1	1	2	4	6
Hernia . . .	3	—	2	—	1	2	2	5	—	—	2	—	2	3	—	1
Ileus . . .	6	2	1	2	6	6	1	7	1	5	—	—	3	3	2	2
Intussusception . . .	1	—	—	—	3	—	—	—	—	1	—	—	—	5	—	—
Stricture of Intestines . . .	—	—	—	1	—	2	—	—	—	—	—	—	—	—	—	1
Stomach Disease . . .	11	5	12	5	9	15	—	17	4	6	1	1	1	6	3	—
Pancreas Disease . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Hepatitis . . .	3	1	2	4	6	6	2	3	5	—	2	—	2	9	1	1
Jaundice . . .	6	1	1	2	1	4	1	4	1	—	—	—	—	3	1	2
Liver Disease . . .	15	3	5	8	5	9	2	18	7	6	2	1	7	16	3	3
Spleen Disease . . .	—	—	—	—	—	1	—	—	—	1	—	1	—	2	1	—
Nephritis . . .	1	3	1	2	1	3	1	4	—	—	—	—	4	1	—	1
Nephria . . .	1	—	1	3	3	6	2	5	1	6	—	—	3	10	2	4
Addison's Disease . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1
Ischuria . . .	—	—	1	—	2	2	1	—	1	4	—	—	—	1	1	1
Diabetes . . .	—	1	—	—	1	4	1	3	—	3	1	1	2	4	3	1
Stone . . .	—	1	—	—	—	—	—	—	—	1	—	—	—	—	—	—
Cystitis . . .	1	—	3	3	2	2	—	2	3	1	1	—	2	6	—	1
Stricture of Urethra . . .	—	—	2	—	—	—	—	—	—	—	—	—	—	—	—	—
Kidney Disease . . .	4	—	2	4	4	10	—	8	3	3	3	—	2	6	—	4
Paramenia . . .	1	—	—	—	—	—	1	2	—	—	—	—	—	1	—	—
Ovarian Dropsy . . .	—	—	2	—	—	—	—	—	—	2	1	—	—	1	—	—
Childbirth . . .	7	1	4	4	5	7	2	8	1	4	2	—	2	6	2	2
Organs of Generation . . .	1	—	3	—	1	2	1	1	—	1	—	—	—	—	—	3
Bone Disease . . .	2	1	1	—	2	5	—	5	—	—	—	—	—	3	1	1
Rheumatism . . .	—	2	2	1	4	2	1	6	2	—	—	—	—	4	—	3
Joint Disease . . .	1	—	2	—	3	7	2	2	2	1	—	—	—	1	1	—
Carbuncle . . .	—	—	—	—	—	—	—	2	—	—	—	—	—	1	—	—
Phlegmon . . .	—	—	—	—	—	—	—	—	1	—	—	1	—	1	—	—
Skin Disease . . .	—	—	1	—	—	1	—	—	—	1	—	—	—	1	2	2
Intemperance . . .	3	1	—	—	1	3	—	1	2	—	—	—	1	—	3	4
Privation . . .	—	—	—	—	—	—	—	2	—	—	—	—	—	—	—	—
Want of Breast Milk . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—
Neglect . . .	—	—	—	1	—	—	—	—	—	—	1	—	—	—	—	—
Cold . . .	—	—	2	1	—	3	—	3	2	2	—	—	1	1	1	1
Poison . . .	—	—	2	—	—	2	—	1	—	—	—	2	—	1	—	—
Poisoned Wounds . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Burns and Scalds . . .	3	2	1	5	6	8	—	4	5	1	—	—	2	1	2	1
Hanging, etc. . .	1	—	1	—	1	5	1	—	—	2	—	1	—	1	—	—
Suffocation . . .	2	—	2	3	6	1	1	2	—	1	—	1	1	4	—	1
Drowning . . .	13	9	14	8	6	5	4	11	2	2	4	—	4	7	5	5
Fracture and Contusion . . .	18	3	4	7	21	40	7	28	5	6	—	—	2	7	3	2
Gunshot Wounds . . .	—	1	—	1	1	1	—	1	—	—	—	—	—	2	—	—
Cuts and Stabs . . .	—	—	1	—	—	—	—	1	—	—	—	—	1	2	—	2
Other Violent Causes . . .	1	—	2	2	6	3	—	3	—	5	1	—	—	2	1	4
Not specified . . .	18	2	37	8	25	27	9	11	5	5	1	—	5	22	18	5

CAUSES of DEATH in the MAINLAND-RURAL DISTRICTS of SCOTLAND
during the YEAR 1876.—MALES.

DISEASES.	Total Mainland- Rural	Caithness.	Sutherland.	Ross and Cromarty.	Inverness.	Nairn.	Elgin.	Banff.	Aberdeen.	Kincardine.	Forfar.	Perth.	Fife.	Kinross.	Clack- mannan.
ALL CAUSES . . .	9177	217	186	442	220	17	188	227	808	234	298	674	699	74	41
SPECIFIED CAUSES . .	8946	211	171	422	212	17	181	222	791	224	296	650	680	74	41
I. Zymotic Class . .	1410	57	23	58	27	3	19	28	119	20	38	70	132	13	8
II. Diseases of Uncer. Seat	339	9	7	21	7	1	5	10	32	11	18	33	22	—	2
III. Tubercular Class .	1286	20	27	57	24	3	23	35	109	30	29	74	88	9	7
IV. Brain and Nervous Sys.	909	17	20	40	18	3	19	23	92	33	29	69	63	9	1
V. Organs of Circulation	657	13	5	22	13	1	19	13	63	23	27	64	49	6	1
VI. Respiratory Organs .	1269	21	12	50	30	1	20	31	104	22	44	102	98	15	9
VII. Organs of Digestion .	773	11	9	37	17	2	22	21	55	18	29	59	50	4	3
VIII. Urinary Organs .	275	8	6	18	5	—	4	10	29	7	5	17	20	4	1
IX. Organs of Generation	2	—	—	—	—	—	—	—	—	1	—	—	—	—	—
X. Organs of Locomotion	57	2	1	2	—	—	1	2	6	1	1	4	3	1	—
XI. Skin, etc. . . .	14	1	—	2	—	—	1	2	1	1	—	—	—	—	—
XII. Malformation . .	46	2	—	2	2	—	—	1	3	2	2	3	4	1	—
XIII. Premature Debility .	426	6	5	8	6	1	12	15	39	2	17	31	39	3	6
XIV. Atrophy	42	—	2	1	4	—	2	—	1	3	—	4	2	—	1
XV. Age	804	26	44	90	50	2	20	16	69	26	28	80	54	6	1
XVI. Sudden Deaths . .	8	—	—	—	—	—	—	—	—	—	—	2	3	—	—
XVII. Violent Deaths . .	629	18	10	14	9	—	9	15	69	24	29	38	53	3	1
I. Small-pox	4	—	—	—	—	—	—	—	—	—	—	1	—	—	—
Measles	92	—	1	—	2	1	1	—	2	1	—	10	7	2	—
Scarlatina	339	26	6	27	8	—	3	7	5	—	6	7	26	2	1
Diphtheria	138	4	—	9	3	—	1	1	25	2	7	7	6	1	1
Hooping-cough	171	10	1	2	4	—	1	1	11	6	3	15	35	4	1
Croup	103	—	5	9	3	—	—	2	12	4	7	3	7	3	—
Thrush	3	—	—	—	—	—	—	1	—	—	—	1	—	—	—
Diarrhoea	170	2	—	1	2	—	4	9	21	4	3	10	14	—	2
Dysentery	15	—	—	—	—	—	—	1	2	—	2	3	1	—	—
Cholera	20	—	—	1	1	—	—	—	1	—	1	—	1	—	—
Influenza	16	—	—	—	1	—	—	3	4	—	—	—	1	—	—
Purpura	6	—	—	—	—	—	—	—	1	1	—	—	—	—	—
Ague	1	—	—	—	—	—	—	—	1	—	—	—	—	—	—
Worms	2	—	—	—	—	—	—	—	1	—	—	—	—	—	—
Typhus	50	2	—	1	—	—	—	—	4	1	2	2	7	—	—
Enteric Fever	170	8	8	4	1	—	4	1	12	—	2	8	16	—	2
Relapsing Fever	2	—	—	—	—	—	—	—	—	—	—	—	1	—	—
Simple Cont. Fever . . .	9	—	—	—	—	1	—	—	—	—	—	1	—	—	—
Infantile Remittent . .	9	—	—	—	—	—	—	—	—	—	—	—	2	—	—
Metria	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Rheumatic Fever	25	4	1	3	1	—	1	—	4	—	2	—	—	1	—
Erysipelas	34	1	1	1	1	1	2	1	8	1	2	1	4	—	1
Pyæmia	17	—	—	—	—	—	2	1	2	—	1	1	4	—	—
Syphilis	10	—	—	—	—	—	—	—	4	—	—	—	—	—	—
Noma	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Hydrophobia	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Other Zymotic Diseases	4	—	—	—	—	—	—	—	—	—	—	—	—	—	—
II. Hæmorrhage	17	3	—	2	—	—	—	—	1	1	2	1	—	—	—
Dropsy	54	1	3	5	2	—	—	1	1	—	2	9	4	—	—
Abscess	37	—	1	—	—	—	—	—	3	—	3	2	5	—	2
Ulcer	5	—	—	1	—	—	1	—	1	—	—	—	—	—	—
Fistula	3	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Mortification	29	—	—	4	—	—	2	—	6	—	—	3	—	—	—
Cancer	190	5	3	9	5	1	1	9	20	10	10	17	11	—	—
Gout	4	—	—	—	—	—	1	—	—	—	1	1	—	—	—
III. Scrofula	96	2	1	3	—	—	1	3	12	3	—	6	8	—	—
Tabes Mesenterica . . .	105	1	—	2	1	—	3	3	4	1	1	7	5	1	1
Phthisis	892	12	21	48	22	3	23	24	76	22	20	54	60	6	6
Hydrocephalus	193	5	5	4	1	—	1	5	17	4	8	7	15	2	—

CAUSES of DEATH in the MAINLAND-RURAL DISTRICTS of SCOTLAND
during the YEAR 1876.—MALES.

DISEASES.	Stirling.	Dumbarton.	Argyll.	Renfrew.	Ayr.	Lanark.	Linlithgow.	Edinburgh.	Haddington	Berwick.	Peebles.	Selkirk.	Roxburgh.	Dumfries.	Kirkcudbright.	Wigtown.
ALL CAUSES . . .	403	140	327	238	625	772	155	641	158	214	75	24	198	443	210	229
SPECIFIED CAUSES . . .	398	138	308	234	612	762	150	635	156	210	74	24	197	426	201	229
Zymotic Class . . .	83	26	43	30	139	136	34	87	15	36	21	1	36	53	32	23
Uncertain Seat . . .	11	8	12	7	23	21	3	24	6	9	2	—	10	17	2	6
Tubercular Class . . .	44	23	67	47	103	126	15	76	15	34	10	5	25	64	44	48
Brain, etc.	40	8	32	15	41	57	13	101	19	23	4	1	33	47	13	26
Heart, etc.	25	8	18	21	31	40	13	48	18	18	4	3	14	45	13	19
Respiratory Organs . . .	53	14	34	33	109	131	27	107	17	25	6	6	20	53	41	34
Digestive Organs . . .	54	16	27	26	37	64	15	52	19	21	4	2	14	49	19	17
Urinary Organs . . .	2	3	9	8	10	23	2	12	8	13	5	1	9	21	5	10
Generative Organs . . .	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Locomotive Organs . . .	2	2	—	—	5	7	1	7	2	1	—	—	—	4	—	2
Skin	—	—	—	—	—	1	—	2	—	—	—	1	—	1	—	1
Malformation	4	3	—	1	3	2	—	3	2	2	—	—	1	2	—	1
Premature Debility . . .	24	6	6	11	39	57	6	27	6	4	7	1	13	17	2	10
Atrophy	4	2	1	1	4	4	—	3	—	—	—	—	2	—	—	1
Age	18	4	39	12	29	31	8	35	16	11	7	2	11	30	19	20
Sudden Deaths . . .	—	—	—	—	—	1	—	2	—	—	—	—	—	—	—	—
Violent Deaths . . .	33	15	20	22	39	61	13	49	13	13	4	1	9	23	11	11
Small-pox	—	2	—	—	—	—	—	—	—	—	—	—	—	1	—	—
Measles	1	2	4	1	21	14	—	2	—	—	3	—	1	1	7	8
Scarlatina	19	6	18	9	54	18	10	16	4	6	6	—	17	21	9	2
Diphtheria	5	1	1	5	7	9	4	18	1	2	6	—	—	5	4	3
Hooping-cough	9	3	4	5	8	22	5	7	1	4	4	—	1	2	2	—
Croup	7	—	5	1	—	11	2	3	4	4	1	—	4	2	1	3
Thrush	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—
Diarrhoea	8	4	2	4	23	17	3	14	1	4	—	—	5	6	4	3
Dysentery	1	—	—	—	3	1	—	1	—	—	—	—	—	—	—	—
Cholera	2	1	—	—	—	7	1	1	—	—	—	—	—	1	—	2
Influenza	2	—	—	—	—	—	—	2	—	3	—	—	—	—	—	—
Purpura	—	—	—	—	1	1	1	—	—	—	—	—	—	1	—	—
Ague	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Worms	—	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—
Typhus	6	4	1	—	3	11	2	—	—	3	—	—	1	—	—	—
Enteric Fever	16	1	4	3	14	19	5	14	4	8	1	1	3	7	3	1
Relapsing Fever	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—
Simple Cont. Fever	—	—	—	—	1	1	1	—	—	—	—	—	1	2	1	—
Infantile Remittent	2	1	—	—	1	1	—	1	—	—	—	—	—	1	—	—
Metria	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Rheumatic Fever	—	—	1	1	—	1	—	1	—	—	—	—	1	—	1	—
Erysipelas	2	—	—	—	—	1	—	1	—	—	—	—	1	1	—	1
Pyæmia	3	—	—	—	—	—	—	—	—	—	—	—	2	1	—	—
Syphilis	—	—	1	1	2	—	—	—	—	—	—	—	—	2	—	—
Noma	—	—	—	—	—	1	—	5	—	—	—	—	—	—	—	—
Hydrophobia	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Other Zymotic Dis.	—	—	1	—	—	1	—	—	—	2	—	—	—	—	—	—
Hæmorrhage	—	—	—	4	1	2	—	—	—	—	—	—	—	—	—	—
Dropsy	1	1	2	1	4	5	—	1	—	1	—	—	1	4	1	2
Abscess	3	—	2	—	3	2	1	7	1	1	—	—	—	3	—	—
Ulcer	—	—	—	—	1	1	—	—	—	—	—	—	—	—	—	—
Fistula	—	—	1	—	1	—	—	1	—	—	—	—	—	—	—	—
Mortification	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Cancer	2	1	—	—	1	—	—	5	1	—	—	—	—	—	1	1
Gout	5	6	7	2	12	11	2	9	4	7	2	—	9	10	—	3
Scrofula	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—
Tabes Mesenterica	3	1	5	6	12	6	2	5	2	5	—	—	—	3	1	6
Phthisis	5	1	4	2	11	18	3	5	—	4	2	—	2	8	4	6
Hydrocephalus	30	15	50	31	58	74	10	59	12	20	6	3	21	47	32	27
	6	6	8	8	22	28	—	7	1	5	2	2	2	6	7	9

CAUSES of DEATH in the MAINLAND-RURAL DISTRICTS of SCOTLAND
during the YEAR 1876.—MALES. (Continued.)

DISEASES.	Total Mainland- Rural.	Caithness.	Sutherland.	Ross and Cromarty.	Inverness.	Nairn.	Elgin.	Banff.	Aberdeen.	Kincardine.	Forfar.	Perth.	Fife.	Kinross.	Clack- mannan.
IV. Cephalitis	96	1	2	3	2	-	-	5	9	3	2	3	8	3	-
Apoplexy	181	5	-	2	3	1	7	3	24	5	8	16	10	1	-
Paralysis	343	8	12	24	8	1	6	6	33	15	7	25	26	2	-
Delirium Tremens	7	-	-	1	1	-	-	-	-	-	-	1	1	-	-
Chorea	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Epilepsy	48	1	3	1	-	-	1	2	3	2	1	4	6	-	-
Tetanus	11	-	-	-	-	-	-	-	2	-	1	2	-	1	-
Insanity	11	-	-	1	1	-	-	-	-	-	-	2	1	-	-
Convulsions	91	1	-	3	3	-	4	2	8	1	6	3	7	-	1
Brain Disease	119	1	3	5	-	1	1	5	13	7	4	13	4	2	-
V. Pericarditis	22	1	1	1	-	-	1	1	1	-	-	1	1	-	-
Aneurism	23	-	-	-	-	1	-	1	1	2	1	4	2	-	-
Heart Disease	612	12	4	21	13	-	18	11	61	21	26	59	46	6	1
VI. Laryngitis	25	-	1	4	1	-	-	1	2	-	2	3	1	-	-
Bronchitis	683	10	5	33	18	-	12	15	63	12	20	51	61	10	7
Pleurisy	46	-	-	1	1	-	-	2	7	1	1	2	-	-	-
Pneumonia	425	8	3	7	7	1	6	12	32	8	18	40	32	5	2
Asthma	73	3	2	4	2	-	1	1	-	1	3	4	4	-	-
Lung Disease	17	-	1	1	1	-	1	-	-	-	-	2	-	-	-
VII. Teething	77	-	1	2	-	-	8	4	6	-	-	5	3	-	2
Quinsey	9	-	-	-	-	-	-	-	2	-	-	2	2	-	-
Gastritis	30	-	1	-	-	-	1	-	1	-	1	3	3	-	-
Enteritis	150	-	3	8	4	2	4	-	3	2	8	11	7	2	-
Peritonitis	65	-	-	2	1	-	1	3	7	3	6	2	4	-	1
Ascites	5	-	-	-	-	-	-	-	1	-	-	-	-	-	-
Ulceration of Intestines	43	3	-	2	3	-	1	-	5	6	1	2	3	-	-
Hernia	21	1	1	1	-	-	1	-	2	-	1	1	2	-	-
Ileus	52	3	1	3	1	-	1	4	7	1	3	2	5	-	-
Intussusception	16	-	-	1	-	-	1	2	1	-	1	-	1	-	-
Stricture of Intestines	5	-	-	-	-	-	-	-	-	-	-	1	-	-	-
Stomach Disease	105	1	2	9	4	-	2	1	5	4	3	13	2	1	-
Pancreas Disease	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hepatitis	42	-	-	4	2	-	-	2	3	-	-	2	2	1	-
Jaundice	38	-	-	1	-	-	-	1	3	1	2	6	4	-	-
Liver Disease	105	3	-	4	1	-	1	4	8	1	3	9	10	-	-
Spleen Disease	10	-	-	-	1	-	1	-	1	-	-	-	2	-	-
VIII. Nephritis	21	1	1	1	-	-	-	3	2	-	-	1	-	-	-
Nephria	48	1	-	5	-	-	2	2	4	1	1	4	2	1	-
Addison's Disease	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1
Ischuria	31	1	-	5	2	-	1	1	3	2	1	-	3	-	-
Diabetes	28	-	1	2	-	-	-	1	2	1	-	1	1	-	-
Stone	16	2	3	1	2	-	-	-	5	-	-	-	1	-	-
Cystitis	48	2	-	2	-	-	-	2	4	1	-	4	6	1	-
Stricture of Urethra	5	-	-	-	-	-	-	-	1	-	-	1	1	-	-
Kidney Disease	77	1	1	2	1	-	1	1	8	2	3	6	6	2	-
IX. Paramenia	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Ovarian Dropsy	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Childbirth	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Organs of Generation	2	-	-	-	-	-	-	-	-	1	-	-	-	-	-
X. Bone Disease	22	-	-	-	-	-	-	1	2	1	-	1	1	1	-
Rheumatism	16	2	-	1	-	-	1	-	4	-	-	2	-	-	-
Joint Disease	19	-	1	1	-	-	-	1	-	-	1	1	2	-	-
XI. Carbuncle	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Phlegmon	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Skin Disease	10	1	-	2	-	-	1	2	1	1	-	-	-	-	-
XVII. Intemperance	23	-	1	1	1	-	-	-	4	-	1	1	-	-	-
Privation	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Want of Breast Milk	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-
Neglect	3	-	-	-	-	-	-	-	-	-	-	1	-	-	-
Cold	26	-	1	1	1	-	2	-	-	1	2	2	2	-	-
Poison	8	-	-	-	-	-	-	-	2	-	-	1	2	-	-
Poisoned Wounds	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-
Burns and Scalds	39	1	-	3	1	-	1	-	2	1	1	-	2	-	-
Hanging, etc.	21	-	-	-	-	-	2	-	5	2	2	1	-	1	-
Suffocation	29	1	-	-	1	-	-	2	5	-	2	-	1	-	-
Drowning	183	11	4	2	4	-	2	5	18	12	5	15	21	2	-
Fracture and Contusion	215	3	3	4	-	-	1	4	21	6	10	10	16	-	1
Gunshot Wounds	14	-	-	-	1	-	-	2	3	-	-	-	1	-	-
Cuts and Stabs	17	-	-	1	-	-	-	-	1	-	3	3	4	-	-
Other Violent Causes	47	2	1	2	-	-	1	2	7	2	2	4	4	-	-
Not specified	231	6	15	20	8	-	7	5	17	10	2	24	19	-	-

CAUSES of DEATH in the MAINLAND-RURAL DISTRICTS of SCOTLAND
during the YEAR 1876.—MALES. (Continued.)

DISEASES.	Stirling.	Dumbarton.	Argyll.	Renfrew.	Ayr.	Lanark.	Linlithgow.	Edinburgh.	Haddington	Berwick.	Peebles.	Selkirk.	Roxburgh.	Dumfries.	Kirkcudbright.	Wigtown.
Cephalitis . . .	4	2	2	3	3	8	2	12	1	—	1	1	5	9	1	1
Apoplexy . . .	5	3	13	3	13	11	1	13	3	6	1	—	11	9	1	3
Paralysis . . .	13	2	7	3	10	19	4	46	10	8	2	—	11	20	5	10
Delirium Tremens . . .	—	—	1	—	—	—	—	1	—	—	—	—	—	1	—	—
Chorea . . .	—	—	—	—	—	—	—	2	—	—	—	—	—	—	—	—
Epilepsy . . .	3	—	2	—	1	—	1	7	1	5	—	—	—	—	1	3
Tetanus . . .	1	—	—	—	—	1	—	—	—	—	—	—	—	2	—	1
Insanity . . .	—	—	1	—	—	—	—	3	—	—	—	—	2	—	—	—
Convulsions . . .	7	1	1	4	7	12	4	5	2	1	—	—	1	2	2	3
Brain Disease . . .	7	—	5	2	7	6	1	12	2	3	—	—	3	4	3	5
Pericarditis . . .	1	—	2	1	1	3	1	2	—	—	—	—	1	2	—	—
Aneurism . . .	1	—	—	—	—	—	—	3	2	1	—	—	—	2	—	—
Heart Disease . . .	23	8	16	20	30	37	12	43	16	17	4	3	13	41	13	17
Laryngitis . . .	1	—	—	—	—	2	1	5	—	—	—	—	—	—	1	—
Bronchitis . . .	20	8	14	19	53	71	16	61	9	14	5	3	9	24	16	24
Pleurisy . . .	1	1	5	—	2	7	—	3	2	—	—	—	3	1	2	4
Pneumonia . . .	24	5	10	11	41	38	9	35	5	9	1	2	8	22	18	6
Asthma . . .	6	—	3	2	11	11	1	3	—	2	—	1	—	5	3	—
Lung Disease . . .	1	—	2	1	2	2	—	—	1	—	—	—	—	1	1	—
Teething . . .	4	4	5	4	4	6	—	6	3	2	—	—	1	2	—	5
Quinsey . . .	—	1	—	—	—	1	—	—	—	—	—	—	—	1	—	—
Gastritis . . .	3	1	—	1	4	5	—	2	—	1	—	—	—	2	—	—
Enteritis . . .	17	1	1	7	7	22	7	8	4	6	—	—	4	8	2	1
Peritonitis . . .	—	—	5	3	1	3	—	7	—	—	2	—	1	6	6	1
Ascites . . .	—	2	—	—	—	—	—	—	—	—	—	—	—	1	1	—
Ulceration of Intestines . . .	—	—	—	1	3	5	1	—	2	1	1	—	—	—	1	2
Hernia . . .	2	—	2	—	1	2	—	1	—	—	—	—	2	1	—	—
Ileus . . .	4	—	—	—	5	1	1	3	—	3	—	—	1	1	1	1
Intussusception . . .	1	—	—	—	3	—	1	—	—	1	—	—	—	3	—	—
Stricture of Intestines . . .	—	—	—	1	—	2	—	—	—	—	—	—	—	—	—	1
Stomach Disease . . .	7	3	7	2	4	11	—	9	2	4	—	—	1	5	3	—
Pancreas Disease . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Hepatitis . . .	2	1	2	2	2	3	2	1	2	—	—	—	2	6	1	—
Jaundice . . .	6	1	1	2	1	1	1	3	1	—	—	—	—	—	1	2
Liver Disease . . .	8	2	4	3	2	2	2	12	5	2	1	1	2	11	2	2
Spleen Disease . . .	—	—	—	—	—	—	—	—	—	1	—	1	—	2	1	—
Nephritis . . .	1	2	1	—	—	3	—	1	—	—	—	—	3	—	—	1
Nephria . . .	—	—	1	1	2	3	—	3	1	3	—	—	—	5	2	3
Addison's Disease . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Ischuria . . .	—	—	1	—	1	2	1	—	1	4	—	—	—	—	1	1
Diabetes . . .	—	—	—	—	1	3	1	2	—	2	1	1	1	4	2	1
Stone . . .	—	1	—	—	—	—	—	—	—	1	—	—	—	—	—	—
Cystitis . . .	—	—	3	3	2	2	—	2	3	1	1	—	2	6	—	1
Stricture of Urethra . . .	—	—	2	—	—	—	—	—	—	—	—	—	—	—	—	—
Kidney Disease . . .	1	—	1	4	4	10	—	4	3	2	3	—	2	6	—	3
Paramenia . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Ovarian Dropsy . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Childbirth . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Organs of Generation . . .	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Bone Disease . . .	2	1	—	—	1	3	—	4	—	—	—	—	—	3	—	1
Rheumatism . . .	—	1	—	—	1	—	—	2	—	—	—	—	—	1	—	1
Joint Disease . . .	—	—	—	—	3	4	1	1	2	1	—	—	—	—	—	—
Carbuncle . . .	—	—	—	—	—	—	—	2	—	—	—	—	—	1	—	—
Phlegmon . . .	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—
Skin Disease . . .	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	1
Intemperance . . .	—	1	—	—	1	3	—	1	1	—	—	—	1	—	3	3
Privation . . .	—	—	—	—	—	—	—	2	—	—	—	—	—	—	—	—
Want of Breast Milk . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Neglect . . .	—	—	—	1	—	—	—	—	—	—	1	—	—	—	—	—
Cold . . .	—	—	2	1	—	2	—	1	2	2	—	—	1	1	1	1
Poison . . .	—	—	—	—	—	2	—	1	—	—	—	—	—	—	—	—
Poisoned Wounds . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Burns and Scalds . . .	2	1	—	5	5	5	—	3	3	1	—	—	1	—	1	—
Hanging, etc. . .	1	—	—	—	—	3	1	—	—	1	—	1	—	1	—	—
Suffocation . . .	1	—	2	2	5	1	1	2	—	—	—	—	—	3	—	—
Drowning . . .	11	9	11	6	4	3	4	9	2	2	2	—	4	7	5	3
Fracture and Contusion . . .	17	3	2	4	20	38	7	25	5	5	—	—	1	6	1	2
Gunshot Wounds . . .	—	1	—	1	1	1	—	1	—	—	—	—	—	2	—	—
Cuts and Stabs . . .	—	—	1	—	—	—	—	1	—	—	—	—	1	1	—	1
Other Violent Causes . . .	1	—	2	2	3	3	—	3	—	2	1	—	—	2	—	1
Not specified . . .	5	2	19	4	13	10	5	6	2	4	1	—	1	17	9	—

CAUSES of DEATH in the MAINLAND-RURAL DISTRICTS of SCOTLAND
during the YEAR 1876.—FEMALES.

DISEASES.	Total Mainland- Rural.	Caithness.	Sutherland.	Ross and Cromarty.	Inverness.	Nairn.	Elgin.	Banff.	Aberdeen.	Kincardine.	Forfar.	Perth.	Fife.	Kinross.	Clack- mannan.
ALL CAUSES	9015	188	192	513	260	33	180	266	776	183	246	661	648	79	52
SPECIFIED CAUSES	8773	184	173	478	250	33	174	261	761	174	245	647	624	79	52
I. Zymotic Class	1562	38	17	82	46	2	19	27	109	21	35	90	115	11	15
II. Diseases of Uncer. Seat	480	8	12	22	11	3	9	26	56	12	21	34	40	5	4
III. Tubercular Class	1181	19	27	56	18	5	24	37	95	21	33	84	81	12	10
IV. Brain and Nervous Sys. . . .	826	15	14	24	18	1	14	25	84	16	29	82	60	9	3
V. Organs of Circulation	675	10	4	15	10	2	19	23	69	18	23	40	53	4	1
VI. Respiratory Organs	1100	30	13	55	24	3	25	31	102	24	31	81	75	12	7
VII. Organs of Digestion	675	8	13	28	16	4	21	26	58	15	18	42	39	8	6
VIII. Urinary Organs	104	4	2	4	2	—	—	8	9	3	1	7	11	1	—
IX. Organs of Generation	133	3	3	6	5	—	2	3	8	2	2	8	11	—	—
X. Organs of Locomotion	65	1	2	3	4	—	3	4	3	3	1	2	1	1	—
XI. Skin, etc.	16	—	—	—	—	—	—	—	4	—	1	1	2	—	—
XII. Malformation	30	1	—	—	—	—	—	—	3	1	1	1	4	1	—
XIII. Premature Debility	355	4	3	1	2	2	3	10	34	5	10	31	15	2	3
XIV. Atrophy	61	—	1	4	2	1	—	—	4	—	3	6	6	—	—
XV. Age	1330	41	55	167	90	8	33	38	103	28	29	127	94	12	2
XVI. Sudden Deaths	8	—	1	2	—	—	—	—	—	—	—	—	3	—	—
XVII. Violent Deaths	172	2	6	9	2	2	2	3	20	5	7	11	14	1	1
I. Small-pox	3	—	—	—	—	—	—	—	—	—	—	1	—	—	—
Measles	88	—	—	—	—	—	1	—	1	—	2	9	6	4	—
Scarlatina	313	16	5	27	13	—	3	1	3	—	5	7	22	—	1
Diphtheria	138	2	1	12	5	—	1	8	19	2	4	7	7	—	2
Hooping-cough	213	7	—	5	6	—	4	3	14	3	9	18	30	3	—
Croup	93	—	—	10	6	—	1	—	3	2	5	4	5	—	—
Thrush	4	—	—	—	—	—	—	1	—	1	—	—	—	—	—
Diarrhoea	190	3	2	6	—	—	3	2	23	6	—	10	9	2	3
Dysentery	29	—	—	1	—	—	—	1	5	—	—	3	2	—	—
Cholera	13	—	—	—	—	—	—	—	1	—	—	—	1	—	—
Influenza	15	1	1	—	1	—	—	1	4	—	—	—	1	—	—
Purpura	7	1	—	1	1	1	—	—	1	—	—	—	—	—	—
Ague	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Worms	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Typhus	36	2	—	3	1	—	—	3	5	—	1	4	3	—	—
Enteric Fever	235	5	3	6	4	1	4	2	13	5	5	10	21	2	7
Relapsing Fever	3	—	—	—	—	—	—	—	—	—	1	—	—	—	—
Simple Cont. Fever	9	—	—	—	2	—	—	1	—	—	—	—	—	—	—
Infantile Remittent	4	—	—	—	—	—	—	—	—	—	—	1	—	—	—
Metria	69	—	2	5	2	—	—	1	6	—	1	6	5	—	—
Rheumatic Fever	30	1	2	3	1	—	1	2	1	—	—	3	—	—	—
Erysipelas	42	—	1	1	2	—	1	1	5	1	1	6	2	—	2
Pyæmia	9	—	—	1	1	—	—	—	1	1	—	—	—	—	—
Syphilis	15	—	—	1	1	—	—	—	3	—	—	—	1	—	—
Noma	1	—	—	—	—	—	—	—	1	—	—	—	—	—	—
Hydrophobia	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Other Zymotic Diseases	1	—	—	—	—	—	—	—	—	—	1	—	—	—	—
II. Hæmorrhage	11	—	—	1	—	—	—	—	1	—	—	2	1	—	1
Dropsy	67	1	2	3	2	2	—	4	5	—	6	4	6	—	—
Abscess	21	—	—	2	—	—	1	—	1	1	—	—	2	—	—
Ulcer	9	—	1	—	1	—	—	—	—	—	—	—	—	—	—
Fistula	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Mortification	27	1	—	2	1	—	1	3	2	—	1	3	—	—	—
Cancer	341	6	9	13	7	1	7	18	46	11	14	25	31	5	3
Gout	4	—	—	1	—	—	—	1	1	—	—	—	—	—	—
III. Scrofula	65	1	2	1	2	—	—	2	12	2	—	2	4	—	1
Tabes Mesenterica	68	—	—	1	1	—	—	1	4	—	6	4	4	—	—
Phthisis	924	18	23	48	14	5	21	32	72	16	25	73	62	11	8
Hydrocephalus	124	—	2	6	1	—	3	2	7	3	2	5	11	1	1

CAUSES of DEATH in the MAINLAND-RURAL DISTRICTS of SCOTLAND
during the YEAR 1876.—FEMALES.

DISEASES.	Stirling.	Dumbarton.	Argyll.	Renfrew.	Ayr.	Lanark.	Linlithgow.	Edinburgh.	Haddington.	Berwick.	Peebles.	Selkirk.	Roxburgh.	Dumfries.	Kirkcudbright.	Wigtown.
ALL CAUSES . . .	359	125	327	248	557	677	145	640	177	229	97	14	200	474	237	232
SPECIFIED CAUSES . .	346	125	309	244	545	660	141	635	174	228	97	14	196	469	228	227
Zymotic Class . . .	75	22	52	40	157	161	37	111	22	31	29	1	45	89	35	28
Uncertain Seat . . .	14	8	18	8	21	28	3	25	10	20	2	1	10	18	13	18
Tubercular Class . . .	45	24	48	48	79	108	14	70	21	20	12	3	17	78	37	35
Brain, etc.	34	11	18	19	42	46	16	76	27	28	5	1	22	48	24	15
Heart, etc.	13	8	20	17	40	43	10	71	14	26	9	1	26	35	31	20
Respiratory Organs . .	45	16	34	35	54	90	26	83	24	27	12	2	18	61	32	28
Digestive Organs . . .	38	11	16	31	31	60	9	45	16	25	10	2	17	34	12	16
Urinary Organs . . .	5	2	1	4	3	4	3	10	—	5	—	—	4	7	1	3
Generative Organs . .	8	1	9	4	6	9	4	11	1	7	3	—	2	8	2	5
Locomotive Organs . .	1	1	5	1	4	7	2	6	2	—	—	—	—	4	2	2
Skin	—	—	1	—	—	—	—	—	1	1	—	—	—	2	2	1
Malformation	2	2	1	—	1	2	—	3	—	2	—	—	1	2	—	2
Premature Debility . .	19	3	6	11	43	47	7	33	12	6	6	—	12	15	4	6
Atrophy	4	—	3	2	5	8	1	4	2	—	2	—	—	3	—	—
Age	35	15	68	17	50	37	9	79	19	24	5	—	19	59	28	39
Sudden Deaths . . .	—	—	—	1	—	—	—	—	—	—	—	—	—	—	1	—
Violent Deaths . . .	8	1	9	6	9	10	—	8	3	6	2	3	3	6	4	9
Small-pox	—	—	—	2	—	—	—	—	—	—	—	—	—	—	—	—
Measles	2	4	2	2	21	11	1	4	—	2	3	—	2	—	4	7
Scarlatina	12	4	12	5	46	25	16	12	2	8	6	—	20	31	9	2
Diphtheria	4	—	2	2	7	11	3	19	—	5	4	—	3	4	1	3
Hooping-cough	12	2	11	5	16	31	4	9	2	1	2	—	3	11	2	—
Croup	5	4	6	1	5	6	2	12	2	3	3	—	2	4	2	—
Thrush	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	1
Diarrhoea	7	4	5	5	18	17	3	27	6	2	5	—	5	13	1	3
Dysentery	1	—	1	—	2	2	1	1	1	2	1	—	—	1	4	—
Cholera	2	—	1	—	1	4	—	2	—	—	—	—	—	1	—	—
Influenza	1	—	—	—	1	2	—	—	—	—	—	—	—	—	—	2
Purpura	—	—	—	—	1	1	—	—	—	—	—	—	—	—	—	—
Ague	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Worms	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—
Typhus	1	2	—	—	1	5	1	—	1	—	—	—	2	—	—	1
Enteric Fever	14	2	5	11	29	29	2	17	5	6	2	1	3	12	5	4
Relapsing Fever . . .	—	—	—	—	—	2	—	—	—	—	—	—	—	—	—	—
Simple Cont. Fever . .	—	—	—	—	—	1	—	—	—	—	1	—	—	—	3	—
Infantile Remittent . .	—	—	—	—	—	—	—	1	1	1	—	—	1	—	—	—
Metria	10	—	3	4	2	8	2	—	—	1	—	—	3	5	1	2
Rheumatic Fever . . .	2	—	1	1	—	2	1	2	—	—	1	—	—	2	2	2
Erysipelas	1	—	3	2	1	3	1	2	—	—	1	—	1	4	—	—
Pyæmia	—	—	—	—	—	—	—	1	1	—	—	—	—	1	—	1
Syphilis	1	—	—	—	4	—	—	2	1	—	—	—	—	—	1	—
Noma	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Hydrophobia	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—
Other Zymotic Dis. . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Hæmorrhage	1	—	—	1	—	—	—	—	—	—	—	—	—	—	2	1
Dropsy	4	1	7	—	5	7	—	1	1	2	—	—	—	—	2	2
Abscess	2	—	1	1	1	1	—	2	2	1	1	—	—	2	—	—
Ulcer	—	—	—	1	1	1	—	—	—	1	—	—	—	—	1	2
Fistula	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Mortification	1	—	2	—	—	1	—	2	—	2	—	—	2	—	2	1
Cancer	6	7	8	5	14	17	3	20	7	14	1	1	8	16	6	12
Gout	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—
Scrofula	2	1	6	1	5	1	1	5	3	2	—	—	—	3	2	4
Tabes Mesenterica . .	1	3	—	2	7	11	1	7	2	—	1	—	1	6	2	3
Phthisis	36	16	39	39	59	73	10	52	13	15	7	2	14	65	31	25
Hydrocephalus	6	4	3	6	8	23	2	6	3	3	4	1	2	4	2	3

CAUSES of DEATH in the MAINLAND-RURAL DISTRICTS of SCOTLAND
during the YEAR 1876.—FEMALES. (Continued.)

DISEASES.	Total Mainland- Rural.	Caithness.	Sutherland.	Ross and Cromarty.	Inverness.	Nairn.	Elgin.	Banff.	Aberdeen.	Kincardine.	Forfar.	Perth.	Fife.	Kinross.	Clack- mannan.
IV. Cephalitis	61	3	1	4	4	1	-	1	5	4	2	3	6	1	1
Apoplexy	210	3	1	2	2	-	2	11	21	7	9	24	15	2	-
Paralysis	317	7	6	13	8	-	8	9	29	2	12	39	21	2	1
Delirium Tremens	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Chorea	3	-	-	-	-	-	-	-	-	-	-	-	1	-	-
Epilepsy	38	1	1	1	-	-	-	1	3	2	2	4	5	-	-
Tetanus	5	-	1	-	-	-	-	-	1	-	-	2	-	-	-
Insanity	22	-	-	1	2	-	-	1	2	-	-	-	2	1	-
Convulsions	73	1	1	1	1	-	2	-	10	1	2	3	5	1	1
Brain Disease	97	-	3	2	1	-	2	2	13	-	2	7	5	2	-
V. Pericarditis	17	-	-	-	-	-	1	1	1	-	-	1	1	-	-
Aneurism	12	-	-	-	-	1	1	-	4	-	1	-	-	-	-
Heart Disease	646	10	4	15	10	1	17	22	64	18	22	39	52	4	1
VI. Laryngitis	23	-	-	1	-	-	-	-	2	1	-	-	3	-	-
Bronchitis	761	22	4	33	15	-	19	20	74	19	21	59	59	5	7
Pleurisy	23	-	-	1	1	-	-	1	3	-	1	1	-	-	-
Pneumonia	224	3	1	11	5	2	1	7	21	4	8	17	11	6	-
Asthma	51	5	6	8	2	1	2	2	2	-	1	4	1	-	-
Lung Disease	18	-	2	1	1	-	3	1	-	-	-	-	1	1	-
VII. Teething	57	-	-	2	2	1	4	2	2	-	1	5	4	1	1
Quinsey	8	1	-	1	-	-	-	1	-	-	-	1	1	-	-
Gastritis	28	-	-	2	-	-	-	1	4	-	1	1	2	-	-
Enteritis	128	-	1	5	-	1	3	3	10	-	-	5	5	2	-
Peritonitis	78	1	2	1	2	-	5	1	7	2	3	3	3	-	4
Ascites	13	-	-	1	-	-	-	2	1	1	-	-	-	-	-
Ulceration of Intestines	37	1	-	2	-	1	1	1	4	1	2	2	2	1	-
Hernia	20	-	-	-	1	-	3	-	1	1	-	-	2	-	-
Ileus	56	-	-	2	1	-	1	-	11	2	2	7	4	-	-
Intussusception	6	-	1	-	-	-	-	1	-	-	-	1	-	-	-
Stricture of Intestines	4	1	-	-	-	-	-	-	-	1	1	-	1	-	-
Stomach Disease	88	-	5	5	5	1	1	3	7	4	3	5	8	2	1
Pancreas Disease	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hepatitis	35	1	-	1	-	-	-	4	2	1	2	2	1	-	-
Jaundice	26	-	4	2	2	-	-	2	2	2	1	2	1	1	-
Liver Disease	88	3	-	4	3	-	3	4	7	-	2	7	5	1	-
Spleen Disease	3	-	-	-	-	-	-	1	-	-	-	1	-	-	-
VIII. Nephritis	15	1	-	-	-	-	-	-	1	1	-	-	2	-	-
Nephria	45	3	2	3	1	-	-	3	4	1	1	2	3	-	-
Addison's Disease	2	-	-	-	-	-	-	-	-	-	-	-	1	-	-
Ischuria	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diabetes	14	-	-	-	-	-	-	1	1	1	-	1	3	1	-
Stone	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Cystitis	3	-	-	-	-	-	-	1	1	-	-	-	-	-	-
Stricture of Urethra	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Kidney Disease	23	-	-	1	1	-	-	3	2	-	-	4	2	-	-
IX. Paramenia	8	-	-	-	2	-	-	-	-	-	-	-	1	-	-
Ovarian Dropsy	12	1	-	-	-	-	-	1	3	-	1	-	-	-	-
Childbirth	93	2	3	4	3	-	2	1	4	2	1	6	8	-	-
Organs of Generation	20	-	-	2	-	-	-	1	1	-	-	2	2	-	-
X. Bone Disease	14	-	-	2	-	-	1	1	1	-	-	1	1	1	-
Rheumatism	37	1	2	1	4	-	1	2	1	2	1	1	-	-	-
Joint Disease	14	-	-	-	-	-	1	1	1	1	-	-	-	-	-
XI. Carbuncle	3	-	-	-	-	-	-	-	-	-	1	-	2	-	-
Phlegmon	4	-	-	-	-	-	-	-	2	-	-	-	-	-	-
Skin Disease	9	-	-	-	-	-	-	-	2	-	-	1	-	-	-
XVII. Intemperance	11	-	1	-	-	-	1	-	-	-	-	1	2	1	-
Privation	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Want of Breast Milk	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Neglect	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Cold	8	-	1	1	1	-	-	-	1	-	-	1	-	-	-
Poison	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Poisoned Wounds	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Burns and Scalds	29	-	3	-	-	-	-	-	3	-	1	2	5	-	1
Hanging, etc.	7	-	-	1	-	-	-	-	-	-	-	-	1	-	-
Suffocation	18	-	-	1	-	-	-	1	4	1	-	1	2	-	-
Drowning	37	-	1	1	-	2	-	-	8	1	4	2	1	-	-
Fracture and Contusion	37	2	-	5	1	-	1	1	2	2	1	2	3	-	-
Gunshot Wounds	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Cuts and Stabs	3	-	-	-	-	-	-	-	1	-	-	-	-	-	-
Other Violent Causes	16	-	-	-	-	-	-	1	1	1	1	2	-	-	-
Not specified	242	4	19	35	10	-	6	5	15	9	1	14	24	-	-

CAUSES of DEATH in the MAINLAND-RURAL DISTRICTS of SCOTLAND
during the YEAR 1876.—FEMALES. (Continued.)

DISEASES.	Stirling.	Dumbarton.	Argyll.	Renfrew.	Ayr.	Lanark.	Linlithgow.	Edinburgh.	Haddington.	Berwick.	Peebles.	Selkirk.	Roxburgh.	Dumfries.	Kirkcudbright.	Wigtown.
Cephalitis	1	2	3	-	2	4	1	5	-	-	-	-	4	3	-	-
Apoplexy	10	5	5	12	11	11	4	8	6	10	1	1	2	14	7	4
Paralysis	12	2	6	5	17	11	6	32	10	10	2	-	10	17	12	8
Delirium Tremens . .	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Chorea	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
Epilepsy	1	-	1	-	3	1	-	6	2	1	1	-	-	1	1	-
Tetanus	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
Insanity	2	-	1	-	-	-	-	6	-	-	-	-	1	2	1	-
Convulsions	5	-	1	-	5	9	4	5	3	1	-	-	2	4	3	2
Brain Disease	3	2	1	2	2	9	1	14	6	6	1	-	3	7	-	1
Pericarditis	1	-	1	1	1	1	2	3	-	-	1	-	-	1	-	-
Aneurism	-	-	-	-	1	-	-	2	1	-	-	-	-	1	-	-
Heart Disease	12	8	19	16	38	42	8	66	13	26	8	1	26	33	31	20
Laryngitis	1	2	1	1	1	2	1	2	-	-	1	-	3	-	1	-
Bronchitis	23	10	25	23	38	67	20	56	17	13	8	2	10	50	22	20
Pleurisy	1	1	-	-	3	4	1	1	1	2	-	-	-	-	-	1
Pneumonia	15	3	4	11	11	14	4	22	3	11	3	-	5	10	7	4
Asthma	1	-	4	-	1	2	-	-	3	1	-	-	-	1	2	2
Lung Disease	4	-	-	-	-	1	-	2	-	-	-	-	-	-	-	1
Teething	3	3	-	6	3	6	-	4	1	1	1	-	1	2	-	1
Quinsey	1	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-
Gastritis	1	1	1	-	3	-	-	1	3	1	-	-	1	3	1	1
Enteritis	13	2	1	9	8	23	5	5	1	7	1	-	5	6	3	4
Peritonitis	3	-	4	3	-	6	1	9	3	6	1	-	2	2	3	1
Ascites	-	-	2	1	3	-	-	-	-	-	-	-	2	2	1	1
Ulceration of Intestines	2	-	1	-	1	1	-	1	-	2	-	1	1	2	3	4
Hernia	1	-	-	-	-	-	2	4	-	-	2	-	-	2	-	1
Ileus	2	2	1	2	1	5	-	4	1	2	-	-	2	2	1	1
Intussusception . . .	-	-	-	-	-	-	1	-	-	-	-	-	-	2	-	-
Stricture of Intestines	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Stomach Disease . . .	4	2	5	3	5	4	-	8	2	2	1	1	-	1	-	-
Pancreas Disease . . .	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hepatitis	1	-	-	2	4	3	-	2	3	-	2	-	-	3	-	1
Jaundice	-	-	-	-	-	3	-	1	-	-	-	-	-	3	-	-
Liver Disease	7	1	1	5	3	7	-	6	2	4	1	-	5	5	1	1
Spleen Disease	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
Nephritis	-	1	-	2	1	-	1	3	-	-	-	-	1	1	-	-
Nephria	1	-	-	2	1	3	2	2	-	3	-	-	2	5	-	1
Addison's Disease . .	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1
Ischuria	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-
Diabetes	-	1	-	-	-	1	-	1	-	1	-	-	1	-	1	-
Stone	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Cystitis	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Stricture of Urethra .	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Kidney Disease	3	-	1	-	-	-	-	4	-	1	-	-	-	-	-	1
Paramenia	1	-	-	-	-	-	1	2	-	-	-	-	-	1	-	-
Ovarian Dropsy	-	-	2	-	-	-	-	-	-	2	1	-	-	1	-	-
Childbirth	7	1	4	4	5	7	2	8	1	4	2	-	2	6	2	2
Organs of Generation .	-	-	3	-	1	2	1	1	-	1	-	-	-	-	-	3
Bone Disease	-	-	1	-	1	2	-	1	-	-	-	-	-	-	1	-
Rheumatism	-	1	2	1	3	2	1	4	2	-	-	-	-	3	1	2
Joint Disease	1	-	2	-	-	3	1	1	-	-	-	-	-	1	1	-
Carbuncle	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Phlegmon	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-
Skin Disease	-	-	1	-	-	-	-	-	-	1	-	-	-	1	2	1
Intemperance	3	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1
Privation	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Want of Breast Milk .	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-
Neglect	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Cold	-	-	-	-	-	1	-	2	-	-	-	-	-	-	-	-
Poison	-	-	2	-	-	-	-	-	-	-	-	2	-	1	-	-
Poisoned Wounds . . .	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Burns and Scalds . . .	1	1	1	-	1	3	-	1	2	-	-	-	1	1	1	1
Hanging, etc.	-	-	1	-	1	2	-	-	-	1	-	-	-	-	-	-
Suffocation	1	-	-	1	1	-	-	-	-	1	-	1	1	1	-	1
Drowning	2	-	3	2	2	2	-	2	-	-	2	-	-	-	-	2
Fracture and Contusion	1	-	2	3	1	2	-	3	-	1	-	-	1	1	2	-
Gunshot Wounds . . .	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Cuts and Stabs	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1
Other Violent Causes .	-	-	-	-	3	-	-	-	-	3	-	-	-	-	1	3
Not specified	13	-	18	4	12	17	4	5	3	1	-	-	4	5	9	5

CAUSES of DEATH in the INSULAR-RURAL DISTRICTS of SCOTLAND
during the YEAR 1876.

DISEASES.	BOTH SEXES.							MALES.							FEMALES.						
	TOTAL.	Shetland.	Orkney.	Ross and Cromarty.	Inverness.	Argyll.	Bute.	TOTAL.	Shetland.	Orkney.	Ross and Cromarty.	Inverness.	Argyll.	Bute.	TOTAL.	Shetland.	Orkney.	Ross and Cromarty.	Inverness.	Argyll.	Bute.
ALL CAUSES . . .	2110	362	396	244	587	368	153	1051	156	181	128	313	198	75	1059	206	215	116	274	170	78
SPECIFIED CAUSES . .	1849	308	381	172	503	339	146	907	129	176	87	257	186	72	942	179	205	85	246	153	74
Zymotic Class . . .	235	15	32	60	61	50	17	109	3	17	28	30	23	8	126	12	15	32	31	27	9
Uncertain Seat . . .	103	23	22	11	17	20	10	40	6	9	4	5	11	5	63	17	13	7	12	9	5
Tubercular Class . . .	221	31	41	18	57	51	23	118	13	22	13	34	25	11	103	18	19	5	23	26	12
Brain, etc.	112	14	21	8	24	24	21	67	6	12	5	15	17	12	45	8	9	3	9	7	9
Heart, etc.	69	6	20	4	16	15	8	42	1	10	3	13	10	5	27	5	10	1	3	5	3
Respiratory Organs . .	250	28	61	11	96	43	11	137	17	33	8	47	27	5	113	11	28	3	49	16	6
Digestive Organs . . .	103	14	23	8	22	20	16	56	9	7	6	13	14	7	47	5	16	2	9	6	9
Urinary Organs	37	8	9	1	3	14	2	29	8	6	1	3	9	2	8	-	3	-	-	5	-
Generative Organs . .	17	4	4	2	6	-	1	1	-	1	-	-	-	-	16	4	3	2	6	-	1
Locomotive Organs . .	28	4	5	-	9	9	1	9	1	1	-	5	2	-	19	3	4	-	4	7	1
Skin	2	-	2	-	-	-	-	1	-	1	-	-	-	-	1	-	1	-	-	-	-
Malformation	3	-	-	-	2	-	1	1	-	-	-	1	-	-	2	-	-	-	1	-	1
Premature Debility . .	36	11	10	1	10	3	1	20	5	6	-	6	2	1	16	6	4	1	4	1	-
Atrophy	12	-	4	1	5	1	1	5	-	1	1	2	-	1	7	-	3	-	3	1	-
Age	538	135	114	40	153	73	23	208	48	41	13	64	33	9	330	87	73	27	89	40	14
Sudden Deaths . . .	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Violent Deaths . . .	83	15	13	7	22	16	10	64	12	9	5	19	13	6	19	3	4	2	3	3	4
Small-pox	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles	9	1	-	-	5	3	-	4	-	-	-	1	3	-	5	1	-	-	4	-	-
Scarlatina	45	-	-	23	3	17	2	23	-	-	12	2	8	1	22	-	-	11	1	9	1
Diphtheria	2	-	-	-	1	-	1	1	-	-	-	1	-	-	1	-	-	-	-	-	1
Hooping-cough	41	3	7	2	21	6	2	21	-	4	1	14	2	-	20	3	3	1	7	4	2
Croup	27	-	1	24	1	-	1	14	-	1	12	1	-	-	13	-	-	12	-	-	1
Thrush	2	-	2	-	-	-	-	1	-	1	-	-	-	-	1	-	1	-	-	-	-
Diarrhoea	18	4	1	-	5	7	1	9	3	-	-	3	3	-	9	1	1	-	2	4	1
Dysentery	4	1	1	-	2	-	-	2	-	1	-	1	-	-	2	1	-	-	1	-	-
Cholera	1	-	1	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-
Influenza	9	1	3	-	2	3	-	6	-	3	-	1	2	-	3	1	-	-	1	1	-
Purpura	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Ague	1	-	1	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-
Worms	1	-	-	-	1	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-
Typhus	17	-	-	5	9	1	2	3	-	-	-	1	-	2	14	-	-	5	8	1	-
Enteric Fever	24	1	3	3	7	5	5	8	-	1	1	2	2	2	16	1	2	2	5	3	3
Relapsing Fever . . .	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Simple Cont. Fever . .	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Infantile Remittent . .	2	-	1	-	-	1	-	1	-	-	-	-	1	-	1	-	1	-	-	-	-
Metria	7	3	2	-	1	1	-	-	-	-	-	-	-	-	7	3	2	-	1	1	-
Rheumatic Fever . . .	8	-	2	2	2	2	-	3	-	-	1	1	1	-	5	-	2	1	1	1	-
Erysipelas	12	1	4	1	1	2	3	8	-	2	1	1	1	3	4	1	2	-	-	1	-
Pyæmia	1	-	1	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-
Syphilis	2	-	-	-	-	2	-	-	-	-	-	-	-	-	2	-	-	-	-	2	-
Noma	1	-	1	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-
Hydrophobia	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Zymotic Dis. . .	1	-	1	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-
Hæmorrhage	4	2	-	1	1	-	-	1	1	-	-	-	-	-	3	1	-	1	1	-	-
Dropsy	38	14	7	2	7	7	1	10	2	1	1	1	4	1	28	12	6	1	6	3	-
Abscess	3	1	1	-	1	-	-	3	1	1	-	1	-	-	-	-	-	-	-	-	-
Ulcer	1	-	-	-	-	-	1	1	-	-	-	-	-	1	-	-	-	-	-	-	-
Fistula	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Mortification	7	-	3	2	-	1	1	3	-	1	1	-	1	-	4	-	2	1	-	-	1
Cancer	50	6	11	6	8	12	7	22	2	6	2	3	6	3	28	4	5	4	5	6	4
Gout	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Scrofula	15	1	6	2	2	3	1	7	-	3	2	-	2	-	8	1	3	-	2	1	1
Tabes Mesenterica . .	4	-	-	-	4	-	-	4	-	-	-	4	-	-	-	-	-	-	-	-	-
Phthisis	189	28	34	16	47	44	20	98	12	18	11	27	20	10	91	16	16	5	20	24	10
Hydrocephalus	13	2	1	-	4	4	2	9	1	1	-	3	3	1	4	1	-	-	1	1	1

CAUSES of DEATH in the INSULAR-RURAL DISTRICTS of SCOTLAND
during the YEAR 1876. (Continued.)

DISEASES.	BOTH SEXES.						MALES.						FEMALES								
	TOTAL.	Shetland.	Orkney.	Ross and Cromarty.	Inverness.	Argyll.	Bute.	TOTAL.	Shetland.	Orkney.	Ross and Cromarty.	Inverness.	Argyll.	Bute.	TOTAL.	Shetland.	Orkney.	Ross and Cromarty.	Inverness.	Argyll.	Bute.
Cephalitis	8	1	3	-	2	2	-	5	1	1	-	1	2	-	3	-	2	-	1	-	-
Apoplexy.	19	2	6	1	2	2	6	12	1	2	1	2	2	4	7	1	4	-	-	-	2
Paralysis	44	9	7	3	7	10	8	26	4	5	1	4	8	4	18	5	2	2	3	2	4
Delirium Tremens	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Chorea	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Epilepsy	6	1	1	-	2	2	-	2	-	1	-	1	-	-	4	1	-	-	1	2	-
Tetanus	4	1	-	3	-	-	-	3	-	-	3	-	-	-	1	1	-	-	-	-	-
Insanity	5	-	-	1	2	2	-	-	-	-	-	-	-	-	5	-	-	1	2	2	-
Convulsions	11	-	2	-	6	2	1	9	-	2	-	5	2	-	2	-	-	-	1	-	1
Brain Disease	15	-	2	-	3	4	6	10	-	1	-	2	3	4	5	-	1	-	1	1	2
Pericarditis	2	1	1	-	-	-	-	1	-	1	-	-	-	-	1	1	-	-	-	-	-
Aneurism	3	-	2	1	-	-	-	1	-	-	1	-	-	-	2	-	2	-	-	-	-
Heart Disease	64	5	17	3	16	15	8	40	1	9	2	13	10	5	24	4	8	1	3	5	3
Laryngitis	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Bronchitis	128	14	34	7	36	28	9	71	8	17	5	20	18	3	57	6	17	2	16	10	6
Pleurisy	22	1	4	-	17	-	-	17	1	4	-	12	-	-	5	-	-	-	5	-	-
Pneumonia	54	6	19	3	12	12	2	30	5	10	3	4	6	2	24	1	9	-	8	6	-
Asthma	35	7	1	1	23	3	-	15	3	-	-	9	3	-	20	4	1	1	14	-	-
Lung Disease	11	-	3	-	8	-	-	4	-	2	-	2	-	-	7	-	1	-	6	-	-
Teething	11	3	2	-	2	3	1	7	2	1	-	1	3	-	4	1	1	-	1	-	1
Quinsey	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Gastritis	7	1	-	-	1	2	3	4	-	-	-	-	2	2	3	1	-	-	1	-	1
Enteritis	9	1	2	1	2	2	1	8	1	2	1	2	1	1	1	-	-	-	1	1	-
Peritonitis	10	2	1	1	3	2	1	4	1	-	-	1	1	1	6	1	1	1	2	1	-
Ascites	5	-	3	-	-	2	-	3	-	1	-	-	2	-	2	-	2	-	-	-	-
Ulcer. of Intestines	8	1	1	1	2	-	3	2	-	-	1	1	-	-	6	1	1	-	1	-	3
Hernia	5	2	1	-	-	1	1	3	2	-	-	-	1	-	2	-	1	-	-	-	1
Ileus	8	1	4	1	2	-	-	2	1	-	1	-	-	-	6	-	4	-	2	-	-
Intussusception	2	-	-	1	1	-	-	1	-	-	-	1	-	-	1	-	-	1	-	-	-
Strict. of Intestines	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Stomach Disease	15	2	3	1	5	3	1	9	2	1	1	4	1	-	6	-	2	-	1	2	1
Pancreas Disease	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hepatitis	5	1	-	-	2	1	1	4	-	-	-	2	1	1	1	1	-	-	-	-	-
Jaundice	6	-	2	1	1	1	1	2	-	1	1	-	-	-	4	-	1	-	1	1	1
Liver Disease	9	-	2	1	-	3	3	6	-	1	1	-	2	2	3	-	1	-	1	1	1
Spleen Disease	3	-	2	-	1	-	-	1	-	-	-	1	-	-	2	-	2	-	-	-	-
Nephritis	4	-	3	-	-	-	1	3	-	2	-	-	-	1	1	-	1	-	-	-	-
Nephria	8	-	1	1	-	6	-	7	-	-	1	-	6	-	1	-	1	-	-	-	-
Addison's Disease	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Ischuria	3	-	-	-	2	-	1	3	-	-	-	2	-	1	-	-	-	-	-	-	-
Diabetes	1	-	1	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-
Stone	5	4	1	-	-	-	-	5	4	1	-	-	-	-	-	-	-	-	-	-	-
Cystitis	8	2	3	-	1	2	-	7	2	3	-	1	1	-	1	-	-	-	-	1	-
Stricture of Urethra.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Kidney Disease	8	2	-	-	-	6	-	4	2	-	-	-	2	-	4	-	-	-	-	4	-
Paramenia	2	1	-	-	1	-	-	-	-	-	-	-	-	-	2	1	-	-	1	-	-
Ovarian Dropsy	3	-	2	-	1	-	-	-	-	-	-	-	-	-	3	-	2	-	1	-	-
Childbirth	9	3	1	1	3	-	1	-	-	-	-	-	-	-	9	3	1	1	3	-	1
Organs of Generation	3	-	1	1	1	-	-	1	-	1	-	-	-	-	2	-	-	1	1	-	-
Bone Disease	2	1	-	-	1	-	-	1	-	-	-	1	-	-	1	1	-	-	-	-	-
Rheumatism	20	2	3	-	7	8	-	8	1	1	-	4	2	-	12	1	2	-	3	6	-
Joint Disease	6	1	2	-	1	1	1	-	-	-	-	-	-	-	6	1	2	-	1	1	1
Carbuncle	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Phlegmon	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Skin Disease	2	-	2	-	-	-	-	1	-	1	-	-	-	-	1	-	1	-	-	-	-
Intemperance	2	-	-	-	-	2	-	1	-	-	-	-	1	-	1	-	-	-	-	1	-
Privation	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Want of Breast Milk	1	-	-	-	-	1	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-
Neglect	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Cold.	7	-	1	1	4	1	-	5	-	1	1	2	1	-	2	-	-	-	2	-	-
Poison	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Poisoned Wounds	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Burns and Scalds	6	1	-	2	2	-	1	3	-	-	1	1	-	1	3	1	-	1	1	-	-
Hanging, etc.	1	-	-	1	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-
Suffocation	1	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-	-	-	1
Drowning	45	11	9	2	11	5	7	38	11	6	2	11	4	4	7	-	3	-	-	1	3
Fracture & Contusion	12	2	2	1	2	4	1	9	1	1	-	2	4	1	3	1	1	1	-	-	-
Gunshot Wounds	2	-	1	-	-	1	-	2	-	1	-	-	1	-	-	-	-	-	-	-	-
Cuts and Stabs	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Violent Causes	6	1	-	-	3	2	-	4	-	-	-	3	1	-	2	1	-	-	1	-	-
Not specified	261	54	15	72	84	29	7	144	27	5	41	56	12	3	117	27	10	31	28	17	4

CAUSES of DEATH in SCOTLAND, at different Periods of Life, in 1876.—BOTH SEXES.

DISEASES.	ALL AGES.	BOTH SEXES.											
		AGE UNDER											
		MONTHS.			2	3	4	5	10	15	20	25	30
		3	6	12									
ALL CAUSES	74129	7502	2743	5095	6169	2785	1808	1363	3382	1945	2579	2717	2492
SPECIFIED CAUSES	72916	6973	2641	4985	6090	2753	1782	1344	3346	1922	2550	2702	2474
I. Zymotic Class	13323	854	710	1597	2357	1329	934	707	1502	485	415	372	284
II. Diseases of Uncertain Seat	2717	56	18	27	24	18	16	12	45	30	35	33	40
III. Tubercular Class	12219	202	329	689	933	465	296	253	775	727	1310	1375	1147
IV. Brain and Nervous System	7118	480	237	388	422	174	130	88	285	161	134	107	124
V. Organs of Circulation	4603	25	9	5	6	7	4	11	70	86	107	117	145
VI. Respiratory Organs	12569	957	739	1505	1569	524	261	161	280	116	143	198	221
VII. Organs of Digestion	5153	542	308	545	522	99	53	35	124	82	80	106	129
VIII. Urinary Organs	1287	6	2	8	11	12	17	9	39	33	50	59	54
IX. Organs of Generation	558	2	—	—	—	—	—	—	—	2	23	78	110
X. Organs of Locomotion	499	3	1	2	11	6	9	8	50	52	42	27	15
XI. Skin, etc.	104	10	7	17	13	2	2	—	2	2	—	4	3
XII. Malformation	299	262	15	11	6	—	1	1	1	2	—	—	—
XIII. Premature Debility	3695	3359	192	144	—	—	—	—	—	—	—	—	—
XIV. Atrophy	519	—	—	—	142	43	25	21	34	15	9	6	7
XV. Age	5178	—	—	—	—	—	—	—	—	—	—	—	—
XVI. Sudden Deaths	85	12	—	3	3	—	—	—	—	—	1	2	2
XVII. Violent Deaths	2990	203	74	44	71	74	34	38	139	129	201	218	193
I. Small-pox	39	4	2	1	—	—	—	—	2	3	5	3	2
Measles	1241	16	25	251	475	207	86	65	85	8	8	5	3
Scarlatina	2364	12	16	148	359	334	341	282	625	152	43	22	11
Diphtheria	861	13	12	51	146	120	100	89	218	42	17	9	8
Hooping-cough	2250	164	159	519	708	332	168	83	107	5	2	1	—
Croup	811	35	30	82	239	170	97	66	89	3	—	—	—
Thrush	41	25	5	4	6	—	—	—	—	—	1	—	—
Diarrhoea	2050	373	335	391	288	57	28	9	37	12	15	13	5
Dysentery	178	4	10	11	11	3	2	4	7	—	4	2	3
Cholera	132	8	21	26	21	3	7	3	6	3	2	1	2
Influenza	94	4	3	6	5	4	1	1	2	1	1	2	1
Purpura	48	3	3	4	1	2	2	1	—	7	2	2	2
Ague	10	—	—	—	—	—	—	—	1	2	—	—	—
Worms	11	—	1	—	—	5	1	3	—	—	—	—	—
Typhus	471	2	8	12	11	11	16	11	52	33	49	48	33
Enteric Fever	1448	8	4	21	40	50	60	66	200	167	203	162	104
Relapsing Fever	18	—	—	—	—	—	—	—	1	4	—	3	1
Simple Continued Fever	65	—	—	2	—	3	1	8	14	9	5	6	—
Infantile Remittent	88	2	—	6	19	16	16	12	17	—	—	—	—
Metria	231	—	—	—	—	—	—	—	—	—	14	56	68
Rheumatic Fever	165	—	—	—	—	1	1	1	15	20	31	16	14
Erysipelas	349	85	15	31	6	4	2	2	7	7	5	9	12
Pyæmia	101	6	1	2	3	1	2	1	13	4	5	7	12
Syphilis	210	85	57	19	12	3	—	—	—	1	1	4	3
Noma	11	1	—	1	1	2	2	—	1	1	—	1	—
Hydrophobia	6	—	—	—	—	—	—	—	1	1	—	—	—
Other Zymotic Diseases	30	4	3	9	6	1	1	—	2	—	2	—	—
II. Hæmorrhage	82	17	2	4	—	—	—	—	2	2	5	1	3
Dropsy	473	7	2	1	6	9	11	7	18	11	6	6	7
Abscess	207	18	10	18	10	4	2	4	16	8	7	14	10
Ulcer	56	2	2	2	4	2	1	—	—	—	—	—	—
Fistula	19	—	—	—	1	—	—	—	2	—	1	—	—
Mortification	167	8	2	—	2	2	1	—	2	3	1	2	—
Cancer	1695	4	—	2	1	1	1	1	5	6	15	10	20
Gout	18	—	—	—	—	—	—	—	—	—	—	—	—
III. Scrofula	705	22	19	38	65	45	24	17	75	97	89	44	35
Tabes Mesenterica	1102	63	73	135	249	136	64	52	145	88	31	19	5
Phthisis	8191	37	51	85	165	101	81	79	312	458	1170	1308	1104
Hydrocephalus	1921	80	186	431	454	183	127	105	243	84	20	4	3

CAUSES of DEATH in SCOTLAND, at different Periods of Life, in 1876.—BOTH SEXES. (Contd.)

DISEASES.	BOTH SEXES.												
	ALL AGES.	AGE UNDER											
		MONTHS.			2	3	4	5	10	15	20	25	30
		3	6	12									
IV. Cephalitis	875	21	50	127	127	58	44	44	141	61	42	27	25
Apoplexy	1735	23	33	62	61	20	21	9	40	15	11	19	19
Paralysis	2045	1	1	1	6	3	2	1	4	8	13	15	23
Delirium Tremens	52	—	—	—	—	—	—	—	—	—	—	3	5
Chorea	10	—	—	—	—	—	—	—	1	3	2	2	1
Epilepsy	276	3	2	3	7	4	1	3	4	20	25	16	22
Tetanus	58	17	—	2	3	—	—	3	6	7	3	1	1
Insanity	90	—	—	—	—	—	—	—	—	1	1	3	8
Convulsions	1034	397	137	166	184	64	41	11	32	—	—	—	—
Brain Disease	943	18	14	27	34	25	21	17	57	46	37	21	20
V. Pericarditis	106	1	1	1	1	—	1	4	13	6	11	10	5
Aneurism	140	—	—	—	—	—	—	—	—	2	—	3	8
Heart Disease	4357	24	8	4	5	7	3	7	57	78	96	104	132
VI. Laryngitis	154	8	5	18	17	6	14	12	12	3	2	3	4
Bronchitis	8194	729	604	1120	1141	357	177	93	149	39	32	47	50
Pleurisy	276	9	4	5	12	6	—	2	6	7	16	14	22
Pneumonia	3296	192	123	348	380	150	64	52	107	60	86	120	129
Asthma	394	—	—	1	1	—	—	—	2	1	1	3	6
Lung Disease	255	19	3	13	18	5	6	2	4	6	6	11	10
VII. Teething	749	4	47	317	354	27	—	—	—	—	—	—	—
Quinsey	53	5	3	13	8	3	6	2	2	1	1	3	—
Gastritis	212	27	20	12	12	3	3	1	2	—	4	2	5
Enteritis	961	258	136	122	72	29	17	12	31	19	19	17	20
Peritonitis	479	25	18	14	13	10	10	5	25	31	24	31	36
Ascites	79	1	—	—	—	—	1	2	5	2	—	1	4
Ulceration of Intestines	217	1	2	1	7	—	1	1	5	2	6	7	11
Hernia	125	3	4	2	—	—	—	—	2	1	—	3	3
Ileus	300	24	10	16	1	—	2	2	12	7	5	11	11
Intussusception	63	3	7	7	2	—	—	—	6	—	1	1	3
Stricture of Intestines	36	2	—	1	—	—	—	1	—	—	—	2	1
Stomach Disease	625	92	43	29	41	14	5	3	9	9	3	7	10
Pancreas Disease	3	—	—	—	—	—	—	—	—	—	—	—	—
Hepatitis	245	14	4	4	4	2	—	4	7	4	5	5	2
Jaundice	239	67	9	3	2	4	3	—	6	—	—	3	7
Liver Disease	723	14	4	2	5	5	5	2	9	5	10	10	15
Spleen Disease	44	2	1	2	1	2	—	—	3	1	2	3	1
VIII. Nephritis	137	1	—	2	5	7	7	3	17	8	1	6	6
Nephria	382	—	—	3	1	1	3	3	12	13	22	21	26
Addison's Disease	15	—	—	—	—	—	—	—	—	—	3	1	1
Ischuria	78	1	—	1	—	—	1	—	—	—	1	1	4
Diabetes	109	—	—	—	2	—	1	—	4	2	8	10	6
Stone	45	—	—	1	—	1	—	—	1	1	—	2	1
Cystitis	142	1	—	—	—	—	—	—	—	2	2	3	—
Stricture of Urethra	18	—	—	—	—	—	—	—	—	—	—	—	—
Kidney Disease	361	3	2	1	3	3	5	3	5	7	13	15	10
IX. Paramenia	30	—	—	—	—	—	—	—	—	1	6	8	1
Ovarian Dropsy	55	—	—	—	—	—	—	—	—	—	2	2	5
Childbirth	374	—	—	—	—	—	—	—	—	—	14	60	91
Organs of Generation	99	2	—	—	—	—	—	—	—	1	1	8	13
X. Bone Disease	140	2	1	—	3	3	3	5	22	16	13	10	5
Rheumatism	186	—	—	—	—	—	—	—	4	1	3	4	3
Joint Disease	173	1	—	2	8	3	6	3	24	35	26	13	7
XI. Carbuncle	22	—	—	—	—	—	—	—	—	—	—	—	—
Phlegmon	17	1	—	—	—	—	1	—	1	1	—	3	3
Skin Disease	65	9	7	17	13	2	1	—	1	1	—	1	—
XVII. Intemperance	197	—	—	—	—	—	—	—	—	—	1	6	12
Privation	7	—	—	—	1	—	—	—	1	—	—	—	—
Want of Breast Milk	61	43	13	4	1	—	—	—	—	—	—	—	—
Neglect	5	4	1	—	—	—	—	—	—	—	—	—	—
Cold	58	5	—	1	1	2	—	—	1	—	—	3	—
Poison	55	5	—	5	—	2	—	—	2	—	—	6	2
Poisoned Wounds	3	—	—	—	—	—	—	—	—	1	1	—	—
Burns and Scalds	285	—	3	11	36	32	18	19	21	20	21	13	8
Hanging, etc.	62	—	—	—	—	—	—	—	—	1	2	5	4
Suffocation	272	118	54	17	1	1	—	1	3	1	2	4	4
Drowning	721	2	1	2	10	23	10	9	36	47	76	66	76
Fracture and Contusion	937	5	2	2	13	11	4	7	52	41	80	85	66
Gunshot Wounds	23	—	—	—	—	—	—	—	1	2	4	4	4
Cuts and Stabs	52	—	—	—	—	—	—	—	1	1	1	3	3
Other Violent Causes	252	21	—	2	8	3	2	2	21	15	13	23	14
Not specified	1213	529	102	110	79	32	26	19	36	23	29	15	18

CAUSES of DEATH in SCOTLAND, at different Periods of Life, in 1876.—BOTH SEXES. (*Contd.*)

DISEASES.	BOTH SEXES.															
	AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
Cephalitis	15	17	14	8	10	11	10	9	7	2	4	—	—	—	—	1
Apoplexy	47	51	50	81	129	137	207	185	206	167	93	40	7	1	1	—
Paralysis	36	32	64	82	119	149	230	278	357	370	146	80	15	7	—	2
Delirium Tremens	7	8	12	6	8	2	1	—	—	—	—	—	—	—	—	—
Chorea	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—
Epilepsy	20	26	24	14	23	16	10	15	9	5	3	—	—	—	—	1
Tetanus	2	2	3	—	2	1	3	2	—	—	—	—	—	—	—	—
Insanity	4	3	10	7	10	8	9	7	7	6	4	—	1	—	—	1
Convulsions	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Brain Disease	31	38	47	50	55	58	85	84	61	65	18	11	2	—	—	1
Pericarditis	5	4	11	5	3	3	6	6	5	2	2	—	—	—	—	—
Aneurism	10	20	20	12	15	11	10	13	4	9	2	—	1	—	—	—
Heart Disease	155	208	243	299	305	375	478	526	550	404	211	62	13	2	1	—
Laryngitis	10	3	7	4	5	6	5	6	2	1	1	—	—	—	—	—
Bronchitis	93	115	145	223	323	394	494	496	485	450	261	128	34	13	—	2
Pleurisy	18	20	17	17	19	12	19	11	20	15	4	—	1	—	—	—
Pneumonia	113	126	120	145	144	159	168	174	141	101	60	27	6	1	—	—
Asthma	5	16	20	27	47	56	62	55	42	37	9	3	—	—	—	—
Lung Disease	9	15	19	15	18	18	18	16	14	6	2	2	—	—	—	—
Teething	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Quinsey	—	—	1	3	—	—	—	—	—	1	1	—	—	—	—	—
Gastritis	13	9	8	13	8	14	16	8	17	8	6	1	—	—	—	—
Enteritis	13	17	18	12	21	15	38	28	21	10	13	3	—	—	—	—
Peritonitis	21	34	19	29	20	23	24	22	14	17	12	2	—	—	—	—
Ascites	3	3	4	9	4	9	11	6	4	3	4	2	1	—	—	—
Ulceration of Intestines	11	9	16	9	26	24	32	17	11	15	3	—	—	—	—	—
Hernia	2	4	4	5	13	10	16	19	11	12	9	2	—	—	—	—
Ileus	8	17	13	12	19	24	18	21	18	23	17	5	4	—	—	—
Intussusception	1	6	3	2	2	4	4	5	3	3	—	—	—	—	—	—
Stricture of Intestines	2	2	2	1	2	6	3	3	5	1	1	—	1	—	—	—
Stomach Disease	16	17	11	19	28	33	60	58	49	42	15	11	—	1	—	—
Pancreas Disease	—	—	—	1	—	—	—	—	2	—	—	—	—	—	—	—
Hepatitis	7	21	16	21	24	29	17	19	19	12	2	2	1	—	—	—
Jaundice	1	6	4	7	12	12	24	21	21	14	8	4	1	—	—	—
Liver Disease	22	39	42	58	82	112	81	72	72	39	15	2	1	—	—	—
Spleen Disease	1	2	3	4	4	4	3	4	—	1	—	—	—	—	—	—
Nephritis	5	12	9	9	4	7	6	11	8	2	1	—	—	—	—	—
Nephria	29	38	34	21	31	33	22	18	19	18	9	4	—	1	—	—
Addison's Disease	2	2	2	1	—	1	2	—	—	—	—	—	—	—	—	—
Ischuria	1	3	3	—	5	4	4	5	19	14	2	6	2	1	—	—
Diabetes	9	7	7	8	10	7	9	8	6	5	—	—	—	—	—	—
Stone	—	2	1	3	—	1	5	6	8	8	—	3	1	—	—	—
Cystitis	—	4	1	1	4	3	14	16	29	35	20	5	1	—	1	—
Stricture of Urethra	1	—	1	4	2	2	2	—	2	1	1	2	—	—	—	—
Kidney Disease	13	26	11	17	18	25	23	39	43	36	20	18	2	—	—	—
Paramenia	4	5	3	2	—	—	—	—	—	—	—	—	—	—	—	—
Ovarian Dropsy	4	6	5	5	9	6	3	3	3	2	—	—	—	—	—	—
Childbirth	82	73	40	13	—	—	—	—	—	—	—	—	—	—	—	1
Organs of Generation	9	11	14	8	6	9	4	2	5	3	1	2	—	—	—	—
Bone Disease	6	10	7	7	1	6	7	4	6	3	—	—	—	—	—	—
Rheumatism	7	5	11	7	17	10	20	16	28	24	20	4	2	—	—	—
Joint Disease	7	7	—	3	4	5	6	6	5	1	1	—	—	—	—	—
Carbuncle	—	—	—	2	—	4	5	6	1	1	2	1	—	—	—	—
Phlegmon	1	1	2	2	—	—	1	—	—	—	—	—	—	—	—	—
Skin Disease	—	—	—	1	—	3	3	1	1	3	1	—	—	—	—	—
Intemperance	22	16	20	31	23	24	28	6	4	3	1	—	—	—	—	—
Privation	—	—	—	—	—	1	1	1	2	—	—	—	—	—	—	—
Want of Breast Milk	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Neglect	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Cold	4	4	4	5	2	4	4	6	3	2	6	1	—	—	—	—
Poison	5	5	4	3	4	5	1	2	3	—	1	—	—	—	—	—
Poisoned Wounds	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—
Burns and Scalds	7	8	11	8	8	4	10	6	6	7	5	3	—	—	—	—
Hanging, etc.	1	5	4	8	5	7	9	3	5	2	1	—	—	—	—	—
Suffocation	2	9	10	7	11	12	6	6	1	2	—	—	—	—	—	—
Drowning	58	64	58	46	44	30	26	14	9	3	1	—	—	—	—	10
Fracture and Contusion	54	75	71	60	70	38	49	43	44	27	23	12	2	1	—	—
Gunshot Wounds	2	1	2	2	1	—	—	—	—	—	—	—	—	—	—	—
Cuts and Stabs	5	3	7	2	6	6	5	4	3	—	1	1	—	—	—	—
Other Violent Causes	9	9	19	9	14	12	14	5	9	10	13	3	2	—	—	—
Not specified	33	24	33	30	29	41	—	—	—	—	—	—	—	—	—	5

CAUSES of DEATH in SCOTLAND, at different Periods of Life, in 1876.—MALES.

DISEASES.	ALL AGES.	MALES.											
		AGE UNDER											
		MONTHS.			2	3	4	5	10	15	20	25	30
		3	6	12									
ALL CAUSES	37404	4294	1519	2759	3217	1422	909	707	1709	984	1368	1351	1210
SPECIFIED CAUSES	36759	3993	1465	2703	3176	1400	897	697	1694	968	1354	1346	1202
I. Zymotic Class	6433	445	363	816	1188	640	451	347	694	226	205	155	112
II. Diseases of Uncertain Seat	1057	35	10	17	12	13	9	9	25	17	27	17	15
III. Tubercular Class	6111	108	183	366	534	254	164	143	422	324	608	653	531
IV. Brain and Nervous System	3792	290	127	223	226	90	76	47	155	95	85	58	72
V. Organs of Circulation	2327	16	5	4	2	7	4	8	28	36	56	57	67
VI. Respiratory Organs	6585	571	427	851	794	272	118	79	137	63	92	127	130
VII. Organs of Digestion	2624	330	201	304	287	50	28	14	63	48	41	49	58
VIII. Urinary Organs	863	6	2	5	6	10	9	5	25	17	32	31	25
IX. Organs of Generation	4	2	—	—	—	—	—	—	—	—	—	—	—
X. Organs of Locomotion	252	3	—	2	7	2	8	5	27	30	28	13	10
XI. Skin, etc.	59	7	5	13	11	1	—	—	—	—	—	2	1
XII. Malformation	165	147	6	5	4	—	—	1	—	2	—	—	—
XIII. Premature Debility	2093	1916	102	75	—	—	—	—	—	—	—	—	—
XIV. Atrophy	223	—	—	—	72	20	12	8	18	7	5	1	4
XV. Age	1919	—	—	—	—	—	—	—	—	—	—	—	—
XVI. Sudden Deaths	44	7	—	2	2	—	—	—	—	—	1	—	1
XVII. Violent Deaths	2208	110	34	20	31	41	18	31	100	103	174	183	176
I. Small-pox	29	4	2	—	—	—	—	—	1	2	3	2	1
Measles	631	12	9	130	263	105	42	27	31	3	3	5	1
Scarlatina	1188	6	11	67	181	170	183	147	304	77	23	4	6
Diphtheria	409	8	9	19	75	62	49	45	91	16	9	4	2
Hooping-cough	993	71	76	258	308	143	61	32	39	2	1	1	—
Croup	424	20	19	42	127	84	45	37	49	1	—	—	—
Thrush	15	9	2	2	2	—	—	—	—	—	—	—	—
Diarrhoea	1030	193	167	210	161	29	16	5	18	5	11	6	2
Dysentery	79	3	7	5	7	2	2	—	5	—	2	—	2
Cholera	70	4	11	13	12	1	3	1	1	2	2	1	2
Influenza	53	3	2	5	1	1	1	1	2	—	1	—	1
Purpura	25	3	1	1	1	—	2	—	—	4	2	—	2
Ague	8	—	—	—	—	—	—	—	1	2	—	—	—
Worms	7	—	1	—	—	2	1	3	—	—	—	—	—
Typhus	259	1	5	8	6	4	9	6	24	16	32	30	20
Enteric Fever	679	6	3	15	23	24	23	35	89	74	89	85	59
Relapsing Fever	10	—	—	—	—	—	—	—	—	3	—	2	1
Simple Continued Fever	30	—	—	1	—	1	1	2	8	5	1	2	—
Infantile Remittent	45	2	—	5	10	7	8	5	8	—	—	—	—
Metria	—	—	—	—	—	—	—	—	—	—	—	—	—
Rheumatic Fever	73	—	—	—	—	1	1	—	8	6	17	7	—
Erysipelas	194	46	9	17	3	1	1	—	6	5	4	4	9
Pyæmia	55	3	1	2	2	—	2	1	8	2	4	1	4
Syphilis	100	48	25	8	3	—	—	—	—	—	1	1	—
Noma	6	1	—	1	—	2	1	—	1	—	—	—	—
Hydrophobia	4	—	—	—	—	—	—	—	—	1	—	—	—
Other Zymotic Diseases	17	2	3	7	3	1	—	—	—	—	—	—	—
II. Hæmorrhage	50	12	—	4	—	—	—	—	1	2	4	1	—
Dropsy	203	5	2	—	4	6	7	5	7	6	4	3	3
Abscess	118	11	5	11	6	3	—	3	11	5	7	6	7
Ulcer	21	2	1	1	1	2	—	—	—	—	—	—	—
Fistula	14	—	—	—	—	—	—	—	2	—	—	—	—
Mortification	76	2	2	—	—	2	1	—	1	1	1	1	—
Cancer	565	3	—	1	1	—	1	1	3	3	11	6	5
Gout	10	—	—	—	—	—	—	—	—	—	—	—	—
III. Scrofula	390	12	8	21	31	21	16	11	46	57	46	34	17
Tabes Mesenterica	617	33	42	74	138	73	41	32	86	48	14	11	3
Phthisis	4024	22	32	45	86	58	44	43	145	168	537	605	510
Hydrocephalus	1080	41	101	226	279	102	63	57	145	51	11	3	1

CAUSES of DEATH in SCOTLAND, at different Periods of Life, in 1876.—MALES. (Continued.)

DISEASES.	ALL AGES.	MALES.											
		AGE UNDER											
		MONTHS.			2	3	4	5	10	15	20	25	30
		3	6	12									
IV. Cephalitis	484	14	25	72	66	31	22	23	74	37	26	18	16
Apoplexy	899	16	22	34	37	10	12	5	19	9	7	10	10
Paralysis	1028	1	1	—	4	1	1	—	2	4	10	9	15
Delirium Tremens	48	—	—	—	—	—	—	—	—	—	—	3	4
Chorea	2	—	—	—	—	—	—	—	—	—	1	—	—
Epilepsy	142	2	1	2	4	3	—	3	2	14	12	6	12
Tetanus	42	13	—	—	1	—	—	3	5	4	2	1	1
Insanity	33	—	—	—	—	—	—	—	—	1	1	—	2
Convulsions	575	235	71	98	96	30	24	4	17	—	—	—	—
Brain Disease	539	9	7	17	18	15	17	9	36	26	26	11	12
V. Pericarditis	53	1	—	1	1	—	1	1	5	2	8	5	—
Aneurism	102	—	—	—	—	—	—	—	—	2	—	3	5
Heart Disease	2172	15	5	3	1	7	3	7	23	32	48	49	62
VI. Laryngitis	89	5	4	10	8	5	5	10	6	—	1	1	2
Bronchitis	4023	439	344	622	566	184	83	46	72	25	16	23	24
Pleurisy	178	5	2	2	8	4	—	—	4	4	12	9	14
Pneumonia	1948	112	75	209	202	77	26	22	52	29	59	85	80
Asthma	218	—	—	1	1	—	—	—	2	1	1	2	4
Lung Disease	129	10	2	7	9	2	4	1	1	4	3	7	6
VII. Teething	420	2	31	182	194	11	—	—	—	—	—	—	—
Quinsey	28	5	2	7	4	2	1	—	1	—	1	3	—
Gastritis	99	14	13	5	8	—	3	1	—	—	1	—	4
Enteritis	533	160	84	67	38	20	7	6	17	11	10	8	12
Peritonitis	209	14	14	7	11	5	6	1	13	17	13	11	7
Ascites	27	—	—	—	—	—	1	1	2	—	—	—	1
Ulceration of Intestines	114	1	—	1	5	—	1	1	4	1	1	2	3
Hernia	61	3	4	—	—	—	—	—	1	1	—	3	2
Ileus	140	13	10	7	—	—	1	1	5	4	3	6	5
Intussusception	45	2	5	4	2	—	—	—	4	—	1	1	1
Stricture of Intestines	19	—	—	1	—	—	—	—	—	—	—	1	1
Stomach Disease	308	52	26	18	21	4	4	1	4	8	—	3	5
Pancreas Disease	—	—	—	—	—	—	—	—	—	—	—	—	—
Hepatitis	113	9	3	2	2	1	—	1	3	3	3	3	1
Jaundice	128	44	4	1	1	3	2	—	2	—	—	1	5
Liver Disease	356	11	4	1	—	3	2	1	5	2	8	5	10
Spleen Disease	24	—	1	1	1	1	—	—	2	1	—	2	1
VIII. Nephritis	84	1	—	1	2	6	4	3	14	2	—	4	3
Nephria	195	—	—	2	1	—	2	1	3	4	11	9	9
Addison's Disease	7	—	—	—	—	—	—	—	—	—	2	—	1
Ischuria	64	1	—	1	—	—	1	—	—	—	—	—	2
Diabetes	74	—	—	—	2	—	—	—	3	2	7	6	4
Stone	43	—	—	1	—	1	—	—	1	1	—	2	1
Cystitis	124	1	—	—	—	—	—	—	—	2	1	1	—
Stricture of Urethra	18	—	—	—	—	—	—	—	—	—	—	—	—
Kidney Disease	254	3	2	—	1	3	2	1	4	6	11	9	5
IX. Paramenia	—	—	—	—	—	—	—	—	—	—	—	—	—
Ovarian Dropsy	—	—	—	—	—	—	—	—	—	—	—	—	—
Childbirth	—	—	—	—	—	—	—	—	—	—	—	—	—
Organs of Generation	4	2	—	—	—	—	—	—	—	—	—	—	—
X. Bone Disease	80	2	—	—	2	1	3	3	10	9	9	7	3
Rheumatism	68	—	—	—	—	—	—	—	1	1	2	—	2
Joint Disease	104	1	—	2	5	1	5	2	16	20	17	6	5
XI. Carbuncle	12	—	—	—	—	—	—	—	—	—	—	—	—
Phlegmon	5	1	—	—	—	—	—	—	—	—	—	1	1
Skin Disease	42	6	5	13	11	1	—	—	—	—	—	1	—
XVII. Intemperance	115	—	—	—	—	—	—	—	—	—	1	5	5
Privation	3	—	—	—	—	—	—	—	—	—	—	—	—
Want of Breast Milk	31	20	8	3	—	—	—	—	—	—	—	—	—
Neglect	4	3	1	—	—	—	—	—	—	—	—	—	—
Cold	42	2	—	1	1	1	—	—	1	—	—	3	—
Poison	32	3	—	5	—	1	—	—	1	—	—	1	2
Poisoned Wounds	2	—	—	—	—	—	—	—	—	1	1	—	—
Burns and Scalds	130	—	1	2	14	16	7	15	9	5	5	8	8
Hanging, etc.	46	—	—	—	—	—	—	—	—	1	2	3	4
Suffocation	152	66	24	6	1	—	—	1	1	1	2	3	4
Drowning	624	1	—	1	4	15	7	7	31	40	71	60	70
Fracture and Contusion	769	2	—	—	8	5	2	6	40	38	74	78	65
Gunshot Wounds	23	—	—	—	—	—	—	—	1	2	4	4	4
Cuts and Stabs	44	—	—	—	—	—	—	—	1	1	1	2	3
Other Violent Causes	191	13	—	2	3	3	2	2	15	14	13	16	11
Not specified	645	301	54	56	41	22	12	10	15	16	14	5	8

CAUSES of DEATH in SCOTLAND, at different Periods of Life, in 1876.—MALES. (*Continued.*)

DISEASES.	MALES.															
	AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
Cephalitis . . .	9	9	7	3	7	5	7	6	4	—	2	—	—	—	—	1
Apoplexy . . .	31	30	25	44	63	60	109	88	107	86	47	15	2	—	1	—
Paralysis . . .	19	16	34	44	64	81	127	124	181	166	67	45	7	3	—	2
Delirium Tremens . . .	7	8	10	5	8	2	1	—	—	—	—	—	—	—	—	—
Chorea . . .	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—
Epilepsy . . .	9	15	10	10	9	9	5	6	4	3	—	—	—	—	—	1
Tetanus . . .	2	2	1	—	1	1	3	2	—	—	—	—	—	—	—	—
Insanity . . .	2	3	4	—	—	5	4	4	4	2	—	—	—	—	—	—
Convulsions . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Brain Disease . . .	21	18	32	21	30	30	51	49	36	34	7	5	1	—	—	1
Pericarditis . . .	2	2	6	4	1	2	1	4	3	2	1	—	—	—	—	—
Aneurism . . .	6	16	17	9	12	9	8	6	2	5	2	—	—	—	—	—
Heart Disease . . .	77	100	118	142	146	186	239	278	300	207	91	28	3	1	1	—
Laryngitis . . .	4	—	5	3	5	6	3	4	—	1	1	—	—	—	—	—
Bronchitis . . .	41	61	78	116	156	191	224	189	198	166	95	45	14	4	—	1
Pleurisy . . .	12	13	14	11	12	10	11	7	11	9	3	—	1	—	—	—
Pneumonia . . .	70	86	89	100	103	93	102	109	70	47	31	17	3	—	—	—
Asthma . . .	3	6	14	14	30	36	27	31	26	16	3	—	—	—	—	—
Lung Disease . . .	4	4	12	4	11	11	9	9	6	2	1	—	—	—	—	—
Teething . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Quinsey . . .	—	—	—	2	—	—	—	—	—	—	—	—	—	—	—	—
Gastritis . . .	2	4	3	3	3	7	9	4	8	5	2	—	—	—	—	—
Enteritis . . .	4	6	7	6	9	5	22	14	10	5	4	1	—	—	—	—
Peritonitis . . .	3	12	7	12	9	9	11	7	7	8	5	—	—	—	—	—
Ascites . . .	1	2	1	4	2	3	3	—	2	2	1	1	—	—	—	—
Ulceration of Intestines . . .	6	5	8	3	18	9	22	10	6	5	2	—	—	—	—	—
Hernia . . .	1	3	—	4	5	2	8	10	7	4	2	1	—	—	—	—
Ileus . . .	4	6	7	3	8	12	4	11	10	10	6	2	2	—	—	—
Intussusception . . .	1	4	2	2	2	4	2	3	3	2	—	—	—	—	—	—
Stricture of Intestines . . .	1	1	—	—	1	4	2	1	4	1	1	—	—	—	—	—
Stomach Disease . . .	7	7	6	6	17	11	28	32	20	18	6	4	—	—	—	—
Pancreas Disease . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Hepatitis . . .	2	13	11	7	16	14	3	9	2	3	1	—	1	—	—	—
Jaundice . . .	—	4	2	3	4	7	17	8	9	7	2	2	—	—	—	—
Liver Disease . . .	12	20	23	27	32	58	43	27	32	21	7	2	—	—	—	—
Spleen Disease . . .	—	1	1	3	2	3	2	1	—	1	—	—	—	—	—	—
Nephritis . . .	4	3	4	5	1	4	5	10	5	2	1	—	—	—	—	—
Nephria . . .	11	23	17	12	19	19	12	14	11	9	4	1	—	1	—	—
Addison's Disease . . .	1	—	1	—	—	—	1	—	—	—	—	—	—	—	—	—
Ischuria . . .	—	1	1	—	4	4	2	5	19	14	1	6	2	—	—	—
Diabetes . . .	6	3	5	3	6	3	9	7	5	3	—	—	—	—	—	—
Stone . . .	—	2	—	3	—	1	4	6	8	8	—	3	1	—	—	—
Cystitis . . .	—	3	1	1	3	3	12	14	26	32	18	4	1	—	1	—
Stricture of Urethra . . .	1	—	1	4	2	2	2	—	2	1	1	2	—	—	—	—
Kidney Disease . . .	7	10	7	11	8	19	14	33	38	30	16	14	—	—	—	—
Paramenia . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Ovarian Dropsy . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Childbirth . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Organs of Generation . . .	—	—	—	—	—	—	—	1	1	—	—	—	—	—	—	—
Bone Disease . . .	3	7	3	4	1	4	3	2	2	2	—	—	—	—	—	—
Rheumatism . . .	2	1	3	3	8	5	9	4	7	9	8	1	2	—	—	—
Joint Disease . . .	3	3	—	1	3	4	2	4	3	1	—	—	—	—	—	—
Carbuncle . . .	—	—	—	1	—	3	4	2	—	1	1	—	—	—	—	—
Phlegmon . . .	—	—	1	1	—	—	—	—	—	—	—	—	—	—	—	—
Skin Disease . . .	—	—	—	1	—	1	1	1	—	1	—	—	—	—	—	—
Intemperance . . .	16	9	13	19	13	12	17	1	3	1	—	—	—	—	—	—
Privation . . .	—	—	—	—	—	1	—	—	2	—	—	—	—	—	—	—
Want of Breast Milk . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Neglect . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Cold . . .	2	3	4	3	1	3	3	4	2	2	6	—	—	—	—	—
Poison . . .	5	3	3	2	1	2	1	1	1	—	—	—	—	—	—	—
Poisoned Wounds . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Burns and Scalds . . .	5	8	7	5	5	—	4	—	1	3	1	1	—	—	—	—
Hanging, etc. . .	—	3	4	6	3	6	7	3	3	—	1	—	—	—	—	—
Suffocation . . .	2	7	2	3	8	9	5	4	1	2	—	—	—	—	—	—
Drowning . . .	57	59	53	39	38	25	18	10	4	3	1	—	—	—	—	10
Fracture and Contusion . . .	53	71	63	55	56	32	36	31	27	12	10	3	2	—	—	—
Gunshot Wounds . . .	2	1	2	2	1	—	—	—	—	—	—	—	—	—	—	—
Cuts and Stabs . . .	4	3	7	1	6	4	3	4	3	—	1	—	—	—	—	—
Other Violent Causes . . .	7	9	17	8	11	11	12	5	5	6	4	1	1	—	—	—
Not specified . . .	20	11	14	17	10	15	—	—	—	—	—	—	—	—	—	4

CAUSES of DEATH in SCOTLAND, at different Periods of Life, in 1876.—FEMALES.

DISEASES.	FEMALES.												
	ALL AGES.	AGE UNDER											
		MONTHS.			2	3	4	5	10	15	20	25	30
		3	6	12									
ALL CAUSES	36725	3208	1224	2336	2952	1363	899	656	1673	961	1211	1366	1282
SPECIFIED CAUSES	36157	2980	1176	2282	2914	1353	885	647	1652	954	1196	1356	1272
I. Zymotic Class	6890	409	347	781	1169	689	483	360	808	259	210	217	172
II. Diseases of Uncer. Seat	1660	21	8	10	12	5	7	3	20	13	8	16	25
III. Tubercular Class	6108	94	146	323	399	211	132	110	353	403	702	722	616
IV. Brain and Nervous Sys.	3326	190	110	165	196	84	54	41	130	66	49	49	52
V. Organs of Circulation	2276	9	4	1	4	—	—	3	42	50	51	60	78
VI. Respiratory Organs	5984	386	312	654	775	252	143	82	143	53	51	71	91
VII. Organs of Digestion	2529	212	107	241	235	49	25	21	61	34	39	57	71
VIII. Urinary Organs	424	—	—	3	5	2	8	4	14	16	18	28	29
IX. Organs of Generation	554	—	—	—	—	—	—	—	—	2	23	78	110
X. Organs of Locomotion	247	—	1	—	4	4	1	3	23	22	14	14	5
XI. Skin, etc.	45	3	2	4	2	1	2	—	2	2	—	2	2
XII. Malformation	134	115	9	6	2	—	1	—	1	—	—	—	—
XIII. Premature Debility	1602	1443	90	69	—	—	—	—	—	—	—	—	—
XIV. Atrophy	296	—	—	—	70	23	13	13	16	8	4	5	3
XV. Age	3259	—	—	—	—	—	—	—	—	—	—	—	—
XVI. Sudden Deaths	41	5	—	1	1	—	—	—	—	—	—	2	1
XVII. Violent Deaths	782	93	40	24	40	33	16	7	39	26	27	35	17
I. Small-pox	10	—	—	1	—	—	—	—	1	1	2	1	1
Measles	610	4	16	121	212	102	44	38	54	5	5	—	2
Scarlatina	1176	6	5	81	178	164	158	135	321	75	20	18	5
Diphtheria	452	5	3	32	71	58	51	44	127	26	8	5	6
Whooping-cough	1257	93	83	261	400	189	107	51	68	3	1	—	—
Croup	387	15	11	40	112	86	52	29	40	2	—	—	—
Thrush	26	16	3	2	4	—	—	—	—	—	1	—	—
Diarrhoea	1020	180	168	181	127	28	12	4	19	7	4	7	3
Dysentery	99	1	3	6	4	1	—	4	2	—	2	2	1
Cholera	62	4	10	13	9	2	4	2	5	1	—	—	—
Influenza	41	1	1	1	4	3	—	—	—	1	—	2	—
Purpura	23	—	2	3	—	2	—	1	—	3	—	2	—
Ague	2	—	—	—	—	—	—	—	—	—	—	—	—
Worms	4	—	—	—	—	3	—	—	—	—	—	—	—
Typhus	212	1	3	4	5	7	7	5	28	17	17	18	13
Enteric Fever	769	2	1	6	17	26	37	31	111	93	114	77	45
Relapsing Fever	8	—	—	—	—	—	—	—	1	1	—	1	—
Simple Cont. Fever	35	—	—	1	—	2	—	6	6	4	4	4	—
Infantile Remittent	43	—	—	1	9	9	8	7	9	—	—	—	—
Metria	231	—	—	—	—	—	—	—	—	—	14	56	68
Rheumatic Fever	92	—	—	—	—	—	—	1	7	14	14	9	14
Erysipelas	155	39	6	14	3	3	1	2	1	2	1	5	3
Pyæmia	46	3	—	—	1	1	—	—	5	2	1	6	8
Syphilis	110	37	32	11	9	3	—	—	—	1	—	3	3
Noma	5	—	—	—	1	—	1	—	—	1	—	1	—
Hydrophobia	2	—	—	—	—	—	—	—	1	—	—	—	—
Other Zymotic Diseases	13	2	—	2	3	—	1	—	2	—	2	—	—
II. Hæmorrhage	32	5	2	—	—	—	—	—	1	—	1	—	3
Dropsy	270	2	—	1	2	3	4	2	11	5	2	3	4
Abscess	89	7	5	7	4	1	2	1	5	3	—	8	3
Ulcer	35	—	1	1	3	—	1	—	—	—	—	—	—
Fistula	5	—	—	—	1	—	—	—	—	—	1	—	—
Mortification	91	6	—	—	2	—	—	—	1	2	—	1	—
Cancer	1130	1	—	1	—	1	—	—	2	3	4	4	15
Gout	8	—	—	—	—	—	—	—	—	—	—	—	—
III. Scrofula	315	10	11	17	34	24	8	6	29	40	43	10	18
Tabes Mesenterica	485	30	31	61	111	63	23	20	59	40	17	8	2
Phthisis	4467	15	19	40	79	43	37	36	167	290	633	703	594
Hydrocephalus	841	39	85	205	175	81	64	48	98	33	9	1	2

CAUSES of DEATH in SCOTLAND, at different Periods of Life, in 1876.—FEMALES.

DISEASES.	FEMALES.															
	AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
ALL CAUSES . .	1209	1210	1128	1118	1286	1390	1718	1731	1950	2090	1463	841	329	106	16	9
SPECIFIED CAUSES . .	1196	1197	1109	1105	1267	1364	1718	1731	1950	2090	1463	841	329	106	16	8
Zymotic Class . .	145	112	100	67	78	56	79	68	98	106	36	28	9	2	—	2
Uncertain Seat . .	46	81	109	138	174	164	224	171	165	123	78	25	10	3	—	1
Tubercular Class . .	503	401	310	193	157	138	80	53	33	19	6	2	—	—	—	2
Brain, etc. . .	63	77	101	121	174	189	248	301	311	324	145	66	15	5	—	—
Heart, etc. . .	85	114	133	161	164	192	246	257	254	201	121	34	11	1	—	—
Respiratory Organs .	114	125	116	183	239	298	390	409	393	369	203	98	23	10	—	1
Digestive Organs . .	77	98	86	120	137	171	171	166	147	109	67	21	6	1	—	—
Urinary Organs . .	30	49	32	24	31	28	26	14	20	20	12	8	2	1	—	—
Generative Organs . .	99	95	62	28	15	15	7	4	7	5	1	2	—	—	—	1
Locomotive Organs .	12	11	12	9	10	8	19	16	27	16	13	3	—	—	—	—
Skin . . .	1	1	1	2	—	3	4	4	2	2	2	1	—	—	—	—
Malformation . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Premature Debility .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Atrophy . . .	5	8	10	18	39	61	—	—	—	—	—	—	—	—	—	—
Age . . .	—	—	—	—	—	—	171	232	454	762	751	538	252	82	16	1
Sudden Deaths . .	—	2	2	3	4	3	6	3	2	6	—	—	—	—	—	—
Violent Deaths . .	16	23	35	38	45	38	47	33	37	28	28	15	1	1	—	—
Small-pox . .	1	—	1	—	—	—	—	—	1	—	—	—	—	—	—	—
Measles . .	3	1	2	—	—	—	1	—	—	—	—	—	—	—	—	—
Scarlatina . .	5	2	1	1	—	—	—	—	—	—	—	1	—	—	—	—
Diphtheria . .	3	3	3	2	3	1	—	1	—	—	—	—	—	—	—	—
Hooping-cough . .	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—
Croup . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Thrush . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Diarrhoea . .	5	13	8	13	18	13	29	27	44	60	20	20	7	2	—	1
Dysentery . .	2	3	4	2	6	3	12	7	13	12	3	5	1	—	—	—
Cholera . .	1	—	2	1	1	—	—	4	3	—	—	—	—	—	—	—
Influenza . .	—	1	1	—	—	1	6	5	5	6	2	1	—	—	—	—
Purpura . .	—	1	2	—	2	1	—	3	1	—	—	—	—	—	—	—
Ague . .	—	—	—	—	1	1	—	—	—	—	—	—	—	—	—	—
Worms . .	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Typhus . .	17	10	8	18	13	5	5	2	4	4	—	1	—	—	—	—
Enteric Fever . .	42	28	33	16	20	16	14	13	11	11	4	—	—	—	—	1
Relapsing Fever . .	—	—	2	—	—	—	1	—	1	—	1	—	—	—	—	—
Simple Cont. Fever .	1	1	1	—	1	1	1	—	1	—	1	—	—	—	—	—
Infantile Remittent .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Metria . .	46	32	15	—	—	—	—	—	—	—	—	—	—	—	—	—
Rheumatic Fever . .	6	5	8	4	3	4	—	—	2	1	—	—	—	—	—	—
Erysipelas . .	5	6	5	6	9	10	7	4	9	9	4	—	1	—	—	—
Pyæmia . .	6	3	3	2	—	—	—	1	1	3	—	—	—	—	—	—
Syphilis . .	1	2	1	2	—	—	3	1	1	—	—	—	—	—	—	—
Noma . .	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Hydrophobia . .	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—
Other Zymotic Dis. .	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—
Hæmorrhage . .	2	5	—	—	2	—	2	1	5	1	1	—	—	—	—	1
Dropsy . .	10	13	11	14	21	14	31	30	33	29	17	6	2	—	—	—
Abscess . .	3	3	8	1	4	8	3	2	4	4	3	—	—	—	—	—
Ulcer . .	—	—	1	1	—	3	9	7	4	2	1	1	—	—	—	—
Fistula . .	1	—	1	—	—	1	—	—	—	—	—	—	—	—	—	—
Mortification . .	—	—	3	4	7	2	7	3	11	12	16	6	5	3	—	—
Cancer . .	30	60	85	118	140	136	169	126	107	73	40	12	3	—	—	—
Gout . .	—	—	—	—	—	—	3	2	1	2	—	—	—	—	—	—
Scrofula . .	17	9	4	5	4	3	5	5	5	7	1	—	—	—	—	—
Tabes Mesenterica .	4	5	1	2	—	5	—	1	1	1	—	—	—	—	—	—
Phthisis . .	482	386	305	186	153	130	75	47	27	11	5	2	—	—	—	2
Hydrocephalus . .	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—

CAUSES of DEATH in SCOTLAND, at different Periods of Life, in 1876.—FEMALES. (Continued.)

DISEASES.	ALL AGES.	FEMALES.											
		AGE UNDER											
		MONTHS.			2	3	4	5	10	15	20	25	30
		3	6	12									
IV. Cephalitis	391	7	25	55	61	27	22	21	67	24	16	9	9
Apoplexy	836	7	11	28	24	10	9	4	21	6	4	9	9
Paralysis	1017	—	—	1	2	2	1	1	2	4	3	6	8
Delirium Tremens	4	—	—	—	—	—	—	—	—	—	—	—	1
Chorea	8	—	—	—	—	—	—	—	1	3	1	2	1
Epilepsy	134	1	1	1	3	1	1	—	2	6	13	10	10
Tetanus	16	4	—	2	2	—	—	—	1	3	1	—	—
Insanity	57	—	—	—	—	—	—	—	—	—	—	3	6
Convulsions	459	162	66	68	88	34	17	7	15	—	—	—	—
Brain Disease	404	9	7	10	16	10	4	8	21	20	11	10	8
V. Pericarditis	53	—	1	—	—	—	—	3	8	4	3	5	5
Aneurism	38	—	—	—	—	—	—	—	—	—	—	—	3
Heart Disease	2185	9	3	1	4	—	—	—	34	46	48	55	70
VI. Laryngitis	65	3	1	8	9	1	9	2	6	3	1	2	2
Bronchitis	4171	290	260	498	575	173	94	47	77	14	16	24	26
Pleurisy	98	4	2	3	4	2	—	2	2	3	4	5	8
Pneumonia	1348	80	48	139	178	73	38	30	55	31	27	35	49
Asthma	176	—	—	—	—	—	—	—	—	—	—	1	2
Lung Disease	126	9	1	6	9	3	2	1	3	2	3	4	4
VII. Teething	329	2	16	135	160	16	—	—	—	—	—	—	—
Quinsey	25	—	1	6	4	1	5	2	1	1	—	—	—
Gastritis	113	13	7	7	4	3	—	—	2	—	3	2	1
Enteritis	428	98	52	55	34	9	10	6	14	8	9	9	8
Peritonitis	270	11	4	7	2	5	4	4	12	14	11	20	29
Ascites	52	1	—	—	—	—	—	1	3	2	—	1	3
Ulceration of Intestines	103	—	2	—	2	—	—	—	1	1	5	5	8
Hernia	64	—	—	2	—	—	—	—	1	—	—	—	1
Ileus	160	11	—	9	1	—	1	1	7	3	2	5	6
Intussusception	18	1	2	3	—	—	—	—	2	—	—	—	2
Stricture of Intestines	17	2	—	—	—	—	—	1	—	—	—	1	—
Stomach Disease	317	40	17	11	20	10	1	2	5	1	3	4	5
Pancreas Disease	3	—	—	—	—	—	—	—	—	—	—	—	—
Hepatitis	132	5	1	2	2	1	—	3	4	—	2	2	1
Jaundice	111	23	5	2	1	1	1	—	4	—	—	2	2
Liver Disease	367	3	—	1	5	2	3	1	4	3	2	5	5
Spleen Disease	20	2	—	1	—	1	—	—	1	—	2	1	—
VIII. Nephritis	53	—	—	1	3	1	3	—	3	6	1	2	3
Nephria	187	—	—	1	—	1	1	2	9	9	11	12	17
Addison's Disease	8	—	—	—	—	—	—	—	—	—	1	1	—
Ischuria	14	—	—	—	—	—	—	—	—	—	1	1	2
Diabetes	35	—	—	—	—	—	1	—	1	—	1	4	2
Stone	2	—	—	—	—	—	—	—	—	—	—	—	—
Cystitis	18	—	—	—	—	—	—	—	—	—	1	2	—
Stricture of Urethra	—	—	—	—	—	—	—	—	—	—	—	—	—
Kidney Disease	107	—	—	1	2	—	3	2	1	1	2	6	5
IX. Paramenia	30	—	—	—	—	—	—	—	—	1	6	8	1
Ovarian Dropsy	55	—	—	—	—	—	—	—	—	—	2	2	5
Childbirth	374	—	—	—	—	—	—	—	—	14	60	91	—
Organs of Generation	95	—	—	—	—	—	—	—	—	1	1	8	13
X. Bone Disease	60	—	1	—	1	2	—	2	12	7	4	3	2
Rheumatism	118	—	—	—	—	—	—	—	3	—	1	4	1
Joint Disease	69	—	—	—	3	2	1	1	8	15	9	7	2
XI. Carbuncle	10	—	—	—	—	—	—	—	—	—	—	—	—
Phlegmon	12	—	—	—	—	—	1	—	1	1	—	2	2
Skin Disease	23	3	2	4	2	1	1	—	1	1	—	—	—
XVII. Intemperance	82	—	—	—	—	—	—	—	—	—	—	1	7
Privation	4	—	—	—	1	—	—	—	1	—	—	—	—
Want of Breast Milk	30	23	5	1	1	—	—	—	—	—	—	—	—
Neglect	1	1	—	—	—	—	—	—	—	—	—	—	—
Cold	16	3	—	—	—	1	—	—	—	—	—	—	—
Poison	23	2	—	—	—	1	—	—	1	—	—	5	—
Poisoned Wounds	1	—	—	—	—	—	—	—	—	—	—	—	—
Burns and Scalds	155	—	2	9	22	16	11	4	12	15	16	5	—
Hanging, etc.	16	—	—	—	—	—	—	—	—	—	—	2	—
Suffocation	120	52	30	11	—	1	—	—	2	—	—	1	—
Drowning	97	1	1	1	6	8	3	2	5	7	5	6	6
Fracture and Contusion	168	3	2	2	5	6	2	1	12	3	6	7	1
Gunshot Wounds	—	—	—	—	—	—	—	—	—	—	—	—	—
Cuts and Stabs	8	—	—	—	—	—	—	—	—	—	—	1	—
Other Violent Causes	61	8	—	—	5	—	—	—	6	1	—	7	3
Not specified	568	228	48	54	38	10	14	9	21	7	15	10	10

CAUSES of DEATH in SCOTLAND, at different Periods of Life, in 1876.—FEMALES. (*Continued.*)

DISEASES.	FEMALES.															
	AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
Cephalitis	6	8	7	5	3	6	3	3	3	2	2	—	—	—	—	—
Apoplexy	16	21	25	37	66	77	98	97	99	81	46	25	5	1	—	—
Paralysis	17	16	30	38	55	68	103	154	176	204	79	35	8	4	—	—
Delirium Tremens	—	—	2	1	—	—	—	—	—	—	—	—	—	—	—	—
Chorea	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Epilepsy	11	11	14	4	14	7	5	9	5	2	3	—	—	—	—	—
Tetanus	—	—	2	—	1	—	—	—	—	—	—	—	—	—	—	—
Insanity	2	—	6	7	10	3	5	3	3	4	4	—	1	—	—	—
Convulsions	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Brain Disease	10	20	15	29	25	28	34	35	25	31	11	6	1	—	—	—
Pericarditis	3	2	5	1	2	1	5	2	2	—	1	—	—	—	—	—
Aneurism	4	4	3	3	3	2	2	7	2	4	—	—	1	—	—	—
Heart Disease	78	108	125	157	159	189	239	248	250	197	120	34	10	1	—	—
Laryngitis	6	3	2	1	—	—	2	2	2	—	—	—	—	—	—	—
Bronchitis	52	54	67	107	167	203	270	307	287	284	166	83	20	9	—	1
Pleurisy	6	7	3	6	7	2	8	4	9	6	1	—	—	—	—	—
Pneumonia	43	40	31	45	41	66	66	65	71	54	29	10	3	1	—	—
Asthma	2	10	6	13	17	20	35	24	16	21	6	3	—	—	—	—
Lung Disease	5	11	7	11	7	7	9	7	8	4	1	2	—	—	—	—
Teething	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Quinsey	—	—	1	1	—	—	—	—	—	1	1	—	—	—	—	—
Gastritis	11	5	5	10	5	7	7	4	9	3	4	1	—	—	—	—
Enteritis	9	11	11	6	12	10	16	14	11	5	9	2	—	—	—	—
Peritonitis	18	22	12	17	11	14	13	15	7	9	7	2	—	—	—	—
Ascites	2	1	3	5	2	6	8	6	2	1	3	1	1	—	—	—
Ulceration of Intestines	5	4	8	6	8	15	10	7	5	10	1	—	—	—	—	—
Hernia	1	1	4	1	8	8	8	9	4	8	7	1	—	—	—	—
Ileus	4	11	6	9	11	12	14	10	8	13	11	3	2	—	—	—
Intussusception	—	2	1	—	—	—	2	2	—	1	—	—	—	—	—	—
Stricture of Intestines	1	1	2	1	1	2	1	2	1	—	—	—	1	—	—	—
Stomach Disease	9	10	5	13	11	22	32	26	29	24	9	7	—	1	—	—
Pancreas Disease	—	—	—	1	—	—	—	—	2	—	—	—	—	—	—	—
Hepatitis	5	8	5	14	8	15	14	10	17	9	1	2	—	—	—	—
Jaundice	1	2	2	4	8	5	7	13	12	7	6	2	1	—	—	—
Liver Disease	10	19	19	31	50	54	38	45	40	18	8	—	1	—	—	—
Spleen Disease	1	1	2	1	2	1	1	3	—	—	—	—	—	—	—	—
Nephritis	1	9	5	4	3	3	1	1	3	—	—	—	—	—	—	—
Nephria	18	15	17	9	12	14	10	4	8	9	5	3	—	—	—	—
Addison's Disease	1	2	1	—	—	1	1	—	—	—	—	—	—	—	—	—
Ischuria	1	2	2	—	1	—	2	—	—	—	1	—	—	1	—	—
Diabetes	3	4	2	5	4	4	—	1	1	2	—	—	—	—	—	—
Stone	—	—	1	—	—	—	1	—	—	—	—	—	—	—	—	—
Cystitis	—	1	—	—	1	—	2	2	3	3	2	1	—	—	—	—
Stricture of Urethra	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Kidney Disease	6	16	4	6	10	6	9	6	5	6	4	4	2	—	—	—
Paramenia	4	5	3	2	—	—	—	—	—	—	—	—	—	—	—	—
Ovarian Dropsy	4	6	5	5	9	6	3	3	3	2	—	—	—	—	—	—
Childbirth	82	73	40	13	—	—	—	—	—	—	—	—	—	—	—	1
Organs of Generation	9	11	14	8	6	9	4	1	4	3	1	2	—	—	—	—
Bone Disease	3	3	4	3	—	2	4	2	4	1	—	—	—	—	—	—
Rheumatism	5	4	8	4	9	5	11	12	21	15	12	3	—	—	—	—
Joint Disease	4	4	—	2	1	1	4	2	2	—	1	—	—	—	—	—
Carbuncle	—	—	—	1	—	1	1	4	1	—	1	1	—	—	—	—
Phlegmon	1	1	1	1	—	—	1	—	—	—	—	—	—	—	—	—
Skin Disease	—	—	—	—	—	2	2	—	1	2	1	—	—	—	—	—
Intemperance	6	7	7	12	10	12	11	5	1	2	1	—	—	—	—	—
Privation	—	—	—	—	—	—	1	1	—	—	—	—	—	—	—	—
Want of Breast Milk	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Neglect	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Cold	2	1	—	2	1	1	1	2	1	—	—	1	—	—	—	—
Poison	—	2	1	1	3	3	—	1	2	—	1	—	—	—	—	—
Poisoned Wounds	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—
Burns and Scalds	2	—	4	3	3	4	6	6	5	4	4	2	—	—	—	—
Hanging, etc.	1	2	—	2	2	1	2	—	2	2	—	—	—	—	—	—
Suffocation	—	2	8	4	3	3	1	2	—	—	—	—	—	—	—	—
Drowning	1	5	5	7	6	5	8	4	5	—	—	—	—	—	—	—
Fracture and Contusion	1	4	8	5	14	6	13	12	17	15	13	9	—	1	—	—
Gunshot Wounds	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Cuts and Stabs	1	—	—	1	—	2	2	—	—	—	—	1	—	—	—	—
Other Violent Causes	2	—	2	1	3	1	2	—	4	4	9	2	1	—	—	—
Not specified	13	13	19	13	19	26	—	—	—	—	—	—	—	—	—	1

CAUSES of DEATH in the PRINCIPAL TOWN DISTRICTS of SCOTLAND, at different Periods of Life, in 1876.—BOTH SEXES.

DISEASES.	BOTH SEXES.												
	ALL AGES.	AGE UNDER											
		MONTHS.			2	3	4	5	10	15	20	25	30
		3	6	12									
ALL CAUSES	27977	3009	1113	2230	2926	1266	786	587	1294	690	929	1024	1028
SPECIFIED CAUSES	27852	2951	1104	2226	2919	1266	785	586	1291	690	928	1022	1025
I. Zymotic Class	5206	392	300	704	1077	570	345	277	498	111	121	121	108
II. Diseases of Uncertain Seat	893	17	5	10	10	9	9	11	19	12	17	15	15
III. Tubercular Class	5052	68	120	287	436	201	154	117	351	302	497	527	485
IV. Brain and Nervous System	2709	229	108	198	210	87	71	46	115	57	52	43	49
V. Organs of Circulation	1603	3	3	3	2	2	2	3	28	36	34	51	64
VI. Respiratory Organs	5856	417	343	733	862	298	145	84	121	57	62	82	114
VII. Organs of Digestion	1810	218	109	213	224	50	20	16	37	29	27	49	46
VIII. Urinary Organs	414	5	1	2	2	6	8	7	15	14	15	26	27
IX. Organs of Generation	189	—	—	—	—	—	—	—	—	1	9	20	36
X. Organs of Locomotion	186	1	—	—	6	4	6	1	28	23	20	13	6
XI. Skin, etc.	48	6	2	10	7	—	2	—	—	1	—	2	1
XII. Malformation	105	91	5	3	2	—	1	—	1	2	—	—	—
XIII. Premature Debility	1517	1407	69	41	—	—	—	—	—	—	—	—	—
XIV. Atrophy	195	—	—	—	61	19	12	11	18	5	3	2	2
XV. Age	909	—	—	—	—	—	—	—	—	—	—	—	—
XVI. Sudden Deaths	38	5	—	1	1	—	—	—	—	—	1	1	2
XVII. Violent Deaths	1122	92	39	21	19	20	10	13	60	40	70	70	70
I. Small-pox	10	1	—	1	—	—	—	—	—	—	—	1	—
Measles	635	6	10	138	255	105	47	33	37	1	2	—	—
Scarlatina	732	3	4	48	117	128	92	103	184	30	11	6	2
Diphtheria	293	5	4	24	63	46	28	34	67	5	1	1	3
Hooping-cough	1021	55	50	226	342	170	86	37	53	—	—	1	—
Croup	322	12	13	42	116	53	35	22	28	1	—	—	—
Thrush	16	12	1	1	2	—	—	—	—	—	—	—	—
Diarrhoea	905	198	161	180	130	31	14	3	15	5	7	3	1
Dysentery	50	2	3	4	2	2	—	1	2	—	1	1	2
Cholera	47	4	8	7	10	—	2	1	1	1	1	—	1
Influenza	21	1	—	—	1	—	—	—	—	—	1	1	—
Purpura	18	1	1	—	1	1	2	—	—	4	2	1	1
Ague	4	—	—	—	—	—	—	—	1	1	—	—	—
Worms	3	—	—	—	—	1	—	2	—	—	—	—	—
Typhus	226	—	5	3	7	4	7	5	18	7	19	27	13
Enteric Fever	407	1	3	5	7	14	20	23	64	43	53	43	39
Relapsing Fever	5	—	—	—	—	—	—	—	—	3	—	—	1
Simple Continued Fever	19	—	—	—	—	2	—	4	8	3	—	—	—
Infantile Remittent	42	—	—	2	7	8	7	7	11	—	—	—	—
Metria	83	—	—	—	—	—	—	—	—	—	6	23	27
Rheumatic Fever	51	—	—	—	—	—	—	1	2	4	14	6	5
Erysipelas	125	33	3	9	4	2	2	1	2	2	—	2	8
Pyæmia	32	2	—	1	1	—	1	—	3	1	1	4	2
Syphilis	120	54	33	12	7	—	—	—	—	—	—	1	3
Noma	5	—	—	—	1	2	1	—	—	—	—	—	—
Hydrophobia	3	—	—	—	—	—	—	—	—	—	—	—	—
Other Zymotic Diseases	11	2	1	1	1	1	1	—	2	—	2	—	—
II. Hæmorrhage	17	5	—	—	—	—	—	—	1	—	2	—	—
Dropsy	155	3	—	1	6	6	7	6	13	5	3	2	3
Abscess	76	6	4	8	2	2	1	4	3	3	3	5	3
Ulcer	22	—	1	1	1	—	—	—	—	—	—	—	—
Fistula	8	—	—	—	—	—	—	—	1	—	—	—	—
Mortification	47	1	—	—	—	1	—	—	—	2	1	1	—
Cancer	565	2	—	—	1	—	1	1	1	2	8	7	9
Gout	3	—	—	—	—	—	—	—	—	—	—	—	—
III. Scrofula	292	11	11	19	39	25	13	8	38	47	26	13	8
Tabes Mesenterica	488	27	30	56	110	55	32	29	72	39	13	8	1
Phthisis	3526	11	18	35	87	47	50	38	155	195	451	506	476
Hydrocephalus	746	19	61	177	200	74	59	42	86	21	7	—	—

CAUSES of DEATH in the PRINCIPAL TOWN DISTRICTS of SCOTLAND, at different Periods of Life, in 1876.—BOTH SEXES. (Continued.)

DISEASES.	ALL AGES.	BOTH SEXES.											
		AGE UNDER											
		MONTHS.			2	3	4	5	10	15	20	25	30
		3	6	12									
IV. Cephalitis	423	13	25	65	62	36	29	27	61	27	18	14	6
Apoplexy	634	6	16	39	28	5	6	4	13	4	3	9	12
Paralysis	614	1	1	—	3	—	1	—	1	5	5	8	8
Delirium Tremens	22	—	—	—	—	—	—	—	—	—	—	3	3
Chorea	2	—	—	—	—	—	—	—	—	2	—	—	—
Epilepsy	106	1	—	—	3	—	—	—	—	8	7	2	10
Tetanus	12	4	—	—	1	—	—	—	1	2	1	—	—
Insanity	19	—	—	—	—	—	—	—	—	—	1	—	2
Convulsions	487	195	56	76	91	29	26	5	8	—	—	—	—
Brain Disease	390	9	10	18	22	17	9	10	31	9	17	7	8
V. Pericarditis	32	—	—	1	—	—	—	—	4	3	4	4	3
Aneurism	68	—	—	—	—	—	—	—	—	1	—	1	4
Heart Disease	1503	3	3	2	2	2	2	3	24	32	30	46	57
VI. Laryngitis	58	5	—	9	7	3	6	2	4	—	1	2	1
Bronchitis	3993	320	282	539	628	205	98	54	73	23	14	23	33
Pleurisy	102	3	2	1	4	1	—	—	1	2	7	3	8
Pneumonia	1459	79	56	175	211	85	36	27	41	29	36	50	62
Asthma	105	—	—	—	—	—	—	—	—	—	—	2	1
Lung Disease	139	10	3	9	12	4	5	1	2	3	4	2	9
VII. Teething	341	2	23	136	167	13	—	—	—	—	—	—	—
Quinsey	17	1	—	6	3	2	2	—	—	—	—	1	—
Gastritis	73	15	5	5	5	2	2	1	—	—	—	—	—
Enteritis	346	105	48	40	24	12	7	5	9	7	7	6	8
Peritonitis	161	10	6	5	3	6	3	3	7	11	7	18	10
Ascites	25	—	—	—	—	—	—	1	1	2	—	1	3
Ulceration of Intestines	62	1	—	—	2	—	1	1	1	1	2	4	5
Hernia	45	3	1	1	—	—	—	—	—	—	—	2	1
Ileus	90	10	1	5	—	—	—	—	3	2	1	3	1
Intussusception	18	2	1	3	1	—	—	—	2	—	—	—	2
Stricture of Intestines	14	1	—	—	—	—	—	—	—	—	—	1	1
Stomach Disease	203	41	17	8	13	6	2	1	5	3	1	3	1
Pancreas Disease	1	—	—	—	—	—	—	—	—	—	—	—	—
Hepatitis	74	2	1	1	1	1	—	3	1	2	3	1	1
Jaundice	71	18	5	—	2	2	1	—	3	—	—	2	4
Liver Disease	251	6	—	1	2	5	2	1	4	—	4	6	8
Spleen Disease	18	1	1	2	1	1	—	—	1	1	2	1	1
VIII. Nephritis	58	1	—	1	—	3	5	3	8	4	—	2	4
Nephria	139	—	—	—	—	1	2	2	4	5	8	9	12
Addison's Disease	4	—	—	—	—	—	—	—	—	—	2	—	—
Ischuria	16	1	—	1	—	—	—	—	—	—	—	1	1
Diabetes	26	—	—	—	1	—	1	—	—	1	1	3	2
Stone	15	—	—	—	—	1	—	—	1	1	—	1	1
Cystitis	31	—	—	—	—	—	—	—	—	—	—	1	—
Stricture of Urethra	8	—	—	—	—	—	—	—	—	—	—	—	—
Kidney Disease	117	3	1	—	1	1	—	2	2	3	4	9	7
IX. Paramenia	8	—	—	—	—	—	—	—	—	—	2	2	—
Ovarian Dropsy	24	—	—	—	—	—	—	—	—	—	—	2	2
Childbirth	123	—	—	—	—	—	—	—	—	—	6	14	30
Organs of Generation	34	—	—	—	—	—	—	—	—	1	1	2	4
X. Bone Disease	55	—	—	—	1	2	2	1	11	7	7	4	2
Rheumatism	55	—	—	—	—	—	—	—	1	—	3	2	1
Joint Disease	76	1	—	—	5	2	4	—	16	16	10	7	3
XI. Carbuncle	12	—	—	—	—	—	—	—	—	—	—	—	—
Phlegmon	6	1	—	—	—	—	1	—	—	—	—	1	1
Skin Disease	30	5	2	10	7	—	1	—	—	1	—	1	—
XVII. Intemperance	94	—	—	—	—	—	—	—	—	—	1	3	7
Privation	2	—	—	—	—	—	—	—	1	—	—	—	—
Want of Breast Milk	33	26	7	—	—	—	—	—	—	—	—	—	—
Neglect	2	1	1	—	—	—	—	—	—	—	—	—	—
Cold	5	3	—	—	—	—	—	—	—	—	—	1	—
Poison	24	1	—	1	—	2	—	—	1	—	—	1	2
Poisoned Wounds	1	—	—	—	—	—	—	—	—	—	—	—	—
Burns and Scalds	97	—	1	6	11	13	5	7	8	3	2	3	1
Hanging, etc.	18	—	—	—	—	—	—	—	—	—	—	2	1
Suffocation	139	54	28	12	1	1	—	—	2	1	2	—	4
Drowning	211	—	1	—	1	—	1	1	16	14	29	15	20
Fracture and Contusion	377	2	1	1	4	4	3	4	23	13	31	34	25
Gunshot Wounds	4	—	—	—	—	—	—	—	—	—	1	—	1
Cuts and Stabs	24	—	—	—	—	—	—	—	1	1	—	2	2
Other Violent Causes	91	5	—	1	2	—	1	1	8	8	4	9	7
Not specified	125	58	9	4	7	—	1	1	3	—	1	2	3

CAUSES of DEATH in the PRINCIPAL TOWN DISTRICTS of SCOTLAND, at different Periods of Life, in 1876.—BOTH SEXES. (Continued.)

DISEASES.	BOTH SEXES.															
	AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
Cephalitis . . .	9	8	5	2	4	2	2	4	2	—	2	—	—	—	—	—
Apoplexy . . .	20	20	22	34	64	58	89	63	61	35	19	3	1	—	—	—
Paralysis . . .	13	13	22	20	39	67	86	85	101	91	24	11	6	3	—	—
Delirium Tremens . . .	4	2	5	1	2	1	1	—	—	—	—	—	—	—	—	—
Chorea . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Epilepsy . . .	8	11	11	6	10	12	2	8	4	2	1	—	—	—	—	—
Tetanus . . .	—	1	—	—	1	—	1	—	—	—	—	—	—	—	—	—
Insanity . . .	—	—	1	3	2	1	1	3	2	2	—	—	—	—	—	—
Convulsions . . .	1	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—
Brain Disease . . .	15	15	23	21	20	28	28	28	17	19	3	4	2	—	—	—
Pericarditis . . .	3	1	5	1	1	—	1	1	—	—	—	—	—	—	—	—
Aneurism . . .	5	12	13	10	5	5	6	4	—	1	1	—	—	—	—	—
Heart Disease . . .	84	111	116	135	130	156	170	147	120	88	31	6	2	—	1	—
Laryngitis . . .	4	1	3	2	—	1	3	2	1	—	1	—	—	—	—	—
Bronchitis . . .	58	75	93	136	191	224	251	236	186	147	68	28	8	—	—	—
Pleurisy . . .	10	11	12	6	8	3	8	4	6	1	1	—	—	—	—	—
Pneumonia . . .	63	68	64	73	64	64	54	52	31	17	14	8	—	—	—	—
Asthma . . .	1	6	8	11	15	15	16	18	4	6	2	—	—	—	—	—
Lung Disease . . .	6	8	12	8	10	11	6	5	6	1	—	2	—	—	—	—
Teething . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Quinsey . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Gastritis . . .	7	3	3	7	4	4	3	3	3	1	—	—	—	—	—	—
Enteritis . . .	4	6	6	5	10	3	18	5	7	1	1	2	—	—	—	—
Peritonitis . . .	7	12	5	15	10	11	2	3	3	2	2	—	—	—	—	—
Ascites . . .	1	1	—	3	3	3	2	2	2	—	—	—	—	—	—	—
Ulceration of Intestines . . .	8	2	7	1	5	6	8	2	1	4	—	—	—	—	—	—
Hernia . . .	1	2	2	2	5	6	7	3	3	4	2	—	—	—	—	—
Ileus . . .	5	6	6	5	6	4	6	5	7	5	7	2	—	—	—	—
Intussusception . . .	—	2	1	1	1	—	1	—	—	1	—	—	—	—	—	—
Stricture of Intestines . . .	2	1	—	—	2	2	1	1	1	1	—	—	—	—	—	—
Stomach Disease . . .	5	4	4	10	8	11	15	17	9	12	3	4	—	—	—	—
Pancreas Disease . . .	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—
Hepatitis . . .	1	5	7	7	7	8	9	7	4	1	1	—	—	—	—	—
Jaundice . . .	—	2	2	3	3	3	9	7	2	2	—	1	—	—	—	—
Liver Disease . . .	11	13	15	29	30	38	30	21	13	8	4	—	—	—	—	—
Spleen Disease . . .	1	2	1	—	1	—	1	—	—	—	—	—	—	—	—	—
Nephritis . . .	5	6	2	3	1	2	4	3	—	1	—	—	—	—	—	—
Nephria . . .	15	16	14	8	14	11	6	4	1	6	—	1	—	—	—	—
Addison's Disease . . .	1	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—
Ischuria . . .	1	—	1	—	3	1	1	2	—	1	—	—	—	—	—	—
Diabetes . . .	3	2	2	3	2	—	3	2	—	—	—	—	1	—	—	—
Stone . . .	—	—	1	1	—	—	3	1	2	2	—	—	—	—	—	—
Cystitis . . .	—	—	—	—	—	1	7	3	11	6	1	1	—	—	—	—
Stricture of Urethra . . .	1	—	—	3	—	1	2	—	—	1	—	—	—	—	—	—
Kidney Disease . . .	6	12	9	4	4	11	8	11	10	5	2	2	—	—	—	—
Paramenia . . .	1	2	—	1	—	—	—	—	—	—	—	—	—	—	—	—
Ovarian Dropsy . . .	3	2	5	2	3	2	3	—	—	—	—	—	—	—	—	—
Childbirth . . .	32	22	16	3	—	—	—	—	—	—	—	—	—	—	—	—
Organs of Generation . . .	4	4	3	2	5	4	1	1	1	—	1	—	—	—	—	—
Bone Disease . . .	4	2	2	5	1	—	2	2	—	—	—	—	—	—	—	—
Rheumatism . . .	2	1	6	3	6	4	10	3	8	4	—	1	—	—	—	—
Joint Disease . . .	1	2	—	1	2	3	1	1	1	—	—	—	—	—	—	—
Carbuncle . . .	—	—	—	1	—	3	4	2	—	1	1	—	—	—	—	—
Phlegmon . . .	—	—	1	—	—	—	1	—	—	—	—	—	—	—	—	—
Skin Disease . . .	—	—	—	1	—	1	—	—	—	1	—	—	—	—	—	—
Intemperance . . .	11	8	10	13	8	17	11	1	3	1	—	—	—	—	—	—
Privation . . .	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—
Want of Breast Milk . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Neglect . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Cold . . .	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Poison . . .	5	2	2	2	1	1	—	—	—	—	—	—	—	—	—	—
Poisoned Wounds . . .	—	—	—	—	—	—	—	2	—	1	—	—	—	—	—	—
Burns and Scalds . . .	4	3	5	4	4	3	5	3	2	4	—	—	—	—	—	—
Hanging, etc. . .	1	3	2	1	3	—	2	1	2	—	—	—	—	—	—	—
Suffocation . . .	1	6	6	4	6	5	3	1	1	1	—	—	—	—	—	—
Drowning . . .	22	24	14	18	13	6	7	5	1	—	1	—	—	—	—	—
Fracture and Contusion . . .	24	33	31	21	37	13	22	19	14	7	8	2	1	—	—	2
Gunshot Wounds . . .	—	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—
Cuts and Stabs . . .	—	2	2	1	2	4	3	3	1	—	—	—	—	—	—	—
Other Violent Causes . . .	1	4	10	4	5	6	4	1	3	1	4	1	1	—	—	—
Not specified . . .	3	8	7	8	5	4	—	—	—	—	—	—	—	—	—	1

CAUSES of DEATH in the PRINCIPAL TOWN DISTRICTS of SCOTLAND, at different Periods of Life, in 1876.—MALES.

DISEASES.	ALL AGES.	MALES.											
		AGE UNDER											
		MONTHS.			2	3	4	5	10	15	20	25	30
		3	6	12									
ALL CAUSES	14256	1734	602	1205	1541	659	409	301	652	362	492	496	490
SPECIFIED CAUSES	14182	1697	597	1204	1536	659	409	301	650	362	492	496	488
I. Zymotic Class	2566	207	156	354	558	277	168	130	224	55	61	57	46
II. Diseases of Uncertain Seat	339	11	1	5	6	7	6	9	9	7	13	8	7
III. Tubercular Class	2505	36	75	143	245	115	93	64	186	142	227	223	214
IV. Brain and Nervous System	1458	136	55	126	110	47	41	30	66	29	30	26	25
V. Organs of Circulation	839	2	2	2	1	2	2	3	11	14	17	26	35
VI. Respiratory Organs	3042	247	189	413	440	163	68	42	60	35	42	60	62
VII. Organs of Digestion	902	128	63	125	129	22	12	6	22	17	12	19	21
VIII. Urinary Organs	260	5	1	2	1	5	5	4	9	6	10	13	13
IX. Organs of Generation	—	—	—	—	—	—	—	—	—	—	—	—	—
X. Organs of Locomotion	96	1	—	—	5	1	5	—	14	16	12	4	3
XI. Skin, etc.	32	5	2	7	6	—	—	—	—	—	—	2	—
XII. Malformation	58	52	2	1	1	—	—	—	—	2	—	—	—
XIII. Premature Debility	871	818	35	18	—	—	—	—	—	—	—	—	—
XIV. Atrophy	85	—	—	—	26	9	6	4	9	3	2	1	—
XV. Age	318	—	—	—	—	—	—	—	—	—	—	—	—
XVI. Sudden Deaths	21	2	—	1	1	—	—	—	—	—	1	—	1
XVII. Violent Deaths	790	47	16	7	7	11	3	9	40	36	65	57	61
I. Small-pox	7	1	—	—	—	—	—	—	—	—	—	—	—
Measles	317	4	4	75	127	54	22	15	14	1	1	—	—
Scarlatina	376	2	3	27	69	66	49	47	90	14	6	1	1
Diphtheria	132	4	2	10	28	24	17	17	25	1	—	—	—
Hooping-cough	465	22	28	108	164	74	36	12	20	—	—	1	—
Croup	164	5	8	19	65	26	13	14	13	1	—	—	—
Thrush	5	5	—	—	—	—	—	—	—	—	—	—	—
Diarrhoea	469	108	83	91	78	16	8	1	5	3	5	2	1
Dysentery	26	1	2	2	2	2	—	—	2	—	1	—	1
Cholera	26	3	5	4	5	—	1	—	—	1	1	—	1
Influenza	10	1	—	—	—	—	—	—	—	—	1	—	—
Purpura	12	1	—	—	1	—	2	—	—	3	2	—	1
Ague	3	—	—	—	—	—	—	—	1	1	—	—	—
Worms	2	—	—	—	—	—	—	2	—	—	—	—	—
Typhus	136	—	3	3	5	2	4	3	9	3	12	19	11
Enteric Fever	202	1	2	2	4	5	11	15	30	19	23	29	21
Relapsing Fever	4	—	—	—	—	—	—	—	—	3	—	—	1
Simple Continued Fever	9	—	—	—	—	—	—	—	5	2	—	—	—
Infantile Remittent	21	—	—	1	5	4	2	4	5	—	—	—	—
Metria	—	—	—	—	—	—	—	—	—	—	—	—	—
Rheumatic Fever	21	—	—	—	—	—	—	—	1	—	8	2	—
Erysipelas	76	19	3	5	2	1	1	—	2	2	—	2	7
Pyæmia	18	2	—	1	—	—	1	—	2	1	1	1	1
Syphilis	54	27	12	5	2	—	—	—	—	—	—	—	—
Noma	3	—	—	—	—	2	1	—	—	—	—	—	—
Hydrophobia	3	—	—	—	—	—	—	—	—	—	—	—	—
Other Zymotic Diseases	5	1	1	1	1	1	—	—	—	—	—	—	—
II. Hæmorrhage	13	3	—	—	—	—	—	—	1	—	2	—	—
Dropsy	65	3	—	—	4	4	5	5	5	2	2	1	1
Abscess	42	3	1	4	1	2	—	3	2	2	3	2	3
Ulcer	6	—	—	1	—	—	—	—	—	—	—	—	—
Fistula	7	—	—	—	—	—	—	—	1	—	—	—	—
Mortification	21	—	—	—	—	1	—	—	—	1	1	—	—
Cancer	184	2	—	—	1	—	1	1	—	2	5	5	3
Gout	1	—	—	—	—	—	—	—	—	—	—	—	—
III. Scrofula	164	5	6	9	18	13	8	6	22	29	11	11	5
Tabes Mesenterica	278	15	21	31	58	30	24	19	38	24	6	4	—
Phthisis	1645	9	10	20	46	26	28	17	75	79	205	208	209
Hydrocephalus	418	7	38	83	123	46	33	22	51	10	5	—	—

CAUSES of DEATH in the PRINCIPAL TOWN DISTRICTS of SCOTLAND, at different Periods of Life, in 1876.—MALES. (Continued.)

DISEASES.	ALL AGES.	MALES.											
		AGE UNDER											
		MONTHS.			2	3	4	5	10	15	20	25	30
		3	6	12									
IV. Cephalitis	232	8	9	39	29	19	17	16	35	16	10	9	5
Apoplexy	347	5	11	22	17	4	2	3	5	2	2	5	5
Paralysis	288	1	1	—	2	—	—	—	—	2	3	4	4
Delirium Tremens	21	—	—	—	—	—	—	—	—	—	—	3	2
Chorea	—	—	—	—	—	—	—	—	—	—	—	—	—
Epilepsy	51	1	—	—	1	—	—	—	—	4	1	1	5
Tetanus	7	3	—	—	—	—	—	—	—	1	1	—	—
Insanity	5	—	—	—	—	—	—	—	—	—	1	—	—
Convulsions	280	114	28	51	50	14	14	4	5	—	—	—	—
Brain Disease	227	4	6	14	11	10	8	7	21	4	12	4	4
V. Pericarditis	16	—	—	1	—	—	—	—	2	1	3	1	—
Aneurism	53	—	—	—	—	—	—	—	—	1	—	1	2
Heart Disease	770	2	2	1	1	2	2	3	9	12	14	24	33
VI. Laryngitis	36	4	—	6	3	3	4	2	1	—	1	1	—
Bronchitis	1963	193	155	301	310	115	50	27	38	15	6	16	14
Pleurisy	69	1	1	1	4	—	—	—	1	1	6	1	6
Pneumonia	845	44	31	102	116	44	11	12	19	17	27	38	37
Asthma	53	—	—	—	—	—	—	—	—	—	—	2	—
Lung Disease	76	5	2	3	7	1	3	1	1	2	2	2	5
VII. Teething	198	2	17	82	94	3	—	—	—	—	—	—	—
Quinsey	8	1	—	2	2	1	—	—	—	—	—	1	—
Gastritis	32	6	3	3	4	—	2	1	—	—	—	—	—
Enteritis	191	64	26	22	15	9	2	3	4	3	4	4	6
Peritonitis	70	5	4	3	2	2	3	1	2	7	3	7	2
Ascites	6	—	—	—	—	—	—	—	1	—	—	—	1
Ulceration of Intestines	30	1	—	—	1	—	1	1	1	1	—	—	1
Hernia	21	3	1	—	—	—	—	—	—	—	—	2	—
Ileus	39	6	1	2	—	—	—	—	3	2	—	—	1
Intussusception	13	1	1	2	1	—	—	—	2	—	—	—	1
Stricture of Intestines	8	—	—	—	—	—	—	—	—	—	—	—	1
Stomach Disease	89	20	9	6	7	2	2	—	3	2	—	1	—
Pancreas Disease	—	—	—	—	—	—	—	—	—	—	—	—	—
Hepatitis	27	1	—	1	1	—	—	—	1	1	2	—	—
Jaundice	38	12	—	—	1	1	1	—	2	—	—	—	3
Liver Disease	123	6	—	1	—	3	1	—	3	—	3	3	4
Spleen Disease	9	—	1	1	1	1	—	—	—	1	—	1	1
VIII. Nephritis	37	1	—	1	—	3	3	3	6	1	—	1	2
Nephria	74	—	—	—	—	—	2	—	—	1	4	3	4
Addison's Disease	2	—	—	—	—	—	—	—	—	—	2	—	—
Ischuria	11	1	—	1	—	—	—	—	—	—	—	—	1
Diabetes	18	—	—	—	1	—	—	—	—	1	1	1	1
Stone	14	—	—	—	—	1	—	—	1	1	—	1	1
Cystitis	24	—	—	—	—	—	—	—	—	—	—	—	—
Stricture of Urethra	8	—	—	—	—	—	—	—	—	—	—	—	—
Kidney Disease	72	3	1	—	—	1	—	1	2	2	3	7	4
IX. Paramenia	—	—	—	—	—	—	—	—	—	—	—	—	—
Ovarian Dropsy	—	—	—	—	—	—	—	—	—	—	—	—	—
Childbirth	—	—	—	—	—	—	—	—	—	—	—	—	—
Organs of Generation	—	—	—	—	—	—	—	—	—	—	—	—	—
X. Bone Disease	31	—	—	—	1	—	2	—	4	6	5	1	—
Rheumatism	19	—	—	—	—	—	—	—	—	—	2	—	—
Joint Disease	46	1	—	—	4	1	3	—	10	10	5	3	3
XI. Carbuncle	8	—	—	—	—	—	—	—	—	—	—	—	—
Phlegmon	3	1	—	—	—	—	—	—	—	—	—	1	—
Skin Disease	21	4	2	7	6	—	—	—	—	—	—	1	—
XVII. Intemperance	49	—	—	—	—	—	—	—	—	—	1	3	2
Privation	—	—	—	—	—	—	—	—	—	—	—	—	—
Want of Breast Milk	17	14	3	—	—	—	—	—	—	—	—	—	—
Neglect	1	—	1	—	—	—	—	—	—	—	—	—	—
Cold	2	1	—	—	—	—	—	—	—	—	—	1	—
Poison	16	1	—	1	—	1	—	—	—	—	—	—	2
Poisoned Wounds	—	—	—	—	—	—	—	—	—	—	—	—	—
Burns and Scalds	39	—	1	—	3	9	—	4	2	2	1	2	1
Hanging, etc.	12	—	—	—	—	—	—	—	—	—	—	1	1
Suffocation	73	28	11	5	1	—	—	—	—	1	2	—	4
Drowning	187	—	—	—	—	—	1	1	13	11	28	14	19
Fracture and Contusion	297	—	—	—	2	1	1	3	18	13	28	30	24
Gunshot Wounds	4	—	—	—	—	—	—	—	—	—	1	—	1
Cuts and Stabs	20	—	—	—	—	—	—	—	1	1	—	1	2
Other Violent Causes	73	3	—	1	1	—	1	1	6	8	4	5	5
Not specified	74	37	5	1	5	—	—	—	2	—	—	—	2

CAUSES of DEATH in the PRINCIPAL TOWN DISTRICTS of SCOTLAND, at different Periods of Life, in 1876.—FEMALES.

DISEASES.	ALL AGES.	FEMALES.											
		AGE UNDER											
		MONTHS.											
		3	6	12	2	3	4	5	10	15	20	25	30
ALL CAUSES	13721	1275	511	1025	1385	607	377	286	642	328	437	528	538
SPECIFIED CAUSES	13670	1254	507	1022	1383	607	376	285	641	328	436	526	537
I. Zymotic Class	2640	185	144	350	519	293	177	147	274	56	60	64	62
II. Diseases of Uncertain Seat	554	6	4	5	4	2	3	2	10	5	4	7	8
III. Tubercular Class	2547	32	45	144	191	86	61	53	165	160	270	304	271
IV. Brain and Nervous System	1251	93	53	72	100	40	30	16	49	28	22	17	24
V. Organs of Circulation	764	1	1	1	1	—	—	—	17	22	17	25	29
VI. Respiratory Organs	2814	170	154	320	422	135	77	42	61	22	20	22	52
VII. Organs of Digestion	908	90	46	88	95	28	8	10	15	12	15	30	25
VIII. Urinary Organs	154	—	—	—	1	1	3	3	6	8	5	13	14
IX. Organs of Generation	189	—	—	—	—	—	—	—	—	1	9	20	36
X. Organs of Locomotion	90	—	—	—	1	3	1	1	14	7	8	9	3
XI. Skin, etc.	16	1	—	3	1	—	2	—	—	1	—	—	1
XII. Malformation	47	39	3	2	1	—	1	—	1	—	—	—	—
XIII. Premature Debility	646	589	34	23	—	—	—	—	—	—	—	—	—
XIV. Atrophy	110	—	—	—	35	10	6	7	9	2	1	1	2
XV. Age	591	—	—	—	—	—	—	—	—	—	—	—	—
XVI. Sudden Deaths	17	3	—	—	—	—	—	—	—	—	—	1	1
XVII. Violent Deaths	332	45	23	14	12	9	7	4	20	4	5	13	9
I. Small-pox	3	—	—	1	—	—	—	—	—	—	—	1	—
Measles	318	2	6	63	128	51	25	18	23	—	1	—	—
Scarlatina	356	1	1	21	48	62	43	56	94	16	5	5	1
Diphtheria	161	1	2	14	38	22	11	1	42	4	1	1	3
Hooping-cough	556	33	22	118	178	96	50	25	33	—	—	—	—
Croup	158	7	5	23	51	27	22	8	15	—	—	—	—
Thrush	11	7	1	1	2	—	—	—	—	—	—	—	—
Diarrhoea	436	90	78	89	52	15	6	2	10	2	2	1	—
Dysentery	24	1	1	2	—	—	—	1	—	—	—	1	1
Cholera	21	1	3	3	5	—	1	1	1	—	—	—	—
Influenza	11	—	—	—	1	—	—	—	—	—	—	1	—
Purpura	6	—	1	—	—	1	—	—	—	1	—	1	—
Ague	1	—	—	—	—	—	—	—	—	—	—	—	—
Worms	1	—	—	—	—	1	—	—	—	—	—	—	—
Typhus	90	—	2	—	2	2	3	2	9	4	7	8	2
Enteric Fever	205	—	1	3	3	9	9	8	34	24	30	14	18
Relapsing Fever	1	—	—	—	—	—	—	—	—	—	—	—	—
Simple Continued Fever	10	—	—	—	—	2	—	4	3	1	—	—	—
Infantile Remittent	21	—	—	1	2	4	5	3	6	—	—	—	—
Metria	83	—	—	—	—	—	—	—	—	—	6	23	27
Rheumatic Fever	30	—	—	—	—	—	—	1	1	4	6	4	5
Erysipelas	49	14	—	4	2	1	1	1	—	—	—	—	1
Pyæmia	14	—	—	—	1	—	—	—	1	—	—	3	1
Syphilis	66	27	21	7	5	—	—	—	—	—	—	1	3
Noma	2	—	—	—	1	—	—	—	—	—	—	—	—
Hydrophobia	—	—	—	—	—	—	—	—	—	—	—	—	—
Other Zymotic Diseases	6	1	—	—	—	—	1	—	2	—	2	—	—
II. Hæmorrhage	4	2	—	—	—	—	—	—	—	—	—	—	—
Dropsy	90	—	—	1	2	2	1	8	3	1	1	1	2
Abscess	34	3	3	4	1	—	1	1	1	—	—	3	—
Ulcer	16	—	1	—	1	—	—	—	—	—	—	—	—
Fistula	1	—	—	—	—	—	—	—	—	—	—	—	—
Mortification	26	1	—	—	—	—	—	—	—	1	—	1	—
Cancer	381	—	—	—	—	—	—	—	1	—	3	2	6
Gout	2	—	—	—	—	—	—	—	—	—	—	—	—
III. Scrofula	128	6	5	10	21	12	5	2	16	18	15	2	3
Tabes Mesenterica	210	12	9	25	52	25	8	10	34	15	7	4	1
Phthisis	1881	2	8	15	41	21	22	21	80	116	246	298	267
Hydrocephalus	328	12	23	94	77	28	26	20	35	11	2	—	—

CAUSES of DEATH in the PRINCIPAL TOWN DISTRICTS of SCOTLAND, at different Periods of Life, in 1876.—FEMALES. (Continued.)

DISEASES.	ALL AGES.	FEMALES.											
		AGE UNDER											
		MONTHS.			2	3	4	5	10	15	20	25	30
		3	6	12									
IV. Cephalitis	191	5	16	26	33	17	12	11	26	11	8	5	1
Apoplexy	287	1	5	17	11	1	4	1	8	2	1	4	7
Paralysis	326	—	—	—	1	—	1	—	1	3	2	4	4
Delirium Tremens	1	—	—	—	—	—	—	—	—	—	—	—	1
Chorea	2	—	—	—	—	—	—	—	—	2	—	—	—
Epilepsy	55	—	—	—	2	—	—	—	—	4	6	1	5
Tetanus	5	1	—	—	1	—	—	—	1	1	—	—	—
Insanity	14	—	—	—	—	—	—	—	—	—	—	—	2
Convulsions	207	81	28	25	41	15	12	1	3	—	—	—	—
Brain Disease	163	5	4	4	11	7	1	3	10	5	5	3	4
V. Pericarditis	16	—	—	—	—	—	—	—	2	2	1	3	3
Aneurism	15	—	—	—	—	—	—	—	—	—	—	—	2
Heart Disease	733	1	1	1	1	—	—	—	15	20	16	22	24
VI. Laryngitis	22	1	—	3	4	—	2	—	3	—	—	1	1
Bronchitis	2030	127	127	238	318	90	48	27	35	8	8	7	19
Pleurisy	33	2	1	—	—	1	—	—	—	1	1	2	2
Pneumonia	614	35	25	73	95	41	25	15	22	12	9	12	25
Asthma	52	—	—	—	—	—	—	—	—	—	—	—	1
Lung Disease	63	5	1	6	5	3	2	—	1	1	2	—	4
VII. Teething	143	—	6	54	73	10	—	—	—	—	—	—	—
Quinsey	9	—	—	4	1	1	2	—	—	—	—	—	—
Gastritis	41	9	2	2	1	2	—	—	—	—	—	—	—
Enteritis	155	41	22	18	9	3	5	2	5	4	3	2	2
Peritonitis	91	5	2	2	1	4	—	2	5	4	4	11	8
Ascites	19	—	—	—	—	—	—	1	—	2	—	1	2
Ulceration of Intestines	32	—	—	—	1	—	—	—	—	—	2	4	4
Hernia	24	—	—	1	—	—	—	—	—	—	—	—	1
Ileus	51	4	—	3	—	—	—	—	—	—	1	3	—
Intussusception	5	1	—	1	—	—	—	—	—	—	—	—	1
Stricture of Intestines	6	1	—	—	—	—	—	—	—	—	—	1	—
Stomach Disease	114	21	8	2	6	4	—	1	2	1	1	2	1
Pancreas Disease	1	—	—	—	—	—	—	—	—	—	—	—	—
Hepatitis	47	1	1	—	—	1	—	3	—	1	1	1	1
Jaundice	33	6	5	—	1	1	—	—	1	—	—	2	1
Liver Disease	128	—	—	—	2	2	1	1	1	—	1	3	4
Spleen Disease	9	1	—	1	—	—	—	—	1	—	2	—	—
VIII. Nephritis	21	—	—	—	—	—	2	—	2	3	—	1	2
Nephria	65	—	—	—	—	1	—	2	4	4	4	6	8
Addison's Disease	2	—	—	—	—	—	—	—	—	—	—	—	—
Ischuria	5	—	—	—	—	—	—	—	—	—	—	1	—
Diabetes	8	—	—	—	—	—	1	—	—	—	—	2	1
Stone	1	—	—	—	—	—	—	—	—	—	—	—	—
Cystitis	7	—	—	—	—	—	—	—	—	—	—	1	—
Stricture of Urethra	—	—	—	—	—	—	—	—	—	—	—	—	—
Kidney Disease	45	—	—	—	1	—	—	1	—	1	1	2	3
IX. Paramenia	8	—	—	—	—	—	—	—	—	—	2	2	—
Ovarian Dropsy	24	—	—	—	—	—	—	—	—	—	—	2	2
Childbirth	123	—	—	—	—	—	—	—	—	—	6	14	30
Organs of Generation	34	—	—	—	—	—	—	—	—	1	1	2	4
X. Bone Disease	24	—	—	—	—	2	—	1	7	1	2	3	2
Rheumatism	36	—	—	—	—	—	—	—	1	—	1	2	1
Joint Disease	30	—	—	—	1	1	1	—	6	6	5	4	—
XI. Carbuncle	4	—	—	—	—	—	—	—	—	—	—	—	—
Phlegmon	3	—	—	—	—	—	1	—	—	—	—	—	1
Skin Disease	9	1	—	3	1	—	1	—	—	1	—	—	—
XVII. Intemperance	45	—	—	—	—	—	—	—	—	—	—	—	5
Privation	2	—	—	—	—	—	—	—	1	—	—	—	—
Want of Breast Milk	16	12	4	—	—	—	—	—	—	—	—	—	—
Neglect	1	1	—	—	—	—	—	—	—	—	—	—	—
Cold	3	2	—	—	—	—	—	—	—	—	—	—	—
Poison	8	—	—	—	—	1	—	—	1	—	—	1	—
Poisoned Wounds	1	—	—	—	—	—	—	—	—	—	—	—	—
Burns and Scalds	58	—	—	6	8	4	5	3	6	1	1	1	—
Hanging, etc.	6	—	—	—	—	—	—	—	—	—	—	1	—
Suffocation	66	26	17	7	—	1	—	—	2	—	—	—	—
Drowning	24	—	1	—	1	—	—	—	3	3	1	1	1
Fracture and Contusion	80	2	1	1	2	3	2	1	5	—	3	4	1
Gunshot Wounds	—	—	—	—	—	—	—	—	—	—	—	—	—
Cuts and Stabs	4	—	—	—	—	—	—	—	—	—	—	1	—
Other Violent Causes	18	2	—	—	1	—	—	—	2	—	—	4	2
Not specified	51	21	4	3	2	—	1	1	1	—	1	2	1

DISEASES.	FEMALES.																
	AGE UNDER																
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?	
Cephalitis	4	5	4	1	1	1	—	1	1	—	2	—	—	—	—	—	
Apoplexy	6	11	8	12	32	32	41	28	26	19	9	1	—	—	—	—	
Paralysis	7	8	11	8	19	34	41	49	47	63	14	4	3	2	—	—	
Delirium Tremens	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Chorea	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Epilepsy	4	4	7	2	6	5	1	3	2	2	1	—	—	—	—	—	
Tetanus	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	
Insanity	—	—	1	3	2	—	1	2	2	—	—	—	1	—	—	—	
Convulsions	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Brain Disease	2	8	6	11	9	13	16	12	8	9	3	3	1	—	—	—	
Pericarditis	2	—	1	—	1	—	1	—	—	—	—	—	—	—	—	—	
Aneurism	3	2	1	2	1	1	2	1	—	—	—	—	—	—	—	—	
Heart Disease	40	50	52	69	69	80	80	66	58	43	20	3	2	—	—	—	
Laryngitis	2	1	—	—	—	—	1	2	1	—	—	—	—	—	—	—	
Bronchitis	32	32	46	63	106	125	142	145	111	101	49	20	6	—	—	—	
Pleurisy	2	4	2	3	2	1	3	1	4	1	—	—	—	—	—	—	
Pneumonia	26	21	14	21	18	31	28	22	20	13	7	4	—	—	—	—	
Asthma	—	5	3	4	8	6	7	11	1	4	2	—	—	—	—	—	
Lung Disease	3	5	3	6	3	4	3	1	2	1	—	2	—	—	—	—	
Teething	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Quinsey	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	
Gastritis	6	3	3	5	2	3	2	—	1	—	—	—	—	—	—	—	
Enteritis	3	4	5	3	5	2	8	4	2	1	1	1	—	—	—	—	
Peritonitis	5	8	2	8	6	6	2	3	1	1	1	—	—	—	—	—	
Ascites	—	1	—	3	2	2	1	2	2	—	—	—	—	—	—	—	
Ulceration of Intestines	2	1	4	1	1	5	3	2	—	2	—	—	—	—	—	—	
Hernia	—	1	2	—	3	5	4	1	1	3	2	—	—	—	—	—	
Ileus	4	4	3	3	4	2	4	2	4	2	6	2	—	—	—	—	
Intussusception	—	1	—	—	—	—	1	—	—	—	—	—	—	—	—	—	
Stricture of Intestines	1	1	—	—	1	—	—	1	—	—	—	—	—	—	—	—	
Stomach Disease	2	4	3	8	5	7	6	11	7	7	2	3	—	—	—	—	
Pancreas Disease	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	
Hepatitis	1	4	3	5	2	6	7	5	4	—	—	—	—	—	—	—	
Jaundice	—	—	1	3	2	1	2	4	2	—	—	1	—	—</			

CAUSES of DEATH in the LARGE TOWN DISTRICTS of SCOTLAND, at different Periods of Life, in 1876.—BOTH SEXES.

DISEASES.	ALL AGES.	BOTH SEXES.											
		AGE UNDER											
		MONTHS.			2	3	4	5	10	15	20	25	30
		3	6	12									
ALL CAUSES	9024	963	337	690	823	357	218	176	401	245	330	340	293
SPECIFIED CAUSES	8933	913	331	681	819	357	217	176	397	245	328	339	293
I. Zymotic Class	1590	118	107	197	281	151	121	72	164	51	36	43	37
II. Diseases of Uncertain Seat	299	9	4	3	4	3	3	—	6	3	3	3	7
III. Tubercular Class	1644	41	52	117	151	71	31	53	97	97	175	171	113
IV. Brain and Nervous System	941	67	27	64	73	34	13	10	39	23	20	14	13
V. Organs of Circulation	518	7	—	1	—	1	—	—	6	11	14	15	23
VI. Respiratory Organs	1584	119	88	200	225	68	34	24	40	12	19	27	32
VII. Organs of Digestion	566	61	25	66	54	12	2	4	15	7	10	13	16
VIII. Urinary Organs	155	—	—	2	3	2	4	1	6	4	7	9	9
IX. Organs of Generation	92	—	—	—	—	—	—	—	—	—	5	15	20
X. Organs of Locomotion	51	—	—	—	1	—	2	2	9	11	6	1	1
XI. Skin, etc.	7	—	1	1	2	—	—	—	—	—	—	1	—
XII. Malformation	35	33	2	—	—	—	—	—	—	—	—	—	—
XIII. Premature Debility	477	434	21	22	—	—	—	—	—	—	—	—	—
XIV. Atrophy	89	—	—	—	16	6	3	5	4	1	2	1	4
XV. Age	535	—	—	—	—	—	—	—	—	—	—	—	—
XVI. Sudden Deaths	15	—	—	—	1	—	—	—	—	—	—	—	—
XVII. Violent Deaths	335	24	4	8	8	9	4	5	11	25	31	26	18
I. Small-pox	1	1	—	—	—	—	—	—	—	—	—	—	—
Measles	143	2	8	27	53	24	9	9	10	—	1	—	—
Scarlatina	293	3	1	12	40	37	56	28	80	24	6	2	1
Diphtheria	77	3	—	6	12	12	11	6	16	3	1	2	1
Hooping-cough	281	21	23	67	91	39	21	10	8	—	—	—	—
Croup	75	3	3	3	24	17	10	5	10	—	—	—	—
Thrush	6	3	—	2	1	—	—	—	—	—	—	—	—
Diarrhoea	292	52	58	58	38	6	4	1	4	1	1	4	1
Dysentery	27	1	1	2	3	—	1	—	3	—	1	—	—
Cholera	20	1	2	5	5	2	2	—	1	—	—	—	1
Influenza	7	—	—	—	—	—	—	—	2	—	—	—	—
Purpura	4	—	1	—	—	—	—	—	—	1	—	—	—
Ague	1	—	—	—	—	—	—	—	—	—	—	—	—
Worms	—	—	—	—	—	—	—	—	—	—	—	—	—
Typhus	59	—	1	4	1	3	1	3	7	4	1	3	12
Enteric Fever	154	1	—	1	4	9	5	8	20	14	18	19	8
Relapsing Fever	1	—	—	—	—	—	—	—	—	—	—	—	—
Simple Continued Fever	7	—	—	—	—	—	—	—	1	—	2	1	—
Infantile Remittent	4	—	—	—	2	1	—	1	—	—	—	—	—
Metria	26	—	—	—	—	—	—	—	—	—	1	6	9
Rheumatic Fever	16	—	—	—	—	—	—	—	—	2	2	2	1
Erysipelas	45	16	2	4	1	—	—	1	—	1	—	2	1
Pyæmia	17	2	—	—	1	1	—	—	1	1	2	1	2
Syphilis	27	8	7	3	4	—	—	—	—	—	—	1	—
Noma	1	—	—	—	—	—	1	—	—	—	—	—	—
Hydrophobia	1	—	—	—	—	—	—	—	1	—	—	—	—
Other Zymotic Diseases	5	1	—	3	1	—	—	—	—	—	—	—	—
II. Hæmorrhage	14	4	2	—	—	—	—	—	—	—	—	—	2
Dropsy	69	1	—	—	—	1	1	—	1	1	1	1	—
Abscess	28	2	1	3	3	1	1	—	1	2	—	2	2
Ulcer	6	1	—	—	—	—	1	—	—	—	—	—	—
Fistula	4	—	—	—	1	—	—	—	1	—	—	—	—
Mortification	15	1	1	—	—	1	—	—	1	—	—	—	—
Cancer	160	—	—	—	—	—	—	—	2	—	2	—	3
Gout	3	—	—	—	—	—	—	—	—	—	—	—	—
III. Scrofula	72	2	—	4	5	3	1	4	5	11	14	4	1
Tabes Mesenterica	163	8	9	21	37	27	6	11	19	6	6	3	3
Phthisis	1078	12	11	10	21	15	6	18	40	67	155	164	109
Hydrocephalus	331	19	32	82	88	26	18	20	33	13	—	—	—

CAUSES of DEATH in the LARGE TOWN DISTRICTS of SCOTLAND, at different Periods of Life, in 1876.—BOTH SEXES.

DISEASES.	BOTH SEXES.																
	AGE UNDER																
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?	
ALL CAUSES . . .	263	318	286	305	364	325	406	425	415	371	211	112	29	15	2	4	
SPECIFIED CAUSES . .	261	317	285	303	360	321	406	425	415	371	211	112	29	15	2	4	
Zymotic Class . . .	17	20	27	13	19	11	22	31	20	17	9	4	1	1	—	—	
Uncertain Seat . . .	13	16	17	28	30	29	28	34	28	19	8	1	—	—	—	—	
Tubercular Class . .	111	109	75	67	44	27	23	4	9	4	1	—	—	—	—	1	
Brain, etc.	22	28	32	44	60	54	58	68	70	61	32	10	1	1	—	3	
Heart, etc.	18	26	33	35	43	36	58	74	56	39	19	3	—	—	—	—	
Respiratory Organs .	27	31	37	48	76	79	109	85	82	58	43	17	1	3	—	—	
Digestive Organs . .	21	25	22	22	27	38	39	33	26	19	7	1	1	—	—	—	
Urinary Organs . . .	6	12	5	13	11	14	11	9	13	8	2	4	—	—	—	—	
Generative Organs . .	14	19	7	4	3	2	—	—	2	—	—	1	—	—	—	—	
Locomotive Organs . .	1	1	2	1	1	1	3	3	4	1	—	—	—	—	—	—	
Skin	—	—	—	—	—	—	—	2	—	—	—	—	—	—	—	—	
Malformation	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Premature Debility . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Atrophy	—	5	2	5	20	15	—	—	—	—	—	—	—	—	—	—	
Age	—	—	—	—	—	—	37	71	97	138	86	69	25	10	2	—	
Sudden Deaths . . .	—	1	—	1	1	2	3	3	1	2	—	—	—	—	—	—	
Violent Deaths . . .	11	24	26	22	25	13	15	8	7	5	4	2	—	—	—	—	
Small-pox	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Measles	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Scarlatina	1	—	1	—	—	—	—	—	—	—	—	1	—	—	—	—	
Diphtheria	2	1	—	—	1	—	—	—	—	—	—	—	—	—	—	—	
Hooping-cough	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	
Croup	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Thrush	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Diarrhoea	1	2	4	1	1	2	8	16	10	8	7	3	—	1	—	—	
Dysentery	—	—	—	—	3	—	3	2	3	4	—	—	—	—	—	—	
Cholera	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Influenza	1	—	—	—	—	—	—	3	—	1	—	—	—	—	—	—	
Purpura	—	—	1	—	—	—	—	1	—	—	—	—	—	—	—	—	
Ague	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	
Worms	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Typhus	2	2	4	2	1	3	1	3	1	—	—	—	—	—	—	—	
Enteric Fever	3	3	10	7	9	2	6	2	1	3	1	—	—	—	—	—	
Relapsing Fever . . .	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	
Simple Cont. Fever . .	—	2	—	—	—	—	—	—	1	—	—	—	—	—	—	—	
Infantile Remittent . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Metria	4	5	1	—	—	—	—	—	—	—	—	—	—	—	—	—	
Rheumatic Fever . . .	1	2	2	1	1	1	—	—	1	—	—	—	—	—	—	—	
Erysipelas	—	1	2	2	3	2	—	3	2	1	—	—	1	—	—	—	
Pyæmia	1	1	—	—	—	1	2	—	1	—	—	—	—	—	—	—	
Syphilis	1	—	1	—	—	—	2	—	—	—	—	—	—	—	—	—	
Noma	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Hydrophobia	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Other Zymotic Dis. . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Hæmorrhage	1	3	—	—	1	—	—	—	1	—	—	—	—	—	—	—	
Dropsy	5	6	3	1	5	2	6	8	10	11	4	1	—	—	—	—	
Abscess	—	—	3	2	2	2	1	—	—	—	—	—	—	—	—	—	
Ulcer	—	—	—	—	—	—	2	2	—	—	—	—	—	—	—	—	
Fistula	—	1	—	—	—	1	—	—	—	—	—	—	—	—	—	—	
Mortification	—	—	2	1	2	—	2	1	3	—	—	—	—	—	—	—	
Cancer	7	6	9	24	20	24	17	23	12	7	4	—	—	—	—	—	
Gout	—	—	—	—	—	—	—	—	2	1	—	—	—	—	—	—	
Scrofula	3	1	4	4	1	—	2	—	2	1	—	—	—	—	—	—	
Tabes Mesenterica . .	—	—	1	2	1	1	—	1	1	—	—	—	—	—	—	—	
Phthisis	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Hydrocephalus	108	108	70	61	42	26	21	3	6	3	1	—	—	—	—	1	

CAUSES of DEATH in the LARGE TOWN DISTRICTS of SCOTLAND, at different Periods of Life, in 1876.—BOTH SEXES. (Continued.)

DISEASES.	BOTH SEXES.												
	ALL AGES.	AGE UNDER											
		MONTHS.			2	3	4	5	10	15	20	25	30
		3	6	12									
IV. Cephalitis	120	1	6	22	17	11	7	6	15	9	9	2	3
Apoplexy	225	2	5	10	13	4	3	-	7	3	4	3	1
Paralysis	274	-	-	-	1	2	-	-	1	2	2	3	3
Delirium Tremens	7	-	-	-	-	-	-	-	-	-	-	-	-
Chorea	1	-	-	-	-	-	-	-	1	-	-	-	-
Epilepsy	24	-	1	1	1	-	-	-	-	1	3	3	-
Tetanus	10	2	-	1	1	-	-	1	1	-	-	1	1
Insanity	19	-	-	-	-	-	-	-	-	-	-	1	3
Convulsions	170	61	15	29	38	15	2	2	7	-	-	-	-
Brain Disease	91	1	-	1	2	2	1	1	7	8	2	1	2
V. Pericarditis	4	-	-	-	-	-	-	-	1	1	-	-	-
Aneurism	13	-	-	-	-	-	-	-	-	-	-	-	2
Heart Disease	501	7	-	1	-	1	-	-	5	10	14	15	21
VI. Laryngitis	19	1	-	2	2	1	2	2	1	1	-	-	1
Bronchitis	1016	95	71	139	153	50	20	12	16	4	7	4	2
Pleurisy	25	-	-	-	3	-	-	1	-	1	-	4	3
Pneumonia	451	22	17	59	66	17	11	8	20	4	11	17	24
Asthma	48	-	-	-	-	-	-	-	2	-	-	-	2
Lung Disease	25	1	-	-	1	-	1	1	1	2	1	2	-
VII. Teething	77	-	4	38	31	4	-	-	-	-	-	-	-
Quinsey	3	-	-	1	1	-	-	-	-	-	-	1	-
Gastritis	24	-	2	4	3	-	1	-	1	-	-	1	1
Enteritis	94	28	10	11	7	4	-	1	4	1	4	2	-
Peritonitis	61	4	2	3	2	-	1	-	5	3	3	4	7
Ascites	11	1	-	-	-	-	-	-	1	-	-	-	-
Ulceration of Intestines	25	-	1	1	1	-	-	-	1	-	-	-	2
Hernia	14	-	1	-	-	-	-	-	1	-	-	-	1
Ileus	31	5	-	3	-	-	-	-	-	1	2	1	2
Intussusception	5	-	-	-	1	-	-	-	1	-	-	-	-
Stricture of Intestines	7	-	-	1	-	-	-	1	-	-	-	-	-
Stomach Disease	73	13	4	2	5	3	-	1	-	1	1	1	1
Pancreas Disease	2	-	-	-	-	-	-	-	-	-	-	-	-
Hepatitis	32	3	1	2	1	-	-	-	-	-	-	-	-
Jaundice	30	7	-	-	-	1	-	-	-	-	-	-	-
Liver Disease	71	-	-	-	2	-	-	1	-	1	-	1	2
Spleen Disease	6	-	-	-	-	-	-	-	1	-	-	2	-
VIII. Nephritis	16	-	-	-	1	-	-	-	3	1	-	2	2
Nephria	47	-	-	1	-	-	-	-	2	2	3	3	3
Addison's Disease	1	-	-	-	-	-	-	-	-	-	-	-	-
Ischuria	10	-	-	-	-	-	1	-	-	-	-	-	1
Diabetes	13	-	-	-	1	-	-	-	1	-	-	2	1
Stone	4	-	-	1	-	-	-	-	-	-	-	-	-
Cystitis	12	-	-	-	-	-	-	-	-	1	-	-	-
Stricture of Urethra	3	-	-	-	-	-	-	-	-	-	-	-	-
Kidney Disease	49	-	-	-	1	2	3	1	-	-	4	2	2
IX. Paramenia	6	-	-	-	-	-	-	-	-	-	2	2	-
Ovarian Dropsy	7	-	-	-	-	-	-	-	-	-	-	-	2
Childbirth	62	-	-	-	-	-	-	-	-	-	3	10	15
Organs of Generation	17	-	-	-	-	-	-	-	-	-	-	3	3
X. Bone Disease	18	-	-	-	1	-	1	-	3	2	4	1	-
Rheumatism	14	-	-	-	-	-	-	-	1	1	-	-	1
Joint Disease	19	-	-	-	-	-	1	2	5	8	2	-	-
XI. Carbuncle	1	-	-	-	-	-	-	-	-	-	-	-	-
Phlegmon	1	-	-	-	-	-	-	-	-	-	-	1	-
Skin Disease	5	-	1	1	2	-	-	-	-	-	-	-	-
XVII. Intemperance	25	-	-	-	-	-	-	-	-	-	-	2	-
Privation	-	-	-	-	-	-	-	-	-	-	-	-	-
Want of Breast Milk	4	2	-	2	-	-	-	-	-	-	-	-	-
Neglect	-	-	-	-	-	-	-	-	-	-	-	-	-
Cold	4	-	-	1	-	-	-	-	-	-	-	-	-
Poison	7	-	-	-	-	-	-	-	-	-	-	2	-
Poisoned Wounds	-	-	-	-	-	-	-	-	-	-	-	-	-
Burns and Scalds	63	-	-	1	5	3	4	2	2	11	13	5	3
Hanging, etc.	7	-	-	-	-	-	-	-	-	1	-	1	-
Suffocation	36	18	4	3	-	-	-	1	-	-	-	-	-
Drowning	61	1	-	1	1	1	-	1	3	6	6	3	5
Fracture and Contusion	91	-	-	-	1	4	-	1	5	5	9	8	7
Gunshot Wounds	2	-	-	-	-	-	-	-	-	-	-	1	1
Cuts and Stabs	2	-	-	-	-	-	-	-	-	-	1	-	-
Other Violent Causes	33	3	-	-	1	1	-	-	1	2	2	4	2
Not specified	91	50	6	9	4	-	1	-	4	-	2	1	-

DISEASES.	BOTH SEXES.															
	AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
Cephalitis . . .	1	2	—	2	1	2	3	—	1	—	—	—	—	—	—	—
Apoplexy . . .	5	7	8	11	24	24	21	20	19	13	13	4	1	—	—	—
Paralysis . . .	8	9	13	20	20	23	26	35	42	41	15	5	—	1	—	2
Delirium Tremens . .	1	2	1	1	2	—	—	—	—	—	—	—	—	—	—	—
Chorea . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Epilepsy . . .	1	—	5	—	4	—	2	2	—	—	—	—	—	—	—	—
Tetanus . . .	—	1	—	—	—	1	—	—	—	—	—	—	—	—	—	—
Insanity . . .	1	2	1	2	1	—	3	—	2	1	1	—	—	—	—	1
Convulsions . . .	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Brain Disease . . .	5	4	4	8	8	4	3	11	6	6	3	1	—	—	—	—
Pericarditis . . .	—	—	1	—	—	—	—	1	—	—	—	—	—	—	—	—
Aneurism . . .	2	1	1	1	3	—	2	1	—	—	—	—	—	—	—	—
Heart Disease . . .	16	25	31	34	40	36	56	72	56	39	19	3	—	—	—	—
Laryngitis . . .	1	1	—	1	1	1	—	1	—	—	—	—	—	—	—	—
Bronchitis . . .	10	13	18	29	37	52	72	52	57	53	31	16	—	3	—	—
Pleurisy . . .	3	3	—	2	1	—	1	2	—	—	1	—	—	—	—	—
Pneumonia . . .	12	10	14	12	29	19	23	21	19	3	11	1	1	—	—	—
Asthma . . .	—	3	3	2	6	7	9	8	5	1	—	—	—	—	—	—
Lung Disease . . .	1	1	2	2	2	—	4	1	1	1	—	—	—	—	—	—
Teething . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Quinsey . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Gastritis . . .	1	1	1	2	1	—	1	1	2	—	1	—	—	—	—	—
Enteritis . . .	1	5	1	1	—	2	6	4	2	—	—	—	—	—	—	—
Peritonitis . . .	3	7	4	2	2	1	—	1	4	3	—	—	—	—	—	—
Ascites . . .	2	—	2	—	—	2	1	—	1	1	—	—	—	—	—	—
Ulceration of Intestines	—	2	—	1	3	3	6	1	1	2	—	—	—	—	—	—
Hernia . . .	—	—	—	2	—	3	—	5	1	—	—	—	—	—	—	—
Ileus . . .	2	—	3	2	2	1	—	3	1	2	1	—	—	—	—	—
Intussusception . . .	—	—	1	—	—	1	—	1	—	—	—	—	—	—	—	—
Stricture of Intestines	—	—	1	—	—	1	—	1	—	—	1	—	—	—	—	—
Stomach Disease . . .	5	2	1	1	4	2	10	6	5	3	2	—	—	—	—	—
Pancreas Disease . . .	—	—	—	1	—	—	—	—	1	—	—	—	—	—	—	—
Hepatitis . . .	3	3	1	4	1	4	2	3	2	1	—	1	—	—	—	—
Jaundice . . .	—	—	—	1	4	1	3	3	4	5	—	—	1	—	—	—
Liver Disease . . .	4	5	6	5	10	17	8	3	2	2	2	—	—	—	—	—
Spleen Disease .																

CAUSES of DEATH in the LARGE TOWN DISTRICTS of SCOTLAND, at different Periods of Life, in 1876.—MALES.

DISEASES.	MALES.												
	ALL AGES.	AGE UNDER											
		MONTHS.			2	3	4	5	10	15	20	25	30
		3	6	12									
ALL CAUSES	4500	537	185	363	430	162	104	93	209	117	177	159	137
SPECIFIED CAUSES	4450	509	181	361	427	162	104	93	207	117	176	159	137
I. Zymotic Class	750	58	50	85	144	68	58	36	75	24	19	20	11
II. Diseases of Uncertain Seat	118	6	2	2	2	2	1	—	4	3	1	—	2
III. Tubercular Class	819	21	30	68	82	32	14	33	53	38	92	79	53
IV. Brain and Nervous System	493	40	17	31	41	17	6	2	19	10	9	7	7
V. Organs of Circulation	261	4	—	1	—	1	—	—	2	7	7	4	10
VI. Respiratory Organs	842	73	52	117	119	30	14	10	26	9	12	17	20
VII. Organs of Digestion	270	38	15	36	26	6	2	3	10	6	7	5	8
VIII. Urinary Organs	98	—	—	1	1	2	3	—	4	3	4	6	5
IX. Organs of Generation	—	—	—	—	—	—	—	—	—	—	—	—	—
X. Organs of Locomotion	29	—	—	—	1	—	2	2	5	3	5	1	1
XI. Skin, etc.	5	—	1	1	2	—	—	—	—	—	—	—	—
XII. Malformation	18	18	—	—	—	—	—	—	—	—	—	—	—
XIII. Premature Debility	266	238	12	16	—	—	—	—	—	—	—	—	—
XIV. Atrophy	35	—	—	—	7	1	2	2	2	—	1	—	3
XV. Age	214	—	—	—	—	—	—	—	—	—	—	—	—
XVI. Sudden Deaths	5	—	—	—	—	—	—	—	—	—	—	—	—
XVII. Violent Deaths	227	13	2	3	2	3	2	5	7	14	19	20	17
I. Small-pox	1	1	—	—	—	—	—	—	—	—	—	—	—
Measles	69	2	2	11	33	9	5	4	3	—	—	—	—
Scarlatina	141	—	—	2	19	18	28	16	37	14	4	1	1
Diphtheria	40	1	—	2	9	5	7	2	7	1	1	1	1
Hooping-cough	117	8	8	33	38	18	6	4	1	—	—	—	—
Croup	42	2	3	2	15	8	5	3	4	—	—	—	—
Thrush	1	—	—	1	—	—	—	—	—	—	—	—	—
Diarrhoea	142	26	28	26	22	4	3	1	4	—	1	2	—
Dysentery	14	1	1	—	2	—	1	—	1	—	1	—	—
Cholera	9	1	1	2	2	1	—	—	—	—	—	—	1
Influenza	5	—	—	—	—	—	—	—	2	—	—	—	—
Purpura	2	—	1	—	—	—	—	—	—	1	—	—	—
Ague	1	—	—	—	—	—	—	—	—	—	—	—	—
Worms	—	—	—	—	—	—	—	—	—	—	—	—	—
Typhus	25	—	—	1	—	—	1	2	4	—	—	2	4
Enteric Fever	76	1	—	—	—	5	2	4	11	7	10	12	3
Relapsing Fever	1	—	—	—	—	—	—	—	—	—	—	—	—
Simple Continued Fever	2	—	—	—	—	—	—	—	—	—	—	—	—
Infantile Remittent	1	—	—	—	1	—	—	—	—	—	—	—	—
Metria	—	—	—	—	—	—	—	—	—	—	—	—	—
Rheumatic Fever	9	—	—	—	—	—	—	—	—	—	1	2	—
Erysipelas	23	7	—	1	1	—	—	—	—	—	—	—	1
Pyæmia	8	1	—	—	1	—	—	—	1	1	1	—	—
Syphilis	18	6	6	2	1	—	—	—	—	—	—	—	—
Noma	—	—	—	—	—	—	—	—	—	—	—	—	—
Hydrophobia	—	—	—	—	—	—	—	—	—	—	—	—	—
Other Zymotic Diseases	3	1	—	2	—	—	—	—	—	—	—	—	—
II. Hæmorrhage	7	3	—	—	—	—	—	—	—	—	—	—	—
Dropsy	33	1	—	—	—	1	1	—	—	1	—	—	—
Abscess	16	1	1	2	2	—	—	—	1	2	—	—	2
Ulcer	3	1	—	—	—	—	—	—	—	—	—	—	—
Fistula	3	—	—	—	—	—	—	—	1	—	—	—	—
Mortification	6	—	1	—	—	1	—	—	—	—	—	—	—
Cancer	48	—	—	—	—	—	—	—	2	—	1	—	—
Gout	2	—	—	—	—	—	—	—	—	—	—	—	—
III. Scrofula	45	2	—	3	2	1	1	2	5	4	10	3	1
Tabes Mesenterica	91	3	6	11	23	15	3	7	10	3	3	2	2
Phthisis	510	6	7	7	10	8	5	12	19	23	79	74	50
Hydrocephalus	173	10	17	47	47	8	5	12	19	8	—	—	—

CAUSES of DEATH in the LARGE TOWN DISTRICTS of SCOTLAND, at different Periods of Life, in 1876.—MALES. (Continued.)

DISEASES.	ALL AGES.	MALES.											
		AGE UNDER											
		MONTHS.			2	3	4	5	10	15	20	25	30
		3	6	12									
IV. Cephalitis	61	—	4	13	9	8	3	1	6	4	6	1	1
Apoplexy	112	1	2	5	8	2	2	—	4	1	1	1	—
Paralysis	146	—	—	—	1	1	—	—	1	1	1	2	2
Delirium Tremens	7	—	—	—	—	—	—	—	—	—	—	—	—
Chorea	—	—	—	—	—	—	—	—	—	—	—	—	—
Epilepsy	12	—	1	1	1	—	—	—	—	1	1	1	—
Tetanus	7	1	—	—	—	—	—	1	1	—	—	1	1
Insanity	12	—	—	—	—	—	—	—	—	—	—	—	2
Convulsions	88	37	10	12	21	5	1	—	2	—	—	—	—
Brain Disease	48	1	—	—	1	1	—	—	5	3	—	1	1
V. Pericarditis	3	—	—	—	—	—	—	—	1	1	—	—	—
Aneurism	9	—	—	—	—	—	—	—	—	—	—	—	1
Heart Disease	249	4	—	1	—	1	—	—	1	6	7	4	9
VI. Laryngitis	11	1	—	—	1	1	—	2	—	—	—	—	1
Bronchitis	510	61	42	87	80	19	8	6	11	3	5	2	—
Pleurisy	14	—	—	—	1	—	—	—	—	—	—	2	2
Pneumonia	264	11	10	30	36	10	5	2	13	4	7	11	15
Asthma	32	—	—	—	—	—	—	—	2	—	—	—	2
Lung Disease	11	—	—	—	1	—	1	—	—	2	—	2	—
VII. Teething	40	—	1	23	13	3	—	—	—	—	—	—	—
Quinsey	3	—	—	1	1	—	—	—	—	—	—	1	—
Gastritis	8	—	1	—	2	—	1	—	—	—	—	—	—
Enteritis	53	19	7	6	3	2	—	1	4	1	3	—	—
Peritonitis	31	3	1	1	2	—	1	—	4	3	2	2	2
Ascites	3	—	—	—	—	—	—	—	—	—	—	—	—
Ulceration of Intestines	13	—	—	1	1	—	—	—	1	—	—	—	—
Hernia	4	—	1	—	—	—	—	—	—	—	—	—	1
Ileus	15	3	—	1	—	—	—	—	—	1	2	1	2
Intussusception	3	—	—	—	1	—	—	—	—	—	—	—	—
Stricture of Intestines	2	—	—	1	—	—	—	—	—	—	—	—	—
Stomach Disease	38	8	3	1	3	—	—	1	—	1	—	—	1
Pancreas Disease	—	—	—	—	—	—	—	—	—	—	—	—	—
Hepatitis	11	2	1	1	—	—	—	—	—	—	—	—	—
Jaundice	11	3	—	—	—	1	—	—	—	—	—	—	—
Liver Disease	32	—	—	—	—	—	—	1	—	—	—	—	2
Spleen Disease	3	—	—	—	—	—	—	—	1	—	—	1	—
VIII. Nephritis	8	—	—	—	—	—	—	—	3	—	—	1	1
Nephria	24	—	—	—	—	—	—	—	—	2	1	2	1
Addison's Disease	—	—	—	—	—	—	—	—	—	—	—	—	—
Ischuria	9	—	—	—	—	—	1	—	—	—	—	—	1
Diabetes	10	—	—	—	1	—	—	—	1	—	—	2	1
Stone	3	—	—	1	—	—	—	—	—	—	—	—	—
Cystitis	10	—	—	—	—	—	—	—	—	1	—	—	—
Stricture of Urethra	3	—	—	—	—	—	—	—	—	—	—	—	—
Kidney Disease	31	—	—	—	—	2	2	—	—	—	3	1	1
IX. Paramenia	—	—	—	—	—	—	—	—	—	—	—	—	—
Ovarian Dropsy	—	—	—	—	—	—	—	—	—	—	—	—	—
Childbirth	—	—	—	—	—	—	—	—	—	—	—	—	—
Organs of Generation	—	—	—	—	—	—	—	—	—	—	—	—	—
X. Bone Disease	13	—	—	—	1	—	1	—	2	—	3	1	—
Rheumatism	6	—	—	—	—	—	—	—	—	1	—	—	1
Joint Disease	10	—	—	—	—	—	1	2	3	2	2	—	—
XI. Carbuncle	—	—	—	—	—	—	—	—	—	—	—	—	—
Phlegmon	—	—	—	—	—	—	—	—	—	—	—	—	—
Skin Disease	5	—	1	1	2	—	—	—	—	—	—	—	—
XVII. Intemperance	17	—	—	—	—	—	—	—	—	—	—	2	—
Privation	—	—	—	—	—	—	—	—	—	—	—	—	—
Want of Breast Milk	3	2	—	1	—	—	—	—	—	—	—	—	—
Neglect	—	—	—	—	—	—	—	—	—	—	—	—	—
Cold	3	—	—	1	—	—	—	—	—	—	—	—	—
Poison	2	—	—	—	—	—	—	—	—	—	—	1	—
Poisoned Wounds	—	—	—	—	—	—	—	—	—	—	—	—	—
Burns and Scalds	20	—	—	—	1	1	2	2	1	—	2	2	3
Hanging, etc.	5	—	—	—	—	—	—	—	—	1	—	1	—
Suffocation	21	10	2	1	—	—	—	1	—	—	—	—	—
Drowning	52	—	—	—	—	—	—	1	3	6	6	3	4
Fracture and Contusion	75	—	—	—	1	1	—	1	3	5	8	7	7
Gunshot Wounds	2	—	—	—	—	—	—	—	—	—	—	1	1
Cuts and Stabs	2	—	—	—	—	—	—	—	—	—	1	—	—
Other Violent Causes	25	1	—	—	—	1	—	—	—	2	2	3	2
Not specified	50	28	4	2	3	—	—	—	2	—	1	—	—

CAUSES of DEATH in the LARGE TOWN DISTRICTS of SCOTLAND, at different Periods of Life, in 1876.—MALES. (*Continued.*)

DISEASES.	MALES.																
	AGE UNDER																
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?	
Cephalitis . . .	—	2	—	—	1	—	2	—	—	—	—	—	—	—	—	—	
Apoplexy . . .	4	6	1	3	10	12	13	10	9	10	6	1	—	—	—	—	
Paralysis . . .	6	5	7	11	13	11	16	13	24	20	7	2	—	—	—	2	
Delirium Tremens . . .	1	2	1	1	2	—	—	—	—	—	—	—	—	—	—	—	
Chorea . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Epilepsy . . .	1	—	1	—	1	—	2	1	—	—	—	—	—	—	—	—	
Tetanus . . .	—	1	—	—	—	1	—	—	—	—	—	—	—	—	—	—	
Insanity . . .	1	2	1	—	—	—	3	—	2	—	—	—	—	—	—	1	
Convulsions . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Brain Disease . . .	1	1	3	6	5	3	3	6	2	3	1	1	—	—	—	—	
Pericarditis . . .	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	
Aneurism . . .	2	—	1	—	3	—	2	—	—	—	—	—	—	—	—	—	
Heart Disease . . .	6	8	16	14	21	21	30	39	26	19	13	3	—	—	—	—	
Laryngitis . . .	1	—	—	1	1	1	—	1	—	—	—	—	—	—	—	—	
Bronchitis . . .	5	4	7	14	20	24	29	27	22	18	13	2	—	1	—	—	
Pleurisy . . .	1	3	—	2	1	—	1	1	—	—	—	—	—	—	—	—	
Pneumonia . . .	7	8	10	8	22	9	15	11	11	1	8	—	—	—	—	—	
Asthma . . .	—	3	2	1	5	5	5	5	2	—	—	—	—	—	—	—	
Lung Disease . . .	1	—	—	—	1	—	3	—	—	—	—	—	—	—	—	—	
Teething . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Quinsey . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Gastritis . . .	—	1	1	—	—	—	1	—	1	—	—	—	—	—	—	—	
Enteritis . . .	—	1	—	1	—	—	2	2	1	—	—	—	—	—	—	—	
Peritonitis . . .	—	2	2	1	2	—	—	—	2	1	—	—	—	—	—	—	
Ascites . . .	—	—	1	—	—	—	—	—	1	1	—	—	—	—	—	—	
Ulceration of Intestines . . .	—	1	—	1	2	—	3	1	—	2	—	—	—	—	—	—	
Hernia . . .	—	—	—	1	—	—	—	1	—	—	—	—	—	—	—	—	
Ileus . . .	2	—	2	—	—	—	—	—	—	—	1	—	—	—	—	—	
Intussusception . . .	—	—	—	—	—	1	—	1	—	—	—	—	—	—	—	—	
Stricture of Intestines . . .	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	
Stomach Disease . . .	1	1	1	1	4	—	6	2	2	1	1	—	—	—	—	—	
Pancreas Disease . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Hepatitis . . .	1	1	1	—	1	1	—	2	—	—	—	—	—	—	—	—	
Jaundice . . .	—	—	—	1	—	—	1	1	2	2	—	—	—	—	—	—	
Liver Disease . . .	2	2	5	1	4	8	5	1	—	—	1	—	—	—	—	—	
Spleen Disease . . .	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	
Nephritis . . .	—	—	—	1	—	1	—	—	1	—	—	—	—	—	—	—	
Nephria . . .	2	1	1	1	2	3	2	2	2	2	—	—	—	—	—	—	
Addison's Disease . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Ischuria . . .	—	—	—	—	—	1	—	1	1	2	—	2	—	—	—	—	
Diabetes . . .	1	—	—	1	1	1	1	—	—	—	—	—	—	—	—	—	
Stone . . .	—	—	—	—	—	—	—	1	1	—	—	—	—	—	—	—	
Cystitis . . .	—	—	1	—	—	—	3	1	1	1	1	1	—	—	—	—	
Stricture of Urethra . . .	—	—	—	—	1	—	—	—	2	—	—	—	—	—	—	—	
Kidney Disease . . .	—	2	—	4	2	3	2	3	3	1	1	1	—	—	—	—	
Paramenia . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Ovarian Dropsy . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Childbirth . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Organs of Generation . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Bone Disease . . .	—	1	1	—	—	1	—	—	2	—	—	—	—	—	—	—	
Rheumatism . . .	1	—	—	1	—	—	2	—	—	—	—	—	—	—	—	—	
Joint Disease . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Carbuncle . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Phlegmon . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Skin Disease . . .	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	
Intemperance . . .	2	1	2	3	1	—	5	—	1	—	—	—	—	—	—	—	
Privation . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Want of Breast Milk . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Neglect . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Cold . . .	—	—	1	—	—	—	—	—	—	1	—	—	—	—	—	—	
Poison . . .	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	
Poisoned Wounds . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Burns and Scalds . . .	—	—	1	1	2	—	1	—	—	1	—	—	—	—	—	—	
Hanging, etc. . .	—	—	1	—	—	1	1	—	—	—	—	—	—	—	—	—	
Suffocation . . .	—	1	—	1	1	2	—	2	—	—	—	—	—	—	—	—	
Drowning . . .	2	6	7	5	5	2	1	—	1	—	—	—	—	—	—	—	
Fracture and Contusion . . .	3	11	7	7	3	4	1	1	2	1	2	—	—	—	—	—	
Gunshot Wounds . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Cuts and Stabs . . .	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Other Violent Causes . . .	1	1	2	2	5	1	2	—	—	—	—	—	—	—	—	—	
Not specified . . .	2	—	1	2	2	3	—	—	—	—	—	—	—	—	—	—	

CAUSES of DEATH in the LARGE TOWN DISTRICTS of SCOTLAND, at different Periods of Life, in 1876.—FEMALES.

DISEASES.	FEMALES.												
	ALL AGES.	AGE UNDER											
		MONTHS.			2	3	4	5	10	15	20	25	30
		3	6	12									
ALL CAUSES	4524	426	152	327	393	195	114	83	192	128	153	181	156
SPECIFIED CAUSES	4483	404	150	320	392	195	113	83	190	128	152	180	156
I. Zymotic Class	840	60	57	112	137	83	63	36	89	27	17	23	26
II. Diseases of Uncertain Seat	181	3	2	1	2	1	2	—	2	—	2	3	5
III. Tubercular Class	825	20	22	49	69	39	17	20	44	59	83	92	60
IV. Brain and Nervous System	448	27	10	33	32	17	7	8	20	13	11	7	6
V. Organs of Circulation	257	3	—	—	—	—	—	—	4	4	7	11	13
VI. Respiratory Organs	742	46	36	83	106	38	20	14	14	3	7	10	12
VII. Organs of Digestion	296	23	10	30	28	6	—	1	5	1	3	8	8
VIII. Urinary Organs	57	—	—	1	2	—	1	1	2	1	3	3	4
IX. Organs of Generation	92	—	—	—	—	—	—	—	—	—	5	15	20
X. Organs of Locomotion	22	—	—	—	—	—	—	—	4	8	1	—	—
XI. Skin, etc.	2	—	—	—	—	—	—	—	—	—	—	1	—
XII. Malformation	17	15	2	—	—	—	—	—	—	—	—	—	—
XIII. Premature Debility	211	196	9	6	—	—	—	—	—	—	—	—	—
XIV. Atrophy	54	—	—	—	9	5	1	3	2	1	1	1	1
XV. Age	321	—	—	—	—	—	—	—	—	—	—	—	—
XVI. Sudden Deaths	10	—	—	—	1	—	—	—	—	—	—	—	—
XVII. Violent Deaths	108	11	2	5	6	6	2	—	4	11	12	6	1
I. Small-pox	—	—	—	—	—	—	—	—	—	—	—	—	—
Measles	74	—	6	16	20	15	4	5	7	—	1	—	—
Scarlatina	152	3	1	10	21	19	28	12	43	10	2	1	—
Diphtheria	37	2	—	4	3	7	4	4	9	2	—	1	—
Hooping-cough	164	13	15	34	53	21	15	6	7	—	—	—	—
Croup	33	1	—	1	9	9	5	2	6	—	—	—	—
Thrush	5	3	—	1	1	—	—	—	—	—	—	—	—
Diarrhoea	150	26	30	32	16	2	1	—	—	1	—	2	1
Dysentery	13	—	—	2	1	—	—	—	2	—	—	—	—
Cholera	11	—	1	3	3	1	2	—	1	—	—	—	—
Influenza	2	—	—	—	—	—	—	—	—	—	—	—	—
Purpura	2	—	—	—	—	—	—	—	—	—	—	—	—
Ague	—	—	—	—	—	—	—	—	—	—	—	—	—
Worms	—	—	—	—	—	—	—	—	—	—	—	—	—
Typhus	34	—	1	3	1	3	—	1	3	4	1	1	8
Enteric Fever	78	—	—	1	4	4	3	4	9	7	8	7	5
Relapsing Fever	—	—	—	—	—	—	—	—	—	—	—	—	—
Simple Continued Fever	5	—	—	—	—	—	—	—	1	—	2	1	—
Infantile Remittent	3	—	—	—	1	1	—	1	—	—	—	—	—
Metria	26	—	—	—	—	—	—	—	—	—	1	6	9
Rheumatic Fever	7	—	—	—	—	—	—	—	—	2	1	—	1
Erysipelas	22	9	2	3	—	—	—	1	—	1	—	2	—
Pyæmia	9	1	—	—	—	1	—	—	—	—	1	1	2
Syphilis	9	2	1	1	3	—	—	—	—	—	—	1	—
Noma	1	—	—	—	—	—	1	—	—	—	—	—	—
Hydrophobia	1	—	—	—	—	—	—	—	1	—	—	—	—
Other Zymotic Diseases	2	—	—	1	1	—	—	—	—	—	—	—	—
II. Hæmorrhage	7	1	2	—	—	—	—	—	—	—	—	—	2
Dropsy	36	—	—	—	—	—	—	—	1	—	1	1	—
Abscess	12	1	—	1	1	1	1	—	—	—	—	2	—
Ulcer	3	—	—	—	—	—	1	—	—	—	—	—	—
Fistula	1	—	—	—	1	—	—	—	—	—	—	—	—
Mortification	9	1	—	—	—	—	—	—	1	—	—	—	—
Cancer	112	—	—	—	—	—	—	—	—	—	1	—	3
Gout	1	—	—	—	—	—	—	—	—	—	—	—	—
III. Scrofula	27	—	—	1	3	2	—	2	—	7	4	1	—
Tabes Mesenterica	72	5	3	10	14	12	3	4	9	3	3	1	1
Phthisis	568	6	4	3	11	7	1	6	21	44	76	90	59
Hydrocephalus	158	9	15	35	41	18	13	8	14	5	—	—	—

CAUSES of DEATH in the LARGE TOWN DISTRICTS of SCOTLAND, at different Periods of Life, in 1876.—FEMALES. (*Continued.*)

DISEASES.	ALL AGES.	FEMALES.											
		AGE UNDER											
		MONTHS.			2	3	4	5	10	15	20	25	30
		3	6	12									
IV. Cephalitis	59	1	2	9	8	3	4	5	9	5	3	1	2
Apoplexy	113	1	3	5	5	2	1	—	3	2	3	2	1
Paralysis	128	—	—	—	—	1	—	—	—	1	1	1	1
Delirium Tremens	—	—	—	—	—	—	—	—	—	—	—	—	—
Chorea	1	—	—	—	—	—	—	—	1	—	—	—	—
Epilepsy	12	—	—	—	—	—	—	—	—	—	2	2	—
Tetanus	3	1	—	1	1	—	—	—	—	—	—	1	—
Insanity	7	—	—	—	—	—	—	—	—	—	—	—	1
Convulsions	82	24	5	17	17	10	1	2	5	—	—	—	—
Brain Disease	43	—	—	1	1	1	1	1	2	5	2	—	1
V. Pericarditis	1	—	—	—	—	—	—	—	—	—	—	—	—
Aneurism	4	—	—	—	—	—	—	—	—	—	—	—	1
Heart Disease	252	3	—	—	—	—	—	—	4	4	7	11	12
VI. Laryngitis	8	—	—	2	1	—	2	—	1	1	—	—	—
Bronchitis	506	34	29	52	73	31	12	6	5	1	2	2	2
Pleurisy	11	—	—	—	2	—	—	1	—	1	—	2	1
Pneumonia	187	11	7	29	30	7	6	6	7	—	4	6	9
Asthma	16	—	—	—	—	—	—	—	—	—	—	—	—
Lung Disease	14	1	—	—	—	—	—	1	1	—	1	—	—
VII. Teething	37	—	3	15	18	1	—	—	—	—	—	—	—
Quinsey	—	—	—	—	—	—	—	—	—	—	—	—	—
Gastritis	16	—	1	4	1	—	—	—	1	—	—	1	1
Enteritis	41	9	3	5	4	2	—	—	—	—	1	2	—
Peritonitis	30	1	1	2	—	—	—	—	1	—	1	2	5
Ascites	8	1	—	—	—	—	—	—	1	—	—	—	—
Ulceration of Intestines	12	—	1	—	—	—	—	—	—	—	—	—	2
Hernia	10	—	—	—	—	—	—	—	1	—	—	—	—
Ileus	16	2	—	2	—	—	—	—	—	—	—	—	—
Intussusception	2	—	—	—	—	—	—	—	1	—	—	—	—
Stricture of Intestines	5	—	—	—	—	—	—	1	—	—	—	—	—
Stomach Disease	35	5	1	1	2	3	—	—	—	—	1	1	—
Pancreas Disease	2	—	—	—	—	—	—	—	—	—	—	—	—
Hepatitis	21	1	—	1	1	—	—	—	—	—	—	—	—
Jaundice	19	4	—	—	—	—	—	—	—	—	—	—	—
Liver Disease	39	—	—	—	2	—	—	—	—	1	—	1	—
Spleen Disease	3	—	—	—	—	—	—	—	—	—	—	1	—
VIII. Nephritis	8	—	—	—	1	—	—	—	—	1	—	1	1
Nephria	23	—	—	1	—	—	—	—	2	—	2	1	2
Addison's Disease	1	—	—	—	—	—	—	—	—	—	—	—	—
Ischuria	1	—	—	—	—	—	—	—	—	—	—	—	—
Diabetes	3	—	—	—	—	—	—	—	—	—	—	—	—
Stone	1	—	—	—	—	—	—	—	—	—	—	—	—
Cystitis	2	—	—	—	—	—	—	—	—	—	—	—	—
Stricture of Urethra	—	—	—	—	—	—	—	—	—	—	—	—	—
Kidney Disease	18	—	—	—	1	—	1	1	—	—	1	1	1
IX. Paramenia	6	—	—	—	—	—	—	—	—	—	2	2	—
Ovarian Dropsy	7	—	—	—	—	—	—	—	—	—	—	—	2
Childbirth	62	—	—	—	—	—	—	—	—	—	3	10	15
Organs of Generation	17	—	—	—	—	—	—	—	—	—	—	3	3
X. Bone Disease	5	—	—	—	—	—	—	—	1	2	1	—	—
Rheumatism	8	—	—	—	—	—	—	—	1	—	—	—	—
Joint Disease	9	—	—	—	—	—	—	—	2	6	—	—	—
XI. Carbuncle	1	—	—	—	—	—	—	—	—	—	—	—	—
Phlegmon	1	—	—	—	—	—	—	—	—	—	—	1	—
Skin Disease	—	—	—	—	—	—	—	—	—	—	—	—	—
XVII. Intemperance	8	—	—	—	—	—	—	—	—	—	—	—	—
Privation	—	—	—	—	—	—	—	—	—	—	—	—	—
Want of Breast Milk	1	—	—	1	—	—	—	—	—	—	—	—	—
Neglect	—	—	—	—	—	—	—	—	—	—	—	—	—
Cold	1	—	—	—	—	—	—	—	—	—	—	—	—
Poison	5	—	—	—	—	—	—	—	—	—	—	1	—
Poisoned Wounds	—	—	—	—	—	—	—	—	—	—	—	—	—
Burns and Scalds	43	—	—	1	4	2	2	—	1	11	11	3	—
Hanging, etc.	2	—	—	—	—	—	—	—	—	—	—	—	—
Suffocation	15	8	2	2	—	—	—	—	—	—	—	—	—
Drowning	9	1	—	1	1	1	—	—	—	—	—	—	1
Fracture and Contusion	16	—	—	—	—	3	—	—	2	—	1	1	—
Gunshot Wounds	—	—	—	—	—	—	—	—	—	—	—	—	—
Cuts and Stabs	—	—	—	—	—	—	—	—	—	—	—	—	—
Other Violent Causes	8	2	—	—	1	—	—	—	1	—	—	1	—
Not specified	41	22	2	7	1	—	1	—	2	—	1	1	—

CAUSES of DEATH in the SMALL TOWN DISTRICTS of SCOTLAND, at different Periods of Life, in 1876.—BOTH SEXES.

DISEASES.	ALL AGES.	BOTH SEXES.											
		AGE UNDER											
		MONTHS.											
		3	6	12	2	3	4	5	10	15	20	25	30
ALL CAUSES	16826	1729	713	1217	1400	638	418	307	823	472	644	609	530
SPECIFIED CAUSES	16563	1599	678	1200	1382	634	413	301	816	466	636	608	527
I. Zymotic Class	3320	177	167	396	560	333	237	182	388	137	124	94	62
II. Diseases of Uncertain Seat	603	12	7	8	6	3	2	—	12	9	6	6	6
III. Tubercular Class	2835	51	92	172	228	135	68	52	181	174	336	319	251
IV. Brain and Nervous System	1621	87	61	73	86	32	29	15	69	36	30	27	34
V. Organs of Circulation	1081	10	2	—	2	1	2	1	26	17	28	28	25
VI. Respiratory Organs	2510	217	180	330	300	82	44	26	61	20	27	36	37
VII. Organs of Digestion	1226	129	93	157	123	19	15	6	24	22	19	15	31
VIII. Urinary Organs	302	1	1	3	3	1	2	1	9	8	12	10	9
IX. Organs of Generation	125	1	—	—	—	—	—	—	—	—	5	20	26
X. Organs of Locomotion	112	—	1	2	2	2	—	2	7	9	10	3	2
XI. Skin, etc.	17	1	1	3	3	—	—	—	1	1	—	—	—
XII. Malformation	80	72	3	4	1	—	—	—	—	—	—	—	—
XIII. Premature Debility	884	790	49	45	—	—	—	—	—	—	—	—	—
XIV. Atrophy	120	—	—	—	43	13	5	4	5	2	2	—	—
XV. Age	1062	—	—	—	—	—	—	—	—	—	—	—	—
XVI. Sudden Deaths	16	5	—	1	—	—	—	—	—	—	—	1	—
XVII. Violent Deaths	649	46	21	6	25	13	9	12	33	31	37	49	44
I. Small-pox	21	2	1	—	—	—	—	—	2	3	4	2	1
Measles	274	—	2	50	115	47	17	16	19	3	1	1	—
Scarlatina	642	3	6	49	90	85	89	78	172	46	10	4	5
Diphtheria	213	2	4	10	41	36	34	19	46	9	3	1	1
Hooping-cough	523	41	45	136	148	71	34	23	21	2	2	—	—
Croup	191	5	8	14	54	51	25	15	19	—	—	—	—
Thrush	10	4	2	1	2	—	—	—	—	—	1	—	—
Diarrhoea	475	75	73	89	74	15	6	2	7	2	4	3	2
Dysentery	53	1	4	3	4	—	1	1	—	—	1	—	1
Cholera	31	1	7	7	2	—	—	1	3	2	—	1	—
Influenza	26	1	—	3	2	1	—	—	—	—	—	1	1
Purpura	13	—	—	3	—	1	—	1	—	—	—	1	—
Ague	3	—	—	—	—	—	—	—	—	—	—	—	—
Worms	4	—	—	—	—	2	1	—	—	—	—	—	—
Typhus	83	—	—	3	—	3	2	2	12	6	15	9	3
Enteric Fever	458	2	—	8	16	12	23	19	62	52	66	48	27
Relapsing Fever	7	—	—	—	—	—	—	—	1	—	—	3	—
Simple Continued Fever	21	—	—	2	—	1	—	2	2	5	1	3	—
Infantile Remittent	27	1	—	1	8	5	5	2	5	—	—	—	—
Metria	46	—	—	—	—	—	—	—	—	—	4	9	12
Rheumatic Fever	35	—	—	—	—	1	—	—	6	4	9	2	3
Erysipelas	91	22	3	12	—	2	—	—	5	—	3	3	2
Pyæmia	25	1	—	1	—	—	—	1	5	1	—	1	4
Syphilis	36	14	11	3	—	—	—	—	—	1	—	1	—
Noma	3	1	—	—	—	—	—	—	1	—	—	1	—
Hydrophobia	1	—	—	—	—	—	—	—	—	1	—	—	—
Other Zymotic Diseases	8	1	1	1	4	—	—	—	—	—	—	—	—
II. Hæmorrhage	19	3	—	3	—	—	—	—	1	1	2	—	—
Dropsy	90	2	1	—	—	1	1	—	3	3	1	2	—
Abscess	42	3	4	3	2	—	—	—	6	2	1	3	2
Ulcer	13	—	1	1	2	1	—	—	—	—	—	—	—
Fistula	4	—	—	—	—	—	—	—	—	—	1	—	—
Mortification	42	3	1	—	2	—	1	—	—	1	—	1	—
Cancer	389	1	—	1	—	1	—	—	2	2	1	—	4
Gout	4	—	—	—	—	—	—	—	—	—	—	—	—
III. Scrofula	165	6	3	7	12	8	8	4	19	24	19	11	11
Tabes Mesenterica	274	14	22	37	67	34	18	5	34	24	6	4	—
Phthisis	1882	8	15	25	34	30	17	14	63	102	302	300	239
Hydrocephalus	514	23	52	103	115	63	25	29	65	24	9	4	1

CAUSES of DEATH in the SMALL TOWN DISTRICTS of SCOTLAND, at different Periods of Life, in 1876.—BOTH SEXES. (Continued.)

DISEASES.	ALL AGES.	BOTH SEXES.											
		AGE UNDER											
		MONTHS.			2	3	4	5	10	15	20	25	30
		3	6	12									
VIII. Nephritis	167	3	11	28	32	6	4	4	29	12	7	6	9
Nephria	466	7	8	11	9	7	9	1	13	5	2	5	4
Addison's Disease	453	—	—	—	2	—	1	1	2	—	2	1	9
Ischuria	16	—	—	—	—	—	—	—	—	—	—	—	2
Diabetes	2	—	—	—	—	—	—	—	—	—	1	1	—
Stone	54	—	1	2	2	2	—	1	2	3	6	4	5
Cystitis	16	3	—	—	1	—	—	1	3	2	2	—	—
Stricture of Urethra	14	—	—	—	—	—	—	—	—	—	—	2	—
Kidney Disease	202	68	39	29	33	14	8	3	8	—	—	—	—
IX. Paramenia	231	6	2	3	7	3	7	4	12	14	10	8	5
Ovarian Dropsy	29	—	1	—	—	—	1	—	5	—	5	3	1
Childbirth	21	—	—	—	—	—	—	—	—	—	—	1	2
Organs of Generation	1031	10	1	—	2	1	1	1	21	17	23	24	22
X. Bone Disease	29	—	1	1	4	—	4	4	2	—	—	1	—
Rheumatism	1613	160	148	261	223	51	28	15	30	6	3	6	9
Joint Disease	58	—	1	1	—	3	—	—	3	1	3	2	5
XI. Carbuncle	683	53	30	65	70	27	12	7	25	12	20	24	21
Phlegmon	82	—	—	—	—	—	—	—	—	—	—	—	2
Skin Disease	45	4	—	2	3	1	—	—	1	1	1	3	—
XVII. Intemperance	186	2	15	81	83	5	—	—	—	—	—	—	—
Privation	16	1	2	4	2	1	3	1	—	—	1	—	—
Want of Breast Milk	50	7	6	3	1	1	—	—	—	—	3	—	1
Neglect	234	56	43	40	16	8	3	2	7	4	3	2	4
Cold	104	2	4	5	5	—	2	—	6	10	5	5	12
Poison	20	—	—	—	—	—	—	1	1	—	—	—	—
Poisoned Wounds	42	—	—	—	3	—	—	—	2	1	2	2	3
Burns and Scalds	20	—	2	1	—	—	—	—	—	1	—	—	1
Hanging, etc.	63	2	4	6	—	—	1	—	3	2	1	2	2
Suffocation	16	1	4	2	—	—	—	—	1	—	—	1	1
Drowning	6	1	—	—	—	—	—	—	—	—	—	—	—
Fracture and Contusion	141	27	9	12	11	4	2	1	2	2	1	—	3
Gunshot Wounds	—	—	—	—	—	—	—	—	—	—	—	—	—
Cuts and Stabs	57	5	—	—	1	—	—	1	2	1	—	2	—
Other Violent Causes	68	21	2	2	—	—	2	—	—	—	—	—	1
—	199	4	2	1	1	—	2	—	—	1	3	1	3
Not specified	4	—	—	—	—	—	—	—	—	—	—	—	—
IV. Cephalitis	23	—	—	1	2	1	1	—	3	1	—	1	—
Apoplexy	95	—	—	1	1	—	—	1	5	2	6	5	7
Paralysis	7	—	—	—	—	—	—	—	—	—	1	1	1
Delirium Tremens	16	—	—	—	—	—	—	—	—	—	1	—	1
Chorea	27	—	—	—	—	—	—	—	—	—	2	1	—
Epilepsy	5	—	—	—	—	—	—	—	—	—	—	—	—
Tetanus	40	1	—	—	—	—	—	—	—	1	1	1	—
Insanity	2	—	—	—	—	—	—	—	—	—	—	—	—
Convulsions	87	—	1	1	—	—	1	—	1	4	1	1	—
Brain Disease	6	—	—	—	—	—	—	—	—	—	2	1	—
V. Pericarditis	9	—	—	—	—	—	—	—	—	—	—	—	1
Aneurism	87	—	—	—	—	—	—	—	—	—	3	18	24
Heart Disease	23	1	—	—	—	—	—	—	—	—	—	1	1
VI. Laryngitis	29	—	1	—	1	1	—	1	4	4	1	1	1
Bronchitis	44	—	—	—	—	—	—	—	1	—	—	—	—
Pleurisy	39	—	—	2	1	1	—	1	2	5	9	2	1
Pneumonia	3	—	—	—	—	—	—	—	—	—	—	—	—
Asthma	5	—	—	—	—	—	—	—	1	1	—	—	—
Lung Disease	9	1	1	3	3	—	—	—	—	—	—	—	—
VII. Teething	42	—	—	—	—	—	—	—	—	—	—	—	4
Quinsey	3	—	—	—	1	—	—	—	—	—	—	—	—
Gastritis	21	14	5	1	1	—	—	—	—	—	—	—	—
Enteritis	—	—	—	—	—	—	—	—	—	—	—	—	—
Peritonitis	8	1	—	—	—	—	—	—	—	—	—	—	—
Ascites	11	2	—	2	—	—	—	—	1	—	—	2	—
Ulceration of Intestines	1	—	—	—	—	—	—	—	—	—	1	—	—
Hernia	51	—	—	2	12	5	3	4	4	2	—	2	3
Ileus	8	—	—	—	—	—	—	—	—	—	—	—	—
Intussusception	49	22	15	1	—	—	—	—	—	—	—	2	—
Stricture of Intestines	184	1	—	—	1	5	5	5	11	13	14	24	22
Stomach Disease	205	1	1	—	6	1	1	2	10	14	17	15	13
Pancreas Disease	1	—	—	—	—	—	—	—	—	—	1	—	—
Hepatitis	6	—	—	—	—	—	—	—	—	—	—	—	1
Jaundice	59	5	—	—	4	2	—	1	7	2	4	4	1
Liver Disease	—	—	—	—	—	—	—	—	—	—	—	—	—
Spleen Disease	263	130	35	17	18	4	5	6	7	6	8	1	3

CAUSES of DEATH in the SMALL TOWN DISTRICTS of SCOTLAND, at different Periods of Life, in 1876.—BOTH SEXES. (*Continued.*)

DISEASES.	BOTH SEXES.															
	AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
Cephalitis . . .	1	—	2	2	2	3	1	—	2	2	—	—	—	—	—	1
Apoplexy . . .	9	11	11	22	19	30	53	54	62	62	30	17	3	1	1	—
Paralysis . . .	7	4	13	18	32	16	51	66	88	86	34	17	3	—	—	—
Delirium Tremens . .	1	3	5	2	2	1	—	—	—	—	—	—	—	—	—	—
Chorea . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Epilepsy . . .	1	6	3	5	3	1	3	1	1	—	2	—	—	—	—	—
Tetanus . . .	—	—	—	—	1	—	1	2	—	—	—	—	—	—	—	—
Insanity . . .	1	—	3	—	2	1	—	2	1	2	—	—	—	—	—	—
Convulsions . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Brain Disease . . .	8	8	8	10	11	15	25	24	19	13	6	2	—	—	—	1
Pericarditis . . .	—	1	1	1	2	1	2	2	2	1	—	—	—	—	—	—
Aneurism . . .	—	2	3	1	2	3	1	3	—	3	—	—	—	—	—	—
Heart Disease . . .	33	44	47	74	65	88	119	112	145	101	54	21	4	1	—	—
Laryngitis . . .	4	1	2	1	1	1	1	1	—	—	—	—	—	—	—	—
Bronchitis . . .	8	16	21	27	55	56	84	110	97	95	64	34	5	1	—	—
Pleurisy . . .	2	4	3	6	3	3	6	—	6	6	—	—	—	—	—	—
Pneumonia . . .	19	20	27	22	27	35	39	42	29	33	13	9	2	—	—	—
Asthma . . .	3	3	3	6	14	15	14	5	7	8	—	2	—	—	—	—
Lung Disease . . .	1	3	1	4	4	4	2	4	4	1	1	—	—	—	—	—
Teething . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Quinsey . . .	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—
Gastritis . . .	3	—	2	2	—	1	8	2	4	1	4	1	—	—	—	—
Enteritis . . .	4	1	3	2	5	3	5	7	8	4	4	—	—	—	—	—
Peritonitis . . .	7	5	4	5	6	4	3	7	1	3	3	—	—	—	—	—
Ascites . . .	—	1	2	4	1	2	4	1	3	1	1	—	1	—	—	—
Ulceration of Intestines	1	1	5	2	5	3	5	2	3	1	1	—	—	—	—	—
Hernia . . .	1	—	1	—	3	—	2	1	2	3	1	1	—	—	—	—
Ileus . . .	1	4	—	1	4	11	6	2	2	6	2	—	1	—	—	—
Intussusception . . .	—	1	—	—	—	1	2	—	1	1	—	—	—	—	—	—
Stricture of Intestines	—	—	—	—	—	2	1	1	1	—	—	—	—	—	—	—
Stomach Disease . . .	2	2	3	2	3	8	13	12	7	7	3	5	—	—	—	—
Pancreas Disease . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Hepatitis . . .	1	5	5	5	5	10	5	2	5	2	—	—	—	—	—	—
Jaundice . . .	—	3	2	2	3	7	7	3	5	2	4	2	—	—	—	—
Liver Disease . . .	4	14	13	13	16	28	22	26	22	16	5	1	1	—	—	—
Spleen Disease . . .	—	—	—	1	1	1	1	—	—	—	—	—	—	—	—	—
Nephritis . . .	—	2	1	2	1	1	1	2	3	—	—	—	—	—	—	—
Nephria . . .	7	10	11	2	6	10	5	5	5	4	—	2	—	—	—	—
Addison's Disease . .	1	—	1	1	—	—	1	—	—	—	—	—	—	—	—	—
Ischuria . . .	—	2	2	—	1	1	—	1	3	3	—	1	—	—	—	—
Diabetes . . .	4	2	4	—	4	—	1	4	3	2	—	—	—	—	—	—
Stone . . .	—	—	—	1	—	—	—	—	2	1	—	1	—	—	—	—
Cystitis . . .	—	—	—	—	—	1	3	6	6	13	4	1	1	—	1	—
Stricture of Urethra . .	1	—	1	—	—	—	—	—	—	—	—	1	—	—	—	—
Kidney Disease . . .	1	5	1	6	2	8	5	10	16	11	6	5	1	—	—	—
Paramenia . . .	—	1	2	—	—	—	—	—	—	—	—	—	—	—	—	—
Ovarian Dropsy . . .	1	—	—	2	2	1	—	2	—	—	—	—	—	—	—	—
Childbirth . . .	18	11	11	2	—	—	—	—	—	—	—	—	—	—	—	—
Organs of Generation	4	4	5	1	—	1	2	—	2	1	—	—	—	—	—	—
Bone Disease . . .	1	4	1	2	—	1	3	—	1	1	—	—	—	—	—	—
Rheumatism . . .	1	1	2	2	5	3	3	5	3	11	5	1	1	—	—	—
Joint Disease . . .	3	1	—	1	1	1	2	2	2	1	1	—	—	—	—	—
Carbuncle . . .	—	—	—	—	—	—	—	—	1	—	1	1	—	—	—	—
Phlegmon . . .	—	1	1	1	—	—	—	—	—	—	—	—	—	—	—	—
Skin Disease . . .	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—
Intemperance . . .	5	2	4	7	5	6	5	3	—	—	1	—	—	—	—	—
Privation . . .	—	—	—	—	—	1	—	1	—	—	—	—	—	—	—	—
Want of Breast Milk	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Neglect . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Cold . . .	1	—	—	1	—	1	2	2	—	—	—	—	—	—	—	—
Poison . . .	—	—	1	1	—	2	—	—	—	—	—	—	—	—	—	—
Poisoned Wounds . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Burns and Scalds . . .	1	2	2	—	1	—	3	1	2	—	1	1	—	—	—	—
Hanging, etc. . .	—	1	1	2	1	1	2	—	—	—	—	—	—	—	—	—
Suffocation . . .	1	—	2	1	1	2	1	1	—	—	—	—	—	—	—	—
Drowning . . .	12	11	16	8	8	9	12	3	2	2	—	—	—	—	—	—
Fracture and Contusion	17	13	15	13	9	8	13	8	9	9	4	5	—	1	—	—
Gunshot Wounds . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Cuts and Stabs . . .	1	—	2	—	1	—	1	—	—	—	—	—	—	—	—	—
Other Violent Causes	3	2	2	2	1	1	4	2	2	4	5	1	—	—	—	—
Not specified . . .	7	2	4	2	3	5	—	—	—	—	—	—	—	—	—	—

CAUSES of DEATH in the SMALL TOWN DISTRICTS of SCOTLAND, at different Periods of Life, in 1876.—MALES.

DISEASES.	MALES.												
	ALL AGES.	AGE UNDER											
		MONTHS.			2	3	4	5	10	15	20	25	30
		3	6	12									
ALL CAUSES	8420	981	402	656	713	330	205	149	412	228	328	310	265
SPECIFIED CAUSES	8274	908	383	646	704	326	203	146	407	224	323	309	265
I. Zymotic Class	1598	91	87	216	275	158	107	84	184	61	64	39	28
II. Diseases of Uncertain Seat	221	7	5	5	2	1	2	—	6	3	4	4	3
III. Tubercular Class	1383	27	47	85	132	72	36	25	96	73	145	158	113
IV. Brain and Nervous System	865	51	33	38	51	15	20	5	39	25	22	13	24
V. Organs of Circulation	528	6	—	—	—	1	2	1	10	5	15	15	8
VI. Respiratory Organs	1295	127	103	185	140	47	20	14	23	7	14	20	27
VII. Organs of Digestion	623	72	65	81	64	11	7	4	13	12	11	9	14
VIII. Urinary Organs	201	1	1	1	3	1	1	1	6	5	5	4	5
IX. Organs of Generation	1	1	—	—	—	—	—	—	—	—	—	—	—
X. Organs of Locomotion	61	—	—	2	—	1	—	1	2	7	6	3	1
XI. Skin, etc.	7	—	—	2	2	—	—	—	—	—	—	—	—
XII. Malformation	42	38	1	2	1	—	—	—	—	—	—	—	—
XIII. Premature Debility	510	456	29	25	—	—	—	—	—	—	—	—	—
XIV. Atrophy	56	—	—	—	25	9	1	2	2	1	1	—	—
XV. Age	375	—	—	—	—	—	—	—	—	—	—	—	—
XVI. Sudden Deaths	10	5	—	—	—	—	—	—	—	—	—	—	—
XVII. Violent Deaths	498	26	12	4	9	10	7	9	26	25	36	44	42
I. Small-pox	17	2	1	—	—	—	—	—	1	2	2	2	1
Measles	149	—	1	30	75	22	9	3	6	1	1	1	—
Scarlatina	309	3	4	19	42	44	43	39	83	23	4	—	2
Diphtheria	98	2	4	3	21	14	12	11	22	3	1	1	—
Whooping-cough	219	16	23	69	46	32	14	10	7	1	1	—	—
Croup	101	2	4	8	29	25	14	6	13	—	—	—	—
Thrush	5	3	—	1	1	—	—	—	—	—	—	—	—
Diarrhoea	240	38	34	55	41	6	4	2	3	—	3	1	—
Dysentery	22	1	3	2	2	—	1	—	—	—	—	—	1
Cholera	15	—	4	3	1	—	—	1	—	1	—	1	—
Influenza	16	1	—	3	—	—	—	—	—	—	—	—	1
Purpura	5	—	—	1	—	—	—	—	—	—	—	—	—
Ague	2	—	—	—	—	—	—	—	—	—	—	—	—
Worms	2	—	—	—	—	1	1	—	—	—	—	—	—
Typhus	45	—	—	3	—	2	1	—	8	1	11	3	2
Enteric Fever	223	2	—	7	12	8	5	9	28	25	33	22	19
Relapsing Fever	3	—	—	—	—	—	—	—	—	—	—	2	—
Simple Continued Fever	10	—	—	1	—	1	—	1	3	1	1	—	—
Infantile Remittent	13	1	—	1	3	2	3	1	2	—	—	—	—
Metria	—	—	—	—	—	—	—	—	—	—	—	—	—
Rheumatic Fever	15	—	—	—	—	1	—	—	3	—	4	2	—
Erysipelas	53	11	2	8	—	—	—	—	4	—	3	2	1
Pyæmia	11	—	—	1	—	—	—	1	2	—	—	—	1
Syphilis	18	8	6	1	—	—	—	—	—	—	—	1	—
Noma	2	1	—	—	—	—	—	—	1	—	—	—	—
Hydrophobia	1	—	—	—	—	—	—	—	—	1	—	—	—
Other Zymotic Diseases	4	—	1	—	2	—	—	—	—	—	—	—	—
II. Hæmorrhage	12	3	—	3	—	—	—	—	—	1	1	—	—
Dropsy	41	—	1	—	—	—	1	—	2	1	1	1	—
Abscess	20	3	2	2	1	—	—	—	3	1	1	2	1
Ulcer	6	—	1	—	1	1	—	—	—	—	—	—	—
Fistula	1	—	—	—	—	—	—	—	—	—	—	—	—
Mortification	17	—	1	—	—	—	1	—	—	—	—	1	—
Cancer	121	1	—	—	—	—	—	—	1	—	1	—	2
Gout	3	—	—	—	—	—	—	—	—	—	—	—	—
III. Scrofula	78	3	—	4	5	2	6	2	10	13	6	7	6
Tabes Mesenterica	139	7	9	17	35	14	11	2	24	12	2	2	—
Phthisis	879	3	11	10	16	20	8	7	29	32	134	146	107
Hydrocephalus	287	14	27	54	76	36	11	14	33	16	3	3	—

CAUSES of DEATH in the SMALL TOWN DISTRICTS of SCOTLAND, at different
Periods of Life, in 1876.—MALES. (Continued.)

DISEASES.	MALES.												
	ALL AGES.	AGE UNDER											
		MONTHS.			2	3	4	5	10	15	20	25	30
		3	6	12									
IV. Cephalitis	90	3	7	14	18	2	—	3	15	9	4	3	6
Apoplexy	247	6	7	6	7	3	7	—	7	4	2	4	3
Paralysis	225	—	—	—	1	—	1	—	1	—	2	1	7
Delirium Tremens	13	—	—	—	—	—	—	—	—	—	—	—	2
Chorea	—	—	—	—	—	—	—	—	—	—	—	—	—
Epilepsy	29	—	—	1	2	2	—	1	2	1	5	—	3
Tetanus	14	3	—	—	1	—	—	1	3	1	1	—	—
Insanity	5	—	—	—	—	—	—	—	—	—	—	—	—
Convulsions	107	37	19	17	17	7	6	—	4	—	—	—	—
Brain Disease	135	2	—	—	5	1	6	—	7	10	8	5	3
V. Pericarditis	11	—	—	—	—	—	1	—	—	—	3	2	—
Aneurism	16	—	—	—	—	—	—	—	—	—	—	1	2
Heart Disease	501	6	—	—	—	1	1	1	10	5	12	12	6
VI. Laryngitis	17	—	1	1	3	—	1	4	1	—	—	—	—
Bronchitis	796	94	84	140	106	28	13	6	10	4	1	1	8
Pleurisy	32	—	—	—	—	3	—	—	1	1	1	2	3
Pneumonia	384	31	18	42	31	15	6	4	11	2	11	16	15
Asthma	45	—	—	—	—	—	—	—	—	—	—	—	1
Lung Disease	21	2	—	2	—	1	—	—	—	—	1	1	—
VII. Teething	98	—	8	39	49	2	—	—	—	—	—	—	—
Quinsey	8	1	1	2	—	1	1	—	—	—	1	—	—
Gastritis	25	4	5	2	—	—	—	—	—	—	—	—	1
Enteritis	131	32	28	23	6	6	1	2	5	3	3	1	3
Peritonitis	39	1	4	3	4	—	1	—	4	4	3	1	3
Ascites	10	—	—	—	—	—	—	1	1	—	—	—	—
Ulceration of Intestines	26	—	—	—	3	—	—	—	1	—	1	1	2
Hernia	12	—	2	—	—	—	—	—	—	1	—	—	1
Ileus	32	1	4	3	—	—	1	—	1	1	—	2	—
Intussusception	12	1	2	1	—	—	—	—	1	—	—	1	—
Stricture of Intestines	4	—	—	—	—	—	—	—	—	—	—	—	—
Stomach Disease	67	15	7	8	2	2	1	—	—	2	—	—	1
Pancreas Disease	—	—	—	—	—	—	—	—	—	—	—	—	—
Hepatitis	29	2	—	—	—	—	—	1	—	1	—	2	—
Jaundice	39	14	2	—	—	—	1	—	—	—	—	—	1
Liver Disease	90	1	2	—	—	—	1	—	—	—	3	1	2
Spleen Disease	1	—	—	—	—	—	—	—	—	—	—	—	—
VIII. Nephritis	15	—	—	—	2	1	1	—	3	—	—	1	—
Nephria	42	—	—	1	1	—	—	1	2	—	2	1	4
Addison's Disease	4	—	—	—	—	—	—	—	—	—	—	—	1
Ischuria	10	—	—	—	—	—	—	—	—	—	—	—	—
Diabetes	18	—	—	—	—	—	—	—	—	—	2	1	—
Stone	5	—	—	—	—	—	—	—	—	—	—	—	—
Cystitis	35	1	—	—	—	—	—	—	—	1	—	1	—
Stricture of Urethra	2	—	—	—	—	—	—	—	—	—	—	—	—
Kidney Disease	70	—	1	—	—	—	—	—	1	4	1	—	—
IX. Paramenia	—	—	—	—	—	—	—	—	—	—	—	—	—
Ovarian Dropsy	—	—	—	—	—	—	—	—	—	—	—	—	—
Childbirth	—	—	—	—	—	—	—	—	—	—	—	—	—
Organs of Generation	1	1	—	—	—	—	—	—	—	—	—	—	—
X. Bone Disease	13	—	—	—	—	1	—	1	—	2	—	1	1
Rheumatism	19	—	—	—	—	—	—	—	—	—	—	—	—
Joint Disease	29	—	—	2	—	—	—	—	2	5	6	2	—
XI. Carbuncle	1	—	—	—	—	—	—	—	—	—	—	—	—
Phlegmon	1	—	—	—	—	—	—	—	—	—	—	—	—
Skin Disease	5	—	—	2	2	—	—	—	—	—	—	—	—
XVII. Intemperance	25	—	—	—	—	—	—	—	—	—	—	—	3
Privation	1	—	—	—	—	—	—	—	—	—	—	—	—
Want of Breast Milk	9	4	4	1	—	—	—	—	—	—	—	—	—
Neglect	—	—	—	—	—	—	—	—	—	—	—	—	—
Cold	6	—	—	—	—	—	—	—	—	—	—	—	—
Poison	6	1	—	2	—	—	—	—	1	—	—	—	—
Poisoned Wounds	1	—	—	—	—	—	—	—	—	—	1	—	—
Burns and Scalds	29	—	—	1	4	3	2	3	3	1	—	2	3
Hanging, etc.	7	—	—	—	—	—	—	—	—	—	—	—	—
Suffocation	29	15	8	—	—	—	—	—	—	—	—	1	—
Drowning	164	1	—	—	—	4	4	3	11	11	14	23	21
Fracture and Contusion	173	1	—	—	3	1	1	2	7	11	16	15	13
Gunshot Wounds	1	—	—	—	—	—	—	—	—	—	1	—	—
Cuts and Stabs	5	—	—	—	—	—	—	—	—	—	—	—	1
Other Violent Causes	42	4	—	—	2	2	—	1	4	2	4	3	1
Not specified	146	73	19	10	9	4	2	3	5	4	5	1	—

Periods of Life, in 1876.—MALES. (Continued.)

DISEASES.	MALES.															
	AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
Cephalitis	1	—	—	1	1	1	—	—	1	—	—	—	—	—	—	1
Apoplexy	6	7	3	11	12	14	26	24	34	31	15	6	1	—	—	—
Paralysis	3	2	9	8	20	11	27	27	42	40	13	9	1	—	1	—
Delirium Tremens	1	3	3	1	2	1	—	—	—	—	—	—	—	—	—	—
Chorea	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Epilepsy	—	2	2	4	2	1	1	—	—	—	—	—	—	—	—	—
Tetanus	—	—	—	—	1	—	1	2	—	—	—	—	—	—	—	—
Insanity	1	—	1	—	—	1	—	1	1	—	—	—	—	—	—	—
Convulsions	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Brain Disease	6	7	3	3	6	8	16	16	10	7	4	1	—	—	—	1
Pericarditis	—	—	1	1	1	—	—	—	1	1	—	—	—	—	—	—
Aneurism	—	2	1	1	2	3	1	1	—	2	—	—	—	—	—	—
Heart Disease	14	17	19	36	38	42	53	59	85	53	20	10	—	1	—	—
Laryngitis	1	—	1	—	1	1	1	1	—	—	—	—	—	—	—	—
Bronchitis	2	8	16	14	31	27	44	41	42	30	26	18	2	—	—	—
Pleurisy	1	3	2	4	—	2	2	—	4	3	—	—	—	—	—	—
Pneumonia	12	14	17	11	18	23	25	22	10	18	5	7	—	—	—	—
Asthma	1	1	2	4	8	10	5	3	4	6	—	—	—	—	—	—
Lung Disease	—	—	1	2	2	3	1	2	1	1	1	—	—	—	—	—
Teething	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Quinsey	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—
Gastritis	1	—	1	—	—	1	5	1	3	—	1	—	—	—	—	—
Enteritis	1	1	2	1	1	1	3	4	2	2	—	—	—	—	—	—
Peritonitis	1	—	—	2	1	1	1	2	1	1	1	—	—	—	—	—
Ascites	—	1	—	3	1	1	1	—	1	—	—	—	—	—	—	—
Ulceration of Intestines	—	1	3	1	4	1	5	1	2	—	—	—	—	—	—	—
Hernia	—	—	—	—	2	—	1	1	2	2	—	—	—	—	—	—
Ileus	1	—	—	—	3	6	—	2	2	4	1	—	—	—	—	—
Intussusception	—	1	—	—	—	1	2	—	1	1	—	—	—	—	—	—
Stricture of Intestines	—	—	—	—	—	1	1	1	1	—	—	—	—	—	—	—
Stomach Disease	1	1	2	1	1	3	3	9	3	2	1	2	—	—	—	—
Pancreas Disease	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Hepatitis	—	5	3	2	2	8	1	1	—	1	—	—	—	—	—	—
Jaundice	—	1	1	2	2	5	5	—	2	2	—	1	—	—	—	—
Liver Disease	3	7	5	6	7	13	15	10	7	5	1	1	—	—	—	—
Spleen Disease	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—
Nephritis	—	1	—	1	1	1	—	2	1	—	—	—	—	—	—	—
Nephria	—	6	5	1	3	4	2	4	3	1	—	1	—	—	—	—
Addison's Disease	1	—	—	1	—	—	1	—	—	—	—	—	—	—	—	—
Ischuria	—	1	—	—	—	1	—	1	3	3	—	1	—	—	—	—
Diabetes	2	—	3	—	2	—	1	4	2	1	—	—	—	—	—	—
Stone	—	—	—	1	—	—	—	—	2	1	—	1	—	—	—	—
Cystitis	—	—	—	—	—	1	3	5	5	12	4	—	1	—	1	—
Stricture of Urethra	—	—	1	—	—	—	—	—	—	—	1	—	—	—	—	—
Kidney Disease	—	3	1	5	1	6	4	7	16	11	5	4	—	—	—	—
Paramenia	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Ovarian Dropsy	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Childbirth	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Organs of Generation	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Bone Disease	1	2	1	1	—	—	1	—	—	1	—	—	—	—	—	—
Rheumatism	—	—	—	1	3	2	1	2	1	5	3	—	1	—	—	—
Joint Disease	2	1	—	—	1	1	2	2	2	1	—	—	—	—	—	—
Carbuncle	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—
Phlegmon	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—
Skin Disease	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—
Intemperance	3	1	3	5	4	3	2	1	—	—	—	—	—	—	—	—
Privation	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—
Want of Breast Milk	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Neglect	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Cold	—	—	—	1	—	1	2	2	—	—	—	—	—	—	—	—
Poison	—	—	1	1	—	—	—	—	—	—	—	—	—	—	—	—
Poisoned Wounds	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Burns and Scalds	1	2	1	—	1	—	1	—	—	—	1	—	—	—	—	—
Hanging, etc.	—	—	1	2	1	1	2	—	—	—	—	—	—	—	—	—
Suffocation	1	—	—	—	1	2	1	—	—	—	—	—	—	—	—	—
Drowning	12	10	15	6	6	8	9	2	2	2	—	—	—	—	—	—
Fracture and Contusion	17	13	14	12	9	7	9	6	4	6	3	3	—	—	—	—
Gunshot Wounds	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Cuts and Stabs	—	—	2	—	1	—	1	—	—	—	—	—	—	—	—	—
Other Violent Causes	2	2	2	2	—	1	3	2	1	3	1	—	—	—	—	—
Not specified	3	1	2	—	2	3	—	—	—	—	—	—	—	—	—	—

CAUSES of DEATH in the SMALL TOWN DISTRICTS of SCOTLAND, at different
Periods of Life, in 1876.—FEMALES.

DISEASES.	ALL AGES.	FEMALES.											
		AGE UNDER											
		MONTHS.			2	3	4	5	10	15	20	25	30
		3	6	12									
ALL CAUSES	8406	748	311	561	687	308	213	158	411	244	316	299	265
SPECIFIED CAUSES	8289	691	295	554	678	308	210	155	409	242	313	299	262
I. Zymotic Class	1722	86	80	180	285	175	130	98	204	76	60	55	34
II. Diseases of Uncertain Seat	382	5	2	3	4	2	—	—	6	6	2	2	3
III. Tubercular Class	1452	24	45	87	96	63	32	27	85	101	191	161	138
IV. Brain and Nervous System	756	36	28	35	35	17	9	10	30	11	8	14	10
V. Organs of Circulation	553	4	2	—	2	—	—	—	16	12	13	13	17
VI. Respiratory Organs	1215	90	77	145	160	35	24	12	38	13	13	16	10
VII. Organs of Digestion	603	57	28	76	59	8	8	2	11	10	8	6	17
VIII. Urinary Organs	101	—	—	2	—	—	1	—	3	3	7	6	4
IX. Organs of Generation	124	—	—	—	—	—	—	—	—	—	5	20	26
X. Organs of Locomotion	51	—	1	—	2	1	—	1	5	2	4	—	1
XI. Skin, etc.	10	1	1	1	1	—	—	—	1	1	—	—	—
XII. Malformation	38	34	2	2	—	—	—	—	—	—	—	—	—
XIII. Premature Debility	374	334	20	20	—	—	—	—	—	—	—	—	—
XIV. Atrophy	64	—	—	—	18	4	4	2	3	1	1	—	—
XV. Age	687	—	—	—	—	—	—	—	—	—	—	—	—
XVI. Sudden Deaths	6	—	—	1	—	—	—	—	—	—	—	1	—
XVII. Violent Deaths	151	20	9	2	16	3	2	3	7	6	1	5	2
I. Small-pox	4	—	—	—	—	—	—	—	1	1	2	—	—
Measles	125	—	1	20	40	25	8	13	13	2	—	—	—
Scarlatina	333	—	2	30	48	41	46	39	89	23	6	4	3
Diphtheria	115	—	—	7	20	22	8	24	6	2	—	—	1
Hooping-cough	304	25	22	67	102	39	20	13	14	1	1	—	—
Croup	90	3	4	6	25	26	11	9	6	—	—	—	—
Thrush	5	1	2	—	1	—	—	—	—	—	1	—	—
Diarrhoea	235	37	39	34	33	9	2	—	4	2	1	2	2
Dysentery	31	—	1	1	2	—	—	1	—	—	1	—	—
Cholera	16	1	3	4	1	—	—	—	3	1	—	—	—
Influenza	10	—	—	—	2	1	—	—	—	—	—	1	—
Purpura	8	—	—	2	—	1	—	1	—	—	—	1	—
Ague	1	—	—	—	—	—	—	—	—	—	—	—	—
Worms	2	—	—	—	—	1	—	—	—	—	—	—	—
Typhus	38	—	—	—	—	1	1	2	4	5	4	6	1
Enteric Fever	235	—	—	1	4	4	18	10	34	27	33	26	8
Relapsing Fever	4	—	—	—	—	—	—	—	1	—	—	1	—
Simple Continued Fever	11	—	—	1	—	—	—	1	1	2	—	2	—
Infantile Remittent	14	—	—	—	5	3	2	1	3	—	—	—	—
Metria	46	—	—	—	—	—	—	—	—	—	4	9	12
Rheumatic Fever	20	—	—	—	—	—	—	—	3	4	5	—	3
Erysipelas	38	11	1	4	—	2	—	—	1	—	—	1	1
Pyæmia	14	1	—	—	—	—	—	—	3	1	—	1	3
Syphilis	18	6	5	2	—	—	—	—	—	1	—	—	—
Noma	1	—	—	—	—	—	—	—	—	—	—	1	—
Hydrophobia	—	—	—	—	—	—	—	—	—	—	—	—	—
Other Zymotic Diseases	4	1	—	1	2	—	—	—	—	—	—	—	—
II. Hæmorrhage	7	—	—	—	—	—	—	—	1	—	1	—	—
Dropsy	49	2	—	—	—	1	—	—	1	2	—	1	—
Abscess	22	—	2	1	1	—	—	—	3	1	—	1	1
Ulcer	7	—	—	1	1	—	—	—	—	—	—	—	—
Fistula	3	—	—	—	—	—	—	—	—	—	1	—	—
Mortification	25	3	—	—	2	—	—	—	—	1	—	—	—
Cancer	268	—	—	1	—	1	—	—	1	2	—	—	2
Gout	1	—	—	—	—	—	—	—	—	—	—	—	—
III. Scrofula	87	3	3	3	7	6	2	2	9	11	13	4	5
Tabes Mesenterica	135	7	13	20	32	20	7	3	10	12	4	2	—
Phthisis	1003	5	4	15	18	10	9	7	34	70	168	154	132
Hydrocephalus	227	9	25	49	39	27	14	15	32	8	6	1	1

CAUSES of DEATH in the SMALL TOWN DISTRICTS of SCOTLAND, at different Periods of Life, in 1876.—FEMALES. (Continued.)

DISEASES.	ALL AGES.	FEMALES.											
		AGE UNDER											
		MONTHS.			2	3	4	5	10	15	20	25	30
		3	6	12									
IV. Cephalitis	77	—	4	14	14	4	4	1	14	3	3	3	3
Apoplexy	219	1	1	5	2	4	2	1	6	1	—	1	1
Paralysis	228	—	—	—	1	—	—	1	1	—	—	—	2
Delirium Tremens	3	—	—	—	—	—	—	—	—	—	—	—	—
Chorea	2	—	—	—	—	—	—	—	—	—	1	1	—
Epilepsy	25	—	1	1	—	—	—	—	—	2	1	4	2
Tetanus	2	—	—	—	—	—	—	—	—	1	1	—	—
Insanity	9	—	—	—	—	—	—	—	—	—	—	2	—
Convulsions	95	31	20	12	16	7	2	3	4	—	—	—	—
Brain Disease	96	4	2	3	2	2	1	4	5	4	2	3	2
V. Pericarditis	18	—	1	—	—	—	—	—	5	—	2	1	1
Aneurism	5	—	—	—	—	—	—	—	—	—	—	—	—
Heart Disease	530	4	1	—	2	—	—	—	11	12	11	12	16
VI. Laryngitis	12	—	—	—	1	—	3	—	1	—	—	1	—
Bronchitis	817	66	64	121	117	23	15	9	20	2	2	5	1
Pleurisy	26	—	1	1	—	—	—	—	2	—	2	—	2
Pneumonia	299	22	12	23	39	12	6	3	14	10	9	8	6
Asthma	37	—	—	—	—	—	—	—	—	—	—	—	1
Lung Disease	24	2	—	—	3	—	—	—	1	1	—	2	—
VII. Teething	88	2	7	42	34	3	—	—	—	—	—	—	—
Quinsey	8	—	1	2	2	—	2	1	—	—	—	—	—
Gastritis	25	3	1	1	1	1	—	—	—	—	3	—	—
Enteritis	103	24	15	17	10	2	2	—	2	1	—	1	1
Peritonitis	65	1	—	2	1	—	1	—	2	6	2	4	9
Ascites	10	—	—	—	—	—	—	—	—	—	—	—	—
Ulceration of Intestines	16	—	—	—	—	—	—	—	1	1	1	1	1
Hernia	8	—	—	1	—	—	—	—	—	—	—	—	—
Ileus	31	1	—	3	—	—	—	—	2	1	1	—	2
Intussusception	4	—	2	1	—	—	—	—	—	—	—	—	1
Stricture of Intestines	2	1	—	—	—	—	—	—	—	—	—	—	—
Stomach Disease	74	12	2	4	9	2	1	1	2	—	1	—	2
Pancreas Disease	—	—	—	—	—	—	—	—	—	—	—	—	—
Hepatitis	28	3	—	—	1	—	—	—	2	—	—	—	—
Jaundice	29	7	—	2	—	—	1	—	—	—	—	—	—
Liver Disease	109	3	—	1	1	—	1	—	—	1	—	—	1
Spleen Disease	3	—	—	—	—	—	—	—	—	—	—	—	—
VIII. Nephritis	8	—	—	1	—	—	—	—	—	1	—	—	—
Nephria	53	—	—	—	—	—	—	—	3	2	4	4	3
Addison's Disease	3	—	—	—	—	—	—	—	—	—	1	1	—
Ischuria	6	—	—	—	—	—	—	—	—	—	1	—	1
Diabetes	9	—	—	—	—	—	—	—	—	—	—	—	—
Stone	—	—	—	—	—	—	—	—	—	—	—	—	—
Cystitis	5	—	—	—	—	—	—	—	—	—	1	—	—
Stricture of Urethra	—	—	—	—	—	—	—	—	—	—	—	—	—
Kidney Disease	17	—	—	1	—	—	1	—	—	—	—	1	—
IX. Paramenia	6	—	—	—	—	—	—	—	—	—	2	1	—
Ovarian Dropsy	9	—	—	—	—	—	—	—	—	—	—	—	1
Childbirth	87	—	—	—	—	—	—	—	—	—	3	18	24
Organs of Generation	22	—	—	—	—	—	—	—	—	—	—	1	1
X. Bone Disease	16	—	1	—	1	—	—	—	4	2	1	—	—
Rheumatism	25	—	—	—	—	—	—	—	1	—	—	—	—
Joint Disease	10	—	—	—	1	1	—	1	—	—	3	—	1
XI. Carbuncle	2	—	—	—	—	—	—	—	—	—	—	—	—
Phlegmon	4	—	—	—	—	—	—	—	1	1	—	—	—
Skin Disease	4	1	1	1	1	—	—	—	—	—	—	—	—
XVII. Intemperance	17	—	—	—	—	—	—	—	—	—	—	—	1
Privation	2	—	—	—	1	—	—	—	—	—	—	—	—
Want of Breast Milk	12	10	1	—	1	—	—	—	—	—	—	—	—
Neglect	—	—	—	—	—	—	—	—	—	—	—	—	—
Cold	2	1	—	—	—	—	—	—	—	—	—	—	—
Poison	5	1	—	—	—	—	—	—	—	—	—	2	—
Poisoned Wounds	—	—	—	—	—	—	—	—	—	—	—	—	—
Burns and Scalds	22	—	—	1	8	2	1	1	1	1	—	—	—
Hanging, etc.	1	—	—	—	—	—	—	—	—	—	—	—	—
Suffocation	20	7	7	1	—	—	—	—	—	—	—	1	—
Drowning	20	—	—	—	1	1	1	2	—	2	—	1	1
Fracture and Contusion	32	—	1	—	3	—	—	—	3	3	1	—	—
Gunshot Wounds	—	—	—	—	—	—	—	—	—	—	—	—	—
Cuts and Stabs	1	—	—	—	—	—	—	—	—	—	—	—	—
Other Violent Causes	17	1	—	—	2	—	—	—	3	—	—	1	—
Not specified	117	57	16	7	9	—	3	3	2	2	3	—	3

CAUSES of DEATH in the SMALL TOWN DISTRICTS of SCOTLAND, at different
Periods of Life, in 1876.—FEMALES. (Continued.)

DISEASES.	FEMALES.															
	AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
Cephalitis	-	-	2	1	1	2	1	-	1	2	-	-	-	-	-	-
Apoplexy	3	4	8	11	7	16	27	30	28	31	15	11	2	1	-	-
Paralysis	4	2	4	10	12	5	24	39	46	46	21	8	2	-	-	-
Delirium Tremens	-	-	2	1	-	-	-	-	-	-	-	-	-	-	-	-
Chorea	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Epilepsy	1	4	1	1	1	-	2	1	1	-	2	-	-	-	-	-
Tetanus	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Insanity	-	-	2	-	2	-	-	1	-	2	-	-	-	-	-	-
Convulsions	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Brain Disease	2	1	5	7	5	7	9	8	9	6	2	1	-	-	-	-
Pericarditis	-	1	-	-	1	1	2	2	1	-	-	-	-	-	-	-
Aneurism	-	-	2	-	-	-	-	2	-	1	-	-	-	-	-	-
Heart Disease	19	27	28	38	27	46	66	53	60	48	34	11	4	-	-	-
Laryngitis	3	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-
Bronchitis	6	8	5	13	24	29	40	69	55	65	38	16	3	1	-	-
Pleurisy	1	1	1	2	3	1	4	-	2	3	-	-	-	-	-	-
Pneumonia	7	6	10	11	9	12	14	20	19	15	8	2	2	-	-	-
Asthma	2	2	1	2	6	5	9	2	3	2	-	2	-	-	-	-
Lung Disease	1	3	-	2	2	1	1	2	3	-	-	-	-	-	-	-
Teething	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Quinsey	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Gastritis	2	-	1	2	-	-	3	1	1	1	3	1	-	-	-	-
Enteritis	3	-	1	1	4	2	2	3	6	2	4	-	-	-	-	-
Peritonitis	6	5	4	3	5	3	2	5	-	2	2	-	-	-	-	-
Ascites	-	-	2	1	-	1	3	1	-	-	1	-	1	-	-	-
Ulceration of Intestines	1	-	2	1	1	2	-	1	1	1	1	-	-	-	-	-
Hernia	1	-	1	-	1	-	1	-	-	1	1	1	-	-	-	-
Ileus	-	4	-	1	1	5	6	-	-	2	1	-	1	-	-	-
Intussusception	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Stricture of Intestines	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
Stomach Disease	1	1	1	1	2	5	10	3	4	5	2	3	-	-	-	-
Pancreas Disease	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hepatitis	1	-	2	3	3	2	4	1	5	1	-	-	-	-	-	-
Jaundice	-	2	1	-	1	2	2	3	3	-	4	1	-	-	-	-
Liver Disease	1	7	8	7	9	15	7	16	15	11	4	-	1	-	-	-
Spleen Disease	-	-	-	1	1	-	1	-	-	-	-	-	-	-	-	-
Nephritis	-	1	1	1	-	-	1	-	2	-	-	-	-	-	-	-
Nephria	7	4	6	1	3	6	3	1	2	3	-	1	-	-	-	-
Addison's Disease	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Ischuria	-	1	2	-	1	-	-	-	-	-	-	-	-	-	-	-
Diabetes	2	2	1	-	2	-	-	-	1	1	-	-	-	-	-	-
Stone	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Cystitis	-	-	-	-	-	-	-	1	1	1	-	1	-	-	-	-
Stricture of Urethra	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Kidney Disease	1	2	-	1	1	2	1	3	-	-	1	1	1	-	-	-
Paramenia	-	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-
Ovarian Dropsy	1	-	-	2	2	1	-	2	-	-	-	-	-	-	-	-
Childbirth	18	11	11	2	-	-	-	-	-	-	-	-	-	-	-	-
Organs of Generation	4	4	5	1	-	1	2	-	2	1	-	-	-	-	-	-
Bone Disease	-	2	-	1	-	1	2	-	1	-	-	-	-	-	-	-
Rheumatism	1	1	2	1	2	1	2	3	2	6	2	1	-	-	-	-
Joint Disease	1	-	-	1	-	-	-	-	-	-	1	-	-	-	-	-
Carbuncle	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-
Phlegmon	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Skin Disease	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Intemperance	2	1	1	2	1	3	3	2	-	-	1	-	-	-	-	-
Privation	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
Want of Breast Milk	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Neglect	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Cold	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Poison	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-
Poisoned Wounds	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Burns and Scalds	-	-	1	-	-	-	2	1	2	-	-	1	-	-	-	-
Hanging, etc.	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Suffocation	-	-	2	1	-	-	-	1	-	-	-	-	-	-	-	-
Drowning	-	1	1	2	2	1	3	1	-	-	-	-	-	-	-	-
Fracture and Contusion	-	-	1	1	-	1	4	2	5	3	1	2	-	1	-	-
Gunshot Wounds	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Cuts and Stabs	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Violent Causes	1	-	-	-	1	-	1	-	1	1	4	1	-	-	-	-
Not specified	4	1	2	2	1	2	-	-	-	-	-	-	-	-	-	-

CAUSES of DEATH in the MAINLAND-RURAL DISTRICTS of SCOTLAND, at different Periods of Life, in 1876.—BOTH SEXES.

DISEASES.	ALL AGES.	BOTH SEXES.											
		AGE UNDER											
		MONTHS.			2	3	4	5	10	15	20	25	30
		3	6	12									
ALL CAUSES	18192	1649	531	881	945	470	344	267	822	499	600	679	555
SPECIFIED CAUSES	17719	1441	498	826	921	454	334	260	804	489	591	672	552
I. Zymotic Class	2972	157	122	279	413	252	210	164	433	171	121	107	69
II. Diseases of Uncertain Seat	819	18	2	6	4	2	2	—	7	6	8	8	11
III. Tubercular Class	2467	41	62	110	113	53	41	31	140	147	271	327	260
IV. Brain and Nervous System	1735	88	41	49	52	20	15	15	59	41	28	23	26
V. Organs of Circulation	1332	5	4	1	2	3	—	7	10	21	28	20	27
VI. Respiratory Organs	2369	192	118	231	169	73	34	22	55	26	28	48	33
VII. Organs of Digestion	1448	133	80	99	119	16	15	9	48	23	24	28	31
VIII. Urinary Organs	379	—	—	1	3	3	3	—	7	7	14	14	8
IX. Organs of Generation	135	1	—	—	—	—	—	—	—	1	4	21	24
X. Organs of Locomotion	122	2	—	—	2	—	1	3	6	8	6	9	6
XI. Skin, etc.	30	3	3	3	1	2	—	—	1	—	—	1	2
XII. Malformation	76	64	5	4	3	—	—	—	—	—	—	—	—
XIII. Premature Debility	781	695	51	35	—	—	—	—	—	—	—	—	—
XIV. Atrophy	103	—	—	—	22	4	3	1	7	7	2	3	1
XV. Age	2134	—	—	—	—	—	—	—	—	—	—	—	—
XVI. Sudden Deaths	16	2	—	1	1	—	—	—	—	—	—	—	—
XVII. Violent Deaths	801	40	10	7	17	26	10	8	31	31	57	63	54
I. Small-pox	7	—	1	—	—	—	—	—	—	—	1	—	1
Measles	180	8	4	34	51	31	13	7	18	4	3	2	2
Scarlatina	652	3	5	37	103	76	95	68	182	49	14	10	3
Diphtheria	276	3	4	11	27	25	26	30	89	25	12	5	3
Hooping-cough	384	45	39	79	116	49	23	11	20	2	—	—	—
Croup	196	11	5	21	40	42	24	20	31	2	—	—	—
Thrush	7	5	1	—	1	—	—	—	—	—	—	—	—
Diarrhoea	360	47	38	63	46	5	4	2	10	2	3	3	1
Dysentery	44	—	2	2	2	1	—	2	1	—	1	1	—
Cholera	33	2	4	6	4	1	3	1	1	—	1	—	—
Influenza	31	2	—	3	2	2	1	1	—	—	—	—	—
Purpura	13	2	1	1	—	—	—	—	—	2	—	—	1
Ague	1	—	—	—	—	—	—	—	—	1	—	—	—
Worms	3	—	1	—	—	1	—	1	—	—	—	—	—
Typhus	86	2	2	2	3	1	5	1	14	13	10	7	5
Enteric Fever	405	4	1	7	13	13	11	16	52	57	61	51	26
Relapsing Fever	5	—	—	—	—	—	—	—	—	1	—	—	—
Simple Continued Fever	18	—	—	—	—	—	1	2	3	1	2	2	—
Infantile Remittent	13	—	—	3	2	2	3	2	1	—	—	—	—
Metria	69	—	—	—	—	—	—	—	—	—	3	18	17
Rheumatic Fever	55	—	—	—	—	—	—	—	7	7	6	4	5
Erysipelas	76	13	7	6	1	—	—	—	—	3	1	2	1
Pyæmia	26	1	—	—	1	—	1	—	4	1	2	1	4
Syphilis	25	9	6	1	1	3	—	—	—	1	1	1	—
Noma	1	—	—	—	—	—	—	—	—	1	—	—	—
Hydrophobia	1	—	—	—	—	—	—	—	—	—	—	—	—
Other Zymotic Diseases	5	—	1	3	—	—	—	—	—	—	—	—	—
II. Hæmorrhage	23	5	—	1	—	—	—	—	—	1	1	1	1
Dropsy	121	1	1	—	—	1	2	—	1	2	1	1	3
Abscess	58	7	1	4	3	—	—	—	6	1	2	4	3
Ulcer	14	1	—	—	1	1	—	—	—	—	—	—	—
Fistula	3	—	—	—	—	—	—	—	—	—	—	—	—
Mortification	56	3	—	—	—	—	—	—	—	—	—	—	—
Cancer	531	1	—	1	—	—	—	—	—	2	4	2	4
Gout	8	—	—	—	—	—	—	—	—	—	—	—	—
III. Scrofula	161	3	5	8	7	9	2	1	12	14	29	16	14
Tabes Mesenterica	173	14	12	21	34	19	8	7	19	18	6	4	1
Phthisis	1816	6	5	15	22	7	7	9	53	90	232	307	243
Hydrocephalus	317	18	40	66	50	18	24	14	56	25	4	—	2

CAUSES of DEATH in the MAINLAND-RURAL DISTRICTS of SCOTLAND, at different Periods of Life, in 1876.—BOTH SEXES. (Continued.)

DISEASES.	ALL AGES.	BOTH SEXES.											
		AGE UNDER											
		MONTHS.			2	3	4	5	10	15	20	25	30
		3	6	12									
IV. Cephalitis	157	4	8	12	16	5	3	6	34	12	8	5	7
Apoplexy	391	8	4	2	10	4	3	4	7	2	2	2	1
Paralysis	660	—	—	1	—	1	—	—	—	1	4	3	3
Delirium Tremens	7	—	—	—	—	—	—	—	—	—	—	—	—
Chorea	5	—	—	—	—	—	—	—	—	1	1	1	1
Epilepsy	86	2	—	—	1	1	1	2	1	7	8	7	7
Tetanus	16	5	—	1	—	—	—	1	1	2	—	—	—
Insanity	33	—	—	—	—	—	—	—	—	1	—	—	2
Convulsions	164	67	27	28	22	6	5	—	9	—	—	—	—
Brain Disease	216	2	2	5	3	3	3	2	7	15	5	5	5
V. Pericarditis	39	1	—	—	1	—	—	4	3	2	2	2	1
Aneurism	35	—	—	—	—	—	—	—	—	1	—	1	—
Heart Disease	1258	4	4	1	1	3	—	3	7	18	26	17	26
VI. Laryngitis	48	2	4	6	4	2	2	4	5	2	1	—	2
Bronchitis	1444	148	96	172	131	49	27	10	30	5	6	14	6
Pleurisy	69	1	—	3	2	2	—	—	1	3	6	3	5
Pneumonia	649	37	18	48	31	20	5	8	19	15	14	27	19
Asthma	124	—	—	1	—	—	—	—	—	1	1	—	—
Lung Disease	35	4	—	1	1	—	—	—	—	—	—	4	1
VII. Teething	134	—	5	53	71	5	—	—	—	—	—	—	—
Quinsey	17	3	1	2	2	—	1	1	2	1	—	1	—
Gastritis	58	5	7	—	3	—	—	—	1	—	1	1	2
Enteritis	278	69	35	30	25	5	7	4	11	6	5	6	6
Peritonitis	143	9	5	1	3	3	3	2	7	7	9	4	6
Ascites	18	—	—	—	—	—	1	—	2	—	—	—	1
Ulceration of Intestines	80	—	1	—	1	—	—	—	1	—	2	1	1
Hernia	41	—	—	—	—	—	—	—	1	—	—	1	—
Ileus	108	7	5	2	1	—	1	2	6	2	1	5	5
Intussusception	22	—	2	2	—	—	—	—	2	—	1	—	—
Stricture of Intestines	9	—	—	—	—	—	—	—	—	—	—	1	—
Stomach Disease	193	11	13	7	12	1	1	—	2	3	—	3	5
Pancreas Disease	—	—	—	—	—	—	—	—	—	—	—	—	—
Hepatitis	77	4	2	1	1	1	—	—	4	1	2	2	1
Jaundice	64	21	2	1	—	1	—	—	3	—	—	1	2
Liver Disease	193	4	2	—	—	—	1	—	5	3	3	2	2
Spleen Disease	13	—	—	—	—	—	—	—	1	—	—	—	—
VIII. Nephritis	36	—	—	—	2	3	1	—	3	2	1	1	—
Nephria	93	—	—	1	—	—	1	—	1	4	4	4	4
Addison's Disease	3	—	—	—	—	—	—	—	—	—	—	—	—
Ischuria	33	—	—	—	—	—	—	—	—	—	—	—	1
Diabetes	42	—	—	—	—	—	—	—	2	1	5	4	3
Stone	16	—	—	—	—	—	—	—	—	—	—	1	—
Cystitis	51	—	—	—	—	—	—	—	—	—	1	1	—
Stricture of Urethra	5	—	—	—	—	—	—	—	—	—	—	—	—
Kidney Disease	100	—	—	—	1	—	1	—	1	—	3	3	—
IX. Paramenia	8	—	—	—	—	—	—	—	—	1	—	2	1
Ovarian Dropsy	12	—	—	—	—	—	—	—	—	—	2	—	—
Childbirth	93	—	—	—	—	—	—	—	—	—	—	17	18
Organs of Generation	22	1	—	—	—	—	—	—	—	—	—	2	5
X. Bone Disease	36	2	—	—	—	—	—	3	4	3	1	4	2
Rheumatism	53	—	—	—	—	—	—	—	1	—	—	2	1
Joint Disease	33	—	—	—	2	—	1	—	1	5	5	3	3
XI. Carbuncle	6	—	—	—	—	—	—	—	—	—	—	—	—
Phlegmon	5	—	—	—	—	—	—	—	—	—	—	1	2
Skin Disease	19	3	3	3	1	2	—	—	1	—	—	—	—
XVII. Intemperance	34	—	—	—	—	—	—	—	—	—	—	1	1
Privation	2	—	—	—	—	—	—	—	—	—	—	—	—
Want of Breast Milk	2	1	1	—	—	—	—	—	—	—	—	—	—
Neglect	3	3	—	—	—	—	—	—	—	—	—	—	—
Cold	34	1	—	—	—	1	—	—	1	—	—	2	—
Poison	13	2	—	2	—	—	—	—	—	—	—	1	—
Poisoned Wounds	1	—	—	—	—	—	—	—	—	1	—	—	—
Burns and Scalds	68	—	2	1	7	8	5	6	7	4	6	3	1
Hanging, etc.	28	—	—	—	—	—	—	—	—	—	2	2	3
Suffocation	47	24	7	1	—	—	—	—	1	—	—	2	—
Drowning	220	—	—	1	7	16	4	2	6	12	22	16	23
Fracture and Contusion	252	2	—	1	2	1	—	—	12	9	23	26	20
Gunshot Wounds	14	—	—	—	—	—	—	—	—	2	1	3	2
Cuts and Stabs	20	—	—	—	—	—	—	—	—	—	—	1	—
Other Violent Causes	63	7	—	1	1	—	1	—	4	3	3	6	4
Not specified	473	208	33	55	24	16	10	7	18	10	9	7	3

CAUSES of DEATH in the MAINLAND-RURAL DISTRICTS of SCOTLAND, at different Periods of Life, in 1876.—MALES.

DISEASES.	ALL AGES.	MALES.											
		AGE UNDER											
		MONTHS.											
		3	6	12	2	3	4	5	10	15	20	25	30
ALL CAUSES	9177	943	298	489	491	245	169	150	418	259	330	343	277
SPECIFIED CAUSES	8946	835	285	457	482	233	166	145	413	253	328	342	275
I. Zymotic Class	1410	81	63	146	200	125	109	87	207	82	57	35	26
II. Diseases of Uncertain Seat	339	11	2	5	2	2	—	—	5	4	8	5	2
III. Tubercular Class	1286	23	29	68	71	33	21	21	81	67	132	172	131
IV. Brain and Nervous System	909	55	22	24	24	11	9	10	29	29	21	12	15
V. Organs of Circulation	657	4	3	1	1	3	—	4	5	10	15	10	11
VI. Respiratory Organs	1269	117	75	131	86	29	13	12	27	12	19	26	18
VII. Organs of Digestion	773	92	57	55	67	10	7	1	18	12	11	15	13
VIII. Urinary Organs	275	—	—	1	1	2	—	—	6	3	11	8	2
IX. Organs of Generation	2	1	—	—	—	—	—	—	—	—	—	—	—
X. Organs of Locomotion	57	2	—	—	1	—	1	2	6	4	5	5	5
XI. Skin, etc.	14	2	2	3	1	1	—	—	—	—	—	—	1
XII. Malformation	46	39	3	2	2	—	—	—	—	—	—	—	—
XIII. Premature Debility	426	385	25	16	—	—	—	—	—	—	—	—	—
XIV. Atrophy	42	—	—	—	14	1	1	—	5	3	1	—	1
XV. Age	804	—	—	—	—	—	—	—	—	—	—	—	—
XVI. Sudden Deaths	8	—	—	1	1	—	—	—	—	—	—	—	—
XVII. Violent Deaths	629	23	4	4	11	16	5	8	24	27	48	54	50
I. Small-pox	4	—	1	—	—	—	—	—	—	—	1	—	—
Measles	92	6	2	13	27	20	6	5	8	1	1	2	1
Scarlatina	339	1	4	18	48	37	57	40	93	25	8	2	2
Diphtheria	138	1	3	4	17	19	12	15	37	11	7	2	1
Hooping-cough	171	24	16	38	55	18	5	5	10	—	—	—	—
Croup	103	7	4	12	16	22	12	11	19	—	—	—	—
Thrush	3	1	1	—	1	—	—	—	—	—	—	—	—
Diarrhoea	170	20	20	38	20	3	1	—	5	1	2	1	1
Dysentery	15	—	1	1	1	—	—	—	1	—	—	—	—
Cholera	20	—	1	4	4	—	2	—	1	—	1	—	—
Influenza	16	1	—	2	1	—	1	1	—	—	—	—	—
Purpura	6	2	—	—	—	—	—	—	—	—	—	—	1
Ague	1	—	—	—	—	—	—	—	—	1	—	—	—
Worms	2	—	1	—	—	—	—	1	—	—	—	—	—
Typhus	50	1	2	1	1	—	3	1	3	12	7	5	3
Enteric Fever	170	2	1	6	7	5	5	7	20	23	22	21	15
Relapsing Fever	2	—	—	—	—	—	—	—	—	—	—	—	—
Simple Continued Fever	9	—	—	—	—	—	1	1	2	—	—	1	—
Infantile Remittent	9	—	—	3	1	1	3	—	1	—	—	—	—
Metria	—	—	—	—	—	—	—	—	—	—	—	—	—
Rheumatic Fever	25	—	—	—	—	—	—	—	4	6	4	1	—
Erysipelas	34	8	4	3	—	—	—	—	—	2	1	—	—
Pyæmia	17	—	—	—	1	—	1	—	3	—	2	—	2
Syphilis	10	7	1	—	—	—	—	—	—	—	1	—	—
Noma	—	—	—	—	—	—	—	—	—	—	—	—	—
Hydrophobia	—	—	—	—	—	—	—	—	—	—	—	—	—
Other Zymotic Diseases	4	—	1	3	—	—	—	—	—	—	—	—	—
II. Hæmorrhage	17	3	—	1	—	—	—	—	—	1	1	1	—
Dropsy	54	1	1	—	—	1	—	—	—	2	1	1	1
Abscess	37	4	1	3	2	—	—	—	5	—	2	2	1
Ulcer	5	1	—	—	—	1	—	—	—	—	—	—	—
Fistula	3	—	—	—	—	—	—	—	—	—	—	—	—
Mortification	29	2	—	—	—	—	—	—	—	—	—	—	—
Cancer	190	—	—	1	—	—	—	—	—	1	4	1	—
Gout	4	—	—	—	—	—	—	—	—	—	—	—	—
III. Scrofula	96	2	2	5	4	5	1	1	8	11	18	13	5
Tabes Mesenterica	105	8	6	15	21	13	3	4	13	8	3	3	1
Phthisis	892	4	3	8	14	3	3	7	21	32	108	156	124
Hydrocephalus	193	9	18	40	32	12	14	9	39	16	3	—	1

CAUSES of DEATH in the MAINLAND-RURAL DISTRICTS of SCOTLAND, at different Periods of Life, in 1876.—MALES. (Continued.)

DISEASES.	MALES.												
	ALL AGES.	AGE UNDER											
		MONTHS.			2	3	4	5	10	15	20	25	30
3	6	12											
IV. Cephalitis	96	3	5	6	10	2	2	3	16	8	6	5	4
Apoplexy	181	4	2	1	5	1	1	2	3	1	2	—	1
Paralysis	343	—	—	—	—	—	—	—	—	1	4	2	2
Delirium Tremens	7	—	—	—	—	—	—	—	—	—	—	—	—
Chorea	2	—	—	—	—	—	—	—	—	—	1	—	—
Epilepsy	48	1	—	—	—	1	—	2	—	7	4	4	4
Tetanus	11	3	—	—	—	—	—	1	1	2	—	—	—
Insanity	11	—	—	—	—	—	—	—	—	1	—	—	—
Convulsions	91	42	14	14	8	4	3	—	6	—	—	—	—
Brain Disease	119	2	1	3	1	3	3	2	3	9	4	1	4
V. Pericarditis	22	1	—	—	1	—	—	1	2	—	2	2	—
Aneurism	23	—	—	—	—	—	—	—	—	1	—	1	—
Heart Disease	612	3	3	1	—	3	—	3	3	9	13	7	11
VI. Laryngitis	25	—	3	3	1	1	—	2	4	—	—	—	1
Bronchitis	683	88	58	90	66	20	9	6	13	3	3	4	2
Pleurisy	46	—	—	1	1	1	—	—	1	2	5	2	2
Pneumonia	425	26	14	35	17	7	4	4	9	6	10	18	12
Asthma	73	—	—	1	—	—	—	—	—	1	1	—	—
Lung Disease	17	3	—	1	1	—	—	—	—	—	—	2	1
VII. Teething	77	—	5	32	37	3	—	—	—	—	—	—	—
Quinsey	9	3	1	2	1	—	—	—	1	—	—	1	—
Gastritis	30	4	4	—	2	—	—	—	—	—	1	—	2
Enteritis	150	45	23	15	14	3	4	—	4	3	—	2	2
Peritonitis	65	5	4	—	3	2	1	—	3	3	5	1	—
Ascites	5	—	—	—	—	—	1	—	—	—	—	—	—
Ulceration of Intestines	43	—	—	—	—	—	—	—	1	—	—	1	—
Hernia	21	—	—	—	—	—	—	—	1	—	—	1	—
Ileus	52	3	5	1	—	—	—	1	1	—	1	3	2
Intussusception	16	—	2	1	—	—	—	—	1	—	1	—	—
Stricture of Intestines	5	—	—	—	—	—	—	—	—	—	—	1	—
Stomach Disease	105	9	7	3	9	—	1	—	1	3	—	2	3
Pancreas Disease	—	—	—	—	—	—	—	—	—	—	—	—	—
Hepatitis	42	4	2	—	1	1	—	—	2	1	1	1	1
Jaundice	38	15	2	1	—	1	—	—	—	—	—	1	1
Liver Disease	105	4	2	—	—	—	—	—	2	2	2	1	2
Spleen Disease	10	—	—	—	—	—	—	—	1	—	—	—	—
VIII. Nephritis	21	—	—	—	—	2	—	—	2	1	—	1	—
Nephria	48	—	—	1	—	—	—	—	1	1	3	3	—
Addison's Disease	1	—	—	—	—	—	—	—	—	—	—	—	—
Ischuria	31	—	—	—	—	—	—	—	—	—	—	—	—
Diabetes	28	—	—	—	—	—	—	—	2	1	4	2	2
Stone	16	—	—	—	—	—	—	—	—	—	—	1	—
Cystitis	48	—	—	—	—	—	—	—	—	—	1	—	—
Stricture of Urethra	5	—	—	—	—	—	—	—	—	—	—	—	—
Kidney Disease	77	—	—	—	1	—	—	—	1	—	3	1	—
IX. Paramenia	—	—	—	—	—	—	—	—	—	—	—	—	—
Ovarian Dropsy	—	—	—	—	—	—	—	—	—	—	—	—	—
Childbirth	—	—	—	—	—	—	—	—	—	—	—	—	—
Organs of Generation	2	1	—	—	—	—	—	—	—	—	—	—	—
X. Bone Disease	22	2	—	—	—	—	—	2	4	1	1	4	2
Rheumatism	16	—	—	—	—	—	—	—	1	—	—	—	1
Joint Disease	19	—	—	—	1	—	1	—	1	3	4	1	2
XI. Carbuncle	3	—	—	—	—	—	—	—	—	—	—	—	—
Phlegmon	1	—	—	—	—	—	—	—	—	—	—	—	1
Skin Disease	10	2	2	3	1	1	—	—	—	—	—	—	—
XVII. Intemperance	23	—	—	—	—	—	—	—	—	—	—	—	—
Privation	2	—	—	—	—	—	—	—	—	—	—	—	—
Want of Breast Milk	1	—	1	—	—	—	—	—	—	—	—	—	—
Neglect	3	3	—	—	—	—	—	—	—	—	—	—	—
Cold	26	1	—	—	—	1	—	—	1	—	—	2	—
Poison	8	1	—	2	—	—	—	—	—	—	—	—	—
Poisoned Wounds	1	—	—	—	—	—	—	—	—	1	—	—	—
Burns and Scalds	39	—	—	—	5	3	2	6	3	2	2	2	1
Hanging, etc.	21	—	—	—	—	—	—	—	—	—	2	1	3
Suffocation	29	13	3	—	—	—	—	—	1	—	—	2	—
Drowning	183	—	—	1	4	11	2	2	4	11	18	13	21
Fracture and Contusion	215	1	—	—	2	1	—	—	11	9	22	25	20
Gunshot Wounds	14	—	—	—	—	—	—	—	—	2	1	3	2
Cuts and Stabs	17	—	—	—	—	—	—	—	—	—	—	1	—
Other Violent Causes	47	4	—	1	—	—	1	—	4	2	3	5	3
Not specified	231	108	13	32	9	12	3	5	5	6	2	1	2

CAUSES of DEATH in the MAINLAND-RURAL DISTRICTS of SCOTLAND, at different Periods of Life, in 1876.—FEMALES.

DISEASES.	ALL AGES.	FEMALES.											
		AGE UNDER											
		MONTHS.			2	3	4	5	10	15	20	25	30
		3	6	12									
ALL CAUSES	9015	706	233	392	454	225	175	117	404	240	270	336	278
SPECIFIED CAUSES	8773	606	213	369	439	221	168	115	391	236	263	330	277
I. Zymotic Class	1562	76	59	133	213	127	101	77	226	89	64	72	43
II. Diseases of Uncertain Seat	480	7	—	1	2	—	2	—	2	2	—	3	9
III. Tubercular Class	1181	18	33	42	42	20	20	10	59	80	139	155	129
IV. Brain and Nervous System	826	33	19	25	28	9	6	5	30	12	7	11	11
V. Organs of Circulation	675	1	1	—	1	—	—	3	5	11	13	10	16
VI. Respiratory Organs	1100	75	43	100	83	44	21	10	28	14	9	22	15
VII. Organs of Digestion	675	41	23	44	52	6	8	8	30	11	13	13	18
VIII. Urinary Organs	104	—	—	—	2	1	3	—	1	4	3	6	6
IX. Organs of Generation	133	—	—	—	—	—	—	—	—	1	4	21	24
X. Organs of Locomotion	65	—	—	—	1	—	—	1	—	4	1	4	1
XI. Skin, etc.	16	1	1	—	—	1	—	—	1	—	—	1	1
XII. Malformation	30	25	2	2	1	—	—	—	—	—	—	—	—
XIII. Premature Debility	355	310	26	19	—	—	—	—	—	—	—	—	—
XIV. Atrophy	61	—	—	—	8	3	2	1	2	4	1	3	—
XV. Age	1330	—	—	—	—	—	—	—	—	—	—	—	—
XVI. Sudden Deaths	8	2	—	—	—	—	—	—	—	—	—	—	—
XVII. Violent Deaths	172	17	6	3	6	10	5	—	7	4	9	9	4
I. Small-pox	3	—	—	—	—	—	—	—	—	—	—	—	1
Measles	88	2	2	21	24	11	7	2	10	3	2	—	1
Scarlatina	313	2	1	19	55	39	38	28	89	24	6	8	1
Diphtheria	138	2	1	7	10	6	14	15	52	14	5	3	2
Hooping-cough	213	21	23	41	61	31	18	6	10	2	—	—	—
Croup	93	4	1	9	24	20	12	9	12	2	—	—	—
Thrush	4	4	—	—	—	—	—	—	—	—	—	—	—
Diarrhœa	190	27	18	25	26	2	3	2	5	1	1	2	—
Dysentery	29	—	1	1	1	1	—	2	—	—	1	1	—
Cholera	13	2	3	2	—	1	1	1	—	—	—	—	—
Influenza	15	1	—	1	1	2	—	—	—	—	—	—	—
Purpura	7	—	1	1	—	—	—	—	—	2	—	—	—
Ague	—	—	—	—	—	—	—	—	—	—	—	—	—
Worms	1	—	—	—	—	1	—	—	—	—	—	—	—
Typhus	36	1	—	1	2	1	2	—	11	1	3	2	2
Enteric Fever	235	2	—	1	6	8	6	9	32	34	39	30	11
Relapsing Fever	3	—	—	—	—	—	—	—	—	1	—	—	—
Simple Continued Fever	9	—	—	—	—	—	—	1	1	1	2	1	—
Infantile Remittent	4	—	—	—	1	1	—	2	—	—	—	—	—
Metria	69	—	—	—	—	—	—	—	—	—	3	18	17
Rheumatic Fever	30	—	—	—	—	—	—	—	3	1	2	3	5
Erysipelas	42	5	3	3	1	—	—	—	—	1	—	2	1
Pyæmia	9	1	—	—	—	—	—	—	1	1	—	1	2
Syphilis	15	2	5	1	1	3	—	—	—	—	—	1	—
Noma	1	—	—	—	—	—	—	—	—	1	—	—	—
Hydrophobia	1	—	—	—	—	—	—	—	—	—	—	—	—
Other Zymotic Diseases	1	—	—	—	—	—	—	—	—	—	—	—	—
II. Hæmorrhage	11	2	—	—	—	—	—	—	—	—	—	—	1
Dropsy	67	—	—	—	—	—	2	—	1	—	—	—	2
Abscess	21	3	—	1	1	—	—	—	1	1	—	2	2
Ulcer	9	—	—	—	1	—	—	—	—	—	—	—	—
Fistula	—	—	—	—	—	—	—	—	—	—	—	—	—
Mortification	27	1	—	—	—	—	—	—	—	—	—	—	—
Cancer	341	1	—	—	—	—	—	—	—	1	—	1	4
Gout	4	—	—	—	—	—	—	—	—	—	—	—	—
III. Scrofula	65	1	3	3	3	4	1	—	4	3	11	3	9
Tabes Mesenterica	68	6	6	6	13	6	5	3	6	10	3	1	—
Phthisis	924	2	2	7	8	4	4	2	32	58	124	151	119
Hydrocephalus	124	9	22	26	18	6	10	5	17	9	1	—	1

CAUSES of DEATH in the MAINLAND-RURAL DISTRICTS of SCOTLAND, at different Periods of Life, in 1876.—FEMALES. (Continued.)

DISEASES.	ALL AGES.	FEMALES.											
		AGE UNDER											
		MONTHS.			2	3	4	5	10	15	20	25	30
		3	6	12									
IV. Cephalitis	61	1	3	6	6	3	1	3	18	4	2	—	3
Apoplexy	210	4	2	1	5	3	2	2	4	1	—	2	—
Paralysis	317	—	—	1	—	1	—	—	—	—	—	1	1
Delirium Tremens	—	—	—	—	—	—	—	—	—	—	—	—	—
Chorea	3	—	—	—	—	—	—	—	—	1	—	1	1
Epilepsy	38	1	—	—	1	—	1	—	1	—	4	3	3
Tetanus	5	2	—	1	—	—	—	—	—	—	—	—	—
Insanity	22	—	—	—	—	—	—	—	—	—	—	—	2
Convulsions	73	25	13	14	14	2	2	—	3	—	—	—	—
Brain Disease	97	—	1	2	2	—	—	—	4	6	1	4	1
V. Pericarditis	17	—	—	—	—	—	—	3	1	2	—	—	1
Aneurism	12	—	—	—	—	—	—	—	—	—	—	—	—
Heart Disease	646	1	1	—	1	—	—	—	4	9	13	10	15
VI. Laryngitis	23	2	1	3	3	1	2	2	1	2	1	—	1
Bronchitis	761	60	38	82	65	29	18	4	17	2	3	10	4
Pleurisy	23	1	—	2	1	1	—	—	—	1	1	1	3
Pneumonia	224	11	4	13	14	13	1	4	10	9	4	9	7
Asthma	51	—	—	—	—	—	—	—	—	—	—	—	—
Lung Disease	18	1	—	—	—	—	—	—	—	—	—	2	—
VII. Teething	57	—	—	21	34	2	—	—	—	—	—	—	—
Quinsey	8	—	—	—	1	—	1	1	1	1	—	—	—
Gastritis	28	1	3	—	1	—	—	—	1	—	—	1	—
Enteritis	128	24	12	15	11	2	3	4	7	3	5	4	4
Peritonitis	78	4	1	1	—	1	2	2	4	4	4	3	6
Ascites	13	—	—	—	—	—	—	—	2	—	—	—	1
Ulceration of Intestines	37	—	1	—	1	—	—	—	—	—	2	—	1
Hernia	20	—	—	—	—	—	—	—	—	—	—	—	—
Ileus	56	4	—	1	1	—	1	1	5	2	—	2	3
Intussusception	6	—	—	1	—	—	—	—	1	—	—	—	—
Stricture of Intestines	4	—	—	—	—	—	—	—	—	—	—	—	—
Stomach Disease	88	2	6	4	3	1	—	—	1	—	—	1	2
Pancreas Disease	—	—	—	—	—	—	—	—	—	—	—	—	—
Hepatitis	35	—	—	1	—	—	—	—	2	—	1	1	—
Jaundice	26	6	—	—	—	—	—	—	3	—	—	—	1
Liver Disease	88	—	—	—	—	—	1	—	3	1	1	1	—
Spleen Disease	3	—	—	—	—	—	—	—	—	—	—	—	—
VIII. Nephritis	15	—	—	—	2	1	1	—	1	1	1	—	—
Nephria	45	—	—	—	—	—	1	—	—	3	1	1	4
Addison's Disease	2	—	—	—	—	—	—	—	—	—	—	—	—
Ischuria	2	—	—	—	—	—	—	—	—	—	—	—	1
Diabetes	14	—	—	—	—	—	—	—	—	—	1	2	1
Stone	—	—	—	—	—	—	—	—	—	—	—	—	—
Cystitis	3	—	—	—	—	—	—	—	—	—	—	1	—
Stricture of Urethra	—	—	—	—	—	—	—	—	—	—	—	—	—
Kidney Disease	23	—	—	—	—	—	1	—	—	—	—	2	—
IX. Paramenia	8	—	—	—	—	—	—	—	—	1	—	2	1
Ovarian Dropsy	12	—	—	—	—	—	—	—	—	—	2	—	—
Childbirth	93	—	—	—	—	—	—	—	—	—	2	17	18
Organs of Generation	20	—	—	—	—	—	—	—	—	—	—	2	5
X. Bone Disease	14	—	—	—	—	—	—	1	—	2	—	—	—
Rheumatism	37	—	—	—	—	—	—	—	—	—	—	2	—
Joint Disease	14	—	—	—	1	—	—	—	—	2	1	2	1
XI. Carbuncle	3	—	—	—	—	—	—	—	—	—	—	—	—
Phlegmon	4	—	—	—	—	—	—	—	—	—	—	1	1
Skin Disease	9	1	1	—	—	1	—	—	1	—	—	—	—
XVII. Intemperance	11	—	—	—	—	—	—	—	—	—	—	1	1
Privation	—	—	—	—	—	—	—	—	—	—	—	—	—
Want of Breast Milk	1	1	—	—	—	—	—	—	—	—	—	—	—
Neglect	—	—	—	—	—	—	—	—	—	—	—	—	—
Cold	8	—	—	—	—	—	—	—	—	—	—	—	—
Poison	5	1	—	—	—	—	—	—	—	—	—	1	—
Poisoned Wounds	—	—	—	—	—	—	—	—	—	—	—	—	—
Burns and Scalds	29	—	2	1	2	5	3	—	4	2	4	1	—
Hanging, etc.	7	—	—	—	—	—	—	—	—	—	—	1	—
Suffocation	18	11	4	1	—	—	—	—	—	—	—	—	—
Drowning	37	—	—	—	3	5	2	—	2	1	4	3	2
Fracture and Contusion	37	1	—	1	—	—	—	—	1	—	1	1	—
Gunshot Wounds	—	—	—	—	—	—	—	—	—	—	—	—	—
Cuts and Stabs	3	—	—	—	—	—	—	—	—	—	—	—	—
Other Violent Causes	16	3	—	—	1	—	—	—	—	1	—	1	1
Not specified	242	100	20	23	15	4	7	2	13	4	7	6	1

CAUSES of DEATH in the INSULAR-RURAL DISTRICTS of SCOTLAND, at different Periods of Life, in 1876.—BOTH SEXES.

DISEASES.	ALL AGES.	BOTH SEXES.											
		AGE UNDER											
		MONTHS.			2	3	4	5	10	15	20	25	30
		3	6	12									
ALL CAUSES	2110	152	49	77	75	54	42	26	42	39	76	65	86
SPECIFIED CAUSES	1849	69	30	52	49	42	33	21	38	32	67	61	77
I. Zymotic Class	235	10	14	21	26	23	21	12	19	15	13	7	8
II. Diseases of Uncertain Seat	103	—	—	—	—	1	—	1	1	—	1	1	1
III. Tubercular Class	221	1	3	3	5	5	2	—	6	7	31	31	38
IV. Brain and Nervous System	112	9	—	4	1	1	2	2	3	4	4	—	2
V. Organs of Circulation	69	—	—	—	—	—	—	—	—	1	3	3	6
VI. Respiratory Organs	250	12	10	11	13	3	4	5	3	1	7	5	5
VII. Organs of Digestion	103	1	1	10	2	2	1	—	—	1	—	1	5
VIII. Urinary Organs	37	—	—	—	—	—	—	—	2	—	2	—	1
IX. Organs of Generation	17	—	—	—	—	—	—	—	—	—	—	2	4
X. Organs of Locomotion	28	—	—	—	—	—	—	—	—	1	—	1	—
XI. Skin, etc.	2	—	—	—	—	—	—	—	—	—	—	—	—
XII. Malformation	3	2	—	—	—	—	—	1	—	—	—	—	—
XIII. Premature Debility	36	33	2	1	—	—	—	—	—	—	—	—	—
XIV. Atrophy	12	—	—	—	—	1	2	—	—	—	—	—	—
XV. Age	538	—	—	—	—	—	—	—	—	—	—	—	—
XVI. Sudden Deaths	—	—	—	—	—	—	—	—	—	—	—	—	—
XVII. Violent Deaths	83	1	—	2	2	6	1	—	4	2	6	10	7
I. Small-pox	—	—	—	—	—	—	—	—	—	—	—	—	—
Measles	9	—	1	2	1	—	—	—	1	—	1	2	1
Scarlatina	45	—	—	2	9	8	9	5	7	3	2	—	—
Diphtheria	2	—	—	—	—	1	1	—	—	—	—	—	—
Hooping-cough	41	2	2	11	11	3	4	2	5	1	—	—	—
Croup	27	4	1	2	5	7	3	4	1	—	—	—	—
Thrush	2	1	1	—	—	—	—	—	—	—	—	—	—
Diarrhoea	18	1	5	1	—	—	—	1	1	2	—	—	—
Dysentery	4	—	—	—	—	—	—	—	1	—	—	—	—
Cholera	1	—	—	1	—	—	—	—	—	—	—	—	—
Influenza	9	—	3	—	—	1	—	—	—	1	—	—	—
Purpura	—	—	—	—	—	—	—	—	—	—	—	—	—
Ague	1	—	—	—	—	—	—	—	—	—	—	—	—
Worms	1	—	—	—	—	1	—	—	—	—	—	—	—
Typhus	17	—	—	—	—	—	1	—	1	3	4	2	—
Enteric Fever	24	—	—	—	—	2	1	—	2	1	5	1	4
Relapsing Fever	—	—	—	—	—	—	—	—	—	—	—	—	—
Simple Continued Fever	—	—	—	—	—	—	—	—	—	—	—	—	—
Infantile Remittent	2	1	—	—	—	—	1	—	—	—	—	—	—
Metria	7	—	—	—	—	—	—	—	—	—	—	—	3
Rheumatic Fever	8	—	—	—	—	—	1	—	—	3	—	2	—
Erysipelas	12	1	—	—	—	—	—	—	—	1	1	—	—
Pyæmia	1	—	1	—	—	—	—	—	—	—	—	—	—
Syphilis	2	—	—	—	—	—	—	—	—	—	—	—	—
Noma	1	—	—	1	—	—	—	—	—	—	—	—	—
Hydrophobia	—	—	—	—	—	—	—	—	—	—	—	—	—
Other Zymotic Diseases	1	—	—	1	—	—	—	—	—	—	—	—	—
II. Hæmorrhage	4	—	—	—	—	—	—	—	—	—	—	—	—
Dropsy	38	—	—	—	—	—	—	1	—	—	—	—	1
Abscess	3	—	—	—	—	1	—	—	—	—	1	—	—
Ulcer	1	—	—	—	—	—	—	—	—	—	—	—	—
Fistula	—	—	—	—	—	—	—	—	—	—	—	—	—
Mortification	7	—	—	—	—	—	—	—	1	—	—	—	—
Cancer	50	—	—	—	—	—	—	—	—	—	—	1	—
Gout	—	—	—	—	—	—	—	—	—	—	—	—	—
III. Scrofula	15	—	—	—	2	—	—	—	1	1	1	—	1
Tabes Mesenterica	4	—	—	—	1	1	—	—	1	1	—	—	—
Phthisis	189	—	2	—	1	2	1	—	1	4	30	31	37
Hydrocephalus	13	1	1	3	1	2	1	—	3	1	—	—	—

CAUSES of DEATH in the INSULAR-RURAL DISTRICTS of SCOTLAND, at different Periods of Life, in 1876.—BOTH SEXES. (Continued.)

DISEASES.	BOTH SEXES.												
	ALL AGES.	AGE UNDER											
		MONTHS.			2	3	4	5	10	15	20	25	30
		3	6	12									
IV. Cephalitis	8	-	-	-	-	-	1	1	2	1	-	-	-
Apoplexy	19	-	-	-	1	-	-	-	-	1	-	-	1
Paralysis	44	-	-	-	-	-	-	-	-	-	-	-	-
Delirium Tremens	-	-	-	-	-	-	-	-	-	-	-	-	-
Chorea	-	-	-	-	-	-	-	-	-	-	-	-	-
Epilepsy	6	-	-	-	-	1	-	-	1	1	1	-	-
Tetanus	4	3	-	-	-	-	-	-	-	1	-	-	-
Insanity	5	-	-	-	-	-	-	-	-	-	-	-	1
Convulsions	11	6	-	4	-	-	-	1	-	-	-	-	-
Brain Disease	15	-	-	-	-	-	1	-	-	-	3	-	-
V. Pericarditis	2	-	-	-	-	-	-	-	-	-	-	1	-
Aneurism	3	-	-	-	-	-	-	-	-	-	-	-	-
Heart Disease	64	-	-	-	-	-	-	-	-	1	3	2	6
VI. Laryngitis	-	-	-	-	-	-	-	-	-	-	-	-	-
Bronchitis	128	6	7	9	6	2	4	2	-	1	2	-	-
Pleurisy	22	5	1	-	3	-	-	1	1	-	-	2	1
Pneumonia	54	1	2	1	2	1	-	2	2	-	5	2	3
Asthma	35	-	-	-	1	-	-	-	-	-	-	1	1
Lung Disease	11	-	-	1	1	-	-	-	-	-	-	-	-
VII. Teething	11	-	-	9	2	-	-	-	-	-	-	-	-
Quinsey	-	-	-	-	-	-	-	-	-	-	-	-	-
Gastritis	7	-	-	-	-	-	-	-	-	-	-	-	1
Enteritis	9	-	-	1	-	-	-	-	-	1	-	1	2
Peritonitis	10	-	1	-	-	1	1	-	-	-	-	-	1
Ascites	5	-	-	-	-	-	-	-	-	-	-	-	-
Ulceration of Intestines	8	-	-	-	-	-	-	-	-	-	-	-	-
Hernia	5	-	-	-	-	-	-	-	-	-	-	-	-
Ileus	8	-	-	-	-	-	-	-	-	-	-	-	1
Intussusception	2	-	-	-	-	-	-	-	-	-	-	-	-
Stricture of Intestines	-	-	-	-	-	-	-	-	-	-	-	-	-
Stomach Disease	15	-	-	-	-	-	-	-	-	-	-	-	-
Pancreas Disease	-	-	-	-	-	-	-	-	-	-	-	-	-
Hepatitis	5	-	-	-	-	-	-	-	-	-	-	-	-
Jaundice	6	-	-	-	-	-	-	-	-	-	-	-	-
Liver Disease	9	-	-	-	-	-	-	-	-	-	-	-	-
Spleen Disease	3	1	-	-	-	1	-	-	-	-	-	-	-
VIII. Nephritis	4	-	-	-	-	-	-	-	-	-	-	-	-
Nephria	8	-	-	-	-	-	-	-	-	-	1	-	-
Addison's Disease	-	-	-	-	-	-	-	-	-	-	-	-	-
Ischuria	3	-	-	-	-	-	-	-	-	-	-	-	-
Diabetes	1	-	-	-	-	-	-	-	1	-	-	-	-
Stone	5	-	-	-	-	-	-	-	-	-	-	-	-
Cystitis	8	-	-	-	-	-	-	-	-	-	-	-	-
Stricture of Urethra	-	-	-	-	-	-	-	-	-	-	-	-	-
Kidney Disease	8	-	-	-	-	-	-	-	1	-	1	-	1
IX. Paramenia	2	-	-	-	-	-	-	-	-	-	-	1	-
Ovarian Dropsy	3	-	-	-	-	-	-	-	-	-	-	-	-
Childbirth	9	-	-	-	-	-	-	-	-	-	-	1	4
Organs of Generation	3	-	-	-	-	-	-	-	-	-	-	-	-
X. Bone Disease	2	-	-	-	-	-	-	-	-	-	-	-	-
Rheumatism	20	-	-	-	-	-	-	-	-	-	-	-	-
Joint Disease	6	-	-	-	-	-	-	-	-	1	-	1	-
XI. Carbuncle	-	-	-	-	-	-	-	-	-	-	-	-	-
Phlegmon	-	-	-	-	-	-	-	-	-	-	-	-	-
Skin Disease	2	-	-	-	-	-	-	-	-	-	-	-	-
XVII. Intemperance	2	-	-	-	-	-	-	-	-	-	-	-	-
Privation	-	-	-	-	-	-	-	-	-	-	-	-	-
Want of Breast Milk	1	-	-	1	-	-	-	-	-	-	-	-	-
Neglect	-	-	-	-	-	-	-	-	-	-	-	-	-
Cold	7	-	-	-	1	1	-	-	-	-	-	-	-
Poison	-	-	-	-	-	-	-	-	-	-	-	-	-
Poisoned Wounds	-	-	-	-	-	-	-	-	-	-	-	-	-
Burns and Scalds	6	-	-	1	1	3	1	-	-	-	-	-	-
Hanging, etc.	1	-	-	-	-	-	-	-	-	-	-	-	-
Suffocation	1	-	-	-	-	-	-	-	-	-	-	-	-
Drowning	45	-	-	-	-	1	-	-	-	2	5	8	6
Fracture and Contusion	12	-	-	-	-	1	-	-	2	-	-	2	1
Gunshot Wounds	2	-	-	-	-	-	-	-	1	-	1	-	-
Cuts and Stabs	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Violent Causes	6	1	-	-	-	-	-	-	1	-	-	-	-
Not specified	261	83	19	25	26	12	9	5	4	7	9	4	9

CAUSES of DEATH in the INSULAR-RURAL DISTRICTS of SCOTLAND, at different Periods of Life, in 1876.—BOTH SEXES. (*Continued.*)

DISEASES.	BOTH SEXES.															
	AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
Cephalitis . . .	—	1	1	—	—	—	—	—	—	—	1	—	—	—	—	—
Apoplexy . . .	—	1	1	1	1	—	2	2	4	3	1	—	—	—	—	—
Paralysis . . .	1	—	—	3	3	5	5	7	7	7	5	1	—	—	—	—
Delirium Tremens . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Chorea . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Epilepsy . . .	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Tetanus . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Insanity . . .	—	—	—	1	—	2	—	—	—	—	1	—	—	—	—	—
Convulsions . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Brain Disease . . .	—	2	—	1	2	—	—	4	1	1	—	—	—	—	—	—
Pericarditis . . .	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—
Aneurism . . .	—	1	—	—	—	—	—	1	—	1	—	—	—	—	—	—
Heart Disease . . .	—	—	3	3	3	4	9	8	12	6	1	1	2	—	—	—
Laryngitis . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Bronchitis . . .	2	—	—	3	8	10	8	8	13	15	14	4	3	1	—	—
Pleurisy . . .	1	—	—	—	2	—	—	—	1	3	—	—	1	—	—	—
Pneumonia . . .	1	2	—	2	2	7	2	4	9	3	1	—	—	—	—	—
Asthma . . .	—	1	—	3	2	3	5	6	3	5	4	—	—	—	—	—
Lung Disease . . .	—	2	—	—	—	—	3	2	1	—	1	—	—	—	—	—
Teething . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Quinsey . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Gastritis . . .	—	—	—	—	1	2	—	1	—	—	1	—	—	—	—	—
Enteritis . . .	—	—	1	—	—	—	1	2	1	—	—	—	—	—	—	—
Peritonitis . . .	1	1	—	1	—	—	1	—	1	1	—	—	—	—	—	—
Ascites . . .	—	1	—	—	—	—	3	—	—	1	—	—	—	—	—	—
Ulceration of Intestines . . .	1	—	1	—	—	—	1	2	—	3	—	—	—	—	—	—
Hernia . . .	—	1	—	—	—	—	—	—	1	1	1	1	—	—	—	—
Ileus . . .	—	1	—	1	—	2	—	—	2	1	—	—	—	—	—	—
Intussusception . . .	—	1	—	—	—	—	1	—	—	—	—	—	—	—	—	—
Stricture of Intestines . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Stomach Disease . . .	1	2	—	—	2	2	3	2	3	—	—	—	—	—	—	—
Pancreas Disease . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Hepatitis . . .	—	1	1	1	2	—	—	—	—	—	—	—	—	—	—	—
Jaundice . . .	—	1	—	1	—	—	—	1	2	1	—	—	—	—	—	—
Liver Disease . . .	—	1	—	—	3	1	1	3	—	—	—	—	—	—	—	—
Spleen Disease . . .	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—
Nephritis . . .	—	—	—	1	1	—	—	1	1	—	—	—	—	—	—	—
Nephria . . .	—	—	—	1	1	—	—	1	—	2	2	—	—	—	—	—
Addison's Disease . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Ischuria . . .	—	—	—	—	1	—	—	—	—	1	—	1	—	—	—	—
Diabetes . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Stone . . .	—	1	—	—	—	1	1	—	1	—	—	1	—	—	—	—
Cystitis . . .	—	1	—	—	2	—	—	—	2	2	1	—	—	—	—	—
Stricture of Urethra . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Kidney Disease . . .	—	—	—	—	—	1	—	1	—	1	—	1	1	—	—	—
Paramenia . . .	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Ovarian Dropsy . . .	—	1	—	—	—	1	—	—	—	1	—	—	—	—	—	—
Childbirth . . .	—	3	—	1	—	—	—	—	—	—	—	—	—	—	—	—
Organs of Generation . . .	—	1	—	—	—	1	—	1	—	—	—	—	—	—	—	—
Bone Disease . . .	—	—	—	—	—	1	1	—	—	—	—	—	—	—	—	—
Rheumatism . . .	—	—	1	1	—	1	1	1	5	1	6	2	1	—	—	—
Joint Disease . . .	—	—	—	—	—	—	2	1	1	—	—	—	—	—	—	—
Carbuncle . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Phlegmon . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Skin Disease . . .	—	—	—	—	—	—	1	—	—	1	—	—	—	—	—	—
Intemperance . . .	—	—	—	—	—	—	2	—	—	—	—	—	—	—	—	—
Privation . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Want of Breast Milk . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Neglect . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Cold . . .	1	1	1	—	—	—	1	—	1	—	—	—	—	—	—	—
Poison . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Poisoned Wounds . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Burns and Scalds . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Hanging, etc. . .	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—
Suffocation . . .	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Drowning . . .	4	1	6	2	5	3	—	1	1	—	—	—	—	—	—	—
Fracture and Contusion . . .	—	—	1	—	—	2	1	—	—	1	1	—	—	—	—	—
Gunshot Wounds . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Cuts and Stabs . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Other Violent Causes . . .	1	—	1	—	—	—	—	—	1	1	—	—	—	—	—	—
Not specified . . .	6	3	10	10	8	11	—	—	—	—	—	—	—	—	—	1

CAUSES of DEATH in the INSULAR-RURAL DISTRICTS of SCOTLAND, at different Periods of Life, in 1876.—MALES.

DISEASES.	ALL AGES.	MALES.											
		AGE UNDER											
		MONTHS.			2	3	4	5	10	15	20	25	30
		3	6	12									
ALL CAUSES	1051	99	32	46	42	26	22	14	18	18	41	43	41
SPECIFIED CAUSES	907	44	19	35	27	20	15	12	17	12	35	40	37
I. Zymotic Class	109	8	7	15	11	12	9	10	4	4	4	4	1
II. Diseases of Uncertain Seat	40	—	—	—	—	1	—	—	1	—	1	—	1
III. Tubercular Class	118	1	2	2	4	2	—	—	6	4	12	21	20
IV. Brain and Nervous System	67	8	—	4	—	—	—	—	2	2	3	—	1
V. Organs of Circulation	42	—	—	—	—	—	—	—	—	—	2	2	3
VI. Respiratory Organs	137	7	8	5	9	3	3	1	1	—	5	4	3
VII. Organs of Digestion	56	—	1	7	1	1	—	—	—	1	—	1	2
VIII. Urinary Organs	29	—	—	—	—	—	—	—	—	—	2	—	—
IX. Organs of Generation	1	—	—	—	—	—	—	—	—	—	—	—	—
X. Organs of Locomotion	9	—	—	—	—	—	—	—	—	—	—	—	—
XI. Skin, etc.	1	—	—	—	—	—	—	—	—	—	—	—	—
XII. Malformation	1	—	—	—	—	—	—	1	—	—	—	—	—
XIII. Premature Debility	20	19	1	—	—	—	—	—	—	—	—	—	—
XIV. Atrophy	5	—	—	—	—	—	2	—	—	—	—	—	—
XV. Age	208	—	—	—	—	—	—	—	—	—	—	—	—
XVI. Sudden Deaths	—	—	—	—	—	—	—	—	—	—	—	—	—
XVII. Violent Deaths	64	1	—	2	2	1	1	—	3	1	6	8	6
I. Small-pox	—	—	—	—	—	—	—	—	—	—	—	—	—
Measles	4	—	—	1	1	—	—	—	—	—	—	2	—
Scarlatina	23	—	—	1	3	5	6	5	1	1	1	—	—
Diphtheria	1	—	—	—	—	—	1	—	—	—	—	—	—
Hooping-cough	21	1	1	10	5	1	1	1	1	1	—	—	—
Croup	14	4	—	1	2	3	1	3	—	—	—	—	—
Thrush	1	—	1	—	—	—	—	—	—	—	—	—	—
Diarrhoea	9	1	2	—	—	—	—	1	1	1	—	—	—
Dysentery	2	—	—	—	—	—	—	—	1	—	—	—	—
Cholera	—	—	—	—	—	—	—	—	—	—	—	—	—
Influenza	6	—	2	—	—	1	—	—	—	—	—	—	—
Purpura	—	—	—	—	—	—	—	—	—	—	—	—	—
Ague	1	—	—	—	—	—	—	—	—	—	—	—	—
Worms	1	—	—	—	—	1	—	—	—	—	—	—	—
Typhus	3	—	—	—	—	—	—	—	—	—	2	1	—
Enteric Fever	8	—	—	—	—	1	—	—	—	—	1	1	1
Relapsing Fever	—	—	—	—	—	—	—	—	—	—	—	—	—
Simple Continued Fever	—	—	—	—	—	—	—	—	—	—	—	—	—
Infantile Remittent	1	1	—	—	—	—	—	—	—	—	—	—	—
Metria	—	—	—	—	—	—	—	—	—	—	—	—	—
Rheumatic Fever	3	—	—	—	—	—	1	—	—	—	—	—	—
Erysipelas	8	1	—	—	—	—	—	—	—	1	—	—	—
Pyæmia	1	—	1	—	—	—	—	—	—	—	—	—	—
Syphilis	—	—	—	—	—	—	—	—	—	—	—	—	—
Noma	1	—	—	1	—	—	—	—	—	—	—	—	—
Hydrophobia	—	—	—	—	—	—	—	—	—	—	—	—	—
Other Zymotic Diseases	1	—	—	1	—	—	—	—	—	—	—	—	—
II. Hæmorrhage	1	—	—	—	—	—	—	—	—	—	—	—	—
Dropsy	10	—	—	—	—	—	—	—	—	—	—	—	1
Abscess	3	—	—	—	—	1	—	—	—	—	1	—	—
Ulcer	1	—	—	—	—	—	—	—	—	—	—	—	—
Fistula	—	—	—	—	—	—	—	—	—	—	—	—	—
Mortification	3	—	—	—	—	—	—	—	1	—	—	—	—
Cancer	22	—	—	—	—	—	—	—	—	—	—	—	—
Gout	—	—	—	—	—	—	—	—	—	—	—	—	—
III. Scrofula	7	—	—	—	2	—	—	—	1	—	1	—	—
Tabes Mesenterica	4	—	—	—	1	1	—	—	1	1	—	—	—
Phthisis	98	—	1	—	—	1	—	—	1	2	11	21	20
Hydrocephalus	9	1	1	2	1	—	—	—	3	1	—	—	—

CAUSES of DEATH in the INSULAR-RURAL DISTRICTS of SCOTLAND, at different
Periods of Life, in 1876.—MALES.

DISEASES.	MALES.															
	AGE UNDER															
	35	30	45	50	55	60	65	70	75	80	85	90	95	100	105	?
ALL CAUSES . .	22	22	29	31	36	42	43	57	78	73	86	47	33	7	1	2
SPECIFIED CAUSES .	20	22	25	25	35	41	43	57	78	73	86	47	33	7	1	1
Zymotic Class . .	2	1	3	—	3	1	2	4	1	2	1	—	—	—	—	—
Uncertain Seat . .	—	—	—	2	6	3	4	6	3	4	6	—	2	—	—	—
Tubercular Class .	12	5	8	6	2	4	1	3	2	—	1	—	—	—	—	—
Brain, etc. . . .	1	2	2	3	2	5	2	8	9	8	4	1	—	—	—	—
Heart, etc. . . .	—	1	1	3	1	3	5	7	9	3	1	—	1	—	—	—
Respiratory Organs .	1	—	—	5	7	14	8	8	11	16	10	3	4	1	—	—
Digestive Organs .	—	8	3	1	5	4	6	6	4	2	2	1	—	—	—	—
Urinary Organs . .	—	1	—	2	4	2	1	3	4	4	3	3	—	—	—	—
Generative Organs .	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—
Locomotive Organs .	—	—	—	1	—	1	—	1	2	1	1	1	1	—	—	—
Skin	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—
Malformation . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Premature Debility .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Atrophy	—	2	—	1	—	—	—	—	—	—	—	—	—	—	—	—
Age	—	—	—	—	—	—	11	9	31	31	55	38	25	6	1	1
Sudden Deaths . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Violent Deaths . .	4	2	8	1	5	4	3	1	2	1	2	—	—	—	—	—
Small-pox	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Measles	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Scarlatina	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Diphtheria	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Whooping-cough . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Croup	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Thrush	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Diarrhoea	1	—	—	—	1	—	1	—	—	—	—	—	—	—	—	—
Dysentery	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—
Cholera	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Influenza	1	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—
Purpura	—	—	—	—	—	—	—	1	—	—	1	—	—	—	—	—
Ague	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—
Worms	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Typhus	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Enteric Fever . . .	—	1	2	—	—	—	1	—	—	—	—	—	—	—	—	—
Relapsing Fever . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Simple Cont. Fever .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Infantile Remittent .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Metria	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Rheumatic Fever . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Erysipelas	—	—	1	—	2	1	—	2	—	2	—	—	—	—	—	—
Pyæmia	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Syphilis	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Noma	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Hydrophobia	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Other Zymotic Dis. .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Hæmorrhage	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—
Dropsy	—	—	—	—	1	2	1	—	2	1	2	—	—	—	—	—
Abscess	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—
Ulcer	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—
Fistula	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Mortification . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Cancer	—	—	—	2	5	1	3	4	—	3	2	—	—	—	—	—
Gout	—	—	—	—	—	—	—	—	—	3	2	—	2	—	—	—
Scrofula	—	1	—	—	—	—	—	2	—	—	—	—	—	—	—	—
Tabes Mesenterica . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Phthisis	12	4	8	6	2	4	1	1	2	—	1	—	—	—	—	—
Hydrocephalus . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

CAUSES of DEATH in the INSULAR-RURAL DISTRICTS of SCOTLAND, at different Periods of Life, in 1876.—MALES. (Continued.)

DISEASES.	MALES.												
	ALL AGES.	AGE UNDER											
		MONTHS.			2	3	4	5	10	15	20	25	30
		3	6	12									
IV. Cephalitis	5	—	—	—	—	—	—	—	2	—	—	—	—
Apoplexy	12	—	—	—	—	—	—	—	—	1	—	—	1
Paralysis	26	—	—	—	—	—	—	—	—	—	—	—	—
Delirium Tremens	—	—	—	—	—	—	—	—	—	—	—	—	—
Chorea	—	—	—	—	—	—	—	—	—	—	—	—	—
Epilepsy	2	—	—	—	—	—	—	—	—	1	1	—	—
Tetanus	3	3	—	—	—	—	—	—	—	—	—	—	—
Insanity	—	—	—	—	—	—	—	—	—	—	—	—	—
Convulsions	9	5	—	4	—	—	—	—	—	—	—	—	—
Brain Disease	10	—	—	—	—	—	—	—	—	—	2	—	—
V Pericarditis	1	—	—	—	—	—	—	—	—	—	—	—	—
Aneurism	1	—	—	—	—	—	—	—	—	—	—	—	—
Heart Disease	40	—	—	—	—	—	—	—	—	—	2	2	3
VI Laryngitis	—	—	—	—	—	—	—	—	—	—	—	—	—
Bronchitis	71	3	5	4	4	2	3	1	—	—	1	—	—
Pleurisy	17	4	1	—	2	—	—	—	1	—	—	2	1
Pneumonia	30	—	2	—	2	1	—	—	—	—	4	2	1
Asthma	15	—	—	—	1	—	—	—	—	—	—	—	1
Lung Disease	4	—	—	1	—	—	—	—	—	—	—	—	—
VII. Teething	7	—	—	6	1	—	—	—	—	—	—	—	—
Quinsey	—	—	—	—	—	—	—	—	—	—	—	—	—
Gastritis	4	—	—	—	—	—	—	—	—	—	—	—	1
Enteritis	8	—	—	1	—	—	—	—	—	1	—	1	1
Peritonitis	4	—	1	—	—	1	—	—	—	—	—	—	—
Ascites	3	—	—	—	—	—	—	—	—	—	—	—	—
Ulceration of Intestines	2	—	—	—	—	—	—	—	—	—	—	—	—
Hernia	3	—	—	—	—	—	—	—	—	—	—	—	—
Ileus	2	—	—	—	—	—	—	—	—	—	—	—	—
Intussusception	1	—	—	—	—	—	—	—	—	—	—	—	—
Stricture of Intestines	—	—	—	—	—	—	—	—	—	—	—	—	—
Stomach Disease	9	—	—	—	—	—	—	—	—	—	—	—	—
Pancreas Disease	—	—	—	—	—	—	—	—	—	—	—	—	—
Hepatitis	4	—	—	—	—	—	—	—	—	—	—	—	—
Jaundice	2	—	—	—	—	—	—	—	—	—	—	—	—
Liver Disease	6	—	—	—	—	—	—	—	—	—	—	—	—
Spleen Disease	1	—	—	—	—	—	—	—	—	—	—	—	—
VIII. Nephritis	3	—	—	—	—	—	—	—	—	—	—	—	—
Nephria	7	—	—	—	—	—	—	—	—	—	1	—	—
Addison's Disease	—	—	—	—	—	—	—	—	—	—	—	—	—
Ischuria	3	—	—	—	—	—	—	—	—	—	—	—	—
Diabetes	—	—	—	—	—	—	—	—	—	—	—	—	—
Stone	5	—	—	—	—	—	—	—	—	—	—	—	—
Cystitis	7	—	—	—	—	—	—	—	—	—	—	—	—
Stricture of Urethra	—	—	—	—	—	—	—	—	—	—	—	—	—
Kidney Disease	4	—	—	—	—	—	—	—	—	—	1	—	—
IX. Paramenia	—	—	—	—	—	—	—	—	—	—	—	—	—
Ovarian Dropsy	—	—	—	—	—	—	—	—	—	—	—	—	—
Childbirth	—	—	—	—	—	—	—	—	—	—	—	—	—
Organs of Generation	1	—	—	—	—	—	—	—	—	—	—	—	—
X. Bone Disease	1	—	—	—	—	—	—	—	—	—	—	—	—
Rheumatism	8	—	—	—	—	—	—	—	—	—	—	—	—
Joint Disease	—	—	—	—	—	—	—	—	—	—	—	—	—
XI. Carbuncle	—	—	—	—	—	—	—	—	—	—	—	—	—
Phlegmon	—	—	—	—	—	—	—	—	—	—	—	—	—
Skin Disease	1	—	—	—	—	—	—	—	—	—	—	—	—
XVII. Intemperance	1	—	—	—	—	—	—	—	—	—	—	—	—
Privation	—	—	—	—	—	—	—	—	—	—	—	—	—
Want of Breast Milk	1	—	—	1	—	—	—	—	—	—	—	—	—
Neglect	—	—	—	—	—	—	—	—	—	—	—	—	—
Cold	5	—	—	—	1	—	—	—	—	—	—	—	—
Poison	—	—	—	—	—	—	—	—	—	—	—	—	—
Poisoned Wounds	—	—	—	—	—	—	—	—	—	—	—	—	—
Burns and Scalds	3	—	—	1	1	—	1	—	—	—	—	—	—
Hanging, etc.	1	—	—	—	—	—	—	—	—	—	—	—	—
Suffocation	—	—	—	—	—	—	—	—	—	—	—	—	—
Drowning	38	—	—	—	—	—	—	—	—	1	5	7	5
Fracture and Contusion	9	—	—	—	—	1	—	—	1	—	—	1	1
Gunshot Wounds	2	—	—	—	—	—	—	—	1	—	1	—	—
Cuts and Stabs	—	—	—	—	—	—	—	—	—	—	—	—	—
Other Violent Causes	4	1	—	—	—	—	—	—	1	—	—	—	—
Not specified	144	55	13	11	15	6	7	2	1	6	6	3	4

CAUSES of DEATH in the INSULAR-RURAL DISTRICTS of SCOTLAND, at different Periods of Life, in 1876.—FEMALES.

DISEASES.	ALL AGES.	FEMALES.											
		AGE UNDER											
		MONTHS.											
		3	6	12	2	3	4	5	10	15	20	25	30
ALL CAUSES	1059	53	17	31	33	28	20	12	24	21	35	22	45
SPECIFIED CAUSES	942	25	11	17	22	22	18	9	21	20	32	21	40
I. Zymotic Class	126	2	7	6	15	11	12	2	15	11	9	3	7
II. Diseases of Uncertain Seat	63	—	—	—	—	—	—	1	—	—	—	1	—
III. Tubercular Class	103	—	1	1	1	3	2	—	—	3	19	10	18
IV. Brain and Nervous System	45	1	—	—	1	1	2	2	1	2	1	—	1
V. Organs of Circulation	27	—	—	—	—	—	—	—	—	1	1	1	3
VI. Respiratory Organs	113	5	2	6	4	—	1	4	2	1	2	1	2
VII. Organs of Digestion	47	1	—	3	1	1	1	—	—	—	—	—	3
VIII. Urinary Organs	8	—	—	—	—	—	—	—	2	—	—	—	1
IX. Organs of Generation	16	—	—	—	—	—	—	—	—	—	—	2	4
X. Organs of Locomotion	19	—	—	—	—	—	—	—	—	1	—	1	—
XI. Skin, etc.	1	—	—	—	—	—	—	—	—	—	—	—	—
XII. Malformation	2	2	—	—	—	—	—	—	—	—	—	—	—
XIII. Premature Debility	16	14	1	1	—	—	—	—	—	—	—	—	—
XIV. Atrophy	7	—	—	—	—	1	—	—	—	—	—	—	—
XV. Age	330	—	—	—	—	—	—	—	—	—	—	—	—
XVI. Sudden Deaths	—	—	—	—	—	—	—	—	—	—	—	—	—
XVII. Violent Deaths	19	—	—	—	—	5	—	—	1	1	—	2	1
I. Small-pox	—	—	—	—	—	—	—	—	—	—	—	—	—
Measles	5	—	1	1	—	—	—	—	1	—	1	—	1
Scarlatina	22	—	—	1	6	3	3	—	6	2	1	—	—
Diphtheria	1	—	—	—	—	1	—	—	—	—	—	—	—
Hooping-cough	20	1	1	1	6	2	4	1	4	—	—	—	—
Croup	13	—	1	1	3	4	2	1	1	—	—	—	—
Thrush	1	1	—	—	—	—	—	—	—	—	—	—	—
Diarrhoea	9	—	3	1	—	—	—	—	—	1	—	—	—
Dysentery	2	—	—	—	—	—	—	—	—	—	—	—	—
Cholera	1	—	—	1	—	—	—	—	—	—	—	—	—
Influenza	3	—	1	—	—	—	—	—	—	1	—	—	—
Purpura	—	—	—	—	—	—	—	—	—	—	—	—	—
Ague	—	—	—	—	—	—	—	—	—	—	—	—	—
Worms	—	—	—	—	—	—	—	—	—	—	—	—	—
Typhus	14	—	—	—	—	—	1	—	1	3	2	1	—
Enteric Fever	16	—	—	—	—	1	1	—	2	1	4	—	3
Relapsing Fever	—	—	—	—	—	—	—	—	—	—	—	—	—
Simple Continued Fever	—	—	—	—	—	—	—	—	—	—	—	—	—
Infantile Remittent	1	—	—	—	—	—	1	—	—	—	—	—	—
Metria	7	—	—	—	—	—	—	—	—	—	—	—	3
Rheumatic Fever	5	—	—	—	—	—	—	—	—	3	—	2	—
Erysipelas	4	—	—	—	—	—	—	—	—	—	1	—	—
Pyæmia	—	—	—	—	—	—	—	—	—	—	—	—	—
Syphilis	2	—	—	—	—	—	—	—	—	—	—	—	—
Noma	—	—	—	—	—	—	—	—	—	—	—	—	—
Hydrophobia	—	—	—	—	—	—	—	—	—	—	—	—	—
Other Zymotic Diseases	—	—	—	—	—	—	—	—	—	—	—	—	—
II. Hæmorrhage	3	—	—	—	—	—	—	—	—	—	—	—	—
Dropsy	28	—	—	—	—	—	—	1	—	—	—	—	—
Abscess	—	—	—	—	—	—	—	—	—	—	—	—	—
Ulcer	—	—	—	—	—	—	—	—	—	—	—	—	—
Fistula	—	—	—	—	—	—	—	—	—	—	—	—	—
Mortification	4	—	—	—	—	—	—	—	—	—	—	—	—
Cancer	28	—	—	—	—	—	—	—	—	—	—	1	—
Gout	—	—	—	—	—	—	—	—	—	—	—	—	—
III. Scrofula	8	—	—	—	—	—	—	—	—	1	—	—	1
Tabes Mesenterica	—	—	—	—	—	—	—	—	—	—	—	—	—
Phthisis	91	—	1	—	1	1	1	—	—	2	19	10	17
Hydrocephalus	4	—	—	1	—	2	1	—	—	—	—	—	—

CAUSES of DEATH in GLASGOW, at different Periods of Life, in 1876.—BOTH SEXES.

DISEASES.	BOTH SEXES.												
	ALL AGES.	AGE UNDER											
		MONTHS.			2	3	4	5	10	15	20	25	30
		3	6	12									
ALL CAUSES	13763	1441	513	1212	1633	711	422	325	680	358	504	531	535
SPECIFIED CAUSES	13684	1405	508	1210	1629	711	421	325	678	358	503	530	533
I. Zymotic Class	2562	178	114	381	568	303	180	141	229	44	62	56	53
II. Diseases of Uncertain Seat	354	8	1	4	3	3	6	6	8	7	10	5	6
III. Tubercular Class	2734	31	59	154	251	129	85	79	225	172	284	303	250
IV. Brain and Nervous System	1216	100	46	104	108	43	42	24	58	26	25	21	26
V. Organs of Circulation	645	1	1	1	—	1	—	—	14	17	18	24	33
VI. Respiratory Organs	3168	194	160	406	500	181	79	51	72	35	37	41	71
VII. Organs of Digestion	942	129	67	128	144	31	11	10	21	14	16	26	28
VIII. Urinary Organs	152	3	1	2	1	1	4	2	6	6	8	11	10
IX. Organs of Generation	87	—	—	—	—	—	—	—	—	—	4	7	17
X. Organs of Locomotion	75	1	—	—	4	2	4	—	9	11	8	1	3
XI. Skin, etc.	18	3	—	1	4	—	1	—	—	1	—	—	—
XII. Malformation	33	28	2	2	1	—	—	—	—	—	—	—	—
XIII. Premature Debility	735	679	39	17	—	—	—	—	—	—	—	—	—
XIV. Atrophy	90	—	—	—	34	8	5	5	5	3	2	1	1
XV. Age	298	—	—	—	—	—	—	—	—	—	—	—	—
XVI. Sudden Deaths	28	3	—	1	—	—	—	—	—	—	1	1	1
XVII. Violent Deaths	547	47	18	9	11	9	4	7	31	22	28	33	34
I. Small-pox	8	1	—	1	—	—	—	—	—	—	—	—	—
Measles	310	3	5	59	127	52	27	15	20	1	1	—	—
Scarlatina	313	1	2	27	48	60	38	44	81	5	4	1	—
Diphtheria	122	1	1	12	30	17	13	17	24	2	—	—	1
Hooping-cough	643	22	20	143	222	114	57	29	34	—	—	1	—
Croup	154	6	5	22	56	28	14	13	10	—	—	—	—
Thrush	2	2	—	—	—	—	—	—	—	—	—	—	—
Diarrhoea	407	94	57	91	64	11	7	2	4	2	2	3	1
Dysentery	22	2	—	2	—	2	—	—	1	—	1	—	1
Cholera	18	3	3	4	4	—	1	1	—	—	—	—	—
Influenza	10	—	—	—	—	—	—	—	—	—	1	—	—
Purpura	6	—	—	—	—	—	1	—	—	1	2	—	1
Ague	2	—	—	—	—	—	—	—	1	—	—	—	—
Worms	3	—	—	—	—	1	—	2	—	—	—	—	—
Typhus	92	—	3	3	2	1	1	—	4	3	8	16	9
Enteric Fever	210	1	1	4	4	8	13	8	37	23	31	17	22
Relapsing Fever	2	—	—	—	—	—	—	—	2	—	—	—	—
Simple Continued Fever	14	—	—	—	—	2	—	4	5	2	—	—	—
Infantile Remittent	24	—	—	1	5	5	6	4	3	—	—	—	—
Metria	43	—	—	—	—	—	—	—	—	—	4	15	11
Rheumatic Fever	26	—	—	—	—	—	—	1	2	2	5	2	1
Erysipelas	46	14	—	4	1	—	1	1	1	—	—	—	5
Pyæmia	18	2	—	1	—	—	—	—	1	1	1	1	1
Syphilis	55	25	17	6	4	—	—	—	—	—	—	—	—
Noma	2	—	—	—	—	2	—	—	—	—	—	—	—
Hydrophobia	3	—	—	—	—	—	—	—	—	—	—	—	—
Other Zymotic Diseases	7	1	—	1	1	—	1	—	1	—	2	—	—
II. Hæmorrhage	9	2	—	—	—	—	—	—	—	—	2	—	—
Dropsy	71	2	—	1	—	1	5	3	6	3	2	—	2
Abscess	33	4	—	3	1	2	—	3	1	1	1	2	2
Ulcer	9	—	1	—	1	—	—	—	—	—	—	—	—
Fistula	6	—	—	—	—	—	—	—	1	—	—	—	—
Mortification	12	—	—	—	—	—	—	—	—	1	1	—	—
Cancer	213	—	—	—	1	—	1	—	—	2	4	3	2
Gout	1	—	—	—	—	—	—	—	—	—	—	—	—
III. Scrofula	135	6	7	9	19	13	6	4	21	18	9	6	2
Tabes Mesenterica	321	11	16	35	78	37	24	23	53	24	7	5	1
Phthisis	1927	10	11	27	64	33	31	28	109	121	264	292	247
Hydrocephalus	351	4	25	83	90	46	24	24	42	9	4	—	—

CAUSES of DEATH in GLASGOW, at different Periods of Life, in 1876.—BOTH SEXES. (Continued.)

DISEASES.	BOTH SEXES.												
	ALL AGES.	AGE UNDER											
		MONTHS.			2	3	4	5	10	15	20	25	30
		3	6	12									
IV. Cephalitis	212	3	15	37	33	19	16	14	29	11	10	6	1
Apoplexy	293	4	5	18	16	1	5	2	6	3	1	5	8
Paralysis	239	1	—	—	—	—	—	—	1	3	2	5	6
Delirium Tremens	8	—	—	—	—	—	—	—	—	—	—	2	1
Chorea	—	—	—	—	—	—	—	—	—	—	—	—	—
Epilepsy	37	1	—	—	1	—	—	—	—	4	2	—	3
Tetanus	5	2	—	—	—	—	—	—	1	1	—	—	—
Insanity	9	—	—	—	—	—	—	—	—	—	—	—	1
Convulsions	230	85	23	42	44	12	15	3	6	—	—	—	—
Brain Disease	183	4	3	7	14	11	6	5	15	4	10	3	6
V. Pericarditis	20	—	—	—	—	—	—	—	3	1	3	2	3
Aneurism	25	—	—	—	—	—	—	—	—	1	—	1	3
Heart Disease	600	1	1	1	—	1	—	—	11	15	15	21	27
VI. Laryngitis	25	1	—	6	2	—	3	1	2	—	1	—	1
Bronchitis	2217	146	136	291	368	124	57	33	47	17	8	13	24
Pleurisy	45	1	1	—	2	1	—	—	1	2	3	—	3
Pneumonia	770	42	23	105	123	54	18	17	21	14	22	25	37
Asthma	41	—	—	—	—	—	—	—	—	—	—	1	—
Lung Disease	70	4	—	4	5	2	1	—	1	2	3	2	6
VII. Teething	197	1	11	74	104	7	—	—	—	—	—	—	—
Quinsey	11	—	—	4	2	1	2	—	—	—	—	1	—
Gastritis	47	11	3	3	4	2	1	1	—	—	—	—	—
Enteritis	228	74	34	32	17	10	6	3	4	3	5	4	5
Peritonitis	67	2	4	1	1	2	1	1	6	6	4	8	6
Ascites	11	—	—	—	—	—	—	—	—	1	—	—	2
Ulceration of Intestines	22	—	—	—	1	—	—	1	1	—	—	1	2
Hernia	18	2	—	—	—	—	—	—	—	—	—	1	1
Ileus	38	3	—	4	—	—	—	—	1	1	1	3	1
Intussusception	10	1	—	2	—	—	—	—	1	—	—	—	2
Stricture of Intestines	6	1	—	—	—	—	—	—	—	—	—	—	—
Stomach Disease	93	21	11	5	13	5	—	1	4	1	—	3	1
Pancreas Disease	—	—	—	—	—	—	—	—	—	—	—	—	—
Hepatitis	50	2	1	1	1	1	—	2	1	2	3	1	1
Jaundice	24	6	3	—	—	1	—	—	1	—	—	—	2
Liver Disease	112	5	—	1	1	1	1	1	2	—	3	3	5
Spleen Disease	8	—	—	1	—	1	—	—	—	—	—	1	—
VIII. Nephritis	32	—	—	1	—	1	2	2	3	1	—	1	3
Nephria	44	—	—	—	—	—	1	—	2	2	3	4	5
Addison's Disease	2	—	—	—	—	—	—	—	—	—	1	—	—
Ischuria	6	1	—	1	—	—	—	—	—	—	—	—	—
Diabetes	12	—	—	—	1	—	1	—	—	1	1	1	1
Stone	5	—	—	—	—	—	—	—	—	1	—	1	—
Cystitis	10	—	—	—	—	—	—	—	—	—	—	1	—
Stricture of Urethra	3	—	—	—	—	—	—	—	—	—	—	—	—
Kidney Disease	38	2	1	—	—	—	—	—	1	1	3	3	1
IX. Paramenia	2	—	—	—	—	—	—	—	—	—	—	1	—
Ovarian Dropsy	13	—	—	—	—	—	—	—	—	—	—	—	1
Childbirth	58	—	—	—	—	—	—	—	—	—	4	5	14
Organs of Generation	14	—	—	—	—	—	—	—	—	—	—	1	2
X. Bone Disease	21	—	—	—	1	1	1	—	5	4	3	—	1
Rheumatism	24	—	—	—	—	—	—	—	—	—	2	1	—
Joint Disease	30	1	—	—	3	1	3	—	4	7	3	—	2
XI. Carbuncle	6	—	—	—	—	—	—	—	—	—	—	—	—
Phlegmon	1	—	—	—	—	—	—	—	—	—	—	—	—
Skin Disease	11	3	—	1	4	—	1	—	—	1	—	—	—
XVII. Intemperance	40	—	—	—	—	—	—	—	—	—	—	2	5
Privation	1	—	—	—	—	—	—	—	1	—	—	—	—
Want of Breast Milk	19	14	5	—	—	—	—	—	—	—	—	—	—
Neglect	1	1	—	—	—	—	—	—	—	—	—	—	—
Cold	4	3	—	—	—	—	—	—	—	—	—	—	—
Poison	13	1	—	—	—	2	—	—	1	—	—	—	1
Poisoned Wounds	—	—	—	—	—	—	—	—	—	—	—	—	—
Burns and Scalds	48	—	—	3	8	6	2	4	1	3	—	2	1
Hanging, etc.	6	—	—	—	—	—	—	—	—	—	—	1	—
Suffocation	67	25	12	5	—	—	—	—	1	—	2	—	3
Drowning	112	—	—	—	1	—	1	1	9	5	6	5	7
Fracture and Contusion	183	1	1	1	1	1	1	2	15	8	18	15	13
Gunshot Wounds	—	—	—	—	—	—	—	—	—	—	—	—	—
Cuts and Stabs	7	—	—	—	—	—	—	—	—	—	—	1	—
Other Violent Causes	46	2	—	—	1	—	—	—	3	6	2	7	4
Not specified	79	36	5	2	4	—	1	—	2	—	1	1	2

CAUSES of DEATH in GLASGOW, at different Periods of Life, in 1876.—MALES.

DISEASES.	ALL AGES.	MALES.											
		AGE UNDER											
		MONTHS.											
		3	6	12	2	3	4	5	10	15	20	25	30
ALL CAUSES	7174	827	259	664	881	395	225	157	358	194	261	250	254
SPECIFIED CAUSES	7124	801	256	663	879	395	225	157	357	194	261	250	252
I. Zymotic Class	1274	96	50	191	301	154	88	58	110	22	25	25	26
II. Diseases of Uncertain Seat	146	6	—	2	2	2	4	5	4	4	8	3	3
III. Tubercular Class	1387	18	34	85	146	80	51	41	124	86	133	123	114
IV. Brain and Nervous System	662	57	20	67	54	26	27	15	36	12	15	12	13
V. Organs of Circulation	352	1	—	1	—	1	—	—	6	7	11	14	17
VI. Respiratory Organs	1687	116	87	223	267	109	40	26	35	20	22	29	35
VII. Organs of Digestion	483	72	36	78	82	11	5	5	12	9	8	13	8
VIII. Urinary Organs	100	3	1	2	1	1	3	2	3	4	6	4	6
IX. Organs of Generation	—	—	—	—	—	—	—	—	—	—	—	—	—
X. Organs of Locomotion	43	1	—	—	4	1	4	—	6	7	5	—	2
XI. Skin, etc.	13	2	—	1	3	—	—	—	—	—	—	—	—
XII. Malformation	21	21	—	—	—	—	—	—	—	—	—	—	—
XIII. Premature Debility	420	388	22	10	—	—	—	—	—	—	—	—	—
XIV. Atrophy	39	—	—	—	15	3	2	2	2	2	2	—	—
XV. Age	111	—	—	—	—	—	—	—	—	—	—	—	—
XVI. Sudden Deaths	16	1	—	1	—	—	—	—	—	—	1	—	1
XVII. Violent Deaths	370	19	6	2	4	7	1	3	19	21	25	27	27
I. Small-pox	6	1	—	—	—	—	—	—	—	—	—	—	—
Measles	166	2	1	34	70	28	12	8	9	1	1	—	—
Scarlatina	157	—	2	15	27	30	23	14	38	4	3	—	—
Diphtheria	57	1	1	6	14	9	7	9	9	—	—	—	—
Hooping-cough	292	10	10	66	102	53	23	10	17	—	—	1	—
Croup	86	3	2	12	33	16	6	8	6	—	—	—	—
Thrush	1	1	—	—	—	—	—	—	—	—	—	—	—
Diarrhoea	213	51	25	45	41	7	5	1	—	—	1	2	1
Dysentery	12	1	—	1	—	2	—	—	1	—	1	—	—
Cholera	11	2	2	2	3	—	—	—	—	—	—	—	—
Influenza	6	—	—	—	—	—	—	—	—	—	1	—	—
Purpura	6	—	—	—	—	—	1	—	—	1	2	—	1
Ague	2	—	—	—	—	—	—	—	1	—	—	—	—
Worms	2	—	—	—	—	—	—	2	—	—	—	—	—
Typhus	61	—	1	3	2	1	1	—	2	2	4	11	9
Enteric Fever	91	1	—	1	2	2	7	4	19	10	8	11	11
Relapsing Fever	2	—	—	—	—	—	—	—	—	2	—	—	—
Simple Continued Fever	5	—	—	—	—	—	—	—	3	1	—	—	—
Infantile Remittent	16	—	—	1	5	4	2	2	2	—	—	—	—
Metria	—	—	—	—	—	—	—	—	—	—	—	—	—
Rheumatic Fever	11	—	—	—	—	—	—	—	1	—	3	—	—
Erysipelas	26	8	—	1	—	—	1	—	1	—	—	—	4
Pyæmia	14	2	—	1	—	—	—	—	1	1	1	—	—
Syphilis	24	13	6	2	1	—	—	—	—	—	—	—	—
Noma	2	—	—	—	—	2	—	—	—	—	—	—	—
Hydrophobia	3	—	—	—	—	—	—	—	—	—	—	—	—
Other Zymotic Diseases	2	—	—	1	1	—	—	—	—	—	—	—	—
II. Hæmorrhage	8	2	—	—	—	—	—	—	—	—	2	—	—
Dropsy	28	2	—	—	—	—	3	2	2	1	1	—	1
Abscess	23	2	—	2	1	2	—	3	1	1	1	1	2
Ulcer	2	—	—	—	—	—	—	—	—	—	—	—	—
Fistula	5	—	—	—	—	—	—	—	1	—	—	—	—
Mortification	5	—	—	—	—	—	—	—	—	—	1	—	—
Cancer	74	—	—	—	1	—	1	—	—	2	3	2	—
Gout	1	—	—	—	—	—	—	—	—	—	—	—	—
III. Scrofula	79	2	4	5	7	9	4	2	14	11	4	5	1
Tabes Mesenterica	189	7	8	20	43	22	17	15	30	17	4	2	—
Phthisis	918	8	7	17	38	20	18	12	56	53	123	116	113
Hydrocephalus	201	1	15	43	58	29	12	12	24	5	2	—	—

CAUSES of DEATH in GLASGOW, at different Periods of Life, in 1876.—MALES. (Continued).

DISEASES.	ALL AGES.	MALES.											
		AGE UNDER											
		MONTHS.			2	3	4	5	10	15	20	25	30
		3	6	12									
IV. Cephalitis	120	3	7	23	16	10	9	8	19	8	5	4	1
Apoplexy	166	3	4	8	11	1	2	2	3	1	1	1	4
Paralysis	119	1	—	—	—	—	—	—	—	2	1	3	4
Delirium Tremens	8	—	—	—	—	—	—	—	—	—	—	2	1
Chorea	—	—	—	—	—	—	—	—	—	—	—	—	—
Epilepsy	15	1	—	—	—	—	—	—	—	—	1	—	1
Tetanus	1	1	—	—	—	—	—	—	—	—	—	—	—
Insanity	—	—	—	—	—	—	—	—	—	—	—	—	—
Convulsions	130	48	8	30	21	7	10	2	4	—	—	—	—
Brain Disease	103	—	1	6	6	8	6	3	10	1	7	2	2
V. Pericarditis	9	—	—	—	—	—	—	—	1	1	2	—	—
Aneurism	20	—	—	—	—	—	—	—	—	1	—	1	2
Heart Disease	323	1	—	1	—	1	—	—	5	5	9	13	15
VI. Laryngitis	17	1	—	4	1	—	3	1	—	—	1	—	—
Bronchitis	1131	90	75	161	194	76	30	17	24	10	3	9	9
Pleurisy	30	—	—	—	2	—	—	—	1	1	3	—	2
Pneumonia	448	22	12	58	66	33	6	8	9	8	13	17	21
Asthma	21	—	—	—	—	—	—	—	—	—	—	1	—
Lung Disease	40	3	—	—	4	—	1	—	1	1	2	2	3
VII. Teething	114	1	9	45	58	1	—	—	—	—	—	—	—
Quinsey	5	—	—	2	2	—	—	—	—	—	—	1	—
Gastritis	23	5	3	2	3	—	1	1	—	—	—	—	—
Enteritis	129	43	18	18	11	7	2	2	1	2	3	3	3
Peritonitis	33	1	3	1	—	1	1	1	2	4	1	4	—
Ascites	2	—	—	—	—	—	—	—	—	—	—	—	—
Ulceration of Intestines	11	—	—	—	—	—	—	1	1	—	—	—	—
Hernia	10	2	—	—	—	—	—	—	—	—	—	1	—
Ileus	13	1	—	1	—	—	—	—	1	1	—	—	1
Intussusception	7	—	—	2	—	—	—	—	1	—	—	—	1
Stricture of Intestines	3	—	—	—	—	—	—	—	—	—	—	—	—
Stomach Disease	40	8	3	5	7	1	—	—	3	1	—	1	—
Pancreas Disease	—	—	—	—	—	—	—	—	—	—	—	—	—
Hepatitis	19	1	—	1	1	—	—	—	1	1	2	—	—
Jaundice	16	5	—	—	—	—	—	—	1	—	—	—	2
Liver Disease	54	5	—	1	—	—	1	—	1	—	2	2	1
Spleen Disease	4	—	—	—	—	1	—	—	—	—	—	1	—
VIII. Nephritis	21	—	—	1	—	1	2	2	2	1	—	—	2
Nephria	22	—	—	—	—	—	1	—	—	—	1	—	2
Addison's Disease	1	—	—	—	—	—	—	—	—	—	1	—	—
Ischuria	5	1	—	1	—	—	—	—	—	—	—	—	—
Diabetes	9	—	—	—	1	—	—	—	—	1	1	—	1
Stone	5	—	—	—	—	—	—	—	—	1	—	1	—
Cystitis	7	—	—	—	—	—	—	—	—	—	—	—	—
Stricture of Urethra	3	—	—	—	—	—	—	—	—	—	—	—	—
Kidney Disease	27	2	1	—	—	—	—	—	1	1	3	3	1
IX. Paramenia	—	—	—	—	—	—	—	—	—	—	—	—	—
Ovarian Dropsy	—	—	—	—	—	—	—	—	—	—	—	—	—
Childbirth	—	—	—	—	—	—	—	—	—	—	—	—	—
Organs of Generation	—	—	—	—	—	—	—	—	—	—	—	—	—
X. Bone Disease	14	—	—	—	1	—	1	—	3	4	1	—	—
Rheumatism	6	—	—	—	—	—	—	—	—	—	1	—	—
Joint Disease	23	1	—	—	3	1	3	—	3	3	3	—	2
XI. Carbuncle	5	—	—	—	—	—	—	—	—	—	—	—	—
Phlegmon	1	—	—	—	—	—	—	—	—	—	—	—	—
Skin Disease	7	2	—	1	3	—	—	—	—	—	—	—	—
XVII. Intemperance	21	—	—	—	—	—	—	—	—	—	—	2	1
Privation	—	—	—	—	—	—	—	—	—	—	—	—	—
Want of Breast Milk	6	4	2	—	—	—	—	—	—	—	—	—	—
Neglect	—	—	—	—	—	—	—	—	—	—	—	—	—
Cold	1	1	—	—	—	—	—	—	—	—	—	—	—
Poison	9	1	—	—	—	1	—	—	—	—	—	—	1
Poisoned Wounds	—	—	—	—	—	—	—	—	—	—	—	—	—
Burns and Scalds	20	—	—	—	3	5	—	1	—	2	—	2	1
Hanging, etc.	4	—	—	—	—	—	—	—	—	—	—	1	—
Suffocation	35	13	4	2	—	—	—	—	—	—	2	—	3
Drowning	97	—	—	—	—	—	1	1	7	5	5	5	6
Fracture and Contusion	139	—	—	—	—	1	—	1	10	8	16	14	12
Gunshot Wounds	—	—	—	—	—	—	—	—	—	—	—	—	—
Cuts and Stabs	3	—	—	—	—	—	—	—	—	—	—	—	—
Other Violent Causes	35	—	—	—	1	—	—	—	2	6	2	3	3
Not specified	50	26	3	1	2	—	—	—	1	—	—	—	2

CAUSES of DEATH in GLASGOW, at different Periods of Life, in 1876.—MALES. (Continued.)

DISEASES.	MALES.															
	AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
Cephalitis	2	1	1	1	1	—	1	—	—	—	—	—	—	—	—	—
Apoplexy	6	5	9	10	20	12	22	14	16	7	4	—	—	—	—	—
Paralysis	1	3	6	3	9	14	21	14	21	9	2	3	2	—	—	—
Delirium Tremens	—	1	1	1	2	—	—	—	—	—	—	—	—	—	—	—
Chorea	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Epilepsy	—	2	—	—	3	2	1	3	1	—	—	—	—	—	—	—
Tetanus	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Insanity	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Convulsions	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Brain Disease	6	3	7	6	6	6	7	7	1	2	—	—	—	—	—	—
Pericarditis	1	—	2	1	—	—	—	1	—	—	—	—	—	—	—	—
Aneurism	—	4	6	2	1	1	—	1	—	1	—	—	—	—	—	—
Heart Disease	21	27	24	23	31	31	42	31	24	15	2	2	—	—	—	—
Laryngitis	1	—	1	1	—	1	2	—	—	—	—	—	—	—	—	—
Bronchitis	19	31	38	54	58	55	61	51	36	23	5	2	—	—	—	—
Pleurisy	3	2	8	1	3	—	1	1	1	—	1	—	—	—	—	—
Pneumonia	23	19	30	27	18	15	15	16	6	2	4	—	—	—	—	—
Asthma	1	—	3	1	2	3	4	2	2	2	—	—	—	—	—	—
Lung Disease	2	2	4	1	5	4	1	2	2	—	—	—	—	—	—	—
Teething	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Quinsey	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Gastritis	—	—	—	1	1	1	—	3	1	1	—	—	—	—	—	—
Enteritis	—	2	1	2	4	1	4	—	2	—	—	—	—	—	—	—
Peritonitis	1	2	1	4	1	3	—	—	1	—	1	—	—	—	—	—
Ascites	—	—	—	—	1	—	1	—	—	—	—	—	—	—	—	—
Ulceration of Intestines	2	1	2	—	1	1	1	—	—	1	—	—	—	—	—	—
Hernia	1	—	—	2	—	—	2	2	—	1	—	—	—	—	—	—
Ileus	—	2	1	—	—	—	1	—	1	2	1	—	—	—	—	—
Intussusception	—	1	1	—	—	—	—	—	—	1	—	—	—	—	—	—
Stricture of Intestines	—	—	—	—	1	1	1	—	—	—	—	—	—	—	—	—
Stomach Disease	2	—	—	2	1	2	3	1	—	—	—	—	—	—	—	—
Pancreas Disease	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Hepatitis	—	—	2	2	3	1	—	2	—	1	1	—	—	—	—	—
Jaundice	—	1	—	—	—	1	5	—	—	1	1	—	—	—	—	—
Liver Disease	—	3	5	6	6	7	8	2	2	—	2	—	—	—	—	—
Spleen Disease	—	1	—	—	—	—	1	—	—	—	—	—	—	—	—	—
Nephritis	2	1	—	1	—	—	3	2	—	1	—	—	—	—	—	—
Nephria	—	4	2	3	4	3	1	—	—	1	—	—	—	—	—	—
Addison's Disease	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Ischuria	—	—	1	—	2	—	—	—	—	—	—	—	—	—	—	—
Diabetes	1	1	1	1	—	—	—	1	—	—	—	—	—	—	—	—
Stone	—	—	—	—	—	—	1	1	—	1	—	—	—	—	—	—
Cystitis	—	—	—	—	—	—	2	1	3	1	—	—	—	—	—	—
Stricture of Urethra	1	—	—	1	—	—	—	—	—	1	—	—	—	—	—	—
Kidney Disease	1	1	2	1	1	4	—	2	2	—	—	1	—	—	—	—
Paramenia	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Ovarian Dropsy	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Childbirth	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Organs of Generation	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Bone Disease	1	1	—	—	—	—	1	1	—	—	—	—	—	—	—	—
Rheumatism	—	—	2	—	1	—	2	—	—	—	—	—	—	—	—	—
Joint Disease	—	1	—	1	—	2	—	—	—	—	—	—	—	—	—	—
Carbuncle	—	—	—	—	—	—	2	2	—	1	—	—	—	—	—	—
Phlegmon	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—
Skin Disease	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—
Intemperance	4	—	3	3	2	3	2	—	1	—	—	—	—	—	—	—
Privation	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Want of Breast Milk	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Neglect	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Cold	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Poison	2	2	1	1	—	—	—	—	—	—	—	—	—	—	—	—
Poisoned Wounds	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Burns and Scalds	2	2	1	1	—	—	—	—	—	—	—	—	—	—	—	—
Hanging, etc.	—	1	1	—	—	—	—	—	1	—	—	—	—	—	—	—
Suffocation	1	4	—	1	2	1	1	—	1	—	—	—	—	—	—	—
Drowning	15	16	12	9	8	3	1	1	—	—	1	—	—	—	—	—
Fracture and Contusion	10	15	9	10	10	4	9	8	1	1	—	—	—	—	—	1
Gunshot Wounds	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Cuts and Stabs	—	—	1	—	—	1	—	—	1	—	—	—	—	—	—	—
Other Violent Causes	1	1	7	2	1	5	—	—	—	—	1	—	—	—	—	—
Not specified	1	3	3	4	2	2	—	—	—	—	—	—	—	—	—	—

CAUSES of DEATH in GLASGOW, at different Periods of Life, in 1876.—FEMALES.

DISEASES.	ALL AGES.	FEMALES.										
		AGE UNDER										30
		MONTHS			2	3	4	5	10	15	20	
		3	6	12								
ALL CAUSES	6589	614	254	548	752	316	197	168	322	164	243	281
SPECIFIED CAUSES	6560	604	252	547	750	316	196	168	321	164	242	280
I. Zymotic Class	1288	82	64	190	267	149	92	83	119	22	37	31
II. Diseases of Uncertain Seat	208	2	1	2	1	1	2	1	4	3	2	3
III. Tubercular Class	1347	13	25	69	105	49	34	38	101	86	151	180
IV. Brain and Nervous System	554	43	26	37	54	17	15	9	22	14	10	9
V. Organs of Circulation	293	—	1	—	—	—	—	—	8	10	7	10
VI. Respiratory Organs	1481	78	73	183	233	72	39	25	37	15	15	12
VII. Organs of Digestion	459	57	31	50	62	20	6	5	9	5	8	13
VIII. Urinary Organs	52	—	—	—	—	—	1	—	3	2	2	7
IX. Organs of Generation	87	—	—	—	—	—	—	—	—	—	4	7
X. Organs of Locomotion	32	—	—	—	—	1	—	—	3	4	3	1
XI. Skin, etc.	5	1	—	—	1	—	1	—	—	1	—	—
XII. Malformation	12	7	2	2	1	—	—	—	—	—	—	—
XIII. Premature Debility	315	291	17	7	—	—	—	—	—	—	—	—
XIV. Atrophy	51	—	—	—	19	5	3	3	3	1	—	1
XV. Age	187	—	—	—	—	—	—	—	—	—	—	—
XVI. Sudden Deaths	12	2	—	—	—	—	—	—	—	—	—	1
XVII. Violent Deaths	177	28	12	7	7	2	3	4	12	1	3	6
I. Small-pox	2	—	—	1	—	—	—	—	—	—	—	—
Measles	144	1	4	25	57	24	15	7	11	—	—	—
Scarlatina	156	1	—	12	21	30	15	30	43	1	1	1
Diphtheria	65	—	—	6	16	8	6	8	15	2	—	—
Hooping-cough	351	12	10	77	120	61	34	19	17	—	—	—
Croup	68	3	3	10	23	12	8	5	4	—	—	—
Thrush	1	1	—	—	—	—	—	—	—	—	—	—
Diarrhœa	194	43	32	46	23	4	2	1	4	2	1	1
Dysentery	10	1	—	1	—	—	—	—	—	—	—	1
Cholera	7	1	1	2	1	—	1	1	—	—	—	—
Influenza	4	—	—	—	—	—	—	—	—	—	—	—
Purpura	—	—	—	—	—	—	—	—	—	—	—	—
Ague	—	—	—	—	—	—	—	—	—	—	—	—
Worms	1	—	—	—	—	1	—	—	—	—	—	—
Typhus	31	—	2	—	—	—	—	—	2	1	4	5
Enteric Fever	119	—	1	3	2	6	6	4	18	13	23	6
Relapsing Fever	—	—	—	—	—	—	—	—	—	—	—	—
Simple Continued Fever	9	—	—	—	—	2	—	4	2	1	—	—
Infantile Remittent	8	—	—	—	—	1	4	2	1	—	—	—
Metria	43	—	—	—	—	—	—	—	—	—	4	15
Rheumatic Fever	15	—	—	—	—	—	—	1	1	2	2	2
Erysipelas	20	6	—	3	1	—	—	1	—	—	—	—
Pyæmia	4	—	—	—	—	—	—	—	—	—	—	1
Syphilis	31	12	11	4	3	—	—	—	—	—	—	—
Noma	—	—	—	—	—	—	—	—	—	—	—	—
Hydrophobia	—	—	—	—	—	—	—	—	—	—	—	—
Other Zymotic Diseases	5	1	—	—	—	—	1	—	1	—	2	—
II. Hæmorrhage	1	—	—	—	—	—	—	—	—	—	—	—
Dropsy	43	—	—	1	—	1	2	1	4	2	1	—
Abscess	10	2	—	1	—	—	—	—	—	—	—	1
Ulcer	7	—	1	—	1	—	—	—	—	—	—	—
Fistula	1	—	—	—	—	—	—	—	—	—	—	—
Mortification	7	—	—	—	—	—	—	—	—	1	—	—
Cancer	139	—	—	—	—	—	—	—	—	—	1	1
Gout	—	—	—	—	—	—	—	—	—	—	—	—
III. Scrofula	56	4	3	4	12	4	2	2	7	7	5	1
Tabes Mesenterica	132	4	8	15	35	15	7	8	23	7	3	3
Phthisis	1009	2	4	10	26	13	13	16	53	68	141	176
Hydrocephalus	150	3	10	40	32	17	12	12	18	4	2	—

CAUSES of DEATH in GLASGOW, at different Periods of Life, in 1876.—FEMALES. (Continued.)

DISEASES.	FEMALES.												
	ALL AGES.	AGE UNDER											
		MONTHS.			2	3	4	5	10	15	20	25	30
		3	6	12									
IV. Cephalitis	92	—	8	14	17	9	7	6	10	3	5	2	—
Apoplexy	127	1	1	10	5	—	3	—	3	2	—	4	4
Paralysis	120	—	—	—	—	—	—	—	1	1	1	2	2
Delirium Tremens	—	—	—	—	—	—	—	—	—	—	—	—	—
Chorea	—	—	—	—	—	—	—	—	—	—	—	—	—
Epilepsy	22	—	—	—	1	—	—	—	—	4	1	—	2
Tetanus	4	1	—	—	—	—	—	—	1	1	—	—	—
Insanity	9	—	—	—	—	—	—	—	—	—	—	—	1
Convulsions	100	37	15	12	23	5	5	1	2	—	—	—	—
Brain Disease	80	4	2	1	8	3	—	2	5	3	3	1	4
V. Pericarditis	11	—	—	—	—	—	—	—	2	—	1	2	3
Aneurism	5	—	—	—	—	—	—	—	—	—	—	—	1
Heart Disease	277	—	1	—	—	—	—	—	6	10	6	8	12
VI. Laryngitis	8	—	—	2	1	—	—	—	2	—	—	—	1
Bronchitis	1086	56	61	130	174	48	27	16	23	7	5	4	15
Pleurisy	15	1	1	—	—	1	—	—	—	1	—	—	1
Pneumonia	322	20	11	47	57	21	12	9	12	6	9	8	16
Asthma	20	—	—	—	—	—	—	—	—	—	—	—	—
Lung Disease	30	1	—	4	1	2	—	—	—	1	1	—	3
VII. Teething	83	—	2	29	46	6	—	—	—	—	—	—	—
Quinsey	6	—	—	2	—	1	2	—	—	—	—	—	—
Gastritis	24	6	—	1	1	2	—	—	—	—	—	—	—
Enteritis	99	31	16	14	6	3	4	1	3	1	2	1	2
Peritonitis	34	1	1	—	1	1	—	—	4	2	3	4	6
Ascites	9	—	—	—	—	—	—	—	—	1	—	—	2
Ulceration of Intestines	11	—	—	—	1	—	—	—	—	—	—	1	2
Hernia	8	—	—	—	—	—	—	—	—	—	—	—	1
Ileus	25	2	—	3	—	—	—	—	—	—	1	3	—
Intussusception	3	1	—	—	—	—	—	—	—	—	—	—	1
Stricture of Intestines	3	1	—	—	—	—	—	—	—	—	—	—	—
Stomach Disease	53	13	8	—	6	4	—	1	1	—	—	2	1
Pancreas Disease	—	—	—	—	—	—	—	—	—	—	—	—	—
Hepatitis	31	1	1	—	—	1	—	2	—	1	1	1	1
Jaundice	8	1	3	—	—	1	—	—	—	—	—	—	—
Liver Disease	58	—	—	—	1	1	—	1	1	—	1	1	4
Spleen Disease	4	—	—	1	—	—	—	—	—	—	—	—	—
VIII. Nephritis	11	—	—	—	—	—	—	—	1	—	—	1	1
Nephria	22	—	—	—	—	—	—	—	2	2	2	4	3
Addison's Disease	1	—	—	—	—	—	—	—	—	—	—	—	—
Ischuria	1	—	—	—	—	—	—	—	—	—	—	—	—
Diabetes	3	—	—	—	—	—	1	—	—	—	—	1	—
Stone	—	—	—	—	—	—	—	—	—	—	—	—	—
Cystitis	3	—	—	—	—	—	—	—	—	—	—	1	—
Stricture of Urethra	—	—	—	—	—	—	—	—	—	—	—	—	—
Kidney Disease	11	—	—	—	—	—	—	—	—	—	—	—	—
IX. Paramenia	2	—	—	—	—	—	—	—	—	—	—	1	—
Ovarian Dropsy	13	—	—	—	—	—	—	—	—	—	—	—	1
Childbirth	58	—	—	—	—	—	—	—	—	—	4	5	14
Organs of Generation	14	—	—	—	—	—	—	—	—	—	—	1	2
X. Bone Disease	7	—	—	—	—	1	—	—	2	—	2	—	1
Rheumatism	18	—	—	—	—	—	—	—	—	—	1	1	—
Joint Disease	7	—	—	—	—	—	—	—	1	4	—	—	—
XI. Carbuncle	1	—	—	—	—	—	—	—	—	—	—	—	—
Phlegmon	—	—	—	—	—	—	—	—	—	—	—	—	—
Skin Disease	4	1	—	—	1	—	1	—	—	1	—	—	—
XVII. Intemperance	19	—	—	—	—	—	—	—	—	—	—	—	4
Privation	1	—	—	—	—	—	—	—	1	—	—	—	—
Want of Breast Milk	13	10	3	—	—	—	—	—	—	—	—	—	—
Neglect	1	1	—	—	—	—	—	—	—	—	—	—	—
Cold	3	2	—	—	—	—	—	—	—	—	—	—	—
Poison	4	—	—	—	—	1	—	—	1	—	—	—	—
Poisoned Wounds	—	—	—	—	—	—	—	—	—	—	—	—	—
Burns and Scalds	28	—	—	3	5	1	2	3	1	1	—	—	—
Hanging, etc.	2	—	—	—	—	—	—	—	—	—	—	—	—
Suffocation	32	12	8	3	—	—	—	—	1	—	—	—	—
Drowning	15	—	—	—	1	—	—	—	2	—	1	—	1
Fracture and Contusion	44	1	1	1	1	—	1	1	5	—	2	1	1
Gunshot Wounds	—	—	—	—	—	—	—	—	—	—	—	—	—
Cuts and Stabs	4	—	—	—	—	—	—	—	—	—	—	1	—
Other Violent Causes	11	2	—	—	—	—	—	—	1	—	—	4	1
Not specified	29	10	2	1	2	—	1	—	1	—	1	1	—

CAUSES of DEATH in EDINBURGH, at different Periods of Life, in 1876.—BOTH SEXES.

DISEASES.	ALL AGES.	BOTH SEXES.											
		AGE UNDER											
		MONTHS.			2	3	4	5	10	15	20	25	30
		3	6	12									
ALL CAUSES	4392	423	155	279	349	158	106	82	189	109	119	151	168
SPECIFIED CAUSES	4383	420	155	279	347	158	106	82	189	109	119	151	168
I. Zymotic Class	773	55	46	82	151	68	46	47	91	31	17	24	15
II. Diseases of Uncertain Seat	214	6	—	—	—	2	1	1	1	2	4	4	6
III. Tubercular Class	695	15	18	39	51	20	23	8	37	30	45	71	82
IV. Brain and Nervous System	460	40	13	26	26	16	10	7	17	8	9	6	8
V. Organs of Circulation	359	—	1	—	—	—	1	—	6	5	6	8	9
VI. Respiratory Organs	853	60	54	99	89	40	20	7	14	9	12	11	17
VII. Organs of Digestion	280	30	11	19	20	5	3	3	5	5	5	6	6
VIII. Urinary Organs	101	1	—	—	—	3	—	3	3	3	4	7	5
IX. Organs of Generation	35	—	—	—	—	—	—	—	—	1	1	3	9
X. Organs of Locomotion	46	—	—	—	1	—	1	1	6	6	6	3	2
XI. Skin, etc.	8	—	—	4	1	—	—	—	—	—	—	—	—
XII. Malformation	21	17	1	1	1	—	—	—	—	1	—	—	—
XIII. Premature Debility	187	175	6	6	—	—	—	—	—	—	—	—	—
XIV. Atrophy	19	—	—	—	4	—	—	2	3	—	1	1	—
XV. Age	152	—	—	—	—	—	—	—	—	—	—	—	—
XVI. Sudden Deaths	—	—	—	—	—	—	—	—	—	—	—	—	—
XVII. Violent Deaths	180	21	5	3	3	4	1	3	6	8	9	7	9
I. Small-pox	—	—	—	—	—	—	—	—	—	—	—	—	—
Measles	119	—	2	26	46	18	6	9	11	—	—	—	—
Scarlatina	150	1	2	3	21	21	26	19	37	14	4	2	—
Diphtheria	58	—	1	3	13	7	3	4	19	2	—	—	2
Hooping-cough	52	3	2	12	19	7	1	4	4	—	—	—	—
Croup	57	3	4	7	22	8	3	4	5	1	—	—	—
Thrush	3	2	1	—	—	—	—	—	—	—	—	—	—
Diarrhoea	116	22	23	23	17	1	—	—	1	1	1	—	—
Dysentery	6	—	—	—	1	—	—	—	—	—	—	—	—
Cholera	13	1	2	3	5	—	—	—	—	—	—	—	1
Influenza	4	1	—	—	1	—	—	—	—	—	—	—	—
Purpura	4	—	—	—	—	—	1	—	—	2	—	—	—
Ague	—	—	—	—	—	—	—	—	—	—	—	—	—
Worms	—	—	—	—	—	—	—	—	—	—	—	—	—
Typhus	30	—	—	—	2	1	1	2	3	—	1	4	—
Enteric Fever	63	—	—	1	1	—	3	5	6	9	8	8	5
Relapsing Fever	1	—	—	—	—	—	—	—	—	1	—	—	—
Simple Continued Fever	1	—	—	—	—	—	—	—	—	—	—	—	—
Infantile Remittent	7	—	—	—	—	3	1	—	3	—	—	—	—
Metria	5	—	—	—	—	—	—	—	—	—	—	2	1
Rheumatic Fever	13	—	—	—	—	—	—	—	—	1	3	3	4
Erysipelas	31	10	1	1	1	2	—	—	—	—	—	1	1
Pyæmia	10	—	—	—	1	—	—	—	2	—	—	3	—
Syphilis	27	12	7	3	1	—	—	—	—	—	—	1	1
Noma	2	—	—	—	—	—	1	—	—	—	—	—	—
Hydrophobia	—	—	—	—	—	—	—	—	—	—	—	—	—
Other Zymotic Diseases	1	—	1	—	—	—	—	—	—	—	—	—	—
II. Hæmorrhage	3	2	—	—	—	—	—	—	—	—	—	—	—
Dropsy	17	1	—	—	—	2	—	—	—	1	—	1	1
Abscess	15	2	—	—	—	—	1	—	1	1	1	—	—
Ulcer	2	—	—	—	—	—	—	—	—	—	—	—	—
Fistula	—	—	—	—	—	—	—	—	—	—	—	—	—
Mortification	13	1	—	—	—	—	—	—	—	—	—	—	—
Cancer	163	—	—	—	—	—	—	1	—	—	3	3	4
Gout	1	—	—	—	—	—	—	—	—	—	—	—	—
III. Scrofula	38	1	1	1	5	2	4	1	6	9	—	3	2
Tabes Mesenterica	53	6	4	7	10	4	3	1	5	3	2	3	—
Phthisis	473	—	1	1	4	2	3	3	11	14	41	65	80
Hydrocephalus	131	8	12	30	32	12	13	3	15	4	2	—	—

CAUSES of DEATH in EDINBURGH, at different Periods of Life, in 1876.—BOTH SEXES. (Continued.)

DISEASES.	BOTH SEXES.												
	ALL AGES.	AGE UNDER											
		MONTHS.			2	3	4	5	10	15	20	25	30
		3	6	12									
IV. Cephalitis	75	6	4	8	8	8	7	4	9	4	2	3	2
Apoplexy	105	—	1	6	2	2	1	1	2	1	1	1	2
Paralysis	108	—	—	—	1	—	—	—	—	—	—	—	1
Delirium Tremens	6	—	—	—	—	—	—	—	—	—	—	—	1
Chorea	1	—	—	—	—	—	—	—	—	1	—	—	—
Epilepsy	20	—	—	—	—	—	—	—	—	—	3	1	2
Tetanus	3	2	—	—	—	—	—	—	—	1	—	—	—
Insanity	3	—	—	—	—	—	—	—	—	—	1	—	—
Convulsions	69	31	6	10	13	6	2	1	—	—	—	—	—
Brain Disease	70	1	2	2	2	—	—	1	6	1	1	1	—
V. Pericarditis	8	—	—	—	—	—	—	—	1	1	1	2	—
Aneurism	23	—	—	—	—	—	—	—	—	—	—	—	—
Heart Disease	328	—	1	—	—	—	1	—	5	4	5	6	9
VI. Laryngitis	12	1	—	1	2	2	1	—	1	—	—	1	—
Bronchitis	493	41	38	68	58	20	11	3	6	3	3	1	2
Pleurisy	31	1	—	1	2	—	—	—	—	—	2	1	3
Pneumonia	262	13	14	26	25	17	5	3	6	5	6	8	8
Asthma	20	—	—	—	—	—	—	—	—	—	—	—	1
Lung Disease	35	4	2	3	2	1	3	1	1	1	1	—	3
VII. Teething	27	—	1	12	13	1	—	—	—	—	—	—	—
Quinsey	1	—	—	1	—	—	—	—	—	—	—	—	—
Gastritis	6	1	—	1	—	—	—	—	—	—	—	—	—
Enteritis	29	6	4	1	2	1	—	1	3	—	1	—	1
Peritonitis	37	4	—	1	1	1	1	1	—	2	2	4	1
Ascites	6	—	—	—	—	—	—	—	—	—	—	—	—
Ulceration of Intestines	16	1	—	—	1	—	—	—	—	—	1	1	1
Hernia	12	1	1	1	—	—	—	—	—	—	—	—	—
Ileus	17	3	1	1	—	—	—	—	—	—	—	—	—
Intussusception	3	1	—	—	1	—	—	—	1	—	—	—	—
Stricture of Intestines	4	—	—	—	—	—	—	—	—	—	—	1	—
Stomach Disease	41	10	2	—	—	—	1	—	—	2	—	—	—
Pancreas Disease	1	—	—	—	—	—	—	—	—	—	—	—	—
Hepatitis	4	—	—	—	—	—	—	1	—	—	—	—	—
Jaundice	14	2	1	—	1	—	—	—	—	—	—	—	1
Liver Disease	55	—	—	—	1	2	1	—	—	—	—	—	1
Spleen Disease	7	1	1	1	—	—	—	—	1	1	1	—	1
VIII. Nephritis	6	—	—	—	—	—	—	1	1	2	—	—	—
Nephria	44	—	—	—	—	1	—	2	1	—	4	3	1
Addison's Disease	—	—	—	—	—	—	—	—	—	—	—	—	—
Ischuria	6	—	—	—	—	—	—	—	—	—	—	—	1
Diabetes	5	—	—	—	—	—	—	—	—	—	—	—	1
Stone	6	—	—	—	—	1	—	—	1	—	—	—	—
Cystitis	5	—	—	—	—	—	—	—	—	—	—	—	—
Stricture of Urethra	1	—	—	—	—	—	—	—	—	—	—	—	—
Kidney Disease	28	1	—	—	—	1	—	—	—	1	—	4	2
IX. Paramenia	2	—	—	—	—	—	—	—	—	—	—	1	—
Ovarian Dropsy	6	—	—	—	—	—	—	—	—	—	—	1	1
Childbirth	20	—	—	—	—	—	—	—	—	—	—	1	7
Organs of Generation	7	—	—	—	—	—	—	—	—	1	1	—	1
X. Bone Disease	12	—	—	—	—	—	—	1	3	3	1	—	—
Rheumatism	17	—	—	—	—	—	—	—	—	—	1	1	1
Joint Disease	17	—	—	—	1	—	1	—	3	3	4	2	1
XI. Carbuncle	2	—	—	—	—	—	—	—	—	—	—	—	—
Phlegmon	—	—	—	—	—	—	—	—	—	—	—	—	—
Skin Disease	6	—	—	4	1	—	—	—	—	—	—	—	—
XVII. Intemperance	24	—	—	—	—	—	—	—	—	—	—	—	1
Privation	1	—	—	—	—	—	—	—	—	—	—	—	—
Want of Breast Milk	8	7	1	—	—	—	—	—	—	—	—	—	—
Neglect	—	—	—	—	—	—	—	—	—	—	—	—	—
Cold	—	—	—	—	—	—	—	—	—	—	—	—	—
Poison	6	—	—	—	—	—	—	—	—	—	—	—	1
Poisoned Wounds	1	—	—	—	—	—	—	—	—	—	—	—	—
Burns and Scalds	15	—	—	1	1	1	1	1	2	—	1	—	—
Hanging, etc.	1	—	—	—	—	—	—	—	—	—	—	—	—
Suffocation	27	14	4	2	—	1	—	—	—	1	—	—	—
Drowning	2	—	—	—	—	—	—	—	—	1	—	—	—
Fracture and Contusion	68	—	—	—	1	2	—	1	2	4	7	6	4
Gunshot Wounds	1	—	—	—	—	—	—	—	—	—	—	—	—
Cuts and Stabs	6	—	—	—	—	—	—	—	1	—	—	—	—
Other Violent Causes	20	—	—	—	1	—	—	1	1	2	1	1	3
Not specified	9	3	—	—	2	—	—	—	—	—	—	—	—

CAUSES of DEATH in EDINBURGH, at different Periods of Life, in 1876.—MALES.

DISEASES.	ALL AGES.	MALES.											
		AGE UNDER											
		MONTHS.			2	3	4	5	10	15	20	25	30
		3	6	12									
ALL CAUSES	2217	243	86	146	181	73	55	44	85	61	70	81	79
SPECIFIED CAUSES	2211	241	86	146	179	73	55	44	85	61	70	81	79
I. Zymotic Class	370	34	26	36	80	28	21	23	36	16	11	13	5
II. Diseases of Uncertain Seat	87	3	—	—	—	2	—	1	—	1	3	3	2
III. Tubercular Class	381	8	14	18	26	11	17	6	21	12	23	36	37
IV. Brain and Nervous System	234	23	5	14	16	8	3	6	8	5	6	5	3
V. Organs of Circulation	195	—	1	—	—	—	1	—	3	2	3	3	6
VI. Respiratory Organs	430	37	26	60	42	19	11	2	4	7	9	7	11
VII. Organs of Digestion	142	18	8	10	12	3	2	—	3	4	3	2	6
VIII. Urinary Organs	61	1	—	—	—	2	—	1	2	1	2	4	1
IX. Organs of Generation	—	—	—	—	—	—	—	—	—	—	—	—	—
X. Organs of Locomotion	22	—	—	—	—	—	—	—	2	4	3	1	1
XI. Skin, etc.	4	—	—	3	1	—	—	—	—	—	—	—	—
XII. Malformation	12	8	1	1	1	—	—	—	—	1	—	—	—
XIII. Premature Debility	101	97	1	3	—	—	—	—	—	—	—	—	—
XIV. Atrophy	9	—	—	—	1	—	—	2	1	—	—	1	—
XV. Age	43	—	—	—	—	—	—	—	—	—	—	—	—
XVI. Sudden Deaths	—	—	—	—	—	—	—	—	—	—	—	—	—
XVII. Violent Deaths	120	12	4	1	—	—	—	3	5	8	7	6	7
I. Small-pox	—	—	—	—	—	—	—	—	—	—	—	—	—
Measles	53	—	2	12	22	7	3	3	4	—	—	—	—
Scarlatina	81	1	1	1	16	12	13	9	18	7	2	1	—
Diphtheria	21	—	1	1	7	2	1	1	5	1	—	—	—
Hooping-cough	14	1	2	3	6	1	1	1	—	—	—	—	—
Croup	32	1	3	2	14	4	1	4	2	1	—	—	—
Thrush	1	1	—	—	—	—	—	—	—	—	—	—	—
Diarrhoea	58	13	12	13	11	—	—	—	1	1	1	—	—
Dysentery	3	—	—	—	1	—	—	—	—	—	—	—	—
Cholera	8	1	1	2	2	—	—	—	—	—	—	—	1
Influenza	1	1	—	—	—	—	—	—	—	—	—	—	—
Purpura	2	—	—	—	—	—	1	—	—	1	—	—	—
Ague	—	—	—	—	—	—	—	—	—	—	—	—	—
Worms	—	—	—	—	—	—	—	—	—	—	—	—	—
Typhus	15	—	—	—	—	1	—	1	2	—	1	3	—
Enteric Fever	36	—	—	1	—	—	1	4	3	4	5	5	3
Relapsing Fever	1	—	—	—	—	—	—	—	—	1	—	—	—
Simple Continued Fever	1	—	—	—	—	—	—	—	—	—	—	—	—
Infantile Remittent	—	—	—	—	—	—	—	—	—	—	—	—	—
Metria	—	—	—	—	—	—	—	—	—	—	—	—	—
Rheumatic Fever	5	—	—	—	—	—	—	—	—	—	2	2	—
Erysipelas	22	7	1	1	1	1	—	—	—	—	—	1	1
Pyæmia	2	—	—	—	—	—	—	—	1	—	—	1	—
Syphilis	12	8	2	—	—	—	—	—	—	—	—	—	—
Noma	1	—	—	—	—	—	1	—	—	—	—	—	—
Hydrophobia	—	—	—	—	—	—	—	—	—	—	—	—	—
Other Zymotic Diseases	1	—	1	—	—	—	—	—	—	—	—	—	—
II. Hæmorrhage	2	1	—	—	—	—	—	—	—	—	—	—	—
Dropsy	8	1	—	—	—	2	—	—	—	—	—	1	—
Abscess	9	1	—	—	—	—	—	—	—	1	1	—	1
Ulcer	—	—	—	—	—	—	—	—	—	—	—	—	—
Fistula	—	—	—	—	—	—	—	—	—	—	—	—	—
Mortification	6	—	—	—	—	—	—	—	—	—	—	—	—
Cancer	62	—	—	—	—	—	—	1	—	—	2	2	1
Gout	—	—	—	—	—	—	—	—	—	—	—	—	—
III. Scrofula	20	1	—	—	1	1	3	1	2	6	—	2	1
Tabes Mesenterica	34	3	3	3	8	3	3	1	2	2	1	2	—
Phthisis	253	—	1	—	1	1	3	2	7	3	20	32	36
Hydrocephalus	74	4	10	15	16	6	8	2	10	1	2	—	—

CAUSES of DEATH in EDINBURGH, at different Periods of Life, in 1876.—MALES. (Continued.)

DISEASES.	MALES.												
	ALL AGES.	AGE UNDER											
		MONTHS.											
		3	6	12	2	3	4	5	10	15	20	25	30
IV. Cephalitis	41	3	—	4	4	5	3	4	4	3	2	2	2
Apoplexy	50	—	1	5	1	1	—	—	1	1	1	1	—
Paralysis	49	—	—	—	—	—	—	—	—	—	1	—	—
Delirium Tremens	6	—	—	—	—	—	—	—	—	—	—	—	1
Chorea	—	—	—	—	—	—	—	—	—	—	—	—	—
Epilepsy	10	—	—	—	—	—	—	—	—	—	—	1	—
Tetanus	3	2	—	—	—	—	—	—	—	1	—	—	—
Insanity	3	—	—	—	—	—	—	—	—	—	1	—	—
Convulsions	35	17	2	4	9	2	—	1	—	—	—	—	—
Brain Disease	37	1	2	1	2	—	—	1	3	—	1	1	—
V. Pericarditis	5	—	—	—	—	—	—	—	1	—	1	1	—
Aneurism	20	—	—	—	—	—	—	—	—	—	—	—	—
Heart Disease	170	—	1	—	—	—	1	—	2	2	2	2	6
VI. Laryngitis	8	—	—	1	2	2	1	—	—	—	—	—	—
Bronchitis	225	25	16	42	23	11	6	1	1	3	2	—	2
Pleurisy	19	—	—	1	2	—	—	—	—	—	1	—	2
Pneumonia	142	10	9	13	13	5	2	—	3	3	6	7	5
Asthma	13	—	—	—	—	—	—	—	—	—	—	—	—
Lung Disease	23	2	1	3	2	1	2	1	—	1	—	—	2
VII. Teething	13	—	1	6	6	—	—	—	—	—	—	—	—
Quinsey	—	—	—	—	—	—	—	—	—	—	—	—	—
Gastritis	4	1	—	1	—	—	—	—	—	—	—	—	—
Enteritis	18	4	2	—	2	1	—	—	2	—	1	—	1
Peritonitis	16	2	—	1	1	—	1	—	—	2	2	2	1
Ascites	2	—	—	—	—	—	—	—	—	—	—	—	—
Ulceration of Intestines	7	1	—	—	1	—	—	—	—	—	—	—	1
Hernia	7	1	1	—	—	—	—	—	—	—	—	—	—
Ileus	8	2	1	1	—	—	—	—	—	—	—	—	—
Intussusception	3	1	—	—	1	—	—	—	1	—	—	—	—
Stricture of Intestines	2	—	—	—	—	—	—	—	—	—	—	—	—
Stomach Disease	19	5	2	—	—	—	1	—	—	1	—	—	—
Pancreas Disease	—	—	—	—	—	—	—	—	—	—	—	—	—
Hepatitis	2	—	—	—	—	—	—	—	—	—	—	—	—
Jaundice	8	1	—	—	1	—	—	—	—	—	—	—	1
Liver Disease	29	—	—	—	—	2	—	—	—	—	—	—	1
Spleen Disease	4	—	1	1	—	—	—	—	—	1	—	—	1
VIII. Nephritis	4	—	—	—	—	—	—	1	1	—	—	—	—
Nephria	26	—	—	—	—	—	—	—	—	—	2	2	—
Addison's Disease	—	—	—	—	—	—	—	—	—	—	—	—	—
Ischuria	3	—	—	—	—	—	—	—	—	—	—	—	1
Diabetes	3	—	—	—	—	—	—	—	—	—	—	—	—
Stone	5	—	—	—	—	1	—	—	1	—	—	—	—
Cystitis	4	—	—	—	—	—	—	—	—	—	—	—	—
Stricture of Urethra	1	—	—	—	—	—	—	—	—	—	—	—	—
Kidney Disease	15	1	—	—	—	1	—	—	—	1	—	2	—
IX. Paramenia	—	—	—	—	—	—	—	—	—	—	—	—	—
Ovarian Dropsy	—	—	—	—	—	—	—	—	—	—	—	—	—
Childbirth	—	—	—	—	—	—	—	—	—	—	—	—	—
Organs of Generation	—	—	—	—	—	—	—	—	—	—	—	—	—
X. Bone Disease	6	—	—	—	—	—	—	—	—	2	1	—	—
Rheumatism	8	—	—	—	—	—	—	—	—	—	1	—	—
Joint Disease	8	—	—	—	—	—	—	—	2	2	1	1	1
XI. Carbuncle	—	—	—	—	—	—	—	—	—	—	—	—	—
Phlegmon	—	—	—	—	—	—	—	—	—	—	—	—	—
Skin Disease	4	—	—	3	1	—	—	—	—	—	—	—	—
XVII. Intemperance	11	—	—	—	—	—	—	—	—	—	—	—	—
Privation	—	—	—	—	—	—	—	—	—	—	—	—	—
Want of Breast Milk	6	5	1	—	—	—	—	—	—	—	—	—	—
Neglect	—	—	—	—	—	—	—	—	—	—	—	—	—
Cold	—	—	—	—	—	—	—	—	—	—	—	—	—
Poison	3	—	—	—	—	—	—	—	—	—	—	—	1
Poisoned Wounds	—	—	—	—	—	—	—	—	—	—	—	—	—
Burns and Scalds	5	—	—	—	—	—	—	1	1	—	—	—	—
Hanging, etc.	—	—	—	—	—	—	—	—	—	—	—	—	—
Suffocation	15	7	3	1	—	—	—	—	—	1	—	—	—
Drowning	2	—	—	—	—	—	—	—	—	1	—	—	—
Fracture and Contusion	54	—	—	—	—	—	—	1	2	4	6	5	4
Gunshot Wounds	1	—	—	—	—	—	—	—	—	—	—	—	—
Cuts and Stabs	6	—	—	—	—	—	—	—	1	—	—	—	—
Other Violent Causes	17	—	—	—	—	—	—	1	1	2	1	1	2
Not specified	6	2	—	—	2	—	—	—	—	—	—	—	—

CAUSES of DEATH in EDINBURGH, at different Periods of Life, in 1876.—MALES. (*Continued.*)

DISEASES.	MALES.																
	AGE UNDER																
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?	
Cephalitis . . .	1	—	—	—	—	1	—	2	1	—	—	—	—	—	—	—	
Apoplexy . . .	1	—	1	5	4	3	7	6	6	3	2	—	—	—	—	—	
Paralysis . . .	1	—	2	1	4	6	8	6	10	8	1	1	—	—	—	—	
Delirium Tremens . . .	2	—	1	—	—	1	1	—	—	—	—	—	—	—	—	—	
Chorea . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Epilepsy . . .	—	2	2	—	—	3	—	1	1	—	—	—	—	—	—	—	
Tetanus . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Insanity . . .	—	—	—	—	—	—	—	1	—	1	—	—	—	—	—	—	
Convulsions . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Brain Disease . . .	2	1	3	4	1	3	1	1	4	4	—	—	1	—	—	—	
Pericarditis . . .	—	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	
Aneurism . . .	2	3	5	4	1	1	2	1	—	—	1	—	—	—	—	—	
Heart Disease . . .	8	12	18	22	12	22	17	21	9	8	4	—	—	—	1	—	
Laryngitis . . .	1	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	
Bronchitis . . .	2	2	3	6	9	15	16	12	9	6	7	4	2	—	—	—	
Pleurisy . . .	2	1	2	2	2	2	—	1	1	—	—	—	—	—	—	—	
Pneumonia . . .	6	10	11	8	5	6	4	5	4	2	1	4	—	—	—	—	
Asthma . . .	—	—	2	—	1	3	4	2	1	—	—	—	—	—	—	—	
Lung Disease . . .	1	1	3	—	1	1	—	1	—	—	—	—	—	—	—	—	
Teething . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Quinsey . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Gastritis . . .	—	—	—	1	—	—	1	—	—	—	—	—	—	—	—	—	
Enteritis . . .	—	—	—	—	—	—	3	—	2	—	—	—	—	—	—	—	
Peritonitis . . .	1	—	1	1	—	1	—	—	—	—	—	—	—	—	—	—	
Ascites . . .	1	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	
Ulceration of Intestines . . .	2	—	—	—	—	—	2	—	—	—	—	—	—	—	—	—	
Hernia . . .	—	—	—	—	1	1	—	—	2	1	—	—	—	—	—	—	
Ileus . . .	—	—	1	1	—	—	—	1	1	—	—	—	—	—	—	—	
Intussusception . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Stricture of Intestines . . .	—	—	—	—	—	1	—	—	1	—	—	—	—	—	—	—	
Stomach Disease . . .	—	—	—	—	1	1	3	3	—	1	—	1	—	—	—	—	
Pancreas Disease . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Hepatitis . . .	—	—	—	—	—	1	1	—	—	—	—	—	—	—	—	—	
Jaundice . . .	—	1	—	—	—	1	2	—	—	1	—	—	—	—	—	—	
Liver Disease . . .	2	3	—	3	4	7	2	1	2	1	1	—	—	—	—	—	
Spleen Disease . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Nephritis . . .	—	1	—	—	—	1	—	—	—	—	—	—	—	—	—	—	
Nephria . . .	3	4	7	1	2	1	1	3	—	—	—	—	—	—	—	—	
Addison's Disease . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Ischuria . . .	—	—	—	—	—	1	—	—	1	—	—	—	—	—	—	—	
Diabetes . . .	—	—	1	—	1	—	1	—	—	—	—	—	—	—	—	—	
Stone . . .	—	—	—	1	—	—	1	—	1	—	—	—	—	—	—	—	
Cystitis . . .	—	—	—	—	—	—	1	1	—	1	—	1	—	—	—	—	
Stricture of Urethra . . .	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	
Kidney Disease . . .	1	—	—	—	—	—	1	4	1	2	—	1	—	—	—	—	
Paramenia . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Ovarian Dropsy . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Childbirth . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Organs of Generation . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Bone Disease . . .	—	1	1	1	—	—	—	—	—	—	—	—	—	—	—	—	
Rheumatism . . .	—	—	—	—	2	1	2	—	1	1	—	—	—	—	—	—	
Joint Disease . . .	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	
Carbuncle . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Phlegmon . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Skin Disease . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Intemperance . . .	2	—	2	1	2	2	1	—	—	1	—	—	—	—	—	—	
Privation . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Want of Breast Milk . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Neglect . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Cold . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Poison . . .	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Poisoned Wounds . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Burns and Scalds . . .	1	—	1	1	—	—	—	—	—	—	—	—	—	—	—	—	
Hanging, etc. . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Suffocation . . .	—	—	1	1	—	—	1	—	—	—	—	—	—	—	—	—	
Drowning . . .	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	
Fracture and Contusion . . .	4	6	4	5	5	3	—	1	2	—	1	—	1	—	—	—	
Gunshot Wounds . . .	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	
Cuts and Stabs . . .	—	1	1	—	—	1	—	2	—	—	—	—	—	—	—	—	
Other Violent Causes . . .	—	2	—	—	1	—	4	—	—	—	1	1	—	—	—	—	
Not specified . . .	—	1	—	1	—	—	—	—	—	—	—	—	—	—	—	—	

CAUSES of DEATH in EDINBURGH, at different Periods of Life, in 1876.—FEMALES.

DISEASES.	ALL AGES.	FEMALES.											
		AGE UNDER											
		MONTHS.			2	3	4	5	10	15	20	25	30
		3	6	12									
ALL CAUSES	2175	180	69	133	168	85	51	38	104	48	49	70	89
SPECIFIED CAUSES	2172	179	69	133	168	85	51	38	104	48	49	70	89
I. Zymotic Class	403	21	20	46	71	40	25	24	55	15	6	11	10
II. Diseases of Uncertain Seat	127	3	—	—	—	—	1	—	1	1	1	1	4
III. Tubercular Class	314	7	4	21	25	9	6	2	16	18	22	35	45
IV. Brain and Nervous System	226	17	8	12	10	8	7	1	9	3	3	1	5
V. Organs of Circulation	164	—	—	—	—	—	—	—	3	3	3	5	3
VI. Respiratory Organs	423	23	28	39	47	21	9	5	10	2	3	4	6
VII. Organs of Digestion	138	12	3	9	8	2	1	3	2	1	2	4	—
VIII. Urinary Organs	40	—	—	—	—	1	—	2	1	2	2	3	4
IX. Organs of Generation	35	—	—	—	—	—	—	—	—	1	1	3	9
X. Organs of Locomotion	24	—	—	—	1	—	1	1	4	2	3	2	1
XI. Skin, etc.	4	—	—	1	—	—	—	—	—	—	—	—	—
XII. Malformation	9	9	—	—	—	—	—	—	—	—	—	—	—
XIII. Premature Debility	86	78	5	3	—	—	—	—	—	—	—	—	—
XIV. Atrophy	10	—	—	—	3	—	—	—	2	—	1	—	—
XV. Age	109	—	—	—	—	—	—	—	—	—	—	—	—
XVI. Sudden Deaths	—	—	—	—	—	—	—	—	—	—	—	—	—
XVII. Violent Deaths	60	9	1	2	3	4	1	—	1	—	2	1	2
I. Small-pox	—	—	—	—	—	—	—	—	—	—	—	—	—
Measles	66	—	—	14	24	11	3	6	7	—	—	—	—
Scarlatina	69	—	1	2	5	9	13	10	19	7	2	1	—
Diphtheria	37	—	—	2	6	5	2	3	14	1	—	—	2
Hooping-cough	38	2	—	9	13	6	1	3	4	—	—	—	—
Croup	25	2	1	5	8	4	2	—	3	—	—	—	—
Thrush	2	1	1	—	—	—	—	—	—	—	—	—	—
Diarrhoea	58	9	11	10	6	1	—	—	—	—	—	—	—
Dysentery	3	—	—	—	—	—	—	—	—	—	—	—	—
Cholera	5	—	1	1	3	—	—	—	—	—	—	—	—
Influenza	3	—	—	—	1	—	—	—	—	—	—	—	—
Purpura	2	—	—	—	—	—	—	—	—	1	—	—	—
Ague	—	—	—	—	—	—	—	—	—	—	—	—	—
Worms	—	—	—	—	—	—	—	—	—	—	—	—	—
Typhus	15	—	—	—	2	—	1	1	1	—	—	1	—
Enteric Fever	27	—	—	—	1	—	2	1	3	5	3	3	2
Relapsing Fever	—	—	—	—	—	—	—	—	—	—	—	—	—
Simple Continued Fever	—	—	—	—	—	—	—	—	—	—	—	—	—
Infantile Remittent	7	—	—	—	—	3	1	—	3	—	—	—	—
Metria	5	—	—	—	—	—	—	—	—	—	—	2	1
Rheumatic Fever	8	—	—	—	—	—	—	—	—	1	1	1	4
Erysipelas	9	3	—	—	—	1	—	—	—	—	—	—	—
Pyæmia	8	—	—	—	1	—	—	—	1	—	—	2	—
Syphilis	15	4	5	3	1	—	—	—	—	—	—	1	1
Noma	1	—	—	—	—	—	—	—	—	—	—	—	—
Hydrophobia	—	—	—	—	—	—	—	—	—	—	—	—	—
Other Zymotic Diseases	—	—	—	—	—	—	—	—	—	—	—	—	—
II. Hæmorrhage	1	1	—	—	—	—	—	—	—	—	—	—	—
Dropsy	9	—	—	—	—	—	—	—	—	1	—	—	1
Abscess	6	1	—	—	—	—	1	—	1	—	—	—	—
Ulcer	2	—	—	—	—	—	—	—	—	—	—	—	—
Fistula	—	—	—	—	—	—	—	—	—	—	—	—	—
Mortification	7	1	—	—	—	—	—	—	—	—	—	—	—
Cancer	101	—	—	—	—	—	—	—	—	—	1	1	3
Gout	1	—	—	—	—	—	—	—	—	—	—	—	—
III. Scrofula	18	—	1	1	4	1	1	—	4	3	—	1	1
Tabes Mesenterica	19	3	1	4	2	1	—	—	3	1	1	1	—
Phthisis	220	—	—	1	3	1	—	1	4	11	21	33	44
Hydrocephalus	57	4	2	15	16	6	5	1	5	3	—	—	—

CAUSES of DEATH in EDINBURGH, at different Periods of Life, in 1876.—FEMALES. (Continued).

DISEASES.	FEMALES.															
	AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
Cephalitis	2	2	—	—	—	—	—	—	—	—	1	—	—	—	—	—
Apoplexy	1	2	1	2	4	7	12	4	4	4	5	1	—	—	—	—
Paralysis	—	1	—	—	1	4	8	9	12	14	5	3	—	—	—	—
Delirium Tremens	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Chorea	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Epilepsy	1	—	—	1	1	1	—	1	—	—	—	—	—	—	—	—
Tetanus	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Insanity	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Convulsions	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Brain Disease	—	2	2	1	2	1	4	5	2	5	3	1	—	—	—	—
Pericarditis	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—
Aneurism	1	—	—	—	—	1	1	—	—	—	—	—	—	—	—	—
Heart Disease	7	11	16	10	12	21	15	17	15	12	4	2	1	—	—	—
Laryngitis	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—
Bronchitis	1	2	5	9	14	11	12	25	15	31	15	6	—	—	—	—
Pleurisy	1	2	—	1	1	—	1	—	2	—	—	—	—	—	—	—
Pneumonia	6	4	2	3	3	6	5	11	7	8	3	2	—	—	—	—
Asthma	—	—	1	—	1	—	1	—	—	2	1	—	—	—	—	—
Lung Disease	1	1	—	—	—	—	1	1	—	1	—	—	—	—	—	—
Teething	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Quinsey	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Gastritis	1	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—
Enteritis	1	1	1	—	—	—	—	—	—	—	1	—	—	—	—	—
Peritonitis	—	2	—	4	4	1	—	1	1	1	1	—	—	—	—	—
Ascites	—	—	—	1	—	—	1	1	1	—	—	—	—	—	—	—
Ulceration of Intestines	—	—	1	—	—	3	—	2	—	1	—	—	—	—	—	—
Hernia	—	1	—	—	1	—	—	—	1	1	—	—	—	—	—	—
Ileus	1	—	1	—	—	—	—	—	1	1	3	1	—	—	—	—
Intussusception	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Stricture of Intestines	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Stomach Disease	—	—	—	3	2	2	—	2	2	2	—	3	—	—	—	—
Pancreas Disease	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—
Hepatitis	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—
Jaundice	—	—	—	—	—	—	1	1	1	—	—	1	—	—	—	—
Liver Disease	—	1	1	6	4	3	4	—	3	2	—	—	—	—	—	—
Spleen Disease	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Nephritis	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Nephria	—	—	—	—	3	1	3	—	—	2	—	1	—	—	—	—
Addison's Disease	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Ischuria	—	—	—	—	—	—	1	—	—	—	1	—	—	1	—	—
Diabetes	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—
Stone	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—
Cystitis	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—
Stricture of Urethra	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Kidney Disease	—	1	1	1	1	1	2	—	1	—	1	—	—	—	—	—
Paramenia	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—
Ovarian Dropsy	1	—	—	—	2	1	—	—	—	—	—	—	—	—	—	—
Childbirth	3	3	6	—	—	—	—	—	—	—	—	—	—	—	—	—
Organs of Generation	1	1	1	—	—	—	—	1	—	—	—	—	—	—	—	—
Bone Disease	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Rheumatism	—	1	2	—	—	—	1	1	1	1	—	—	—	—	—	—
Joint Disease	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—
Carbuncle	—	—	—	1	—	1	—	—	—	—	—	—	—	—	—	—
Phlegmon	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Skin Disease	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—
Intemperance	—	2	1	4	—	3	2	—	—	—	—	—	—	—	—	—
Privation	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—
Want of Breast Milk	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Neglect	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Cold	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Poison	—	—	—	1	—	—	—	1	—	—	1	—	—	—	—	—
Poisoned Wounds	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—
Burns and Scalds	—	—	—	—	1	—	1	—	1	1	—	—	—	—	—	—
Hanging, etc.	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Suffocation	—	—	2	—	—	—	—	—	—	—	—	—	—	—	—	—
Drowning	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Fracture and Contusion	—	—	—	1	3	—	1	1	—	3	—	—	—	—	—	—
Gunshot Wounds	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Cuts and Stabs	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Other Violent Causes	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—
Not specified	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—

CAUSES of DEATH in DUNDEE, at different Periods of Life, in 1876.—BOTH SEXES.

DISEASES.	BOTH SEXES.												
	ALL AGES.	AGE UNDER											
		MONTHS.			2	3	4	5	10	15	20	25	30
		3	6	12									
ALL CAUSES	3075	400	177	258	322	113	71	47	116	62	82	94	107
SPECIFIED CAUSES	3073	399	177	258	322	113	71	47	115	62	82	94	107
I. Zymotic Class	547	52	65	84	119	58	28	17	38	11	12	9	10
II. Diseases of Uncertain Seat	86	—	1	2	4	—	—	1	1	1	1	—	2
III. Tubercular Class	535	6	16	30	41	12	14	10	29	24	42	47	58
IV. Brain and Nervous System	315	27	12	25	26	6	6	4	11	9	6	7	5
V. Organs of Circulation	193	2	1	—	1	—	1	1	2	4	4	6	8
VI. Respiratory Organs	703	70	62	93	113	31	16	12	17	5	8	6	12
VII. Organs of Digestion	154	20	4	17	12	2	—	1	2	4	2	6	1
VIII. Urinary Organs	46	1	—	—	—	—	3	—	1	2	1	1	4
IX. Organs of Generation	19	—	—	—	—	—	—	—	—	—	1	3	1
X. Organs of Locomotion	16	—	—	—	—	1	—	—	4	1	3	1	—
XI. Skin, etc.	1	—	—	—	—	—	—	—	—	—	—	—	—
XII. Malformation	19	18	1	—	—	—	—	—	—	—	—	—	—
XIII. Premature Debility	203	194	7	2	—	—	—	—	—	—	—	—	—
XIV. Atrophy	14	—	—	—	5	1	—	1	1	—	—	—	—
XV. Age	122	—	—	—	—	—	—	—	—	—	—	—	—
XVI. Sudden Deaths	1	—	—	—	—	—	—	—	—	—	—	—	—
XVII. Violent Deaths	99	9	8	5	1	2	3	—	9	1	2	8	6
I. Small-pox	—	—	—	—	—	—	—	—	—	—	—	—	—
Measles	83	1	1	22	33	11	8	3	3	—	1	—	—
Scarlatina	49	—	—	5	8	10	5	10	8	1	1	—	1
Diphtheria	16	2	—	—	3	2	—	1	7	—	1	—	—
Hooping-cough	118	8	16	20	41	19	11	1	2	—	—	—	—
Croup	21	1	2	4	7	3	1	—	3	—	—	—	—
Thrush	1	—	—	1	—	—	—	—	—	—	—	—	—
Diarrhoea	151	28	38	28	24	12	3	—	4	1	2	—	—
Dysentery	4	—	1	—	—	—	—	—	1	—	—	—	—
Cholera	8	—	2	—	—	—	—	—	—	1	—	—	—
Influenza	1	—	—	—	—	—	—	—	—	—	—	—	—
Purpura	2	1	—	—	—	—	—	—	—	—	—	1	—
Ague	1	—	—	—	—	—	—	—	—	1	—	—	—
Worms	—	—	—	—	—	—	—	—	—	—	—	—	—
Typhus	16	—	—	—	—	—	—	—	1	1	2	3	1
Enteric Fever	31	—	—	—	—	1	—	2	9	6	3	3	1
Relapsing Fever	—	—	—	—	—	—	—	—	—	—	—	—	—
Simple Continued Fever	—	—	—	—	—	—	—	—	—	—	—	—	—
Infantile Remittent	—	—	—	—	—	—	—	—	—	—	—	—	—
Metria	11	—	—	—	—	—	—	—	—	—	—	2	6
Rheumatic Fever	3	—	—	—	—	—	—	—	—	—	2	—	—
Erysipelas	12	3	—	2	1	—	—	—	—	—	—	—	—
Pyæmia	1	—	—	—	—	—	—	—	—	—	—	—	1
Syphilis	17	8	5	2	1	—	—	—	—	—	—	—	—
Noma	1	—	—	—	1	—	—	—	—	—	—	—	—
Hydrophobia	—	—	—	—	—	—	—	—	—	—	—	—	—
Other Zymotic Diseases	—	—	—	—	—	—	—	—	—	—	—	—	—
II. Hæmorrhage	—	—	—	—	—	—	—	—	—	—	—	—	—
Dropsy	17	—	—	—	4	—	—	—	—	—	—	—	—
Abscess	8	—	1	2	—	—	—	1	1	1	—	—	—
Ulcer	—	—	—	—	—	—	—	—	—	—	—	—	—
Fistula	—	—	—	—	—	—	—	—	—	—	—	—	—
Mortification	2	—	—	—	—	—	—	—	—	—	—	—	—
Cancer	59	—	—	—	—	—	—	—	—	—	1	—	2
Gout	—	—	—	—	—	—	—	—	—	—	—	—	—
III. Scrofula	38	1	1	5	4	3	1	2	3	5	5	1	1
Tabes Mesenterica	40	4	3	4	9	4	1	3	6	4	—	—	—
Phthisis	382	—	3	3	3	1	4	2	13	15	37	46	57
Hydrocephalus	75	1	9	18	25	4	8	3	7	—	—	—	—

CAUSES of DEATH in DUNDEE, at different Periods of Life, in 1876.—BOTH SEXES. (Continued.)

DISEASES.	ALL AGES.	BOTH SEXES.											
		AGE UNDER											
		MONTHS.			2	3	4	5	10	15	20	25	30
		3	6	12									
IV. Cephalitis	58	2	3	9	8	3	3	2	8	5	3	4	3
Apoplexy	79	1	3	5	4	—	—	1	1	—	—	—	—
Paralysis	83	—	—	—	1	—	—	—	—	1	—	2	1
Delirium Tremens	1	—	—	—	—	—	—	—	—	—	—	—	—
Chorea	—	—	—	—	—	—	—	—	—	—	—	—	—
Epilepsy	13	—	—	—	—	—	—	—	—	1	1	1	1
Tetanus	1	—	—	—	—	—	—	—	—	—	1	—	—
Insanity	—	—	—	—	—	—	—	—	—	—	—	—	—
Convulsions	60	24	6	11	13	3	3	—	—	—	—	—	—
Brain Disease	20	—	—	—	—	—	—	1	2	2	1	—	—
V. Pericarditis	1	—	—	—	—	—	—	—	—	—	—	—	—
Aneurism	5	—	—	—	—	—	—	—	—	—	—	—	—
Heart Disease	187	2	1	—	1	—	1	1	2	4	4	6	8
VI. Laryngitis	6	2	—	2	1	—	—	—	—	—	—	—	—
Bronchitis	477	55	51	68	83	25	9	8	11	—	1	2	3
Pleurisy	7	—	—	—	—	—	—	—	—	—	—	—	1
Pneumonia	198	12	11	23	29	6	7	4	6	5	7	4	8
Asthma	10	—	—	—	—	—	—	—	—	—	—	—	—
Lung Disease	5	1	—	—	—	—	—	—	—	—	—	—	—
VII. Teething	27	—	1	14	11	1	—	—	—	—	—	—	—
Quinsey	1	1	—	—	—	—	—	—	—	—	—	—	—
Gastritis	6	3	—	1	—	—	—	—	—	—	—	—	—
Enteritis	33	9	2	1	—	—	—	—	—	2	—	1	1
Peritonitis	19	1	—	1	1	—	—	1	1	1	1	3	—
Ascites	1	—	—	—	—	—	—	—	—	—	—	—	—
Ulceration of Intestines	4	—	—	—	—	—	—	—	—	1	—	1	—
Hernia	3	—	—	—	—	—	—	—	—	—	—	—	—
Ileus	12	2	—	—	—	—	—	—	1	—	—	—	—
Intussusception	—	—	—	—	—	—	—	—	—	—	—	—	—
Stricture of Intestines	—	—	—	—	—	—	—	—	—	—	—	—	—
Stomach Disease	10	1	1	—	—	—	—	—	—	—	—	—	—
Pancreas Disease	—	—	—	—	—	—	—	—	—	—	—	—	—
Hepatitis	6	—	—	—	—	—	—	—	—	—	—	—	—
Jaundice	6	3	—	—	—	—	—	—	—	—	—	1	—
Liver Disease	25	—	—	—	—	1	—	—	—	—	1	—	—
Spleen Disease	1	—	—	—	—	—	—	—	—	—	—	—	—
VIII. Nephritis	7	1	—	—	—	—	—	3	1	—	—	1	—
Nephria	22	—	—	—	—	—	—	—	—	2	—	—	3
Addison's Disease	—	—	—	—	—	—	—	—	—	—	—	—	—
Ischuria	—	—	—	—	—	—	—	—	—	—	—	—	—
Diabetes	2	—	—	—	—	—	—	—	—	—	—	—	—
Stone	—	—	—	—	—	—	—	—	—	—	—	—	—
Cystitis	5	—	—	—	—	—	—	—	—	—	—	—	—
Stricture of Urethra	—	—	—	—	—	—	—	—	—	—	—	—	—
Kidney Disease	10	—	—	—	—	—	—	—	—	—	1	—	1
IX. Paramenia	1	—	—	—	—	—	—	—	—	—	1	—	—
Ovarian Dropsy	1	—	—	—	—	—	—	—	—	—	—	—	—
Childbirth	16	—	—	—	—	—	—	—	—	—	—	3	1
Organs of Generation	1	—	—	—	—	—	—	—	—	—	—	—	—
X. Bone Disease	5	—	—	—	—	—	—	—	1	—	1	—	—
Rheumatism	3	—	—	—	—	—	—	—	—	—	—	—	—
Joint Disease	8	—	—	—	—	1	—	—	3	1	2	1	—
XI. Carbuncle	1	—	—	—	—	—	—	—	—	—	—	—	—
Phlegmon	—	—	—	—	—	—	—	—	—	—	—	—	—
Skin Disease	—	—	—	—	—	—	—	—	—	—	—	—	—
XVII. Intemperance	8	—	—	—	—	—	—	—	—	—	—	—	1
Privation	—	—	—	—	—	—	—	—	—	—	—	—	—
Want of Breast Milk	—	—	—	—	—	—	—	—	—	—	—	—	—
Neglect	1	—	1	—	—	—	—	—	—	—	—	—	—
Cold	—	—	—	—	—	—	—	—	—	—	—	—	—
Poison	3	—	—	1	—	—	—	—	—	—	—	1	—
Poisoned Wounds	—	—	—	—	—	—	—	—	—	—	—	—	—
Burns and Scalds	6	—	1	—	—	2	1	—	—	—	—	1	—
Hanging, etc.	6	—	—	—	—	—	—	—	—	—	—	1	1
Suffocation	20	8	6	4	—	—	—	—	—	—	—	—	—
Drowning	15	—	—	—	—	—	—	—	3	—	1	1	2
Fracture and Contusion	30	1	—	—	1	—	2	—	4	—	1	2	1
Gunshot Wounds	—	—	—	—	—	—	—	—	—	—	—	—	—
Cuts and Stabs	6	—	—	—	—	—	—	—	—	1	—	1	1
Other Violent Causes	4	—	—	—	—	—	—	—	2	—	—	1	—
Not specified	2	1	—	—	—	—	—	—	1	—	—	—	—

CAUSES of DEATH in DUNDEE, at different Periods of Life, in 1876.—BOTH SEXES. (*Continued.*)

DISEASES.	BOTH SEXES.															
	AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	
Cephalitis . . .	—	3	—	—	—	—	1	1	—	—	—	—	—	—	—	—
Apoplexy . . .	2	3	1	5	4	15	10	13	4	4	2	1	—	—	—	—
Paralysis . . .	3	1	3	6	5	9	14	9	14	8	5	—	1	—	—	—
Delirium Tremens . . .	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—
Chorea . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Epilepsy . . .	2	—	2	2	—	2	—	1	—	—	—	—	—	—	—	—
Tetanus . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Insanity . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Convulsions . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Brain Disease . . .	1	2	1	1	—	3	2	1	1	2	—	—	—	—	—	—
Pericarditis . . .	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—
Aneurism . . .	—	—	1	—	1	1	1	1	—	—	—	—	—	—	—	—
Heart Disease . . .	12	13	14	12	21	12	19	20	18	9	7	—	—	—	—	—
Laryngitis . . .	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—
Bronchitis . . .	1	5	4	15	21	30	27	18	22	12	5	—	1	—	—	—
Pleurisy . . .	1	3	—	1	—	—	—	—	1	—	—	—	—	—	—	—
Pneumonia . . .	7	8	2	12	16	10	7	7	2	3	2	—	—	—	—	—
Asthma . . .	—	2	—	2	2	1	—	3	—	—	—	—	—	—	—	—
Lung Disease . . .	—	1	—	1	—	—	1	—	1	—	—	—	—	—	—	—
Teething . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Quinsey . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Gastritis . . .	—	—	—	1	—	—	—	—	1	—	—	—	—	—	—	—
Enteritis . . .	1	1	3	2	2	—	3	3	1	—	—	1	—	—	—	—
Peritonitis . . .	2	—	1	1	2	2	—	1	—	—	—	—	—	—	—	—
Ascites . . .	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—
Ulceration of Intestines . . .	—	—	—	—	—	—	1	—	1	—	—	—	—	—	—	—
Hernia . . .	—	—	1	—	—	1	—	—	—	1	—	—	—	—	—	—
Ileus . . .	2	—	1	1	1	1	1	1	—	1	—	—	—	—	—	—
Intussusception . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Stricture of Intestines . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Stomach Disease . . .	1	—	1	2	—	1	1	—	1	1	—	—	—	—	—	—
Pancreas Disease . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Hepatitis . . .	—	2	3	—	—	—	1	—	—	—	—	—	—	—	—	—
Jaundice . . .	—	—	—	1	—	—	—	1	—	—	—	—	—	—	—	—
Liver Disease . . .	3	1	—	2	2	4	3	5	1	2	—	—	—	—	—	—
Spleen Disease . . .	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Nephritis . . .	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Nephria . . .	5	2	2	1	2	1	1	1	—	2	—	—	—	—	—	—
Addison's Disease . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Ischuria . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Diabetes . . .	—	—	—	1	1	—	—	—	—	—	—	—	—	—	—	—
Stone . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Cystitis . . .	—	—	—	—	—	—	1	—	2	1	1	—	—	—	—	—
Stricture of Urethra . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Kidney Disease . . .	1	1	1	—	—	2	1	1	—	1	—	—	—	—	—	—
Paramenia . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Ovarian Dropsy . . .	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—
Childbirth . . .	5	5	2	—	—	—	—	—	—	—	—	—	—	—	—	—
Organs of Generation . . .	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—
Bone Disease . . .	—	—	—	1	1	—	1	—	—	—	—	—	—	—	—	—
Rheumatism . . .	—	—	1	—	1	1	—	—	—	—	—	—	—	—	—	—
Joint Disease . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Carbuncle . . .	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—
Phlegmon . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Skin Disease . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Intemperance . . .	—	1	—	1	—	4	1	—	—	—	—	—	—	—	—	—
Privation . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Want of Breast Milk . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Neglect . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Cold . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Poison . . .	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—
Poisoned Wounds . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Burns and Scalds . . .	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—
Hanging, etc. . .	—	—	1	—	1	—	1	—	1	—	—	—	—	—	—	—
Suffocation . . .	—	—	1	—	—	1	—	—	—	—	—	—	—	—	—	—
Drowning . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Fracture and Contusion . . .	2	3	1	1	—	—	1	—	—	—	—	—	—	—	—	—
Gunshot Wounds . . .	2	4	2	—	4	—	1	1	1	1	1	1	—	—	—	—
Cuts and Stabs . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Other Violent Causes . . .	—	1	—	—	1	—	1	—	—	—	—	—	—	—	—	—
Not specified . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

CAUSES of DEATH in DUNDEE, at different Periods of Life, in 1876.—MALES.

DISEASES.	MALES.												
	ALL AGES.	AGE UNDER											
		MONTHS.											
		3	6	12	2	3	4	5	10	15	20	25	30
ALL CAUSES	1454	224	106	144	151	48	29	25	51	32	40	32	52
SPECIFIED CAUSES	1452	223	106	144	151	48	29	25	50	32	40	32	52
I. Zymotic Class	265	29	40	44	59	25	10	8	16	7	6	2	2
II. Diseases of Uncertain Seat	23	—	—	2	2	—	—	—	1	—	—	—	1
III. Tubercular Class	218	4	10	11	19	4	6	6	7	7	18	16	25
IV. Brain and Nervous System	162	13	6	16	15	2	5	1	4	6	3	2	3
V. Organs of Circulation	79	1	1	—	1	—	1	1	1	1	1	2	4
VI. Respiratory Organs	348	36	38	58	45	14	5	9	8	5	7	5	9
VII. Organs of Digestion	75	13	4	9	6	1	—	—	1	3	1	—	1
VIII. Urinary Organs	22	1	—	—	—	—	1	—	1	1	—	1	1
IX. Organs of Generation	—	—	—	—	—	—	—	—	—	—	—	—	—
X. Organs of Locomotion	13	—	—	—	—	—	—	—	3	1	2	1	—
XI. Skin, etc.	1	—	—	—	—	—	—	—	—	—	—	—	—
XII. Malformation	7	7	—	—	—	—	—	—	—	—	—	—	—
XIII. Premature Debility	120	115	3	2	—	—	—	—	—	—	—	—	—
XIV. Atrophy	8	—	—	—	3	1	—	—	1	—	—	—	—
XV. Age	47	—	—	—	—	—	—	—	—	—	—	—	—
XVI. Sudden Deaths	1	—	—	—	—	—	—	—	—	—	—	—	—
XVII. Violent Deaths	63	4	4	2	1	1	1	—	7	1	2	3	6
I. Small-pox	—	—	—	—	—	—	—	—	—	—	—	—	—
Measles	38	1	—	14	14	4	4	1	—	—	—	—	—
Scarlatina	19	—	—	2	5	5	—	5	2	—	—	—	—
Diphtheria	11	2	—	—	1	2	—	1	5	—	—	—	—
Hooping-cough	64	4	12	12	24	6	5	—	1	—	—	—	—
Croup	6	—	2	—	2	1	—	—	1	—	—	—	—
Thrush	—	—	—	—	—	—	—	—	—	—	—	—	—
Diarrhoea	84	19	21	13	12	6	1	—	2	1	2	—	—
Dysentery	3	—	1	—	—	—	—	—	1	—	—	—	—
Cholera	3	—	1	—	—	—	—	—	—	1	—	—	—
Influenza	—	—	—	—	—	—	—	—	—	—	—	—	—
Purpura	1	1	—	—	—	—	—	—	—	—	—	—	—
Ague	1	—	—	—	—	—	—	—	—	1	—	—	—
Worms	—	—	—	—	—	—	—	—	—	—	—	—	—
Typhus	8	—	—	—	—	—	—	—	1	—	1	1	1
Enteric Fever	14	—	—	—	—	1	—	1	3	4	2	1	—
Relapsing Fever	—	—	—	—	—	—	—	—	—	—	—	—	—
Simple Continued Fever	—	—	—	—	—	—	—	—	—	—	—	—	—
Infantile Remittent	—	—	—	—	—	—	—	—	—	—	—	—	—
Metria	—	—	—	—	—	—	—	—	—	—	—	—	—
Rheumatic Fever	1	—	—	—	—	—	—	—	—	—	1	—	—
Erysipelas	3	1	—	1	—	—	—	—	—	—	—	—	—
Pyæmia	1	—	—	—	—	—	—	—	—	—	—	—	1
Syphilis	8	1	3	2	1	—	—	—	—	—	—	—	—
Noma	—	—	—	—	—	—	—	—	—	—	—	—	—
Hydrophobia	—	—	—	—	—	—	—	—	—	—	—	—	—
Other Zymotic Diseases	—	—	—	—	—	—	—	—	—	—	—	—	—
II. Hæmorrhage	—	—	—	—	—	—	—	—	—	—	—	—	—
Dropsy	6	—	—	—	2	—	—	—	—	—	—	—	—
Abscess	3	—	—	2	—	—	—	—	1	—	—	—	—
Ulcer	—	—	—	—	—	—	—	—	—	—	—	—	—
Fistula	—	—	—	—	—	—	—	—	—	—	—	—	—
Mortification	—	—	—	—	—	—	—	—	—	—	—	—	—
Cancer	14	—	—	—	—	—	—	—	—	—	—	—	1
Gout	—	—	—	—	—	—	—	—	—	—	—	—	—
III. Scrofula	22	1	1	2	3	2	—	2	—	2	4	1	1
Tabes Mesenterica	16	2	3	1	1	1	1	2	2	3	—	—	—
Phthisis	146	—	1	2	1	—	1	1	3	2	14	15	24
Hydrocephalus	34	1	5	6	14	1	4	1	2	—	—	—	—

CAUSES of DEATH in DUNDEE, at different Periods of Life, in 1876.—MALES.

[illegible]

CAUSES of DEATH in DUNDEE, at different Periods of Life, in 1876.—MALES. (Continued.)

DISEASES.	MALES.												
	ALL AGES.	AGE UNDER											
		MONTHS.			2	3	4	5	10	15	20	25	30
		3	6	12									
IV. Cephalitis	27	1	—	5	3	2	2	—	3	3	1	2	2
Apoplexy	42	1	3	2	2	—	—	1	—	—	—	—	—
Paralysis	38	—	—	—	1	—	—	—	—	—	—	—	—
Delirium Tremens	1	—	—	—	—	—	—	—	—	—	—	—	—
Chorea	—	—	—	—	—	—	—	—	—	—	—	—	—
Epilepsy	8	—	—	—	—	—	—	—	—	1	—	—	1
Tetanus	1	—	—	—	—	—	—	—	—	—	1	—	—
Insanity	—	—	—	—	—	—	—	—	—	—	—	—	—
Convulsions	35	11	3	9	9	—	3	—	—	—	—	—	—
Brain Disease	10	—	—	—	—	—	—	—	1	2	1	—	—
V. Pericarditis	—	—	—	—	—	—	—	—	—	—	—	—	—
Aneurism	5	—	—	—	—	—	—	—	—	—	—	—	—
Heart Disease	74	1	1	—	1	—	1	1	1	1	1	2	4
VI. Laryngitis	3	2	—	1	—	—	—	—	—	—	—	—	—
Bronchitis	217	30	33	40	28	10	2	6	5	—	—	2	2
Pleurisy	5	—	—	—	—	—	—	—	—	—	—	—	1
Pneumonia	119	4	5	17	17	4	3	3	3	5	7	3	6
Asthma	2	—	—	—	—	—	—	—	—	—	—	—	—
Lung Disease	2	—	—	—	—	—	—	—	—	—	—	—	—
VII. Teething	16	—	1	9	5	1	—	—	—	—	—	—	—
Quinsey	1	1	—	—	—	—	—	—	—	—	—	—	—
Gastritis	1	—	—	—	—	—	—	—	—	—	—	—	—
Enteritis	17	8	2	—	—	—	—	—	—	1	—	—	1
Peritonitis	4	—	—	—	1	—	—	—	—	1	—	—	—
Ascites	—	—	—	—	—	—	—	—	—	—	—	—	—
Ulceration of Intestines	3	—	—	—	—	—	—	—	—	1	—	—	—
Hernia	—	—	—	—	—	—	—	—	—	—	—	—	—
Ileus	8	1	—	—	—	—	—	—	1	—	—	—	—
Intussusception	—	—	—	—	—	—	—	—	—	—	—	—	—
Stricture of Intestines	—	—	—	—	—	—	—	—	—	—	—	—	—
Stomach Disease	4	1	1	—	—	—	—	—	—	—	—	—	—
Pancreas Disease	—	—	—	—	—	—	—	—	—	—	—	—	—
Hepatitis	2	—	—	—	—	—	—	—	—	—	—	—	—
Jaundice	2	2	—	—	—	—	—	—	—	—	—	—	—
Liver Disease	17	—	—	—	—	—	—	—	—	—	1	—	—
Spleen Disease	—	—	—	—	—	—	—	—	—	—	—	—	—
VIII. Nephritis	4	1	—	—	—	—	1	—	1	—	—	1	—
Nephria	10	—	—	—	—	—	—	—	—	1	—	—	1
Addison's Disease	—	—	—	—	—	—	—	—	—	—	—	—	—
Ischuria	—	—	—	—	—	—	—	—	—	—	—	—	—
Diabetes	1	—	—	—	—	—	—	—	—	—	—	—	—
Stone	—	—	—	—	—	—	—	—	—	—	—	—	—
Cystitis	2	—	—	—	—	—	—	—	—	—	—	—	—
Stricture of Urethra	—	—	—	—	—	—	—	—	—	—	—	—	—
Kidney Disease	5	—	—	—	—	—	—	—	—	—	—	—	—
IX. Paramenia	—	—	—	—	—	—	—	—	—	—	—	—	—
Ovarian Dropsy	—	—	—	—	—	—	—	—	—	—	—	—	—
Childbirth	—	—	—	—	—	—	—	—	—	—	—	—	—
Organs of Generation	—	—	—	—	—	—	—	—	—	—	—	—	—
X. Bone Disease	4	—	—	—	—	—	—	—	—	—	1	—	—
Rheumatism	3	—	—	—	—	—	—	—	—	—	—	—	—
Joint Disease	6	—	—	—	—	—	—	—	3	1	1	1	—
XI. Carbuncle	1	—	—	—	—	—	—	—	—	—	—	—	—
Phlegmon	—	—	—	—	—	—	—	—	—	—	—	—	—
Skin Disease	—	—	—	—	—	—	—	—	—	—	—	—	—
XVII. Intemperance	4	—	—	—	—	—	—	—	—	—	—	—	1
Privation	—	—	—	—	—	—	—	—	—	—	—	—	—
Want of Breast Milk	—	—	—	—	—	—	—	—	—	—	—	—	—
Neglect	1	—	1	—	—	—	—	—	—	—	—	—	—
Cold	—	—	—	—	—	—	—	—	—	—	—	—	—
Poison	2	—	—	1	—	—	—	—	—	—	—	—	—
Poisoned Wounds	—	—	—	—	—	—	—	—	—	—	—	—	—
Burns and Scalds	2	—	1	—	—	1	—	—	—	—	—	—	—
Hanging, etc.	4	—	—	—	—	—	—	—	—	—	—	—	1
Suffocation	8	4	2	1	—	—	—	—	—	—	—	—	—
Drowning	13	—	—	—	—	—	—	—	2	—	1	—	2
Fracture and Contusion	20	—	—	—	1	—	1	—	4	—	1	1	1
Gunshot Wounds	—	—	—	—	—	—	—	—	—	—	—	—	—
Cuts and Stabs	6	—	—	—	—	—	—	—	—	1	—	1	1
Other Violent Causes	3	—	—	—	—	—	—	—	1	—	—	1	—
Not specified	2	1	—	—	—	—	—	—	1	—	—	—	—

CAUSES of DEATH in DUNDEE, at different Periods of Life, in 1876.—FEMALES.

DISEASES.	ALL AGES.	FEMALES.											
		AGE UNDER											
		MONTHS.			2	3	4	5	10	15	20	25	30
		3	6	12									
ALL CAUSES	1621	176	71	114	171	65	42	22	65	30	42	62	55
SPECIFIED CAUSES	1621	176	71	114	171	65	42	22	65	30	42	62	55
I. Zymotic Class	282	23	25	40	60	33	18	9	22	4	6	7	8
II. Diseases of Uncertain Seat	63	—	1	—	2	—	—	1	—	1	1	—	1
III. Tubercular Class	317	2	6	19	22	8	8	4	22	17	24	31	33
IV. Brain and Nervous System	153	14	6	9	11	4	1	3	7	3	3	5	2
V. Organs of Circulation	114	1	—	—	—	—	—	—	1	3	3	4	4
VI. Respiratory Organs	355	34	24	35	68	17	11	3	9	—	1	1	3
VII. Organs of Digestion	79	7	—	8	6	1	—	1	1	1	1	6	—
VIII. Urinary Organs	24	—	—	—	—	—	2	—	—	1	1	—	3
IX. Organs of Generation	19	—	—	—	—	—	—	—	—	—	1	3	1
X. Organs of Locomotion	3	—	—	—	—	1	—	—	1	—	1	—	—
XI. Skin, etc.	—	—	—	—	—	—	—	—	—	—	—	—	—
XII. Malformation	12	11	1	—	—	—	—	—	—	—	—	—	—
XIII. Premature Debility	83	79	4	—	—	—	—	—	—	—	—	—	—
XIV. Atrophy	6	—	—	—	2	—	—	1	—	—	—	—	—
XV. Age	75	—	—	—	—	—	—	—	—	—	—	—	—
XVI. Sudden Deaths	—	—	—	—	—	—	—	—	—	—	—	—	—
XVII. Violent Deaths	36	5	4	3	—	1	2	—	2	—	—	5	—
I. Small-pox	—	—	—	—	—	—	—	—	—	—	—	—	—
Measles	45	—	1	8	19	7	4	2	3	—	1	—	—
Scarlatina	30	—	—	3	3	5	5	5	6	1	1	—	1
Diphtheria	5	—	—	—	2	—	—	—	2	—	1	—	—
Hooping-cough	54	4	4	8	17	13	6	1	1	—	—	—	—
Croup	15	1	—	4	5	2	1	—	2	—	—	—	—
Thrush	1	—	—	1	—	—	—	—	—	—	—	—	—
Diarrhoea	67	9	17	15	12	6	2	—	2	—	—	—	—
Dysentery	1	—	—	—	—	—	—	—	—	—	—	—	—
Cholera	5	—	1	—	—	—	—	—	—	—	—	—	—
Influenza	1	—	—	—	—	—	—	—	—	—	—	—	—
Purpura	1	—	—	—	—	—	—	—	—	—	—	—	—
Ague	—	—	—	—	—	—	—	—	—	—	—	1	—
Worms	—	—	—	—	—	—	—	—	—	—	—	—	—
Typhus	—	—	—	—	—	—	—	—	—	—	—	—	—
Enteric Fever	8	—	—	—	—	—	—	—	—	1	1	2	—
Relapsing Fever	17	—	—	—	—	—	—	1	6	2	1	2	1
Simple Continued Fever	—	—	—	—	—	—	—	—	—	—	—	—	—
Infantile Remittent	—	—	—	—	—	—	—	—	—	—	—	—	—
Metria	—	—	—	—	—	—	—	—	—	—	—	—	—
Rheumatic Fever	11	—	—	—	—	—	—	—	—	—	—	2	6
Erysipelas	2	—	—	—	—	—	—	—	—	—	1	—	—
Pyæmia	9	2	—	1	1	—	—	—	—	—	—	—	—
Syphilis	—	—	—	—	—	—	—	—	—	—	—	—	—
Noma	9	7	2	—	—	—	—	—	—	—	—	—	—
Hydrophobia	1	—	—	—	1	—	—	—	—	—	—	—	—
Other Zymotic Diseases	—	—	—	—	—	—	—	—	—	—	—	—	—
II. Hamorrhage	—	—	—	—	—	—	—	—	—	—	—	—	—
Dropsy	—	—	—	—	—	—	—	—	—	—	—	—	—
Abscess	11	—	—	—	2	—	—	—	—	—	—	—	—
Ulcer	5	—	1	—	—	—	—	1	—	1	—	—	—
Fistula	—	—	—	—	—	—	—	—	—	—	—	—	—
Mortification	—	—	—	—	—	—	—	—	—	—	—	—	—
Cancer	2	—	—	—	—	—	—	—	—	—	—	—	—
Gout	45	—	—	—	—	—	—	—	—	—	1	—	1
III. Scrofula	—	—	—	—	—	—	—	—	—	—	—	—	—
Tabes Mesenterica	16	—	—	3	1	1	1	—	3	3	1	—	—
Phthisis	24	2	—	3	8	3	—	1	4	1	—	—	—
Hydrocephalus	236	—	2	1	2	1	3	1	10	13	23	31	33
	41	—	4	12	11	3	4	2	5	—	—	—	—

CAUSES of DEATH in DUNDEE, at different Periods of Life, in 1876.—FEMALES. (*Continued.*)

[illegible]

CAUSES of DEATH in ABERDEEN, at different Periods of Life, in 1876.—BOTH SEXES.

DISEASES.	BOTH SEXES.												
	ALL AGES.	AGE UNDER											
		MONTHS.			2	3	4	5	10	15	20	25	30
		3	6	12									
ALL CAUSES	2033	236	73	146	170	61	35	27	66	55	80	78	66
SPECIFIED CAUSES	2027	234	71	146	170	61	35	27	66	55	80	78	66
I. Zymotic Class	373	40	20	57	76	33	17	15	24	7	5	7	9
II. Diseases of Uncertain Seat	76	1	—	2	—	1	—	—	2	1	1	2	1
III. Tubercular Class	320	5	5	22	27	4	6	2	17	24	43	36	27
IV. Brain and Nervous System	231	26	17	11	11	9	2	2	6	3	2	5	3
V. Organs of Circulation	148	—	—	2	—	—	—	—	1	4	—	5	8
VI. Respiratory Organs	345	37	18	35	37	6	6	6	4	3	3	7	2
VII. Organs of Digestion	124	10	5	10	12	5	2	—	2	1	3	2	5
VIII. Urinary Organs	58	—	—	—	1	1	1	—	3	2	1	1	1
IX. Organs of Generation	17	—	—	—	—	—	—	—	—	—	—	3	5
X. Organs of Locomotion	22	—	—	—	1	—	1	—	4	2	2 ₁	3	1
XI. Skin, etc.	8	1	—	3	1	—	—	—	—	—	—	1	—
XII. Malformation	14	13	—	—	—	—	—	—	—	1	—	—	—
XIII. Premature Debility	96	91	2	3	—	—	—	—	—	—	—	—	—
XIV. Atrophy	6	—	—	—	1	1	—	—	1	—	—	—	—
XV. Age	89	—	—	—	—	—	—	—	—	—	—	—	—
XVI. Sudden Deaths	1	—	—	—	—	—	—	—	—	—	—	—	1
XVII. Violent Deaths	99	10	4	1	3	1	—	2	2	7	20	6	3
I. Small-pox	—	—	—	—	—	—	—	—	—	—	—	—	—
Measles	61	2	—	15	26	12	3	2	1	—	—	—	—
Scarlatina	23	—	—	—	5	8	2	4	4	—	—	—	—
Diphtheria	20	2	1	1	5	1	2	3	4	—	—	1	—
Whooping-cough	54	5	3	18	15	7	4	—	2	—	—	—	—
Croup	23	—	—	2	8	4	5	—	4	—	—	—	—
Thrush	8	7	—	—	1	—	—	—	—	—	—	—	—
Diarrhoea	78	15	12	18	12	1	—	1	1	1	—	—	—
Dysentery	10	—	1	2	1	—	—	1	—	—	—	1	1
Cholera	3	—	1	—	1	—	—	—	—	—	1	—	—
Influenza	3	—	—	—	—	—	—	—	—	—	—	1	—
Purpura	—	—	—	—	—	—	—	—	—	—	—	—	—
Ague	—	—	—	—	—	—	—	—	—	—	—	—	—
Worms	—	—	—	—	—	—	—	—	—	—	—	—	—
Typhus	29	—	1	—	1	—	1	2	3	2	1	—	—
Enteric Fever	24	—	—	—	—	—	—	2	1	3	3	4	3
Relapsing Fever	1	—	—	—	—	—	—	—	—	—	—	—	—
Simple Continued Fever	—	—	—	—	—	—	—	—	—	—	—	—	—
Infantile Remittent	3	—	—	—	—	—	—	—	3	—	—	—	—
Metria	6	—	—	—	—	—	—	—	—	—	—	—	4
Rheumatic Fever	3	—	—	—	—	—	—	—	—	—	—	—	—
Erysipelas	16	5	1	—	1	—	—	—	1	1	—	—	1
Pyæmia	1	—	—	—	—	—	—	—	—	—	—	—	—
Syphilis	6	3	—	1	—	—	—	—	—	—	—	—	—
Noma	—	—	—	—	—	—	—	—	—	—	—	—	—
Hydrophobia	—	—	—	—	—	—	—	—	—	—	—	—	—
Other Zymotic Diseases	1	1	—	—	—	—	—	—	—	—	—	—	—
II. Hæmorrhage	1	—	—	—	—	—	—	—	—	—	—	—	—
Dropsy	12	—	—	—	—	1	—	—	1	1	—	1	—
Abscess	5	—	—	1	—	—	—	—	—	—	1	1	—
Ulcer	6	—	—	1	—	—	—	—	—	—	—	—	—
Fistula	1	—	—	—	—	—	—	—	—	—	—	—	—
Mortification	6	—	—	—	—	—	—	—	—	—	—	—	—
Cancer	45	1	—	—	—	—	—	—	1	—	—	—	1
Gout	—	—	—	—	—	—	—	—	—	—	—	—	—
III. Scrofula	19	—	—	1	2	2	—	—	1	7	3	1	—
Tabes Mesenterica	19	4	2	1	4	1	1	—	1	2	2	—	—
Phthisis	223	—	—	—	1	1	2	1	6	13	38	35	27
Hydrocephalus	59	1	3	20	20	—	3	1	9	2	—	—	—

CAUSES of DEATH in ABERDEEN, at different Periods of Life, in 1876.—BOTH SEXES. (*Continued.*)

DISEASES.	BOTH SEXES.															
	AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
Cephalitis	2	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—
Apoplexy	1	2	1	2	4	3	10	6	9	3	4	—	—	—	—	—
Paralysis	5	1	3	—	4	3	2	9	4	11	2	1	1	—	—	—
Delirium Tremens . .	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Chorea	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Epilepsy	1	—	2	—	1	1	1	1	1	1	1	—	—	—	—	—
Tetanus	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—
Insanity	—	—	1	—	—	1	—	—	—	1	—	—	—	—	—	—
Convulsions	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Brain Disease	1	1	3	3	4	1	1	5	3	—	—	1	1	—	—	—
Pericarditis	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—
Aneurism	1	2	1	2	—	—	1	—	—	—	—	—	—	—	—	—
Heart Disease	7	6	10	6	8	14	21	15	19	10	2	1	1	—	—	—
Laryngitis	1	—	—	—	—	—	—	—	1	—	1	—	—	—	—	—
Bronchitis	1	4	6	3	8	16	18	24	17	16	6	6	2	—	—	—
Pleurisy	1	—	—	—	1	—	3	—	—	—	—	—	—	—	—	—
Pneumonia	2	2	1	5	5	4	3	4	1	—	3	—	—	—	—	—
Asthma	—	2	—	4	1	—	1	2	—	—	1	—	—	—	—	—
Lung Disease	—	1	—	1	1	1	—	—	—	—	—	1	—	—	—	—
Teething	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Quinsey	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Gastritis	—	—	—	1	—	—	1	—	—	—	—	—	—	—	—	—
Enteritis	—	—	—	—	—	—	—	—	1	—	—	1	—	—	—	—
Peritonitis	1	1	—	—	1	—	—	—	1	1	—	—	—	—	—	—
Ascites	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Ulceration of Intestines	1	—	—	—	1	1	2	—	—	2	—	—	—	—	—	—
Hernia	—	—	—	—	1	1	1	—	—	1	—	—	—	—	—	—
Ileus	—	1	—	2	1	1	1	1	1	—	—	1	—	—	—	—
Intussusception . . .	—	—	—	—	1	—	1	—	—	—	—	—	—	—	—	—
Stricture of Intestines	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—
Stomach Disease . . .	—	1	1	1	—	2	3	4	1	2	—	—	—	—	—	—
Pancreas Disease . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Hepatitis	—	1	—	—	1	—	—	—	—	—	—	—	—	—	—	—
Jaundice	—	—	—	—	2	—	—	3	1	—	—	—	—	—	—	—
Liver Disease	2	—	—	1	1	2	2	3	—	1	—	—	—	—	—	—
Spleen Disease	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Nephritis	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Nephria	—	—	1	2	—	2	—	—	1	1	—	—	—	—	—	—
Addison's Disease . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Ischuria	—	—	—	—	1	—	—	1	1	—	—	—	—	—	—	—
Diabetes	—	1	—	—	—	—	2	1	—	—	—	—	—	—	—	—
Stone	—	—	—	—	—	—	1	—	1	1	—	—	—	—	—	—
Cystitis	—	—	—	—	—	—	1	1	3	2	—	—	—	—	—	—
Stricture of Urethra . .	—	—	—	2	—	—	1	—	—	—	—	—	—	—	—	—
Kidney Disease	1	4	5	1	—	—	3	2	2	1	—	—	—	—	—	—
Paramenia	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Ovarian Dropsy	—	—	—	—	—	1	2	—	—	—	—	—	—	—	—	—
Childbirth	1	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—
Organs of Generation . .	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—
Bone Disease	2	—	1	1	—	—	—	—	—	—	—	—	—	—	—	—
Rheumatism	—	—	—	—	—	—	1	2	—	—	—	—	—	—	—	—
Joint Disease	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—
Carbuncle	—	—	—	—	—	1	—	—	—	—	1	—	—	—	—	—
Phlegmon	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Skin Disease	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Intemperance	1	1	—	—	—	1	—	—	1	—	—	—	—	—	—	—
Privation	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Want of Breast Milk . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Neglect	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Cold	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Poison	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Poisoned Wounds	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Burns and Scalds	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Hanging, etc. . . .	—	—	—	—	1	—	1	—	—	—	—	—	—	—	—	—
Suffocation	—	—	—	—	1	—	—	1	—	—	—	—	—	—	—	—
Drowning	1	2	1	1	1	1	—	1	—	—	—	—	—	—	—	—
Fracture and Contusion . .	—	2	5	1	3	1	1	2	2	—	1	—	—	—	—	—
Gunshot Wounds	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Cuts and Stabs	—	—	—	—	1	—	1	—	—	—	—	—	—	—	—	—
Other Violent Causes . . .	—	—	1	—	1	—	—	—	1	1	—	—	—	—	—	—
Not specified	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	1

CAUSES of DEATH in ABERDEEN, at different Periods of Life, in 1876.—MALES.

DISEASES.	ALL AGES.	MALES.											
		AGE UNDER											
		MONTHS.			2	3	4	5	10	15	20	25	30
		3	6	12									
ALL CAUSES	1023	147	43	76	88	35	20	17	33	27	48	44	28
SPECIFIED CAUSES	1019	145	42	76	88	35	20	17	33	27	48	44	28
I. Zymotic Class	190	18	10	29	39	21	11	8	7	3	3	3	4
II. Diseases of Uncertain Seat	26	1	—	1	—	1	—	—	—	1	1	—	1
III. Tubercular Class	150	1	4	9	14	1	2	2	11	13	17	20	10
IV. Brain and Nervous System	117	17	11	6	6	5	1	2	5	—	2	4	1
V. Organs of Circulation	76	—	—	1	—	—	—	—	—	1	—	4	4
VI. Respiratory Organs	178	28	12	21	20	3	2	3	4	2	3	4	—
VII. Organs of Digestion	57	9	2	6	6	2	2	—	2	1	—	1	4
VIII. Urinary Organs	38	—	—	—	—	1	1	—	2	—	1	1	1
IX. Organs of Generation	—	—	—	—	—	—	—	—	—	—	—	—	—
X. Organs of Locomotion	7	—	—	—	1	—	1	—	1	1	1	—	—
XI. Skin, etc.	6	1	—	2	1	—	—	—	—	—	—	1	—
XII. Malformation	11	10	—	—	—	—	—	—	—	1	—	—	—
XIII. Premature Debility	55	53	1	1	—	—	—	—	—	—	—	—	—
XIV. Atrophy	—	—	—	—	—	—	—	—	—	—	—	—	—
XV. Age	27	—	—	—	—	—	—	—	—	—	—	—	—
XVI. Sudden Deaths	—	—	—	—	—	—	—	—	—	—	—	—	—
XVII. Violent Deaths	81	7	2	—	1	1	—	2	1	4	20	6	3
I. Small-pox	—	—	—	—	—	—	—	—	—	—	—	—	—
Measles	30	1	—	7	13	7	2	—	—	—	—	—	—
Scarlatina	13	—	—	—	2	6	2	2	1	—	—	—	—
Diphtheria	10	1	—	—	2	1	2	2	2	—	—	—	—
Hooping-cough	26	3	1	9	7	4	2	—	—	—	—	—	—
Croup	10	—	—	1	4	2	2	—	1	—	—	—	—
Thrush	2	2	—	—	—	—	—	—	—	—	—	—	—
Diarrhoea	39	5	6	10	8	1	—	—	—	1	—	—	—
Dysentery	4	—	—	1	1	—	—	—	—	—	—	—	1
Cholera	2	—	1	—	—	—	—	—	—	—	1	—	—
Influenza	1	—	—	—	—	—	—	—	—	—	—	—	—
Purpura	—	—	—	—	—	—	—	—	—	—	—	—	—
Ague	—	—	—	—	—	—	—	—	—	—	—	—	—
Worms	—	—	—	—	—	—	—	—	—	—	—	—	—
Typhus	17	—	1	—	1	—	1	2	—	1	—	—	—
Enteric Fever	13	—	—	—	—	—	—	2	—	—	2	3	2
Relapsing Fever	—	—	—	—	—	—	—	—	—	—	—	—	—
Simple Continued Fever	—	—	—	—	—	—	—	—	—	—	—	—	—
Infantile Remittent	2	—	—	—	—	—	—	—	2	—	—	—	—
Metria	—	—	—	—	—	—	—	—	—	—	—	—	—
Rheumatic Fever	2	—	—	—	—	—	—	—	—	—	—	—	—
Erysipelas	13	3	1	—	1	—	—	—	1	1	—	—	1
Pyæmia	—	—	—	—	—	—	—	—	—	—	—	—	—
Syphilis	5	2	—	1	—	—	—	—	—	—	—	—	—
Noma	—	—	—	—	—	—	—	—	—	—	—	—	—
Hydrophobia	—	—	—	—	—	—	—	—	—	—	—	—	—
Other Zymotic Diseases	1	1	—	—	—	—	—	—	—	—	—	—	—
II. Hæmorrhage	1	—	—	—	—	—	—	—	—	—	—	—	—
Dropsy	5	—	—	—	—	1	—	—	—	1	—	—	—
Abscess	2	—	—	—	—	—	—	—	—	—	1	—	—
Ulcer	2	—	—	1	—	—	—	—	—	—	—	—	—
Fistula	1	—	—	—	—	—	—	—	—	—	—	—	—
Mortification	3	—	—	—	—	—	—	—	—	—	—	—	—
Cancer	12	1	—	—	—	—	—	—	—	—	—	—	1
Gout	—	—	—	—	—	—	—	—	—	—	—	—	—
III. Scrofula	10	—	—	—	2	—	—	—	—	5	1	1	—
Tabes Mesenterica	9	1	2	1	—	1	1	—	1	1	—	—	—
Phthisis	99	—	—	—	—	—	—	1	2	7	16	19	10
Hydrocephalus	32	—	2	8	12	—	1	1	8	—	—	—	—

CAUSES of DEATH in ABERDEEN, at different Periods of Life, in 1876.—FEMALES.

DISEASES.	FEMALES.												
	ALL AGES.	AGE UNDER											
		MONTHS.			2	3	4	5	10	15	20	25	30
		3	6	12									
ALL CAUSES	1010	89	30	70	82	26	15	10	33	28	32	34	38
SPECIFIED CAUSES	1008	89	29	70	82	26	15	10	33	28	32	34	38
I. Zymotic Class	183	22	10	28	37	12	6	7	17	4	2	4	5
II. Diseases of Uncertain Seat	50	—	—	1	—	—	—	—	2	—	—	2	—
III. Tubercular Class . .	170	4	1	13	13	3	4	—	6	11	26	16	17
IV. Brain and Nervous System	114	9	6	5	5	4	1	—	1	3	—	1	2
V. Organs of Circulation .	72	—	—	1	—	—	—	—	1	3	—	1	4
VI. Respiratory Organs . .	167	9	6	14	17	3	4	3	—	1	—	3	2
VII. Organs of Digestion .	67	1	3	4	6	3	—	—	—	—	3	1	1
VIII. Urinary Organs . .	20	—	—	—	1	—	—	—	1	2	—	—	—
IX. Organs of Generation .	17	—	—	—	—	—	—	—	—	—	—	3	5
X. Organs of Locomotion .	15	—	—	—	—	—	—	—	3	1	1	3	1
XI. Skin, etc.	2	—	—	1	—	—	—	—	—	—	—	—	—
XII. Malformation	3	3	—	—	—	—	—	—	—	—	—	—	—
XIII. Premature Debility .	41	38	1	2	—	—	—	—	—	—	—	—	—
XIV. Atrophy	6	—	—	—	1	1	—	—	1	—	—	—	—
XV. Age	62	—	—	—	—	—	—	—	—	—	—	—	—
XVI. Sudden Deaths . . .	1	—	—	—	—	—	—	—	—	—	—	—	1
XVII. Violent Deaths . . .	18	3	2	1	2	—	—	—	1	3	—	—	—
I. Small-pox	—	—	—	—	—	—	—	—	—	—	—	—	—
Measles	31	1	—	8	13	5	1	2	1	—	—	—	—
Scarlatina	10	—	—	—	3	2	—	2	3	—	—	—	—
Diphtheria	10	1	1	1	3	—	—	1	2	—	—	1	—
Hooping-cough	28	2	2	9	8	3	2	—	2	—	—	—	—
Croup	13	—	—	1	4	2	3	—	3	—	—	—	—
Thrush	6	5	—	—	1	—	—	—	—	—	—	—	—
Diarrhoea	39	10	6	8	4	—	—	1	1	—	—	—	—
Dysentery	6	—	1	1	—	—	—	1	—	—	—	1	—
Cholera	1	—	—	—	1	—	—	—	—	—	—	—	—
Influenza	2	—	—	—	—	—	—	—	—	—	—	1	—
Purpura	—	—	—	—	—	—	—	—	—	—	—	—	—
Ague	—	—	—	—	—	—	—	—	—	—	—	—	—
Worms	—	—	—	—	—	—	—	—	—	—	—	—	—
Typhus	12	—	—	—	—	—	—	—	3	1	1	—	—
Enteric Fever	11	—	—	—	—	—	—	—	1	3	1	1	1
Relapsing Fever	1	—	—	—	—	—	—	—	—	—	—	—	—
Simple Continued Fever .	—	—	—	—	—	—	—	—	—	—	—	—	—
Infantile Remittent . .	1	—	—	—	—	—	—	—	1	—	—	—	—
Metria	6	—	—	—	—	—	—	—	—	—	—	—	4
Rheumatic Fever	1	—	—	—	—	—	—	—	—	—	—	—	—
Erysipelas	3	2	—	—	—	—	—	—	—	—	—	—	—
Pyæmia	1	—	—	—	—	—	—	—	—	—	—	—	—
Syphilis	1	1	—	—	—	—	—	—	—	—	—	—	—
Noma	—	—	—	—	—	—	—	—	—	—	—	—	—
Hydrophobia	—	—	—	—	—	—	—	—	—	—	—	—	—
Other Zymotic Diseases .	—	—	—	—	—	—	—	—	—	—	—	—	—
II. Hæmorrhage	—	—	—	—	—	—	—	—	—	—	—	—	—
Dropsy	7	—	—	—	—	—	—	—	1	—	—	1	—
Abscess	3	—	—	1	—	—	—	—	—	—	—	1	—
Ulcer	4	—	—	—	—	—	—	—	—	—	—	—	—
Fistula	—	—	—	—	—	—	—	—	—	—	—	—	—
Mortification	3	—	—	—	—	—	—	—	—	—	—	—	—
Cancer	33	—	—	—	—	—	—	—	1	—	—	—	—
Gout	—	—	—	—	—	—	—	—	—	—	—	—	—
III. Scrofula	9	—	—	1	—	2	—	—	1	2	2	—	—
Tabes Mesenterica . . .	10	3	—	—	4	—	—	—	—	1	2	—	—
Phthisis	124	—	—	—	1	1	2	—	4	6	22	16	17
Hydrocephalus	27	1	1	12	8	—	2	—	1	2	—	—	—

CAUSES of DEATH in GREENOCK, at different Periods of Life, in 1876.—BOTH SEXES.

DISEASES.	ALL AGES.	BOTH SEXES.											
		AGE UNDER											
		MONTHS.			2	3	4	5	10	15	20	25	30
		3	6	12									
ALL CAUSES	1613	162	80	113	168	88	72	50	104	41	45	52	56
SPECIFIED CAUSES	1598	154	78	112	168	88	72	49	104	41	45	51	56
I. Zymotic Class	338	15	21	28	56	40	37	22	52	7	6	10	8
II. Diseases of Uncertain Seat	57	1	3	—	1	2	—	2	5	—	—	—	—
III. Tubercular Class	277	5	7	11	24	16	11	9	16	18	22	16	25
IV. Brain and Nervous System	173	9	6	18	15	7	7	6	10	5	4	1	3
V. Organs of Circulation	80	—	—	—	1	—	—	—	3	2	2	2	1
VI. Respiratory Organs	251	17	15	36	44	14	8	3	5	2	—	10	3
VII. Organs of Digestion	96	5	12	10	19	2	3	1	3	2	1	2	1
VIII. Urinary Organs	14	—	—	—	—	—	—	2	1	1	—	1	2
IX. Organs of Generation	13	—	—	—	—	—	—	—	—	—	2	1	3
X. Organs of Locomotion	7	—	—	—	—	—	—	—	2	1	1	1	—
XI. Skin, etc.	10	2	1	2	1	—	1	—	—	—	—	1	1
XII. Malformation	8	7	—	—	—	—	—	—	1	—	—	—	—
XIII. Premature Debility	109	92	11	6	—	—	—	—	—	—	—	—	—
XIV. Atrophy	33	—	—	—	7	5	5	3	5	2	—	—	1
XV. Age	51	—	—	—	—	—	—	—	—	—	—	—	—
XVI. Sudden Deaths	1	—	—	—	—	—	—	—	—	—	—	—	—
XVII. Violent Deaths	80	1	2	1	—	2	—	1	1	1	7	6	8
I. Small-pox	—	—	—	—	—	—	—	—	—	—	—	—	—
Measles	8	—	1	—	5	1	—	—	1	—	—	—	—
Scarlatina	107	1	—	8	16	18	10	12	31	5	1	3	1
Diphtheria	32	—	—	3	9	7	6	2	4	1	—	—	—
Hooping-cough	25	2	1	5	6	5	4	1	1	—	—	—	—
Croup	28	1	1	2	11	3	6	3	1	—	—	—	—
Thrush	1	—	—	—	1	—	—	—	—	—	—	—	—
Diarrhoea	50	8	15	9	5	2	2	—	4	—	—	—	—
Dysentery	3	—	—	—	—	—	—	—	—	—	—	—	—
Cholera	3	—	—	—	—	—	1	—	1	—	—	—	—
Influenza	3	—	—	—	—	—	—	—	—	—	—	—	—
Purpura	1	—	—	—	1	—	—	—	—	—	—	—	—
Ague	—	—	—	—	—	—	—	—	—	—	—	—	—
Worms	—	—	—	—	—	—	—	—	—	—	—	—	—
Typhus	21	—	—	—	—	1	4	—	2	1	—	1	1
Enteric Fever	34	—	1	—	2	3	3	4	7	—	3	2	3
Relapsing Fever	1	—	—	—	—	—	—	—	—	—	—	—	1
Simple Continued Fever	—	—	—	—	—	—	—	—	—	—	—	—	—
Infantile Remittent	—	—	—	—	—	—	—	—	—	—	—	—	—
Metria	6	—	—	—	—	—	—	—	—	—	—	2	2
Rheumatic Fever	3	—	—	—	—	—	—	—	—	—	2	1	—
Erysipelas	7	—	1	1	—	—	—	—	—	—	—	1	—
Pyæmia	1	—	—	—	—	—	1	—	—	—	—	—	—
Syphilis	4	3	1	—	—	—	—	—	—	—	—	—	—
Noma	—	—	—	—	—	—	—	—	—	—	—	—	—
Hydrophobia	—	—	—	—	—	—	—	—	—	—	—	—	—
Other Zymotic Diseases	—	—	—	—	—	—	—	—	—	—	—	—	—
II. Hæmorrhage	3	1	—	—	—	—	—	—	1	—	—	—	—
Dropsy	13	—	—	—	—	1	—	2	4	—	—	—	—
Abscess	4	—	3	—	1	—	—	—	—	—	—	—	—
Ulcer	3	—	—	—	—	—	—	—	—	—	—	—	—
Fistula	—	—	—	—	—	—	—	—	—	—	—	—	—
Mortification	7	—	—	—	—	1	—	—	—	—	—	—	—
Cancer	27	—	—	—	—	—	—	—	—	—	—	—	—
Gout	—	—	—	—	—	—	—	—	—	—	—	—	—
III. Scrofula	23	2	—	1	3	3	—	1	3	4	4	—	—
Tabes Mesenterica	16	—	1	3	3	4	1	—	—	3	—	—	—
Phthisis	197	1	2	3	9	5	6	2	7	9	18	16	25
Hydrocephalus	41	2	4	4	9	4	4	6	6	2	—	—	—

CAUSES of DEATH in GREENOCK, at different Periods of Life, in 1876.—BOTH SEXES. (Continued).

DISEASES.	BOTH SEXES.												
	ALL AGES.	AGE UNDER											
		MONTHS.			2	3	4	5	10	15	20	25	30
		3	6	12									
IV. Cephalitis	31	1	—	4	5	3	2	4	6	3	1	—	—
Apoplexy	38	1	2	3	—	—	—	—	2	—	1	1	1
Paralysis	34	—	—	—	—	—	—	—	—	—	—	—	—
Delirium Tremens	—	—	—	—	—	—	—	—	—	—	—	—	—
Chorea	—	—	—	—	—	—	—	—	—	—	—	—	—
Epilepsy	8	—	—	—	—	—	—	—	—	1	1	—	1
Tetanus	—	—	—	—	—	—	—	—	—	—	—	—	—
Insanity	1	—	—	—	—	—	—	—	—	—	—	—	—
Convulsions	26	5	3	6	6	1	3	1	1	—	—	—	—
Brain Disease	35	2	1	5	4	3	2	1	1	1	1	—	1
V. Pericarditis	—	—	—	—	—	—	—	—	—	—	—	—	—
Aneurism	—	—	—	—	—	—	—	—	—	—	—	—	—
Heart Disease	80	—	—	—	1	—	—	—	3	2	2	2	1
VI. Laryngitis	4	1	—	—	—	—	1	—	—	—	—	—	—
Bronchitis	154	12	12	29	29	10	4	3	2	—	—	3	—
Pleurisy	—	—	—	—	—	—	—	—	—	—	—	—	—
Pneumonia	68	3	2	5	11	3	2	—	3	2	—	6	3
Asthma	6	—	—	—	—	—	—	—	—	—	—	1	—
Lung Disease	19	1	1	2	4	1	1	—	—	—	—	—	—
VII. Teething	24	—	4	4	15	1	—	—	—	—	—	—	—
Quinsey	2	—	—	—	1	1	—	—	—	—	—	—	—
Gastritis	7	—	1	—	1	—	1	—	—	—	—	—	—
Enteritis	21	4	4	3	2	—	1	1	2	—	1	—	—
Peritonitis	8	—	1	—	—	—	—	—	—	1	—	1	—
Ascites	2	—	—	—	—	—	—	—	1	1	—	—	—
Ulceration of Intestines	2	—	—	—	—	—	—	—	—	—	—	—	1
Hernia	1	—	—	—	—	—	—	—	—	—	—	—	—
Ileus	2	—	—	—	—	—	—	—	—	—	—	—	—
Intussusception	2	—	1	1	—	—	—	—	—	—	—	—	—
Stricture of Intestines	1	—	—	—	—	—	—	—	—	—	—	—	—
Stomach Disease	9	1	1	2	—	—	—	—	—	—	—	—	—
Pancreas Disease	—	—	—	—	—	—	—	—	—	—	—	—	—
Hepatitis	—	—	—	—	—	—	—	—	—	—	—	—	—
Jaundice	2	—	—	—	—	—	1	—	—	—	—	—	—
Liver Disease	13	—	—	—	—	—	—	—	—	—	—	1	—
Spleen Disease	—	—	—	—	—	—	—	—	—	—	—	—	—
VIII. Nephritis	2	—	—	—	—	—	—	—	—	1	—	—	—
Nephria	4	—	—	—	—	—	—	—	—	—	—	1	—
Addison's Disease	—	—	—	—	—	—	—	—	—	—	—	—	—
Ischuria	—	—	—	—	—	—	—	—	—	—	—	—	—
Diabetes	—	—	—	—	—	—	—	—	—	—	—	—	—
Stone	1	—	—	—	—	—	—	—	—	—	—	—	1
Cystitis	—	—	—	—	—	—	—	—	—	—	—	—	—
Stricture of Urethra	—	—	—	—	—	—	—	—	—	—	—	—	—
Kidney Disease	7	—	—	—	—	—	—	2	1	—	—	—	1
IX. Paramenia	—	—	—	—	—	—	—	—	—	—	—	—	—
Ovarian Dropsy	—	—	—	—	—	—	—	—	—	—	—	—	—
Childbirth	10	—	—	—	—	—	—	—	—	—	2	1	3
Organs of Generation	3	—	—	—	—	—	—	—	—	—	—	—	—
X. Bone Disease	1	—	—	—	—	—	—	—	—	—	1	—	—
Rheumatism	1	—	—	—	—	—	—	—	—	—	—	—	—
Joint Disease	5	—	—	—	—	—	—	—	2	1	—	1	—
XI. Carbuncle	—	—	—	—	—	—	—	—	—	—	—	—	—
Phlegmon	4	1	—	—	—	—	1	—	—	—	—	1	1
Skin Disease	6	1	1	2	1	—	—	—	—	—	—	—	—
XVII. Intemperance	11	—	—	—	—	—	—	—	—	—	1	1	—
Privation	—	—	—	—	—	—	—	—	—	—	—	—	—
Want of Breast Milk	1	—	1	—	—	—	—	—	—	—	—	—	—
Neglect	—	—	—	—	—	—	—	—	—	—	—	—	—
Cold	—	—	—	—	—	—	—	—	—	—	—	—	—
Poison	—	—	—	—	—	—	—	—	—	—	—	—	—
Poisoned Wounds	—	—	—	—	—	—	—	—	—	—	—	—	—
Burns and Scalds	8	—	—	1	—	2	—	1	—	—	1	—	—
Hanging, etc.	1	—	—	—	—	—	—	—	—	—	—	—	—
Suffocation	2	1	1	—	—	—	—	—	—	—	—	—	—
Drowning	16	—	—	—	—	—	—	—	1	—	2	1	5
Fracture and Contusion	33	—	—	—	—	—	—	—	—	1	2	4	1
Gunshot Wounds	2	—	—	—	—	—	—	—	—	—	—	—	1
Cuts and Stabs	2	—	—	—	—	—	—	—	—	—	—	—	1
Other Violent Causes	4	—	—	—	—	—	—	—	—	—	1	—	—
Not specified	15	8	2	1	—	—	—	1	—	—	—	1	—

CAUSES of DEATH in PAISLEY, at different Periods of Life, in 1876.—BOTH SEXES.

DISEASES.	ALL AGES.	BOTH SEXES.											
		AGE UNDER											
		MONTHS.			2	3	4	5	10	15	20	25	30
		3	6	12									
ALL CAUSES	1287	129	44	86	110	57	25	21	67	32	59	51	45
SPECIFIED CAUSES	1283	126	44	86	110	57	25	21	67	32	59	51	45
I. Zymotic Class	243	11	12	32	42	27	14	9	27	4	11	9	9
II. Diseases of Uncertain Seat	49	—	—	—	1	1	—	1	2	1	1	4	—
III. Tubercular Class	230	1	5	14	14	9	7	6	14	20	40	25	20
IV. Brain and Nervous System	139	8	7	8	10	3	1	1	4	2	3	1	1
V. Organs of Circulation	53	—	—	—	—	—	—	—	2	2	1	2	3
VI. Respiratory Organs	202	12	13	15	27	12	1	3	4	1	—	2	2
VII. Organs of Digestion	90	10	6	13	8	3	—	1	3	—	—	1	2
VIII. Urinary Organs	19	—	—	—	—	—	—	—	—	—	1	2	2
IX. Organs of Generation	4	—	—	—	—	—	—	—	—	—	1	—	—
X. Organs of Locomotion	11	—	—	—	—	1	—	—	3	2	—	—	—
XI. Skin, etc.	1	—	—	—	—	—	—	—	—	—	—	—	—
XII. Malformation	1	1	—	—	—	—	—	—	—	—	—	—	—
XIII. Premature Debility	84	79	1	4	—	—	—	—	—	—	—	—	—
XIV. Atrophy	14	—	—	—	7	1	—	—	1	—	—	—	—
XV. Age	92	—	—	—	—	—	—	—	—	—	—	—	—
XVI. Sudden Deaths	2	1	—	—	—	—	—	—	—	—	—	—	—
XVII. Violent Deaths	49	3	—	—	1	—	2	—	7	—	1	5	6
I. Small-pox	—	—	—	—	—	—	—	—	—	—	—	—	—
Measles	3	—	—	2	1	—	—	—	—	—	—	—	—
Scarlatina	32	—	—	3	6	3	5	2	11	1	—	—	—
Diphtheria	15	—	1	2	1	5	2	2	2	—	—	—	—
Hooping-cough	71	3	3	15	26	13	5	—	6	—	—	—	—
Croup	8	—	—	1	1	1	1	1	3	—	—	—	—
Thrush	—	—	—	—	—	—	—	—	—	—	—	—	—
Diarrhoea	43	6	6	8	4	2	—	—	—	—	2	—	—
Dysentery	3	—	—	—	—	—	—	—	—	—	—	—	—
Cholera	1	—	—	—	—	—	—	—	—	—	—	—	—
Influenza	—	—	—	—	—	—	—	—	—	—	—	—	—
Purpura	—	—	—	—	—	—	—	—	—	—	—	—	—
Ague	—	—	—	—	—	—	—	—	—	—	—	—	—
Worms	—	—	—	—	—	—	—	—	—	—	—	—	—
Typhus	15	—	1	—	1	—	—	—	3	—	2	1	1
Enteric Fever	27	—	—	—	—	2	1	2	—	1	3	6	5
Relapsing Fever	—	—	—	—	—	—	—	—	—	—	—	—	—
Simple Continued Fever	2	—	—	—	—	—	—	—	1	1	—	—	—
Infantile Remittent	6	—	—	1	2	—	—	2	1	—	—	—	—
Metria	7	—	—	—	—	—	—	—	—	—	2	2	2
Rheumatic Fever	2	—	—	—	—	—	—	—	—	—	2	—	—
Erysipelas	3	—	—	—	—	—	—	—	—	1	—	—	—
Pyæmia	—	—	—	—	—	—	—	—	—	—	—	—	—
Syphilis	4	2	1	—	—	—	—	—	—	—	—	—	1
Noma	—	—	—	—	—	—	—	—	—	—	—	—	—
Hydrophobia	—	—	—	—	—	—	—	—	—	—	—	—	—
Other Zymotic Diseases	1	—	—	—	—	1	—	—	—	—	—	—	—
II. Hæmorrhage	—	—	—	—	—	—	—	—	—	—	—	—	—
Dropsy	16	—	—	—	1	1	—	1	2	—	1	—	—
Abscess	6	—	—	—	—	—	—	—	—	—	—	2	—
Ulcer	—	—	—	—	—	—	—	—	—	—	—	—	—
Fistula	—	—	—	—	—	—	—	—	—	—	—	—	—
Mortification	5	—	—	—	—	—	—	—	—	1	—	1	—
Cancer	22	—	—	—	—	—	—	—	—	—	—	1	—
Gout	—	—	—	—	—	—	—	—	—	—	—	—	—
III. Scrofula	17	—	—	2	1	1	—	—	2	1	4	—	1
Tabes Mesenterica	13	—	—	2	1	1	1	2	3	1	2	—	—
Phthisis	161	—	1	1	3	2	4	1	7	14	34	25	19
Hydrocephalus	39	1	4	9	9	5	2	3	2	4	—	—	—

CAUSES of DEATH in PAISLEY, at different Periods of Life, in 1876.—BOTH SEXES. (*Continued.*)

[illegible]

CAUSES of DEATH in PAISLEY, at different Periods of Life, in 1876.—BOTH SEXES. (Continued.)

DISEASES.	BOTH SEXES.															
	AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
Cephalitis . . .	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—
Apoplexy . . .	1	1	2	1	2	3	5	2	4	—	—	—	—	—	—	—
Paralysis . . .	—	—	2	2	2	7	9	6	3	9	1	—	—	—	—	—
Delirium Tremens . . .	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—
Chorea . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Epilepsy . . .	—	1	3	1	2	—	—	—	—	1	—	—	—	—	—	—
Tetanus . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Insanity . . .	—	—	—	—	2	—	—	—	—	—	—	—	—	—	—	—
Convulsions . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Brain Disease . . .	2	2	1	2	—	3	1	2	1	1	—	1	—	—	—	—
Pericarditis . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Aneurism . . .	—	—	—	—	1	—	1	—	—	—	—	—	—	—	—	—
Heart Disease . . .	2	6	1	3	6	6	7	5	2	3	—	—	—	—	—	—
Laryngitis . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Bronchitis . . .	2	4	2	5	8	11	14	15	10	5	2	1	1	—	—	—
Pleurisy . . .	—	—	—	1	—	—	2	—	—	—	—	—	—	—	—	—
Pneumonia . . .	1	3	2	2	2	5	2	2	—	—	—	—	—	—	—	—
Asthma . . .	—	—	—	2	2	3	—	1	—	—	—	—	—	—	—	—
Lung Disease . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Teething . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Quinsey . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Gastritis . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Enteritis . . .	—	—	1	—	—	1	2	1	—	—	—	—	—	—	—	—
Peritonitis . . .	1	1	—	—	—	2	—	1	—	—	—	—	—	—	—	—
Ascites . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Ulceration of Intestines . . .	2	—	2	—	2	—	—	—	—	—	—	—	—	—	—	—
Hernia . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Ileus . . .	—	—	1	—	—	1	—	1	1	—	—	—	—	—	—	—
Intussusception . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Stricture of Intestines . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Stomach Disease . . .	—	—	—	—	—	—	1	—	1	2	—	—	—	—	—	—
Pancreas Disease . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Hepatitis . . .	—	—	1	—	—	1	4	1	—	—	—	—	—	—	—	—
Jaundice . . .	—	—	—	—	1	—	1	—	—	—	—	—	—	—	—	—
Liver Disease . . .	2	1	1	—	2	1	1	1	1	—	—	—	—	—	—	—
Spleen Disease . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Nephritis . . .	—	—	—	—	1	—	1	—	—	—	—	—	—	—	—	—
Nephria . . .	1	2	1	1	—	1	—	—	—	—	—	—	—	—	—	—
Addison's Disease . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Ischuria . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Diabetes . . .	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Stone . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Cystitis . . .	—	—	—	—	—	1	1	—	2	—	—	—	—	—	—	—
Stricture of Urethra . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Kidney Disease . . .	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—
Paramenia . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Ovarian Dropsy . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Childbirth . . .	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Organs of Generation . . .	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—
Bone Disease . . .	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—
Rheumatism . . .	—	—	—	1	—	1	—	—	—	—	—	—	—	—	—	—
Joint Disease . . .	—	—	—	—	1	1	—	—	—	—	—	—	—	—	—	—
Carbuncle . . .	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—
Phlegmon . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Skin Disease . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Intemperance . . .	—	1	—	1	—	—	—	—	—	—	—	—	—	—	—	—
Privation . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Want of Breast Milk . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Neglect . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Cold . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Poison . . .	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Poisoned Wounds . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Burns and Scalds . . .	1	1	—	—	—	—	1	—	—	—	—	—	—	—	—	—
Hanging, etc. . .	—	1	—	—	1	—	—	—	—	—	—	—	—	—	—	—
Suffocation . . .	—	1	1	—	1	—	—	—	—	1	—	—	—	—	—	—
Drowning . . .	—	—	—	1	1	—	1	1	—	—	—	—	—	—	—	—
Fracture and Contusion . . .	—	—	—	—	2	1	1	1	—	—	1	—	—	—	—	—
Gunshot Wounds . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Cuts and Stabs . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Other Violent Causes . . .	—	1	—	—	—	—	—	—	1	—	—	—	—	—	—	—
Not specified . . .	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—

CAUSES of DEATH in LEITH, at different Periods of Life, in 1876.—BOTH SEXES.

DISEASES.	BOTH SEXES.												
	ALL AGES.	AGE UNDER											
		MONTHS.			2	3	4	5	10	15	20	25	30
		3	6	12									
ALL CAUSES	1174	148	51	97	137	53	37	24	44	17	25	45	34
SPECIFIED CAUSES	1168	146	51	96	137	53	37	24	44	17	25	45	33
I. Zymotic Class	245	22	14	30	47	30	13	20	25	4	4	2	3
II. Diseases of Uncertain Seat	44	1	—	2	1	—	2	—	—	—	—	—	—
III. Tubercular Class	167	5	6	11	26	4	5	3	8	7	14	20	12
IV. Brain and Nervous System	125	15	7	5	10	3	2	1	6	2	2	1	2
V. Organs of Circulation	63	—	—	—	—	1	—	—	—	—	2	2	2
VI. Respiratory Organs	235	19	17	38	46	10	13	—	1	1	1	4	6
VII. Organs of Digestion	82	11	3	8	4	2	—	—	1	3	—	6	3
VIII. Urinary Organs	17	—	—	—	—	1	—	—	1	—	—	3	2
IX. Organs of Generation	9	—	—	—	—	—	—	—	—	—	—	2	1
X. Organs of Locomotion	7	—	—	—	—	—	—	—	—	—	—	3	—
XI. Skin, etc.	1	—	1	—	—	—	—	—	—	—	—	—	—
XII. Malformation	4	4	—	—	—	—	—	—	—	—	—	—	—
XIII. Premature Debility	70	68	2	—	—	—	—	—	—	—	—	—	—
XIV. Atrophy	8	—	—	—	2	1	2	—	1	—	—	—	—
XV. Age	41	—	—	—	—	—	—	—	—	—	—	—	—
XVI. Sudden Deaths	3	—	—	—	1	—	—	—	—	—	—	—	—
XVII. Violent Deaths	47	1	1	2	—	1	—	—	1	—	2	2	2
I. Small-pox	—	—	—	—	—	—	—	—	—	—	—	—	—
Measles	50	—	—	14	17	11	3	4	1	—	—	—	—
Scarlatina	45	—	—	1	9	6	4	11	10	3	1	—	—
Diphtheria	19	—	—	1	4	4	1	3	5	—	—	—	—
Hooping-cough	24	3	1	7	5	3	1	1	3	—	—	—	—
Croup	18	1	—	4	6	4	2	—	1	—	—	—	—
Thrush	—	—	—	—	—	—	—	—	—	—	—	—	—
Diarrhoea	47	17	9	3	4	2	1	—	1	—	—	—	—
Dysentery	1	—	1	—	—	—	—	—	—	—	—	—	—
Cholera	1	—	—	—	—	—	—	—	—	—	—	—	—
Influenza	—	—	—	—	—	—	—	—	—	—	—	—	—
Purpura	2	—	1	—	—	—	—	—	—	—	—	—	—
Ague	1	—	—	—	—	—	—	—	—	—	—	—	—
Worms	—	—	—	—	—	—	—	—	—	—	—	—	—
Typhus	11	—	—	—	1	—	—	—	—	—	2	—	1
Enteric Fever	12	—	—	—	—	—	—	—	2	1	1	2	—
Relapsing Fever	—	—	—	—	—	—	—	—	—	—	—	—	—
Simple Continued Fever	—	—	—	—	—	—	—	—	—	—	—	—	—
Infantile Remittent	2	—	—	—	—	—	—	1	1	—	—	—	—
Metria	2	—	—	—	—	—	—	—	—	—	—	—	—
Rheumatic Fever	—	—	—	—	—	—	—	—	—	—	—	—	—
Erysipelas	4	—	—	—	—	—	1	—	—	—	—	—	1
Pyæmia	—	—	—	—	—	—	—	—	—	—	—	—	—
Syphilis	5	1	2	—	1	—	—	—	—	—	—	—	1
Noma	—	—	—	—	—	—	—	—	—	—	—	—	—
Hydrophobia	—	—	—	—	—	—	—	—	—	—	—	—	—
Other Zymotic Diseases	1	—	—	—	—	—	—	—	1	—	—	—	—
II. Hæmorrhage	—	—	—	—	—	—	—	—	—	—	—	—	—
Dropsy	8	—	—	—	1	—	2	—	—	—	—	—	—
Abscess	4	—	—	2	—	—	—	—	—	—	—	—	—
Ulcer	2	—	—	—	—	—	—	—	—	—	—	—	—
Fistula	1	—	—	—	—	—	—	—	—	—	—	—	—
Mortification	2	—	—	—	—	—	—	—	—	—	—	—	—
Cancer	27	1	—	—	—	—	—	—	—	—	—	—	—
Gout	—	—	—	—	—	—	—	—	—	—	—	—	—
III. Scrofula	18	1	1	—	5	1	2	—	2	2	1	1	1
Tabes Mesenterica	17	2	3	2	4	—	1	—	3	2	—	—	—
Phthisis	97	—	—	—	3	2	—	1	1	3	12	19	11
Hydrocephalus	35	2	2	9	14	1	2	2	2	—	1	—	—

CAUSES of DEATH in PERTH, at different Periods of Life, in 1876.—BOTH SEXES.

DISEASES.	BOTH SEXES.												
	ALL AGES.	AGE UNDER											
		MONTHS.			2	3	4	5	10	15	20	25	30
		3	6	12									
ALL CAUSES	640	70	20	39	37	25	18	11	28	16	15	22	17
SPECIFIED CAUSES	636	67	20	39	36	25	18	11	28	16	15	22	17
I. Zymotic Class	125	19	8	10	18	11	10	6	12	3	4	4	1
II. Diseases of Uncertain Seat	13	-	-	-	-	-	-	-	-	-	-	-	-
III. Tubercular Class	94	-	4	6	2	7	3	-	5	7	7	9	11
IV. Brain and Nervous System	50	4	-	1	4	-	1	1	3	2	1	1	1
V. Organs of Circulation	62	-	-	-	-	-	-	2	-	2	1	2	-
VI. Respiratory Organs	99	8	4	11	6	4	2	2	4	1	1	1	1
VII. Organs of Digestion	42	3	1	8	5	-	1	-	-	-	-	-	-
VIII. Urinary Organs	7	-	-	-	-	-	-	-	-	-	-	-	1
IX. Organs of Generation	5	-	-	-	-	-	-	-	-	-	-	1	-
X. Organs of Locomotion	2	-	-	-	-	-	-	-	-	-	-	1	-
XI. Skin, etc.	1	-	-	-	-	-	-	-	-	-	-	-	-
XII. Malformation	5	3	1	-	-	-	1	-	-	-	-	-	-
XIII. Premature Debility	33	29	1	3	-	-	-	-	-	-	-	-	-
XIV. Atrophy	11	-	-	-	1	2	-	-	1	-	-	-	-
XV. Age	64	-	-	-	-	-	-	-	-	-	-	-	-
XVI. Sudden Deaths	2	1	-	-	-	-	-	-	-	-	-	-	-
XVII. Violent Deaths	21	-	1	-	-	1	-	-	3	1	1	3	2
I. Small-pox	2	-	-	-	-	-	-	-	-	-	-	1	-
Measles	1	-	1	-	-	-	-	-	-	-	-	-	-
Scarlatina	13	-	-	1	4	2	2	1	2	1	-	-	-
Diphtheria	11	-	-	2	1	3	1	2	2	-	-	-	-
Hooping-cough	34	9	4	6	8	2	3	1	1	-	-	-	-
Croup	13	-	1	-	5	2	3	1	1	-	-	-	-
Thrush	1	1	-	-	-	-	-	-	-	-	-	-	-
Diarrhoea	13	8	1	-	-	-	1	-	-	-	-	-	-
Dysentery	1	-	-	-	-	-	-	-	-	-	-	-	-
Cholera	-	-	-	-	-	-	-	-	-	-	-	-	-
Influenza	-	-	-	-	-	-	-	-	-	-	-	-	-
Purpura	3	-	-	-	-	1	-	-	-	1	-	-	-
Ague	-	-	-	-	-	-	-	-	-	-	-	-	-
Worms	-	-	-	-	-	-	-	-	-	-	-	-	-
Typhus	12	-	-	-	-	1	-	1	2	-	3	2	-
Enteric Fever	6	-	1	-	-	-	-	-	2	-	1	1	-
Relapsing Fever	-	-	-	-	-	-	-	-	-	-	-	-	-
Simple Continued Fever	2	-	-	-	-	-	-	-	2	-	-	-	-
Infantile Remittent	-	-	-	-	-	-	-	-	-	-	-	-	-
Metria	3	-	-	-	-	-	-	-	-	-	-	-	1
Rheumatic Fever	1	-	-	-	-	-	-	-	-	1	-	-	-
Erysipelas	6	1	-	1	-	-	-	-	-	-	-	-	-
Pyæmia	1	-	-	-	-	-	-	-	-	-	-	-	-
Syphilis	2	-	-	-	-	-	-	-	-	-	-	-	-
Noma	-	-	-	-	-	-	-	-	-	-	-	-	-
Hydrophobia	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Zymotic Diseases	-	-	-	-	-	-	-	-	-	-	-	-	-
II. Hæmorrhage	1	-	-	-	-	-	-	-	-	-	-	-	-
Dropsy	1	-	-	-	-	-	-	-	-	-	-	-	-
Abscess	1	-	-	-	-	-	-	-	-	-	-	-	-
Ulcer	-	-	-	-	-	-	-	-	-	-	-	-	-
Fistula	-	-	-	-	-	-	-	-	-	-	-	-	-
Mortification	-	-	-	-	-	-	-	-	-	-	-	-	-
Cancer	9	-	-	-	-	-	-	-	-	-	-	-	-
Gout	1	-	-	-	-	-	-	-	-	-	-	-	-
III. Scrofula	4	-	1	-	-	-	-	-	-	1	-	1	1
Tabes Mesenterica	9	-	1	2	1	4	-	-	1	-	-	-	-
Phthisis	66	-	-	-	-	1	-	-	1	6	7	8	10
Hydrocephalus	15	-	2	4	1	2	3	-	3	-	-	-	-

CAUSES of DEATH in PERTH, at different Periods of Life, in 1876.—BOTH SEXES. (Continued.)

DISEASES.	BOTH SEXES.												
	ALL AGES.	AGE UNDER											
		MONTHS.			2	3	4	5	10	15	20	25	30
		3	6	12									
IV. Cephalitis	5	—	—	—	2	—	—	1	1	1	—	—	—
Apoplexy	11	—	—	—	—	—	—	—	—	—	—	—	—
Paralysis	15	—	—	—	—	—	—	—	—	—	1	—	—
Delirium Tremens	—	—	—	—	—	—	—	—	—	—	—	—	—
Chorea	—	—	—	—	—	—	—	—	—	—	—	—	—
Epilepsy	3	—	—	—	—	—	—	—	—	1	—	—	1
Tetanus	1	—	—	—	1	—	—	—	—	—	—	—	—
Insanity	—	—	—	—	—	—	—	—	—	—	—	—	—
Convulsions	7	3	—	1	—	—	1	—	1	—	—	—	—
Brain Disease	8	1	—	—	1	—	—	—	1	—	—	1	—
V. Pericarditis	1	—	—	—	—	—	—	—	—	1	—	—	—
Aneurism	3	—	—	—	—	—	—	—	—	—	—	—	—
Heart Disease	58	—	—	—	—	—	—	2	—	1	1	2	—
VI. Laryngitis	—	—	—	—	—	—	—	—	—	—	—	—	—
Bronchitis	69	5	3	11	6	4	1	2	—	—	—	—	—
Pleurisy	1	—	—	—	—	—	—	—	—	—	—	—	—
Pneumonia	21	3	1	—	—	—	1	—	4	1	1	1	1
Asthma	7	—	—	—	—	—	—	—	—	—	—	—	—
Lung Disease	1	—	—	—	—	—	—	—	—	—	—	—	—
VII. Teething	12	1	—	7	4	—	—	—	—	—	—	—	—
Quinsey	—	—	—	—	—	—	—	—	—	—	—	—	—
Gastritis	2	—	—	—	—	—	—	—	—	—	—	—	—
Enteritis	2	1	—	—	1	—	—	—	—	—	—	—	—
Peritonitis	3	—	—	1	—	—	—	—	—	—	—	—	—
Ascites	—	—	—	—	—	—	—	—	—	—	—	—	—
Ulceration of Intestines	—	—	—	—	—	—	—	—	—	—	—	—	—
Hernia	2	—	—	—	—	—	—	—	—	—	—	—	—
Ileus	—	—	—	—	—	—	—	—	—	—	—	—	—
Intussusception	1	—	—	—	—	—	—	—	—	—	—	—	—
Stricture of Intestines	—	—	—	—	—	—	—	—	—	—	—	—	—
Stomach Disease	5	—	—	—	—	—	1	—	—	—	—	—	—
Pancreas Disease	—	—	—	—	—	—	—	—	—	—	—	—	—
Hepatitis	4	—	—	—	—	—	—	—	—	—	—	—	—
Jaundice	3	1	1	—	—	—	—	—	—	—	—	—	—
Liver Disease	8	—	—	—	—	—	—	—	—	—	—	—	—
Spleen Disease	—	—	—	—	—	—	—	—	—	—	—	—	—
VIII. Nephritis	—	—	—	—	—	—	—	—	—	—	—	—	—
Nephria	4	—	—	—	—	—	—	—	—	—	—	—	1
Addison's Disease	1	—	—	—	—	—	—	—	—	—	—	—	—
Ischuria	—	—	—	—	—	—	—	—	—	—	—	—	—
Diabetes	—	—	—	—	—	—	—	—	—	—	—	—	—
Stone	—	—	—	—	—	—	—	—	—	—	—	—	—
Cystitis	—	—	—	—	—	—	—	—	—	—	—	—	—
Stricture of Urethra	—	—	—	—	—	—	—	—	—	—	—	—	—
Kidney Disease	2	—	—	—	—	—	—	—	—	—	—	—	—
IX. Paramenia	—	—	—	—	—	—	—	—	—	—	—	—	—
Ovarian Dropsy	—	—	—	—	—	—	—	—	—	—	—	—	—
Childbirth	3	—	—	—	—	—	—	—	—	—	—	—	—
Organs of Generation	2	—	—	—	—	—	—	—	—	—	—	1	—
X. Bone Disease	—	—	—	—	—	—	—	—	—	—	—	—	—
Rheumatism	1	—	—	—	—	—	—	—	—	—	—	—	—
Joint Disease	1	—	—	—	—	—	—	—	—	—	—	1	—
XI. Carbuncle	—	—	—	—	—	—	—	—	—	—	—	—	—
Phlegmon	1	—	—	—	—	—	—	—	—	—	—	—	—
Skin Disease	—	—	—	—	—	—	—	—	—	—	—	—	—
XVII. Intemperance	1	—	—	—	—	—	—	—	—	—	—	—	—
Privation	—	—	—	—	—	—	—	—	—	—	—	—	—
Want of Breast Milk	—	—	—	—	—	—	—	—	—	—	—	—	—
Neglect	—	—	—	—	—	—	—	—	—	—	—	—	—
Cold	—	—	—	—	—	—	—	—	—	—	—	—	—
Poison	1	—	—	—	—	—	—	—	—	—	—	—	—
Poisoned Wounds	—	—	—	—	—	—	—	—	—	—	—	—	—
Burns and Scalds	3	—	—	—	—	—	—	—	2	—	—	—	—
Hanging, etc.	—	—	—	—	—	—	—	—	—	—	—	—	—
Suffocation	—	—	—	—	—	—	—	—	—	—	—	—	—
Drowning	6	—	1	—	—	—	—	—	—	1	1	—	1
Fracture and Contusion	8	—	—	—	—	1	—	—	—	—	—	3	1
Gunshot Wounds	—	—	—	—	—	—	—	—	—	—	—	—	—
Cuts and Stabs	—	—	—	—	—	—	—	—	—	—	—	—	—
Other Violent Causes	2	—	—	—	—	—	—	—	1	—	—	—	—
Not specified	4	3	—	—	1	—	—	—	—	—	—	—	—

TABLE showing the Distribution of DEATHS according to MONTHS, or the influence of SEASON on the MORTALITY.

		DEATHS in 1876.												
		Jan	Feb	Mar	Apr	May	Jun	July	Aug	Sep	Oct	Nov	Dec	YEAR.
MEAN TEMPERATURE in 1876		39°·2	36°·9	37°·6	43°·7	48°·9	55°·0	58°·4	57°·8	51°·8	49°·8	40°·7	40°·0	46°·6
SCOTLAND		6866	7011	7417	6523	6821	5926	5571	5765	5129	5152	5808	6133	74122
1	PRINCIPAL TOWN DISTRICTS	2651	2642	2851	2473	2629	2170	2091	2131	1913	1951	2183	2286	27971
2	LARGE TOWN DISTRICTS	842	834	852	801	817	728	697	773	636	594	688	774	9036
3	SMALL TOWN DISTRICTS	1552	1555	1633	1386	1596	1336	1301	1316	1195	1156	1375	1420	16821
4	MAINLAND-RURAL DISTRICTS	1620	1758	1839	1642	1595	1531	1340	1404	1232	1306	1416	1483	18166
5	INSULAR-RURAL DISTRICTS	201	222	242	221	184	161	142	141	153	145	146	170	2128
DIVISIONS.														
1	NORTHERN	182	207	221	198	198	160	141	142	139	144	162	189	2083
2	NORTH-WESTERN	284	308	298	256	252	235	232	216	207	202	226	222	2938
3	NORTH-EASTERN	594	543	648	574	519	505	534	547	441	473	522	603	6503
4	EAST-MIDLAND	1040	1057	1126	997	1117	977	844	908	796	763	885	912	11422
5	WEST-MIDLAND	507	510	494	447	488	428	384	433	392	415	440	459	5397
6	SOUTH-WESTERN	2943	3040	3233	2838	2923	2468	2363	2474	2186	2229	2499	2565	31761
7	SOUTH-EASTERN	956	973	1030	877	962	828	792	730	724	681	808	874	10235
8	SOUTHERN	360	373	367	336	362	325	281	315	244	245	266	309	3783
COUNTIES.														
I. NORTHERN.														
1	Shetland	31	55	61	42	31	33	33	23	30	33	34	44	450
2	Orkney	42	49	50	50	50	34	32	28	34	28	34	39	470
3	Caithness	66	71	67	85	82	63	50	61	54	52	66	67	784
4	Sutherland	43	32	43	21	35	30	26	30	21	31	28	39	379
II. NORTH-WESTERN.														
5	Ross and Cromarty	134	153	145	115	109	115	125	110	99	86	128	100	1419
6	Inverness	150	155	153	141	143	120	107	106	108	116	98	122	1519
III. NORTH-EASTERN.														
7	Nairn	9	15	14	11	10	13	11	20	15	13	8	8	147
8	Elgin (or Moray)	70	61	82	60	54	62	46	70	54	56	74	90	779
9	Banff	89	73	102	83	79	74	71	50	61	59	71	72	884
10	Aberdeen	392	342	400	380	341	313	364	355	281	306	327	384	4185
11	Kincardine	34	52	50	40	35	43	42	52	30	39	42	49	508
IV. EAST-MIDLAND.														
12	Forfar	495	507	540	438	524	434	397	427	354	353	411	424	5304
13	Perth	210	210	254	233	258	210	164	188	189	175	189	203	2483
14	Fife	275	278	270	271	276	280	239	244	217	199	231	240	3020
15	Kinross	15	9	13	14	11	9	8	12	7	12	24	17	151
16	Clackmannan	45	53	49	41	48	44	36	37	29	24	30	28	464
V. WEST-MIDLAND.														
17	Stirling	234	217	200	178	216	194	151	166	153	172	206	208	2295
18	Dumbarton	119	127	121	104	114	98	108	99	113	96	101	102	1302
19	Argyll	121	138	145	141	121	114	92	130	96	127	109	123	1457
20	Bute	33	28	28	24	37	22	33	38	30	20	24	26	343
VI. SOUTH-WESTERN.														
21	Renfrew	448	437	489	384	386	371	368	413	352	350	386	365	4749
22	Ayr	440	466	477	444	457	403	375	360	320	341	329	364	4776
23	Lanark	2055	2137	2267	2010	2080	1694	1620	1701	1514	1538	1784	1836	22236
VII. SOUTH-EASTERN.														
24	Linlithgow	68	61	78	74	65	55	55	69	68	52	86	75	806
25	Edinburgh	720	714	773	632	720	621	588	531	531	508	578	648	7564
26	Haddington	72	61	63	52	59	42	47	42	37	46	41	45	607
27	Berwick	41	64	58	41	57	41	40	43	44	36	54	45	564
28	Peebles	15	27	21	31	22	29	21	11	11	18	16	22	244
29	Selkirk	40	46	37	47	39	40	41	34	33	21	33	39	450
VIII. SOUTHERN.														
30	Roxburgh	84	85	79	76	92	89	69	80	43	60	60	69	886
31	Dumfries	148	145	150	121	135	115	102	126	105	92	93	118	1450
32	Kirkcudbright	82	77	64	90	73	59	53	57	48	51	61	64	779
33	Wigtown	46	66	74	49	62	62	57	52	48	42	52	58	668

The numbers given above are taken from the Registrar-General's Quarterly Reports, which, being made up from the Returns furnished by the Registrars, do not correspond with those given in the foregoing tables.

CONSTITUTION OF THE DISTRICTS DISTINGUISHED IN THE PRECEDING TABLES
BY AN ASTERISK (*).

No.	Districts.	Component Parts (Parishes).
14	Deerness	Part of St Andrews.
15	Eday and Pharay	Part of Stronsay and Eday.
22	North Ronaldshay	Part of Cross and Burness.
26	Sanday	Lady, and part of Cross and Burness.
59b	Carnoch	Parts of Contin, Fodderty, and Urray.
71b	Kinlochluichart	Parts of Contin, Fodderty, and Urray.
86b	Carloway	Parts of Lochs and Uig.
87	Lochs	Parts of Lochs and Uig.
112	Kilmuir	(1) Part of Kilmuir (2) Rest of Kilmuir and part of Snizort.
135	Elgin	Elgin, and parts of New Spynie and St Andrews-Lhanbryde.
147	Banff	Banff, and part of Gamrie.
152	Enzie	Parts of Bellie and Rathven.
155b	Glenrinnnes	Parts of Aberlour and Mortlach.
167	Seafeld	Parts of Cullen and Rathven.
217	Logie Coldstone and Cromar	Logie Coldstone, and part of Glenmuick, &c.
222b	Millbren	Parts of Fyvie and Monquhitter.
227a	New Machar	New Machar, and part of Udney.
227b	New Pitsligo	Parts of Aberdour, New Deer, Strichen, and Tyrie.
237b	Savoch	Parts of Ellon, New Deer, Old Deer, and Tarves.
240	Strathdon	Strathdon, and part of Tarland.
249b	Ythan Wells	Parts of Auchterless and Forgue.
272	Arbroath	Arbroath, and part of St Vigens.
282	Dundee	Dundee, and part of Liff, Benvie, and Invergowrie.
312	Montrose	Montrose, and part of Dun.
324	Aberfeldy	Parts of Dull, Forthingall, Kenmore, Logierait, and Weem.
328b	Ardoch	Parts of Blackford, Dunblane, and Muthill.
331	Balquhidder	Balquhidder, and part of Comrie.
333	Blackford	Blackford, and part of Ardoch.
344	Dowally	Part of Dunkeld and Dowally.
348	Dunblane	Dunblane, and part of Ardoch.
349	Dunkeld	Parts of Caputh and of Dunkeld and Dowally
355a	Forthingall	Parts of Forthingall and Weem.
355b	Foss	Part of Dull.
360	Kenmore	Parts of Kenmore and Weem.
361	Killin	Parts of Kenmore, Killin, and Weem.
367	Kinloch-Rannoch	Parts of Forthingall and Logierait.
375	Logiealmond	Parts of Fowlis-Wester, Little Dunkeld, Methven, Monzie, and Redgorton.
379	Meikle	Meikle, and part of Coupar-Angus.
386a	Muthill	Muthill, and part of Ardoch. [Kinloch, and Rattray.
386b	Persie	Parts of Alyth, Bendochy, Blairgowrie, Caputh, Kirkmichael, Lethendy and
387	Perth	Perth, and parts of Kinnoull, Scone, and Tibbermore.
394b	Strathfillan	Part of Killin.
394c	Tenandry	Parts of Blair-Athol, Dull, and Moulin.
423	Dunbog	Dunbog, and parts of Abdie and Flisk.
442	Kirkcaldy and Abbotshall	Kirkcaldy, Abbotshall, and part of Kinghorn.
481b	Grangemouth	Parts of Bothkennar, Falkirk, and Polmont.
490	Stirling	Stirling, and small part of St Ninians.
493	Bonhill	Bonhill, and part of Dumbarton.
496	Dumbarton	Parts of Cardross and Dumbarton.
506	Ballachulish, etc.	Part of Kilmalie.
509	Cumlodden	Parts of Glassary and Inveraray.
512	Glenorchy	Glenorchy, and part of Inishail.
515	Kilbrandon and Kilchattan	Kilbrandon and Kilchattan, and part of Jura.
517	Kilchrenan	(1) Parts of Kilchrenan, etc., and Inishail.
526	Lochgilphead	Parts of Glassary and South Knapdale.
529	Muckairn	Muckairn, and part of Inishail. [Knapdale.
535	Tarbert	Parts of Kilcalmonell and Kilberry, of Saddell and Skipness, and of South
536	Bowmore (or Kilarrow)	Part of Kilarrow and Kilmeny.
542	Kilfinichen and Kilvickeon	Parts of Kilfinichen and Kilvickeon, and of Torosay.
543	Kilmeny	Part of Kilarrow and Kilmeny.
545	Kinlochspelve	Part of Torosay.
547	Portnahaven	Part of Kilchoman.
548	Salen	Parts of Kilninian and Kilmore, and of Torosay.
549	Tobermory	Part of Kilninian and Kilmore.
556	Lochranza	Parts of Kilbride and of Kilmory.
557	North Bute	North Bute, and part of Rothesay.
559	Abbey	(1) Parts of Abbey and Renfrew; (2 and 3) Rest of Abbey.
573	Paisley	High, Middle, and Low Church Parishes.
578	Ayr	Ayr, and parts of Newton-upon-Ayr, and of St Quivox.
595	Irvine	Irvine, and part of Dundonald.
612	St Quivox, etc.	Parts of Newton-upon-Ayr, and St Quivox.
626b	Calderhead	Parts of Cambusnethan and Shotts.
644	Glasgow	City of Glasgow, including Gorbals and parts of Barony and Govan
670	Queensferry	Queensferry, and part of Dalmeny.
684	Portobello	Parts of Duddingston and South Leith.
685	Edinburgh	City of Edinburgh, including Canongate and parts of St Cuthberts, Dudding- ston, Liberton, and South Leith.
690	Kirknewton & East Calder	Kirknewton and East Calder, and part of Kirkliston.
692	Leith	(1) Parts of Cramond, North Leith, and St Cuthberts; (2) Parts of North Leith, St Cuthberts, and South Leith.
698b	Stobhill	Parts of Borthwick, Cockpen, Newbattle, and Temple.
774a	Caddonfoot	Parts of Galashiels, Selkirk, Yarrow, Innerleithen, and Stow.
787b	Edgerston	Parts of Jedburgh, Oxnam, and Southdean.
813b	Brydekirk	Parts of Annan, Cummertrees, and Hoddum.
853b	Wanlockhead	Part of Sanquhar.
857b	Bargrennan	Parts of Minnigaff (Kirkcudbright) and of Penninghame (Wigtown)
862	Corsockbridge	Parts of Bahmaclellan, Kirkpatrick-Durham, and Parton.
864	Dalbeattie	Part of Urr.
899	Stranraer	Stranraer, and parts of Inch and Leswalt.

LIST of REGISTRATION DISTRICTS which include BURGHS, or TOWNS of 2000 Inhabitants, and upwards, *or parts thereof*, bearing a different name from the Districts in which they are situated.

No.	Registration Districts.	Burghs.	Towns.
80	Rosemarkie - - -	* Fortrose.	
130	Drainie - - -	- - -	* Lossiemouth.
164	Rathven - - -	- - -	* Buckie.
167	Seafeld - - -	Cullen.	
211	Kinnellar - - -	Kintore.	
213	Kintore - - -	Inverurie.	
251 ¹	Banchory-Devenick - -	Aberdeen.	
253	Benholm - - -	Inverbervie.	
255	Dunnottar - - -	- - -	Stonehaven.
258 ¹	Fetteresso - - -	- - -	Do.
262	Kinneff, etc. - - -	Inverbervie.	
274	Barry - - -	- - -	Carnoustie.
280	Craig - - -	Montrose.	
282 ⁴	St Andrews (Dundee) -	- - -	Broughty-Ferry
310	Monifieth - - -	- - -	Do.
316	Panbride - - -	- - -	Carnoustie.
371	Lecropt - - -	- - -	Bridge of Allan.
374	Logie - - -	Stirling.	Do.
385	Muckhart - - -	- - -	Dollar.
386 ^a	Muthill - - -	- - -	Crieff.
389	Rattray - - -	- - -	Blairgowrie.
406	Abdie - - -	- - -	Suburban of Newburgh.
405	Auchterderran - - -	- - -	Lochgelly.
408	Ballingry - - -	- - -	Do.
427	Elie - - -	- - -	Suburban of Earlsferry.
436	Kilconquhar - - -	* Earlsferry	Do.
438	Kilrenny - - -	Anstruther-Easter.	
456	Scoonie - - -	- - -	* Leven.
459	Wemyss - - -	- - -	Buckhaven.
466	Clackmannan - - -	- - -	Alloa.
475	Campsie - - -	- - -	* Lennoxtown.
478	Dunipace - - -	- - -	Denny.
488	St Ninians - - -	- - -	Bannockburn.
493	Bonhill - - -	- - -	* Alexandria.
494	Cardross - - -	- - -	* Renton.
500	New or East Kilpatrick	- - -	* Milngavie.
503	Row - - -	- - -	* Helensburgh.
523	Kilmore and Kilbride	* Oban.	
559 ¹	Abbey - - -	Paisley.	
559 ²	Do. (Landward) - -	- - -	Barrhead.
560	Cathcart - - -	- - -	{ Busby.
562	Eastwood - - -	- - -	{ Crosshill (Suburban of Glasgow).
564	Greenock, East - - -	Port-Glasgow.	* Pollokshaws and Thornliebank.
571	Mearns - - -	- - -	Busby.
576 ¹	Old Ardrossan - - -	- - -	Saltcoats.
577	Auchinleck - - -	- - -	Cumnock.
593	Galston - - -	- - -	Newmilns.
597	Kilmarnock - - -	- - -	Hurlford.
603	Loudoun - - -	- - -	Galston and Newmilns.
611	Riccarton - - -	Kilmarnock.	Hurlford.
613	Sorn - - -	- - -	* Catrine.
615	Stevenston - - -	- - -	Saltcoats.
621	Avondale - - -	- - -	* Strathaven.
622 ²	Shettleston - - -	- - -	Tollcross.
625 ¹	Bothwell - - -	- - -	* Bellshill.
625 ²	Holytown - - -	- - -	Calderbank.
628	Cambusnethan - - -	- - -	* Newmains and Wishaw.
639	Dalziel - - -	- - -	Motherwell.
643	East Kilbride - - -	- - -	Busby.
646 ¹	Govan Church - - -	- - -	Suburban of Glasgow.
646 ²	Partick - - -	- - -	{ Hillhead, Whiteinch, and Suburban
647	Hamilton - - -	- - -	{ of Glasgow.
651 ²	New Monkland (Landward)	- - -	Larkhall and Motherwell.
652	Old Monkland	- - -	Suburban of Airdrie.
	(1) Western District -	- - -	Bailliestone, and Tollcross.
	(2) Middle District -	- - -	Coatbridge and Rosehall.
	(3) Eastern District -	- - -	Do. do. and Calderbank.
654	Rutherglen - - -	- - -	Cambuslang.
664	Carriden - - -	- - -	Bo'ness.
673 ²	Fauldhouse - - -	- - -	* Crofthead.
689	Inveresk - - -	* Musselburgh.	
691	Lasswade - - -	- - -	Penicuik.
727	Ayton - - -	- - -	Eyemouth.
776 ^b	Ladhope - - -	Galashiels.	
810	Wilton - - -	Hawick.	
813 ^b	Brydekirk - - -	Annan.	
863	Crossmichael - - -	- - -	Castle-Douglas.
868	Kells - - -	* New Galloway.	
869	Kelton - - -	- - -	Castle-Douglas.
876	Minnigaff - - -	- - -	Newton-Stewart.
880	Terregles - - -	Dumfries.	
882	Troqueer - - -	Do.	
895	Penninghame - - -	- - -	Newton-Stewart.

* The asterisk indicates that the *entire* Burgh or Town is embraced in the Registration District.

INDEX TO THE DISTRICTS.

*The Figures refer to the Numbers of the Districts in the preceding Tables of Births, Deaths, and Marriages, these being numbered consecutively from 1 to 901.**

Abbey, . . . 559	Ashkirk, . . . 781	Bervie, . . . 254	Campbeltown, 507	Corstorphine, 678
Abbey St Bath- ans, . . . 726	Assynt, . . . 44	Biggar, . . . 623	Campsie, . . . 475	Cortachy & Clova 278
Abbotshall, 399	Athelstaneford, 703	Birnie, . . . 127	Canisbay, . . . 35	Coull, . . . 182
Abdie, . . . 400	Auchindoir, 172	Birsay, . . . 13	Canonbie, . . . 814	Coupar-Angus, 279
Abercorn, . . 661	Auchinleck, 577	Birse, . . . 175	Canongate, . . 685	Covington and Thankerton, 634
Aberdalgie, 323	Auchterarder, 329	Blackford, . . 333	Caputh, . . . 337	Coylton, . . . 583
Aberdeen, . . 168	Auchterderran, 405	Blackfriars, 644	Cardross, . . . 494	Craig, . . . 280
Aberdour (Aber- deen), . . . 169	Auchtergaven, 330	Blair-Athol, 334	Careston, . . . 277	Craigie, . . . 584
Aberdour (Fife), 401	Auchterhouse, 273	Blairgowrie, 335	Cargill, . . . 338	Craignish, . . 508
Aberfeldy, . . 324	Auchterless, 173	Blantyre, . . . 624	Carlaverock, 815	Crail, . . . 417
Aberfoyle, . . 325	Auchtermuchty, 406	Blythswood, 644	Carloway, . . . 86	Crailing, . . . 786
Aberlady, . . 702	Auchtertool, 407	Boharm, . . . 128	Carluke, . . . 629	Cramond, . . . 679
Aberlemno, 269	Auldearn, . . 121	Boisdale, . . . 118	Carmichael, 630	Cranshaws, 734
Aberlour, . . 145	Avoch, . . . 59	Boleskine, . . 92	Carmunnock, 631	Cranston, . . 680
Abernethy, 326	Avondale, . . 621	Bolton, . . . 704	Carmylie, . . . 276	Crathie and Braemar, 183
Abernethy and Kincardine, 90	Ayr, . . . 578	Bonar, . . . 46	Carnbee, . . . 413	Crawford, . . 635
Abernyte, . . 327	Ayton, . . . 727	Bonhill, . . . 493	Carnoch (Ross), 595	Crawfordjohn, 636
Aboyne, . . . 170	Baldernock, 471	Borgue, . . . 858	Carnock (Fife), 414	Creich (Fife), 418
Aharacle, . . 505	Balfron, . . . 472	Bo'ness, . . . 663	Carnwath, . . . 632	Crichton, . . . 681
Airdrie, . . . 651	Ballachulish and Corran of Ard- gour, . . . 506	Bothwick, . . 674	Carriden, . . . 664	Criech (Suther- land), . . . 46
Airlie, . . . 270	Ballantrae, . . 579	Bothkennar, 473	Carrington, 675	Crieff, . . . 342
Airth, . . . 469	Ballingry, . . 408	Bothwell, . . . 625	Carsphairn, 860	Crimond, . . . 184
Alford, . . . 171	Balmacellan, 856	Botriphnie, 148	Carstairs, . . . 633	Cromarty, . . . 61
Alloa, . . . 465	Balmaghie, 857	Bourtie, . . . 176	Castleton, . . 784	Cromdale and Advie, . . . 128
Alness, . . . 57	Balmerino, . . 409	Bowden, . . . 783	Cathcart, . . . 560	Crossmichael, 863
Alva (Stirling), 470	Balquhiddie, 331	Bower, . . . 34	Cavers, . . . 785	Croy & Dalcross, 94
Alvah (Banff), 146	Banchory-Deve- nick, . . . 251	Bowmore, . . . 536	Cawdor, . . . 122	Cruden, . . . 185
Alves, . . . 125	Banchory-Ter- nan, . . . 252	Boyndie, . . . 149	Ceres, . . . 415	Cullen, . . . 150
Alvie, . . . 90	Banff, . . . 147	Bracadale, . . 109	Channelkirk, 729	Culross, . . . 343
Alyth, . . . 328	Bannockburn, 488	Brechin, . . . 275	Chapel-of-Gari- och, . . . 179	Culsamond, 186
Ancrum, . . . 780	Bargrennan, 857	Bressay, . . . 1	Chirnside, . . 730	Culter, . . . 637
Anderston, . . 644	Barony, . . . 622	Bridgeton, . . 644	Clackmannan, 466	Cults, . . . 419
Annan, . . . 812	Barr, . . . 580	Brodick, . . . 553	Clatt, . . . 180	Cumbernauld, 495
Anstruther-E., 402	Barra (Inver- ness), . . . 108	Broughton, 758	Cleish, . . . 460	Cumbrae, . . . 552
Anstruther-W., 403	Barrhead, . . 572	Brydekirk, . . 813	Closeburn, . . 816	Cumlodden and Minard, . . . 509
Anwoth, . . . 855	Barrhill, . . . 582	Buchanan, . . 474	Clunie (Perth), 339	Cummertrees, 817
Appin, . . . 525	Barry (Forfar), 274	Buckhaven, 459	Cluny (Aberd'n), 181	Cupar, . . . 420
Applecross, 58	Barvas, . . . 86	Buittle, . . . 859	Clyne, . . . 45	Currie, . . . 682
Applegarth, 813	Bathgate, . . 662	Bunkle and Preston, . . . 728	Cockburnspath, 731	
Arbirlot, . . . 271	Beath (Fife), 410	Burntisland, 411	Cockpen, . . . 676	
Arbroath, . . 272	Bedrule, . . . 782	Burra & Quarff, 1	Coigach, . . . 75	
Arbuthnott, 250	Beith (Ayr), 581		Coldingham, 732	
Ardehatten, 504	Belhelvie, . . 174	Cabrach, . . . 177	Coldstream, 733	
Ardelach, . . 120	Bellie, . . . 126	Cadder, . . . 626	Colinton, . . . 677	
Ardersier, . . 91	Benbecula, . . 118	Caddonfoot, 774	Coll, . . . 551	Dailly, . . . 585
Ardnamurchan, 505	Bendochy, . . 332	Cairney, . . . 178	Collace, . . . 340	Dairsie, . . . 421
Ardoch, . . . 328	Benholm, . . . 253	Calderhead, 626	Collessie, . . . 416	Dalavich, . . . 517
Ardrossan, . . 576	Bernera, . . . 111	Callander, . . 336	Colmonell, . . 582	Dalbeattie, . . 864
Arisaig, . . . 505		Calton, . . . 644	Colonsay, . . . 539	Dalgetty, . . . 422
Armadaile, . . 662		Cambuslang, 627	Colvend, . . . 861	Dalkeith, . . . 683
Arngask, . . . 404		Cambusnethan, 628	Comrie, . . . 341	Dallas, . . . 129
Arrochar, . . 492		Cameron, . . . 412	Contin, . . . 60	Dalmellington, 586
		Camlachie, 644	Cookney, . . . 258	Dalmeny, . . . 665
			Corsock-Bridge, 862	Dalry (Ayr), 587

* The actual number of Districts is 1029—many Parishes and Burghs having been divided into two or more Districts for the purposes of Registration. Thus Edinburgh and Glasgow, to each of which only a single number is assigned in the Tables, consist of 5 and 14 Districts respectively. In forming the alphabetical arrangement, the principle adopted has been to place *compound* names in the order in which they are pronounced.

Kirknewton and East-Calder, 690	Logie (Perth), 374	Muiravonside, 486	Persie, 386	St George, 685
Kirkoswald, 601	Logiealmond, 375	Muirkirk, 607	Perth, 387	St Giles, 685
Kirkpatrick- Durham, 874	Logie-Buchan, 216	Murroes, 313	Peterculter, 231	St Kilda, 111
Kirkpatrick- Fleming, 837	Logie-Coldstone and Cromar, 217	Musselburgh, 689	Peterhead, 232	St Madoes, 392
Kirkpatrick- Juxta, 838	Logie-Easter, 77	Muthill, 386	Pettinain, 653	St Mary, 282
Kirkton (As- synt), 44	Logie-Pert, 304	Nairn, 123	Petty, 106	St Martins, 393
Kirkton (Farr), 50	Logierait, 376	Neilston, 572	Pitsligo, 233	St Monance (or Abercrombie), 454
Kirktown (Rox- burgh), 794	Longforgan, 377	Nenthorn, 753	Pittenweem, 453	St Mungo, 847
Kirkurd, 764	Longformacus, 750	Nesting, 7	Polmont, 487	St Nicholas, 168
Kirkwall & St Ola 21	Longside, 218	New Abbey, 877	Polwarth, 754	St Ninians, 488
Kirriemuir, 299	Lonmay, 219	New Ardrossan, 576	Port-Glasgow, 574	St Peter, 282
Knockando, 139	Loth, 54	Newbattle, 695	Port of Monteith, 388	St Quivox, &c., 612
Knockbain, 73	Loudoun, 603	Newburgh, 450	Portlethen, 251	St Rollox, 644
Knoydart, 97	Lumphanan, 220	Newburn, 451	Portmoak, 464	St Vigeans, 319
	Lunan, 305	New Byth, 210	Portnahaven, 547	Salen (Argyll), 548
	Lundie, 306	New Cumnock, 608	Portobello, 684	Saline (Fife), 455
	Lunnasting, 7	New Deer, 225	Portpatrick, 896	Salton, 719
	Luss, 499	New Galloway, 868	Portree, 114	Sanday, 26
	Lyne, 765	Newhills, 226	Portsoy, 153	Sandness, 12
		Newington, 685	Premnay, 234	Sandsting and Aithsting, 9
Ladhope, 776	Madderty, 378	New Kilpatrick, 500	Prestonkirk, 717	Sandwich, 27
Ladykirk, 746	Mains, 307	Newlands, 767	Prestonpans, 718	Sandwich & Cun- ingsburgh, 3
Laggan, 104	Makerstoun, 797	New Luce, 893	Queensferry, 670	Sanquhar, 848
Lairg, 53	Manor, 766	New Machar, 227		Savoch, 237
Lanark, 648	Markinch, 447	New Monkland, 651	Raasay, 114	Scone, 394
Langholm, 839	Marnoch, 161	New Pitsligo, 227	Rafford, 140	Scoonie, 456
Langton, 747	Maryculter, 264	New Spynie, 136	Rathen, 235	Scourie, 49
Larbert, 485	Maryhill, 622	Newton, 696	Ratho, 698	Seafield, 167
Largo, 443	Marykirk, 265	Newtyle, 314	Rathven, 164	Selkirk, 778
Largs, 602	Marytown, 308	Nigg (Kincard.), 266	Rattray, 389	Shapinshay, 28
Larkhall, 638	Mauchline, 604	Nigg (Ross), 78	Rayne, 236	Shettleston, 622
Lasswade, 691	Maxton, 798	North Berwick, 713	Reay, 40	Shieldaig, 58
Latheron, 38	Maybole, 605	North Bute, 557	Redgorton, 390	Shotts, 655
Lauder, 748	Mearns, 571	North Knapdale, 530	Renfrew, 575	Skene, 238
Laurencekirk, 263	Megget, 765	North Leith, 692	Rerrick, 879	Skipness, 531
Leadhills, 635	Meikle, 379	Northmavine, 8	Rescobie, 317	Skirling, 769
Lecropt, 371	Melrose, 799	North Morar, 97	Resolis, 79	Slains, 239
Legerwood, 749	Menmuir, 309	North Ronald- shay, 22	Rhynd, 391	Slamannan, 489
Leith, 692	Merton, 751	North Uist, 113	Rhynie, 237	Sleat, 115
Leochel-Cush- nie, 214	Methlic, 221	North Yell, 4	Riccarton, 611	Smailholm, 805
Lerwick, 5	Methven, 380	Oa, 546	Roberton, 777	Small Isles, 116
Leslie (Aberd'n), 215	Mid-Calder, 694	Oathlaw, 315	Rogart, 55	Snizort, 117
Leslie (Fife), 444	Middlebie, 841	Oban, 523	Rosehall, 46	Sorbie, 897
Lesmahagow, 649	Mid & S. Yell, 6	Ochiltree, 609	Rosemarkie, 80	Sorn, 613
Leswalt, 891	Millbrex, 222	Old Ardrossan, 576	Roseneath, 502	Southdean, 806
Lethendy, 372	Milton, 644	Old Cumnock, 610	Rosskeen, 81	Southend, 532
Lethnot and Navar, 300	Minnigaff, 876	Old Deer, 228	Rothsay, 558	South Knapdale, 533
Leuchars, 445	Minto, 800	Oldhamstocks, 714	Rothiemay, 165	South Leith, 692
Libberton (Lan- ark), 650	Mochrum, 892	Old, or West, Kilpatrick, 501	Rothiemurchus, 96	South Ronald- shay & Burray, 29
Liberton (Edin.) 693	Moffat, 842	Old Luce, 894	Rousay and Egilsay, 24	South Uist, 118
Liff, Benvie, & Invergowrie, 301	Moneydie, 381	Old Machar, 168	Row, 503	Speymouth, 143
Lilliesleaf, 795	Monifieth, 310	Old Meldrum, 229	Roxburgh, 803	Spott, 720
Linlithgow, 668	Monikie, 311	Old Monkland, 652	Rutherglen, 654	Sprouston, 807
Linton, 796	Monimail, 448	Olrig, 39	Ruthven, 318	Stair, 614
Lintrathen, 302	Monkton and Prestwick, 606	Ordiquhill, 163	Ruthwell, 846	Stenscholl, 112
Lismore, 525	Monquhitter, 223	Ormiston, 715	Saddell, 531	Stenton, 721
Little Dunkeld, 373	Montrose, 312	Orphir, 23	St Andrew (Dundee), 282	Stevenston, 615
Livingstone, 669	Monymusk, 224	Orwell, 463	St Andrew (Edinburgh), 685	Stewarton, 616
Lochaber, 99	Monzie (Perth), 382	Oxnam, 802	St Andrews (Orkney), 25	Stirling, 490
Lochalsh, 74	Monzievaird and Strowan, 383	Oyne, 230	St Andrews- Lhanbryde, 142	Stitchell, 808
Lochbroom, 75	Moonzie (Fife), 449	Paisley, 573	St Andrews (Fife), 453	Stobhill, 693
Lochcarron, 76	Mordington, 752	Panbride, 316	St Boswells, 804	Stobo, 770
Lochee, 282	Morebattle, 801	Papa-Stour, 12	St Clement, 282	Stoer, 44
Lochgilphhead, 526	Morham, 712	Papa-Westray, 33	St Cyrus, 267	Stonehouse, 656
Lochgilphhead, 527	Mortlach, 162	Partick, 646	St Fergus, 166	Stoneykirk, 898
Lochlee, 303	Morton, 843	Parton, 878		Stornoway, 88
Lochmaben, 840	Morvern, 528	Peebles, 768		Stow, 699
Lochranza, 565	Moulin, 384	Pencaitland, 716		Stracathro, 320
Lochrutton, 875	Mouswald, 844	Penicuik, 697		Strachan, 268
Lochs, 87	Moy and Dala- rossie, 105	Penninghame, 895		Strachur, 534
Lochwinnoch, 570	Muckairn, 529	Penpont, 845		Straiton, 617
Logie (Fife), 446	Muckart, 385			Stralachlan, 534
				Stranraer, 899

Strath, .	119	Tarland, .	242	Tranent, .	722	Urquhart (In-	Westruther, 7
Strathblane, .	491	Tarves, .	243	Traquair, .	771	verness), .	Whalsay and
Strathdon, .	240	Tealing, .	322	Trinity-Gask, .	396	Urquhart and	Skerries, . 7
Strathfillan, .	394	Temple, .	700	Troon, .	590	Logie-Wester, .	Whitburn, . 6
Strathmartin, .	307	Tenandry, .	394	Troqueer, .	882	Urr, . .	Whitekirk and
Strathmiglo, .	457	Terregles, .	880	Tulli Allan, .	397	Urray, . .	Tynninghame, 722
Strathoykel, .	71	Teviothead, .	809	Tullynessle and			Whiteness and
Strathy, .	50	Thurso, .	41	Forbes, .	246		Weisdale, . 10
Strichen, .	241	Tibbermore, .	395	Tundergarth, .	851	Walls (Shetland), .	Whithorn, . 900
Stromness, .	30	Tillicoultry, .	468	Turriff, .	247	Walls (Orkney), .	Whitsome, . 75
Stronsay, .	31	Tingwall, .	10	Tweedsmuir, .	772	Walston, .	Whittinghame, 724
Sunart, .	505	Tinwald, .	849	Twynholm, .	883	Wamphray, .	Wick, . . 43
Swinton, .	755	Tobermory, .	549	Tynron, .	852	Wandell and	Wigtown, . 901
Symington (Ayr), .	618	Tomintoul, .	160	Tyree, .	551	Lamington, .	Wilton, . 810
Symington		Tongland, .	881	Tyrie, . .	248	Wanlockhead, .	Wiston and Ro-
(Lanark), .	657	Tongue, .	56			Watten, .	berton, . 660
		Torosay, .	550	Udny, .	249	Weem, .	
		Torphichen, .	671	Uig, . .	89	Wemyss, .	Yarrow, . 779
Tain, .	82	Torryburn, .	458	Unst, . .	11	West Calder, .	Yester (or Gif-
Tannadice, .	321	Torthorwald, .	850	Uphall, .	672	Westerkirk, .	ford), . 725
Tarbat, .	83	Tough, .	244	Urquhart (El-		West Kilbride, .	Yetholm, . 811
Tarbert, .	535	Towie, .	245	gin), .	144	West Linton, .	Ythan Wells, 249
Tarbolton, .	619	Tradeston, .	644			Westray, .	

